



CONFIG NUMBER DH416-C212G 14PAX
 CONFIG DESCR 2022 12.3K GM WHITE - TEMPLATE
 CONFIG REV DATE FREEDMAN 3PT SEATS
 ORDER DESCR 14P MFSAB
 ORDER QTY 1
 DIST NAME LONGHORN BUS SALES
 CONTACT MIKE HORN
 CUSTOMER FERRIS ISD

QTY	DESCRIPTION
1	PRICE SCHEDULE COL 5/01/2021
1	Spec, FMVSS "Multifunction School Activity Bus", meets all "School Bus" FMVSS except traffic control, >10,000# GVWR, driver plus 10 or more passengers (W/C counted as 4 pax), may be used to transport students between school and places other than home.
1	Core components, DRW high headroom model 4 section +16". Standard floor (with wheelwells), 76" interior headroom, 25"X78" entrance door, 96" overall width, all-galvanized-steel construction, 2014.
1	Trim additions, Collins 4 section+16. 2022 COLLINS DH416
1	2022 GM 6.6L GAS 139" WB 12,300 GVWR - STD.SEAT/BELT/ALT.KW5/NO RAD/CAM/STD DIFF/BW/BB/N-FI/N-BH/NOSPARE/N-GOV/STDBAT
1	A/C 70K ACT dual compressor, 2 fan, CS-2 skirt mount condenser, dash & EV20 in-wall evaporators, Chevy gas.
1	Battery tie-in for 2021+ Chevy gas units with no battery box.
1	Battery upgrade to replaces OEM battery with 800CCA battery
1	Bumper 10" x 3/16 galvanneal steel channel DRW, wrap around extending forward at least 12" w/protecting end caps, with relief hole for exhaust pipe to pass thru.
1	Bumper Brace to attach to frame side, DH 400/500 and DE/DH 416 models, all Gas and Diesel exhaust systems.
1	Fuel system protection and preperation for Chevy gas chassis standard floor 139"WB
1	Door, entrance, black aluminum frame with full-length tempered AS2 glass for SH/DH units
1	Door entrance control, electric mechanism above door header, for glass doors, driver control panel mounted in doghouse, with manual cable-release. (NY State Spec)
1	Rear egress door, RH (curbside) hinge, aluminum construction, select glass rear door upper/lower separately.
1	Rear door hinge continuous stainless steel
1	Rear Door Latch single latch at center of door, with interior red handle and exterior web style non-hitching handle.
1	Core electrical items for all Chevy buses including Elect. Board, switch panel, buzzer, domes, step lights, and main harness
1	Backup-alarm 112dBA that is activated upon placing the bus in reverse gear, wired through the ignition.
1	Child alert system. None.
1	Backup camera safety system with 7" mirror monitor. OEM GM <10K GVWR
1	Chevy 416 exhaust thru/under the rear bumper gasoline
1	Endcaps fiberglass front and rear exterior for use without warning lights on DH commercial/MFSAB units
1	Exterior steel rear corner skins left and right, driprail and below emergency exit rear door for DH units
1	Exterior aluminum left and right roof skins for DRW 416 (4section+16) units
1	Exterior steel left and right side skins, behind and above driver skins for DH 416 (4section+16) units
1	Skirts, steel below body panels for std floor DH416 with AC
1	No Storage/ No Battery Box, steel skirt
1	Mud Flaps Rear DH
1	A manual release mechanism for the DOD/service door that is operated from the exterior of the bus and used to get the door open in a emergency. For use with Electric Door Openers Only (Requires 260-3-13). With Vandal lock key.
1	Flooring black rubber, 1/8" smooth rubber under seats, 3/16" ribbed center aisle rubber 15" wide.
1	Flooring step treads, DRW standard and elevated floor models, black ribbed tread with integral white ribbed nosing.
1	Plywood subfloor for DH/E416 units, 1/2" thick
1	Cover tops and sides of interior wheel well with black elastomer trim cover, fits dual rear wheel wheelwells
1	Heater 60K floor mount for Chevy units placed IN RIGHT HAND REAR CORNER OF BUS, includes 2 shutoff valves, BLEEDER VALVE
1	Interior panels below window, embossed aluminum, standard floor 416 units.
1	Interior Panels Rear Wall DRW with Exit Door, with AC cutout.
1	Interior panels upper, smooth aluminum, Painted White for DRW 416 units.
1	Grabrail 42" long 1 1/4 dia. stainless, mounted left of entry on RH barrier, designed to prevent entanglement (Passes NHSTA string and nut test)
1	Grabrail 30" long 1 1/4 dia. stainless, mounted right of entry, designed to prevent entanglement (Passes NHSTA string and nut test)
1	Mirror interior clear view back bonded glass, rounded corners and protected edges, 6 x 16 flat. Installed above drivers head on front bulkhead. Interior mirror providing the driver a clear view of interior and rear exit door.
1	Vandal lock for Chevy and Ford E-S, permits manual lock of rear emergency door from inside while bus not in use, with buzzer and visual indicator on panel. Engine will not start until lock is disengaged, warning buzzer will activate to alert driver lock is engaged
1	Interior addition driver cup holder, mounted to center console at driver RH below switch panel.

1 Insulation in roof bow cavities and side wall cavities
 1 Application of Permasafe protective product to the interior of the bus at factory. Initial application, customer must reapply per the manufactures recommendations.
 1 Brake/tail lights LED with separate license plate light, (2) 4" flush mount
 1 brake/tail lights, 2- 7" LED type
 1 Clearance lights LED type; row of three red lights on rear of bus and single reds on left & right rear, row of three amber lights on front of bus with single ambers on left and right front sides. Lights are low profile grommet mount.
 1 Four domelights are powered through the ignition, will only function when ignition is turned on and dome light switch is on.
 1 Drivers dome light tied to OEM drivers door open circuit, comes on when drivers door is open, will time itself out when door is shut.
 1 Lamps, turn signal amber LED rear 7"
 1 Lamps, backup white (2) 4" flush mount LED
 1 Lights, stepwell lights are wired ignition hot and are illuminated whenever the DOD is opened.
 1 Warning lamps, none
 1 Electrical control panel for buses with no 4 or 8 light system.
 1 Black Housing ADA Light, exterior located near lower edge of DOD. Comes on when DOD opens, or stepwell lights are on.
 1 Dome light, additional above driver seat in ABS. Operated by existing passenger area dome switch.
 1 Remote Heated Rearview and Crossview mirror system w/ black bracketry for GM DRW buses. ROSCO AccuStyle 8"x15" dual Rearview mirror incl. 7"x9.5" flat and 7"x4" convex mirror glass, with Heated EyeMax LP Crossview mirrors.
 1 Headknockers to comply with FMVSS 222; foam pads covered with gray fire block upholstery.
 1 Pad over driver door covered with gray fire block upholstery.
 1 Paint body exterior white, Chevy DH/DE buses.
 1 Radio AM/FM/Bluetooth/Aux/clock, includes antenna and four speakers. For Chevy units.
 1 Rubrails, floor level side rubrails that wrap around the rear of the bus to the emergency door, 4.6" tall X 16 ga steel.-WHITE
 1 Rubrails, seat level side rubrails that wrap around the rear of the bus to the emergency door. Rubrails are 4.6" tall and made of 16 ga steel.-WHT
 1 RUBRAIL NONE AT WINDOW LEVEL
 1 RUBRAIL NONE AT SKIRT LEVEL
 1 Triangle warning reflectors (set of three).
 1 Fire extinguisher, 5 lb., 3A 40BC with 10" hose and nozzle,, may only be mounted near entrance door.
 1 Seat belt cutter, loaded loose in driver compartment.
 1 Body fluids kit for TX
 1 First aid kit 24 Unit Hard Plastic Case for TX
 1 Barrier, 36" left hand high back with medium gray fire block upholstery, leg at 27" position.
 1 Barrier, 36" right hand high back with medium gray fire block upholstery, no welting, leg at 27" position.
 3 Seat, 35" left hand Freedman 3PT activity seat, two passenger, with gray prevail upholstery back and insert level 4, leg at 27".
 3 Seat spacing LH 28in hip/knee, maximum allowable to meet FMVSS 222 (school bus certification). Max knee space
 4 Seat, 35" right hand Freedman 3PT activity seat, two passenger, with gray prevail upholstery back and insert level 4, leg at 27".
 4 Seat spacing RH 28in hip/knee, maximum allowable to meet FMVSS 222 (school bus certification). Max knee space
 7 Seat mounting hardware floor mount seats, required for each non-track-mount seat
 1 Signage, identification, "Collins"
 1 Certification plate made of engraved metal located in drivers compartment.
 1 Std ext. decal 2" tall "EMERGENCY DOOR" in black/arrow in black. Std int. decal 2" tall "EMERGENCY EXIT" in black/arrow red
 1 Equip cage approximately 26"L x 27"W x 20"H, located in LH rear of bus. Made of 1.25" dia tubing. For SX,GX buses.
 1 No Stop Arm
 1 Auxiliary fan two-speed, right side over windshield.
 1 Roof vent, static with non-closeable control grille.
 1 Window Transition Chevy glass, AS2 tempered clear glass
 1 Windows Rear Body DH/DE with Rubber Mounted AS3 Tempered 32% Tinted Glass
 1 Window Rear Door Lower Rubber Mounted AS3 Tempered 32% Tinted Glass
 1 Window Rear Door Upper Rubber Mounted AS3 Tempered 32% Tinted Glass
 8 Window Split Sash 36" with AS3 Tempered 26% Tinted Glass, providing an unobstructed 12 x 28 opening when upper sash is lowered.
 1 Undercoat body components except within 12" of the exhaust system, heat shields, or driveshaft.
 1 Warranty, standard limited body, covers body shell, structure, seat structure for 5 YR/100K MI, manufacturer's components for 2 YR/24K MI, other components 1 YR/12K MI. Excludes corrosion due to road chemicals. See warranty policy for full details.
DEALER INSTALLED ITEMS
 1 PDI, DOT, WEIGHT SLIP
 1 SCHOOL NAME LETTERING: **FERRIS I.S.D.**

BUDGET PRICE EA. \$64,241.00

PRICE DOES NOT INCLUDE BUY BOARD FEE \$800 PER PURCHASE ORDER, PLEASE ADD IF APPLICABLE. BUY BOARD CONTRACT #630-20

All available discounts have been applied. Customer must have qualifying GM FAN or Ford FIN for government price concession applied to the above pricing. If FAN or FIN code is not on file for the customer, the customer must apply and qualify for government assistance or the applied discount will be added back to the pricing and a new quote rendered.

Estimated delivery is _____ ARO. Pricing and delivery schedules are contingent upon vehicle availability at time an order is placed. Limited supplies available. Longhorn Bus Sales will not be held responsible for previously sold stock buses. Longhorn Bus Sales will seek alternative options should the above vehicle be sold before customer has provided our dealership with a written PO.


Longhorn Bus Sales will not be held responsible for material shortages or delays due to the global COVID-19 Pandemic or any other reasons outside our control by represented OEM or third-party vendors used to complete a customers bus equipment. A bus may be delivered without third-party products (i.e., A/C, GPS, Two-way radios, Camera surveillance, etc) and will be installed when available. Any potential shortages will not hold up invoicing and payment.

CUSTOMER APPROVAL IS REQUIRED WITH CUSTOMER PO.

Cust. Signature: _____

Date: _____

LONGHORN BUS SALES, 6043 NORTH GENERAL BRUCE DRIVE, TEMPLE TX 76501



DH416

LONGHORN BUS SEATING PLAN

14 Passengers

3 LH Seats


3 35 inch 3 POINT LH Seats

4 RH Seats

4 35 inch 3 POINT RH Seats

Approved By: _____ Date: _____

1/2" PLYWOOD SUBFLOOR TEMPLATE DRAWING #442658-5

	COLLINS BUS CORP. P.O. BOX 2946 HUTCHINSON, KS. 67504-2946	THIS DRAWING AND ALL INFORMATION THEREON IS THE PROPERTY OF REV GROUP	DRAWN BY	RM
	FORM: F-7.3.06 REVISION 0		DATE	11/11/21
TITLE CHEVY DH416 MFSAB			DRAWING NO. 85759-65DH416-C212G	



Limited Warranty (Effective 1/1/11)

Collins Bus Corporation (Collins) warrants each new bus body to be free from defects in material and workmanship under normal use and service within the expressed time and mileage limits set forth herein.

1. **What is Covered by this Warranty.** Collins warrants to the original purchaser only, that the bus that is the subject of this sale and all other original components manufactured by Collins are free from defects in material and workmanship. The duration of warranties offered herein are as follows:
 - A. For a period of five (5) years from the date of delivery or 100,000 miles, whichever occurs first, Collins warrants the:
 - a. Body shell (including structural metal components welded or riveted together forming the floor, side walls, roof, front or end caps) to be free from defects in structural integrity, including rust-through.
 - b. School bus seat frames and barrier frames to be free from defects in structural integrity.
 - B. For a period of two (2) years from the date of delivery or 24,000 miles, whichever occurs first, Collins warrants all other components manufactured by Collins.
 - C. For a period of one (1) year from the date of delivery or 12,000 miles, whichever occurs first, Collins warrants all other components not covered by A and B above, except for the chassis, the wheelchair lift (if applicable), and the air conditioner system which are warranted by their manufacturers with copies of said warranties supplied with each new bus.

If the purchaser discovers within any of the applicable periods a defect in material or workmanship, they must notify Collins promptly in writing. In no event shall such notification be received by Collins later than one (1) month after the applicable warranty period or one month after the applicable mileage, whichever comes first. Within a reasonable time such notification, Collins will correct any defect in material or workmanship with either new or used replacement parts, at Collins' option. Such repair, including both parts and labor, is a Collins' expense. All warranty work is subject to the designated service center will be at the purchaser's expense and is not included as a cost of repair covered by this warranty. These remedies are the purchaser's exclusive remedies for breach of warranty.

2. **What is Not Covered by this Warranty.** Collins does not warrant (a) any product, components or parts not manufactured by Collins, including but not limited to the chassis or any chassis part, (b) damage caused by use of the bus body for purposes other than those for which it was designed, (c) damage caused by accident or the negligence of the purchaser or any third party or by disasters such as fire, flood, wind, and lightning, (d) damage caused by the purchaser's failure to provide normal preventive maintenance as customarily accepted in the industry or as set forth in maintenance guidelines, (e) filters, belts or other parts which are a part of normal maintenance replacement, (f) damage caused by unauthorized or improper installation of attachments, repairs, modifications or alterations, (h) damage caused by replacement of original parts or components with unauthorized substitutes, (i) damage during shipment, or (j) any other abuse or misuse by the purchaser (k) damage caused by exposure to contaminants, corrosives, salt, chemicals, irradiation or environmental or atmospheric conditions, (l) tires carry only the warranty of their manufacturer. Collins makes no warranty whatsoever concerning tires.
3. **Disclaimer of Warranty.** THE FOREGOING WARRANTIES ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.
4. **Limitation of Remedies.** In no case shall Collins be liable for any special, incidental, or consequential damages based upon breach of warranty, breach of contract, negligence, strict tort, or any other legal theory. Such damages include, but are not limited to, loss of profits, loss of savings or revenue, loss of use of the bus body or any associated equipment, cost of capital, cost of any substitute bus body, equipment, facilities or services, downtime, the claims of third parties including customers, and injury to property. This limitation does not apply to claims for personal injury. Some states do not allow limits on warranties, or on remedies for the breach in certain transactions. In such states, the limits in this paragraph and in paragraph (3) may not apply.
5. **Warranty Claim Procedure.** The Purchaser must notify Collins in writing of a warranty claim prior to any warranty work. Collins will provide the purchaser with further instructions on how to proceed with such warranty claim. Any notice of a warranty claim and all other warranty correspondence must be sent to Collins Bus Corporation, P.O. Box 2946, Hutchinson, KS 67504-2946. Collins may designate new or additional addresses.
6. **Time Limit for Bringing Suit.** Any action for breach warranty must be commenced within 15 months following delivery of the vehicle or within the first three (3) months following the first 12,000 miles, whichever comes first.
7. **No Other Warranties.** Unless modified in writing and signed by both parties, this agreement is understood to be the complete and exclusive agreement between parties, superseding all the prior agreements, oral or written, and all other communications between the parties (including without limitation any terms and conditions contained in any purchase order or sales invoice issued pursuant to the sale of this bus body) relating to the subject matter of this agreement. No employee of Collins or any other party is authorized to make any warranty in addition to those made in this agreement.
8. **Warranty Registration.** This warranty is conditioned upon receipt by Collins of a completed and signed customer acceptance card within two weeks of delivery. It is the obligation of the purchaser to sign the customer acceptance card and return it to Collins within the two weeks following delivery. The customer acceptance card must be on file for any warranty claim to be considered.



LIMITED LIFETIME PAINT WARRANTY (Effective 1/1/11)

1. What is Covered By This Warranty. Collins Bus Corporation (CBC) warrants, to the original purchaser only, that the bus body that is the subject of this sale is effectively painted and free from coating defects in material and workmanship and further warrants that the bus body will remain free of paint defects. The duration of the warranty is for the life of the vehicle, limited however to the original purchaser commencing with the date the bus is painted by CBC. The obligation of CBC is to provide paint material and application labor according to this schedule:

- (I) Material for life of vehicle
- (II) Cost of repair labor covered in full during the first three years of the vehicle's life
- (III) 50% of the cost of repair labor in year four of the vehicle's life
- (IV) 25% of the cost of repair labor in year five of the vehicle's life

The warranty provided herein shall cover and extend to the following properties of the paint system:

- (A) Loss of adhesion of the paint system resulting in rust (less than rust grade 5, ASTM D 610-85)
- (B) Cracking of the paint system (as set forth in ASTM D 661-86)
- (C) Loss of adhesion of any element of the paint system resulting in appearance below standards set out in ASTM D 1654-79A
- (D) Fading or loss of gloss below standards set out in ASTM D 659-86, value number 4 or lower

If within the warranty period, purchaser discovers a defect in material or workmanship, it must promptly notify CBC in writing. In no event shall CBC be obligated to accept such notification unless it is received by CBC not later than one month following the expiration of the warranty period. Within a reasonable time after such notification, CBC will correct any defect in material or workmanship. Such repair, including both paint materials and labor, is at CBC's expense according to the schedule listed. All warranty work is subject to CBC's or its agent's prior examination and approval and will be performed by CBC or its agents at service centers designated by CBC or its paint vendor. All transportation to and from the designated service center will be at the purchaser's expense and is not included as a cost of repair covered by this warranty. These remedies are the purchaser's exclusive remedies for breach of warranty.

2. What is Not Covered By This Warranty. CBC does not warrant (a) the exterior finish on trim or any fiberglass components, including but not limited to hardware moldings, windows, mirrors, lights and other appointments and accessories, (b) any product finishes, component finishes or finishes of parts not manufactured by CBC including the chassis, (c) damage caused by use of the bus body for purposes other than those for which it was designed, (d) damage caused by accident or the negligence of the purchaser or any third party or by disasters such as fire, flood, wind, lightning, acid rain, and industrial fallout, (e) damage caused by the purchaser's failure to provide normal preventive maintenance as customarily accepted in the industry or as set forth in maintenance guidelines, (f) damage caused by unauthorized or improper installation of attachments, repair, modifications or alterations, (g) damage caused by replacement of original parts or components with unauthorized substitutes, (h) damage during shipment (i) damage caused by abrasion or external foreign objects, (j) decals, stickers, name plates, pin stripes, or damage caused by application or removal of the same, (k) damage resulting from dissimilar metal contact corrosion, or crevice corrosion, (l) and other abuse or misuse by the purchaser, (m) damage caused by exposure to contaminants, corrosives, salt, chemicals, irradiation or environmental or atmospheric conditions

3. Disclaimer of Warranty. **THE FOREGOING WARRANTIES ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.**

4. Limitation of Remedies. In no case shall CBC be liable for any special, incidental, or consequential damages based upon breach of warranty, breach of contract, negligence, strict tort, or any other legal theory. Such damages include, but are not limited to, loss of profits, loss of savings or revenue, loss of use of the coach body, equipment, facilities or services, downtime, the claims of third parties including customers, and injury to property. This limitation does not apply to claims for personal injury. Some states do not allow limits on warranties, or on remedies for breach in certain transactions. In such states, the limits in this paragraph and in paragraph (3) may not apply.

5. Warranty Claim Procedure. The purchaser must notify CBC in writing of a warranty claim prior to any warranty work. CBC will provide the purchaser with further instructions on how to proceed with such warranty claim. Any notice of a warranty claim and all other warranty correspondence must be sent to Collins Bus Corporation, P.O. Box 2946, Hutchinson, Kansas 67504-2946. CBC may designate new or additional addresses.

6. Time Limit for Bringing Suit. Any action for breach of warranty must be commenced within three months following the expiration of the warranty period.

7. No Other Warranties. Unless modified in a writing signed by both parties, this agreement is understood to be the complete and exclusive agreement between the parties, superseding all prior agreements, oral or written, and all other communications between the parties (including without limitation any terms and conditions contained in any purchase order or sales invoice issued pursuant to the sale of this coach body) relating to the subject matter of this agreement. No employee of CBC or any other party is authorized to make any warranty in addition to those made in this agreement.

8. Warranty Registration. This warranty is conditioned upon receipt by CBC of a completed and signed customer acceptance card within two weeks of delivery. It is the obligation of the purchaser to sign the customer acceptance card and return it to CBC within the two weeks following delivery. The customer acceptance card must be on file for any warranty claim to be considered.

WARRANTY INFORMATION - Chevrolet Cutaway

WARRANTY

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/60,000 Miles

Qualified Fleet Purchases: 5 Years/100,000 Miles

Corrosion:

3 Years/36,000 Miles

Rust-Through

6 Years/100,000 Miles

Roadside Assistance:

5 Years/60,000 Miles

Qualified Fleet Purchases: 5 Years/100,000 Miles

Maintenance:

2 Years/24,000 Miles

2 Visits

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 531.0, Data updated 2/20/2018
© Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.
Customer File: