



SOUTH SAN ANTONIO INDEPENDENT SCHOOL DISTRICT

Agenda Item Summary

Meeting Date: May 19, 2025

Agenda Section: Discussion and Possible Action

Agenda Item Title: Consider the approval of campus marquees for Carrillo Elementary and Benavidez Elementary from Daktronics utilizing Buyboard Cooperative contract #678-22.

From: Andy A. Rocha, Executive Director of Operations

Description: The District is recommending the approval to purchase a marquee for Carrillo Elementary and Benavidez Elementary from Daktronics utilizing Buyboard Cooperative contract #678-22. District marquees are in need of upgrades district wide and the district intends to upgrade all the district elementary marquees over the next four years if funds are available. Please find enclosed the provided quotes and marquee renderings.

Campus	Price
Benavidez Elementary	\$44,738.00
Carrillo Elementary	\$44,734.00
Total	\$89,472.00

Historical Data: See the attached photos of the current elementary district marquees.

Recommendation: Recommend the Board of Managers approve the purchase of two marquees from Daktronics presented.

Purchasing Director
and Approval Date:

Funding Budget Code
and Amount:

DAKTRONICS QUOTE # 871489-1-0

South San Antonio Independent School District
 Andy Rocha
 5622 Ray Ellison Blvd
 San Antonio, TX USA 78242
 Phone: (210)977-7070
 Fax:
 Email:

17/Apr/2025
 Quote Valid for: 120 days
 Terms: Net 30 days from shipment with
 Purchase Order
 Subject to Credit Review
 FCA: DESTINATION
 Delivery: Call for Production Time

Reference: Benavidez Elementary - Marquee - BuyBoard Contract #678-22

Item No.	Model	Description	Qty	Price
1	GT6x-72X252-10-RGB-2V	Galaxy® Outdoor Electronic Message Center - GT6x Series - 10mm RGB; 2V Interconnect Cable Length Is 20 Feet Matrix: 72 lines by 252 columns Line Spacing: 10mm LED Color: RGB- 281 Trillion Colors Face Configuration: 2V - two one sided displays - same content View Angle: 140 degrees Horizontal x 70 degrees Vertical Cabinet Dimensions: 2' 11" H X 8' 8" W X 0' 7" D (Approx. Dimensions) Max Power: 1410 watts/display Weight: Unpackaged 215 lbs per display; Packaged 315 lbs per display	1	\$43,703.00
	Daktronics Verizon Modem, 4G, Ethernet	Daktronics Verizon 4G Cellular Modem Only - Requires Daktronics Verizon Cellular Data Plan	1	
	GT6x/VT6x RGB 10mm Spare Parts - Two Module Package	Includes Two (2) Modules and Sata Cables	1	
	System Startup	Final Commissioning of Equipment	1	
	Custom Outdoor Backlit Horizontal	Outdoor Backlit 2' 0" x 8' 8" Horizontal (Package Weight 139 lbs)	2	
	Physical Installation	See attachment A.	1	
	Bonds	Bonds apply only to the first year of warranty.	1	
2	FREIGHT	Shipping to site via LTL (enclosed trailer). Usually unloads at a dock. Forklift or pallet jack may be required. Customer is responsible for receiving & unloading truck upon delivery.	1	\$1,035.00
Services				
3	G5C5-W	Five (5) Year Parts Only - Includes Customer Care Level 3	1	
	1 Year On-Site Labor	Includes Customer Care Level 1	1	
	Venus® Control Suite Basic 10-Year Subscription	Secure, web-based software that enables display management anytime, anywhere via internet connection.	1	
	Venus® Control Suite Training Onboarding	Venus® self guided training videos. (English only.)	1	

DAKTRONICS QUOTE # 871489-1-0

Daktronics Verizon Lifetime 4G Cellular Data Plan for VCS, Up to 100,000 Pixels	Daktronics Verizon Lifetime 4G Cellular Data Plan Per Modem, for Venus Control Suite on Displays Up to 100,000 pixels. Excludes streaming data feeds and diagnostics.	1
---	---	---

Total Price Excluding Applicable Tax:	\$44,738.00
---------------------------------------	-------------

Please reference listed sales literature: DD3512730 for Daktronics Verizon Modem, 4G, Ethernet, DD4008961 for GT6x-72X252-10-RGB-2V, DD5454486 for G5C5-W

Please reference listed shop drawings: DWG-04296077 for GT6x-72X252-10-RGB-2V



Leasing Program

If your purchase exceeds \$25,000, you may qualify for our leasing program allowing you more flexibility to spread out the cost of your Daktronics display over of a period up to five (5) years. Benefits of our leasing program include fixed rate financing, non-appropriation clause, no prepayment penalty, and customizable payment schedules. Plus, at the end of the lease, the equipment is yours to keep with no additional balloon payments.

Sample payment options as follows:

\$50,000 in total equipment cost = \$11,285 per year

\$100,000 in total equipment cost = \$22,568 per year

\$250,000 in total equipment cost = \$56,420 per year

****Payments based on 5 year/annual payment in advance structure. Leasing is subject to credit approval and agreed upon documentation with Daktronics lending partner. Contact your Daktronics representative for additional options and details.**

Notes: There is currently a great deal of global price volatility due to ongoing changes in tariffs. The Purchase Price includes tariff costs that Daktronics incurs to provide the goods and services as of the date this document issued (as first written above). In the event Daktronics' total cost to provide the goods or services increases due, directly or indirectly, to tariffs that are implemented after the date hereof, Daktronics reserves the right to an equitable adjustment to the Purchase Price.

Exclusions:

- | | |
|--|------------------------------|
| - Foundation | - Power |
| - Hoist | - Engineering Certification |
| - Signal Conduit | - Labor to Pull Signal Cable |
| - Applicable Permits | - Taxes |
| - Electrical Switch Gear or Distribution Equipment | - Front End Equipment |

Unless expressly stated otherwise in this Quote # 871489-1 Rev 0 or the attachments, if Daktronics performs installation of the Equipment, the price quoted does not include the following services pertaining to physical installations: digging of footings (including dirt removal), any materials fabrication, installation of steel cages, rebar, or bolt attachments, or pouring and finishing of concrete footings. Those service may be provided for an additional cost beyond the quoted price. Purchaser shall be fully responsible for any and all additional costs plus overhead in the event anything unexpected of any nature whatsoever is found while digging the footings including but are not limited to rock, water, utility lines, pipes or any other unforeseen circumstance. The Purchaser acknowledges and agrees that it is fully responsible for all site conditions.

Prices and charges are subject to change by Daktronics at any time before the final agreement between the parties is effective. Ship Date will be determined after customer purchase order is received or agreement is signed or otherwise effective, shop drawings are approved (if required) and down payment is received (if required).

Installation Responsibilities:

If applicable please reference Attachment A for Installation Responsibilities.

Ad/ID Copy Approval Process

Customer shall provide digital artwork for advertising and identification panels, conforming to [Daktronics' graphic file standards](#), at the time of order.

Daktronics will create a proof of provided artwork and require approval of that proof three weeks prior to the initial anticipated ship date. Advertising and identification panels not approved in time, will be shipped without copy in Daktronics' standard finish.

Jose Rodriguez
PHONE:
FAX: 605-697-4746
EMAIL: Jose.Rodriguez@daktronics.com

Nikki Brown
PHONE: 605-692-0200
FAX:
EMAIL: Nikki.Brown@daktronics.com

Terms And Conditions:

The Terms and Conditions which apply to this order available on request.

Limited Warranty and Extended Service Terms and Conditions (www.daktronics.com/DD5459759)

SL-02375 Standard Terms and Conditions of Sale (www.daktronics.com/terms_conditions/SL-02375.pdf)

SL-07862 Software License Agreement (www.daktronics.com/terms_conditions/SL-07862.pdf)

Additional Links:

Customer Care Level 1, Parts Coverage, Daktronics Labor Coverage (www.daktronics.com/DD5454476)

Customer Care Level 3, Parts Coverage, No Daktronics Labor Coverage (www.daktronics.com/DD5454486)

Wireless Service Addendum (www.daktronics.com/TermsConditions/DD3956286)

NOTE:

The pricing may be adjusted for freight and taxes depending on the options selected.
Please request order documents to submit your order.

DAKTRONICS QUOTE # 871489-1-0 MAIN ATTACHMENT A

CUSTOMER RESPONSIBILITIES

General

- 1) Secure necessary sign permits, as required.
- 2) Customer is responsible to ensure the existing structure/building is adequate, including any necessary modifications, for the installation of the Equipment, including but not limited to (i) obtaining certified engineer drawings to the extent required by law and (ii) providing Daktronics, upon reasonable request, documentation relating to the existing structure and modifications necessary for Daktronics perform its work.
- 3) Mark location of the new Equipment as delineated in the quote.
- 4) Provide all landscaping, track, sidewalk and path protection along with site restoration, and/or sprinkler system repair work.

Structures

- 1) Not applicable

Electrical & Data

- 1) Provide primary power feed base of structure in the form of transformer and electrical disconnect/distribution panel, as applicable, with over current protection per all applicable electrical codes and regulations.

Product/Equipment

- 1) Provide storage of all Equipment and control equipment in a safe, dry, and secure location until installation.
- 2) Provide high speed internet connection to control room equipment.
- 3) Required power outlets on clean dedicated circuit(s) for all control equipment.

DAKTRONICS RESPONSIBILITIES

General

- 1) Secure necessary construction permits, as required.
- 2) Removal and disposal of existing equipment.

Structures

- 1) Steel fabrication and erection of sub-structure for Equipment mounting.
- 2) Paint new support structure provided in this quotation.
- 3) Paint existing support structure.

Electrical & Data

- 1) Provide secondary power conduits, power cable and power hook-up from base of structure to all Daktronics supplied load centers/termination panel at/within the Equipment.

Product/Equipment

- 1) Accept, lift, unload, and inspect all Equipment and control equipment from carrier.
- 2) Lift and mount Equipment listed in this quotation.

QUALIFICATIONS/CLARIFICATIONS

- 1) **Access:** Daktronics requires unobstructed access to Equipment and control room installation site until display is 100%. Installation equipment (cranes, lifts, trucks, concrete trucks, etc.) are expected to have access directly to the scoreboard/structure location. No concrete pumping, concrete buggies, or crane picks over 10' distance from scoreboard structure are included.
- 2) **Control Room Climate:** Normal operating temperature should be between 40° to 90° Fahrenheit (4° to 32° Celsius). Normal operating humidity should be less than 80% non-condensing. Storage temperature should be between -10° to 105° Fahrenheit (-23° to 41° Celsius). Storage humidity should be less than 95% non-condensing. Keep computers and monitors out of direct sunlight during storage. Allow control equipment taken out of storage to return to operating temperature range prior to turning it on (24 hours recommended).
- 3) **Electrical:** The maximum voltage is 120 volts line to neutral for all Equipment in this quotation.
- 4) **Existing Conduit:** Costs to repair or replace damaged or obstructed conduit have not been included in this quote.



DAKTRONICS QUOTE # 871489-1-0 MAIN ATTACHMENT A

- 5) **Damages and Wages:** Liquidated damages, prevailing wages, certified payroll or union labor have not been included in the installation pricing.
- 6) **Structure Certification:** Daktronics structure certification is limited to the new attachment structure provided in this quote to mount the Equipment to the existing structure. Customer is responsible for determining the existing column and foundations or wall is adequate to support the new associated loads for all the Equipment in this quotation.
- 7) **Existing Structure:** The top of the new Equipment will be placed at the top of the structural columns. No column extensions or structure modifications have been included. This may result in the bottom of the new Equipment being at a different elevation than the current equipment.



- ID Panel (Backlit)
2' high x 8.67' wide
- LED Display
GT6x-72x252-10-RGB
2.92' high x 8.67' wide

04/14/2025 (Rev 0) Concept Benavidez ES_TX Entrance GT6x-72x252-10 (1)

BENAVIDEZ ELEMENTARY SCHOOL SAN ANTONIO, TX

Production ready artwork needed for: *School logo*

THIS ARTWORK IS PROTECTED UNDER FEDERAL AND INTERNATIONAL COPYRIGHT LAW. EXPRESSED PERMISSION FROM DAKTRONICS INC. IS REQUIRED FOR REPRODUCTION. RENDERINGS ARE FOR THE EXCLUSIVE USE OF DAKTRONICS, DAKTRONICS CUSTOMERS, AND A CUSTOMER'S PARTNERS. RENDERINGS ARE CONCEPTUAL IN NATURE, AND ALTERATIONS MAY OCCUR DURING THE DESIGN AND INSTALLATION PROCESS. THEREFORE, THESE RENDERINGS DO NOT REPRESENT FABRICATION OR STRUCTURAL ENGINEER CERTIFIED OR STAMPED DOCUMENTS.



DAKTRONICS QUOTE # 871490-1-0

South San Antonio Independent School District
 Andy Rocha
 5622 Ray Ellison Blvd
 San Antonio, TX USA 78242
 Phone: (210)977-7070
 Fax:
 Email:

17/Apr/2025
 Quote Valid for: 120 days
 Terms: Net 30 days from shipment with
 Purchase Order
 Subject to Credit Review
 FCA: DESTINATION
 Delivery: Call for Production Time

Reference: Miguel Carrillo, Jr Elementary - Marquee - BuyBoard Contract #678-22

Item No.	Model	Description	Qty	Price
1	GT6x-72X252-10-RGB-2V	Galaxy® Outdoor Electronic Message Center - GT6x Series - 10mm RGB; 2V Interconnect Cable Length Is 20 Feet Matrix: 72 lines by 252 columns Line Spacing: 10mm LED Color: RGB- 281 Trillion Colors Face Configuration: 2V - two one sided displays - same content View Angle: 140 degrees Horizontal x 70 degrees Vertical Cabinet Dimensions: 2' 11" H X 8' 8" W X 0' 7" D (Approx. Dimensions) Max Power: 1410 watts/display Weight: Unpackaged 215 lbs per display; Packaged 315 lbs per display	1	\$43,769.00
	Daktronics Verizon Modem, 4G, Ethernet	Daktronics Verizon 4G Cellular Modem Only - Requires Daktronics Verizon Cellular Data Plan	1	
	GT6x/VT6x RGB 10mm Spare Parts - Two Module Package	Includes Two (2) Modules and Sata Cables	1	
	System Startup	Final Commissioning of Equipment	1	
	Custom Outdoor Backlit Horizontal	Outdoor Backlit 1' 6" x 8' 8" Horizontal (Package Weight 104 lbs)	2	
	Physical Installation	See attachment A.	1	
	Bonds	Bonds apply only to the first year of warranty.	1	
2	FREIGHT	Shipping to site via LTL (enclosed trailer). Usually unloads at a dock. Forklift or pallet jack may be required. Customer is responsible for receiving & unloading truck upon delivery.	1	\$965.00
Services				
3	G5C5-W	Five (5) Year Parts Only - Includes Customer Care Level 3	1	
	1 Year On-Site Labor	Includes Customer Care Level 1	1	
	Venus® Control Suite Basic 10-Year Subscription	Secure, web-based software that enables display management anytime, anywhere via internet connection.	1	
	Venus® Control Suite Training Onboarding	Venus® self guided training videos. (English only.)	1	

DAKTRONICS QUOTE # 871490-1-0

Daktronics Verizon Lifetime 4G Cellular Data Plan for VCS, Up to 100,000 Pixels	Daktronics Verizon Lifetime 4G Cellular Data Plan Per Modem, for Venus Control Suite on Displays Up to 100,000 pixels. Excludes streaming data feeds and diagnostics.	1
---	--	---

Total Price Excluding Applicable Tax:	\$44,734.00
---------------------------------------	--------------------

Please reference listed sales literature: DD3512730 for Daktronics Verizon Modem, 4G, Ethernet, DD4008961 for GT6x-72X252-10-RGB-2V, DD5454486 for G5C5-W

Please reference listed shop drawings: DWG-04296077 for GT6x-72X252-10-RGB-2V



Leasing Program

If your purchase exceeds \$25,000, you may qualify for our leasing program allowing you more flexibility to spread out the cost of your Daktronics display over of a period up to five (5) years. Benefits of our leasing program include fixed rate financing, non-appropriation clause, no prepayment penalty, and customizable payment schedules. Plus, at the end of the lease, the equipment is yours to keep with no additional balloon payments.

Sample payment options as follows:

\$50,000 in total equipment cost = \$11,285 per year

\$100,000 in total equipment cost = \$22,568 per year

\$250,000 in total equipment cost = \$56,420 per year

****Payments based on 5 year/annual payment in advance structure. Leasing is subject to credit approval and agreed upon documentation with Daktronics lending partner. Contact your Daktronics representative for additional options and details.**

Notes: There is currently a great deal of global price volatility due to ongoing changes in tariffs. The Purchase Price includes tariff costs that Daktronics incurs to provide the goods and services as of the date this document issued (as first written above). In the event Daktronics' total cost to provide the goods or services increases due, directly or indirectly, to tariffs that are implemented after the date hereof, Daktronics reserves the right to an equitable adjustment to the Purchase Price.

Exclusions:

- | | |
|--|------------------------------|
| - Foundation | - Power |
| - Hoist | - Engineering Certification |
| - Signal Conduit | - Labor to Pull Signal Cable |
| - Applicable Permits | - Taxes |
| - Electrical Switch Gear or Distribution Equipment | - Front End Equipment |

Unless expressly stated otherwise in this Quote # 871490-1 Rev 0 or the attachments, if Daktronics performs installation of the Equipment, the price quoted does not include the following services pertaining to physical installations: digging of footings (including dirt removal), any materials fabrication, installation of steel cages, rebar, or bolt attachments, or pouring and finishing of concrete footings. Those service may be provided for an additional cost beyond the quoted price. Purchaser shall be fully responsible for any and all additional costs plus overhead in the event anything unexpected of any nature whatsoever is found while digging the footings including but are not limited to rock, water, utility lines, pipes or any other unforeseen circumstance. The Purchaser acknowledges and agrees that it is fully responsible for all site conditions.

Prices and charges are subject to change by Daktronics at any time before the final agreement between the parties is effective. Ship Date will be determined after customer purchase order is received or agreement is signed or otherwise effective, shop drawings are approved (if required) and down payment is received (if required).

Installation Responsibilities:

If applicable please reference Attachment A for Installation Responsibilities.

Ad/ID Copy Approval Process

Customer shall provide digital artwork for advertising and identification panels, conforming to [Daktronics' graphic file standards](#), at the time of order.

Daktronics will create a proof of provided artwork and require approval of that proof three weeks prior to the initial anticipated ship date. Advertising and identification panels not approved in time, will be shipped without copy in Daktronics' standard finish.

Jose Rodriguez
PHONE:
FAX: 605-697-4746
EMAIL: Jose.Rodriguez@daktronics.com

Nikki Brown
PHONE: 605-692-0200
FAX:
EMAIL: Nikki.Brown@daktronics.com

Terms And Conditions:

The Terms and Conditions which apply to this order available on request.

Limited Warranty and Extended Service Terms and Conditions (www.daktronics.com/DD5459759)

SL-02375 Standard Terms and Conditions of Sale (www.daktronics.com/terms_conditions/SL-02375.pdf)

SL-07862 Software License Agreement (www.daktronics.com/terms_conditions/SL-07862.pdf)

Additional Links:

Customer Care Level 1, Parts Coverage, Daktronics Labor Coverage (www.daktronics.com/DD5454476)

Customer Care Level 3, Parts Coverage, No Daktronics Labor Coverage (www.daktronics.com/DD5454486)

Wireless Service Addendum (www.daktronics.com/TermsConditions/DD3956286)

NOTE:

The pricing may be adjusted for freight and taxes depending on the options selected.
Please request order documents to submit your order.

DAKTRONICS QUOTE # 871490-1-0 MAIN ATTACHMENT A

CUSTOMER RESPONSIBILITIES

General

- 1) Secure necessary sign permits, as required.
- 2) Customer is responsible to ensure the existing structure/building is adequate, including any necessary modifications, for the installation of the Equipment, including but not limited to (i) obtaining certified engineer drawings to the extent required by law and (ii) providing Daktronics, upon reasonable request, documentation relating to the existing structure and modifications necessary for Daktronics perform its work.
- 3) Mark location of the new Equipment as delineated in the quote.
- 4) Provide all landscaping, track, sidewalk and path protection along with site restoration, and/or sprinkler system repair work.

Structures

- 1) Not applicable

Electrical & Data

- 1) Provide primary power feed base of structure in the form of transformer and electrical disconnect/distribution panel, as applicable, with over current protection per all applicable electrical codes and regulations.

Product/Equipment

- 1) Provide storage of all Equipment and control equipment in a safe, dry, and secure location until installation.
- 2) Provide high speed internet connection to control room equipment.
- 3) Required power outlets on clean dedicated circuit(s) for all control equipment.

DAKTRONICS RESPONSIBILITIES

General

- 1) Secure necessary construction permits, as required.
- 2) Removal and disposal of existing equipment.

Structures

- 1) Steel fabrication and erection of sub-structure for Equipment mounting.
- 2) Paint new support structure provided in this quotation.
- 3) Paint existing support structure.

Electrical & Data

- 1) Provide secondary power conduits, power cable and power hook-up from base of structure to all Daktronics supplied load centers/termination panel at/within the Equipment.

Product/Equipment

- 1) Accept, lift, unload, and inspect all Equipment and control equipment from carrier.
- 2) Lift and mount Equipment listed in this quotation.

QUALIFICATIONS/CLARIFICATIONS

- 1) **Access:** Daktronics requires unobstructed access to Equipment and control room installation site until display is 100%. Installation equipment (cranes, lifts, trucks, concrete trucks, etc.) are expected to have access directly to the scoreboard/structure location. No concrete pumping, concrete buggies, or crane picks over 10' distance from scoreboard structure are included.
- 2) **Control Room Climate:** Normal operating temperature should be between 40° to 90° Fahrenheit (4° to 32° Celsius). Normal operating humidity should be less than 80% non-condensing. Storage temperature should be between -10° to 105° Fahrenheit (-23° to 41° Celsius). Storage humidity should be less than 95% non-condensing. Keep computers and monitors out of direct sunlight during storage. Allow control equipment taken out of storage to return to operating temperature range prior to turning it on (24 hours recommended).
- 3) **Electrical:** The maximum voltage is 120 volts line to neutral for all Equipment in this quotation.
- 4) **Existing Conduit:** Costs to repair or replace damaged or obstructed conduit have not been included in this quote.



DAKTRONICS QUOTE # 871490-1-0 MAIN ATTACHMENT A

- 5) **Damages and Wages:** Liquidated damages, prevailing wages, certified payroll or union labor have not been included in the installation pricing.
- 6) **Existing Structure:** The top of the new Equipment will be placed at the top of the structural columns. No column extensions or structure modifications have been included. This may result in the bottom of the new Equipment being at a different elevation than the current equipment.



- ID Panel (Backlit)
1.5' high x 8.67' wide
- LED Display
GT6x-72x252-10-RGB
2.92' high x 8.67' wide

04/14/2025 (Rev 0) Concept Miguel Carrillo Jr ES_TX Entrance GT6x-72x252-10 (1)

MIGUEL CARRILLO JR ELEMENTARY SCHOOL SAN ANTONIO, TX

Production ready artwork needed for: *School logo*

THIS ARTWORK IS PROTECTED UNDER FEDERAL AND INTERNATIONAL COPYRIGHT LAW. EXPRESSED PERMISSION FROM DAKTRONICS INC. IS REQUIRED FOR REPRODUCTION. RENDERINGS ARE FOR THE EXCLUSIVE USE OF DAKTRONICS, DAKTRONICS CUSTOMERS, AND A CUSTOMER'S PARTNERS. RENDERINGS ARE CONCEPTUAL IN NATURE, AND ALTERATIONS MAY OCCUR DURING THE DESIGN AND INSTALLATION PROCESS. THEREFORE, THESE RENDERINGS DO NOT REPRESENT FABRICATION OR STRUCTURAL ENGINEER CERTIFIED OR STAMPED DOCUMENTS.




Armstrong Elementary



Five Palms Elementary



Hutchins Elementary



Frank Madla Elementary



Palo Alto Elementary



Price Elementary



Benavidez Elementary



Carrillo Elementary

