							Person Assigned	Date to be
	AHS	AMS	BES	MES	EBLC	Notes	Task	Completed
Access Control/Visitors Procedures								
Visitors must present photo ID						New Procedures will be in		
to obtain visitors badge.	YES	YES	YES	YES	NO	place at beg. Of 2013-14 year	Principal	Complete
Visitors photo ID is retained until						New Procedures will be in		
check out is complete.	NO	NO	NO	NO	NO	place at beg. Of 2013-14 year	Principal	Scan DL
Visitor badges list destination						New Procedures will be in		
and/or person being visited.	YES	YES	YES	YES	NO	place at beg. Of 2013-14 year	Principal	Complete
There is a system for inspecting and approving items delivered to						Research Training for	·	
a facility.	NO	NO	NO	NO	NO	Receptionist	McNabb	Complete
There is a system in place for								
dealing with suspicious and/or unauthorized deliveries.	NO	NO	NO	NO	NO	Research Training for Receptionist	McNabb	Complete
Monitoring and Surveillance								
Remote and isolated hallways						Estimated Cost \$1,000,00	Technology/	
are monitored by security cameras.	YES	YES	NO	YES	NO	Estimated Cost \$1,000.00- \$1,500.00 Per Camera	Technology/ Maintenance	ADDED Camera
Staff Members monitor								
stairwells during school hours.	NO	N/A	N/A	N/A	N/A	Teachers monitor stairwells	Principal	Complete

							Person Assigned	Date to be
	AHS	AMS	BES	MES	EBLC	Notes	Task	Completed
School-based Law Enforcement						Estimated Cost of SRO Up To		
officers are located on site.	NO	NO	NO	NO	NO	\$60,000	Superintendent	In Progress
						\$00,000	Superintendent	in Progress
After the school day, staff								
members are assigned to check								
the following:								
All classrooms are locked.	NO	NO	YES	YES	YES		Principal	Complete
All bathrooms are unoccupied								
and/or locked.	N/A	N/A	YES	YES	YES	N/A	N/A	N/A
The Emergency Operation Plan								
Includes law enforcement								
personnel as an integral part of	NO	NO	NO	NO	NO		McNabb	Complete
the safety planning process.	NU	NU	NO	NU	NU			Complete
Includes emergency								
management personnel and								
EMS (emergency medical								
services) as an integral part of								
the safety planning process.	NO	NO	NO	NO	NO		McNabb	Complete
The EOP contains emergency								
procedures for the following:								
Hazardous Materials Incident.	NO	NO	NO	NO	NO		McNabb	Complete
Persons with limited mobility.	NO	NO	NO	NO	NO		McNabb	Complete

							Person Assigned	Date to be
	AHS	AMS	BES	MES	EBLC	Notes	Task	Completed
Persons with special health								
needs.	NO	NO	NO	NO	NO		McNabb	Complete
The emergency operations plan								
(EOP) includes a component for								
post conference, such as the								
availability of mental health								
services for student and staff.	NO	NO	NO	NO	NO		McNabb	Complete
A telephone checklist is available								
near all incoming telephones.	NO	YES	NO	YES	NO	Checklist posted	Principal	Complete
The following emergency drills								
are conducted and documented								
regularly:								
Evacuation of the building								
(monthly) - per fire marshal								
code.	NO	YES	YES	YES	NO	Principals keep drill log	Principal	Monthly
Reunification procedures								
include:								
Requiring parent/guardian photo								
identification prior to release of								
students	NO	NO	NO	NO	NO	Add to Reunification	McNabb	Added to plan
School Climate and Culture								
Staff and Student Training								
Key staff are trained in the								
National Incident Management						Research Training For		_
System (NIMS).	NO	NO	NO	NO	NO	Administration	McNabb	Dec-13

	AHS	AMS	BES	MES	EBLC	Notes	Person Assigned Task	Date to be Completed
	АПЭ	AIVIS	DES	IVIES	EBLC	Notes	Task	completed
Instructional Facility (Part 2 of								
2)-Policy and Procedures								
Grounds and Building Exterior								
A marquee or sign clearly								
indicating the school's name is								
visible from the road.	YES	YES	YES	YES	NO	Estimated Cost \$500.00	Maintenance	Complete
Grounds are fenced in								
appropriate areas.	NO	YES	YES	YES	YES	Estimated Cost \$20,000.00	Maintenance	N/A
Gates, if present, are secured								
when not in use.	NO	YES	YES	YES	NO	See Above		
The perimeter of the school								
building is clear of safety								
hazards.	NO	YES	YES	YES	YES	See Above		
Mechanical, electrical, and other								
equipment on ground level is								
surrounded by a protective								
enclosure.	NO	YES	YES	NO	YES	Mechanical Closet Unlocked	Maintenance	Complete
Electrical panel access doors are								
locked.	YES	YES	YES	NO	NO	Mechanical Closet Unlocked	Maintenance	Complete
Signs are posted to indicate any								
restricted areas.	NO	NO	YES	YES	NO	N/A	N/A	N/A
All portables are								
labeled/numbered.	NO	N/A	N/A	N/A	N/A	Removing Portable Building	Dr. Monaco	Bid posted
Portables are surrounded by								
fencing requiring the use of the								
main entrance.	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A

							Person Assigned	Date to be
	AHS	AMS	BES	MES	EBLC	Notes	Task	Completed
All exterior doors are numbered								
on the outside.	NO	YES	YES	YES	NO	Will Create Numbers	Maintenance	Complete
Buses and Parking								
Bus loading and drop off zones						Will Visit With Principals and		
are clearly marked.	YES	YES	YES	NO	NO	get these marked better.	Maintenance	August
Student drop off and pick up						Will Visit With Principals and		
zones are clearly marked.	YES	YES	YES	NO	NO	get these marked better.	Maintenance	August
Access points for parking lots are						Not Necessary/feasible at this		
gated.	NO	NO	NO	NO	NO	time	N/A	N/A
Parking lots are bordered by								
walls, chain link fence, or some						Not Necessary/feasible at this		
physical barrier.	NO	NO	NO	NO	NO	time	N/A	N/A
Staff Members are required to								
obtain parking decals or some								
other form of identification to								
authorize parking on school						Not Necessary/feasible at this		
property.	YES	NO	NO	NO	NO	time	N/A	N/A
School buses and other								
transportation vehicles are						Secured by depleting air from		
secured when not in use.	N/A	N/A	N/A	N/A	N/A	air brakes.	Barbara	Complete
Play and Outdoor Recreation							·	
Areas								
Recreation/practice areas are						AMS Not Necessary/feasible at		
fenced to restrict unauthorized						this time. EBLC secure		
access.	YES	NO	YES	YES	NO	playground.	Principal	Complete
Ferrers and in good condition and						Maintananaa will inang stard		
Fences are in good condition and		NI / A	VEC	VEC	NO	Maintenance will inspect and		Complete
without gaps.	YES	N/A	YES	YES	NO	repair.	Maintenance	Complete

							Person Assigned	Date to be
	AHS	AMS	BES	MES	EBLC	Notes	Task	Completed
sharp edges, and protruding or						Maintenance will inspect and		
loose bolts or screws.	N/A	N/A	YES	YES	NO	repair.	Maintenance	Complete
Playground edging is well-								
maintained and away from fall						Replace Mulch and Border		
area of equipment.	N/A	N/A	NO	NO	YES	Estimated Cost \$1,000.00	Maintenance	Complete
Ground cover is adequate to						Replace Mulch and Border		
provide protection from falls.	N/A	N/A	NO	YES	YES	Estimated Cost \$1,000.00	Maintenance	Complete
Ground cover is free from holes	-					Replace Mulch and Border		•
and worn trenches.	N/A	N/A	NO	NO	YES	Estimated Cost \$1,000.00	Maintenance	Complete
playground area (such as week								
block protruding from ground						Replace Mulch and Border		
cover).	N/A	N/A	NO	NO	YES	Estimated Cost \$1,000.00	Maintenance	Complete
Benches/bleachers are well maintained (painted with no signs of rust or splinters).	N/A	N/A	N/A	NO	N/A	Research	Maintenance	Complete
Building Access								
						Estimated Cost \$5000.00- \$30,000.00 (\$5000.00 Add Reception Desk to Entry and/or \$15,000.00 Secure Glass Doors in Hallway,		
The school has a designated a						\$30,000.00 Total		
primary point of entry/exit to						Reconstruction Of High School		
each building.	NO	YES	YES	YES	YES	Front)	TBD	Complete

							Person Assigned	Date to be
	AHS	AMS	BES	MES	EBLC	Notes	Task	Completed
The designated points of entry								
are monitored to control								
building access.	NO	YES	YES	YES	YES	See Above	TBD	Complete
School staff monitor all								
entrances and and exits during								
student arrival and departure.	NO	YES	YES	YES	YES	See Above	TBD	Complete
Doors required for student								
passage are monitored.	NO	YES	YES	YES	YES	See Above	TBD	Complete
Building Interior								
the outside) are numbered on								
the inside.	YES	YES	YES	YES	NO	Will Create Numbers	Maintenance	Complete
	. 20			120				Complete
Interior doors are numbered on								
the door or adjacent to the door.	YES	YES	YES	YES	NO	Will Create Numbers	Maintenance	Complete
Entrance doors to restrooms	•							Complete
cannot be locked from the								
inside.	YES	YES	NO	YES	YES	Remove Lock	Maintenance	Complete
					0			compiete
Restroom ceilings are well								
maintained (not water stained,								
missing, or cracked).	YES	YES	YES	YES	NO	Will Inspect/Repair	Maintenance	Redoing RR
Handrails are appropriately								
placed and in good condition.	NO	YES	YES	YES	N/A	Lower and Repair	Maintenance	Complete
All chemicals, poisons, and								
flammable materials are stored								
properly.	NO	YES	YES	YES	YES	TBD	Yarbrough	Complete
				0				
The following areas are locked								
when not in use:								
Gyms.	NEVER	NEVER	RARELY	ALWAYS	ALWAYS	remain locked	Principals	Complete
,				ALWAYS		remain locked	Marilyn	Complete

	ALIC	ANAC	DEC	МЛГС	FRIC	Notes	Person Assigned Task	Date to be Completed
The following are looked when	AHS	AMS	BES	MES	EBLC	Notes	Task	Completed
The following are locked when not in use:								
Electrical panel access doors.	RARELY	NEVER	ALWAYS	NEVER	NEVER	Add Locks On Doors	Maintenance	August
Gymnasium Area	1011221		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				indiffeetiance	148431
*								
Emergency lighting is properly								
installed and functioning.	YES	YES	YES	YES	NO	Not Necessary	N/A	N/A
Vocational Training Areas:								
Welding Shop								
Interior of the welding shop is								
clean and well organized.	NO	YES	N/A	N/A	N/A		Yarbrough	Complete
Material storage areas are clean								
and well organized.	NO	YES	N/A	N/A	N/A		Yarbrough	Complete
Fire Evacuation routes are								
posted.	YES	NO	N/A	N/A	N/A		Gilbreath	Complete
Vocational Training Areas:								
Woodworking Shop	1 1		1					
Fire Evacuation routes are								
posted.	YES	NO	N/A	N/A	N/A		Gilbreath	Complete
Vocational Training Areas:								
Agricultural Shop								
Interior of the agriculture shop is								
clean and well organized.	NO	YES	N/A	N/A	N/A		Yarbrough	Complete
Material storage areas are clean	NO	TES	N/A	N/A	N/A		raibiougii	complete
and well organized.	NO	YES	N/A	N/A	N/A		Yarbrough	Complete
		125	11/7	11/ 7			i di bi odgiti	complete
Eyewash stations are present,								
functional, and flushed regularly								
to eliminate contamination.	YES	NO	N/A	N/A	N/A		Maintenance	August

							Person Assigned	Date to be
	AHS	AMS	BES	MES	EBLC	Notes	Task	Completed
Agricultural chemicals are								
properly secured and stored								
with MSDS on file.	YES	NO	N/A	N/A	N/A		Gilbreath	Complete
Monitoring and Surveillance		1	•	•				
Security cameras are stationed						Estimated Cost \$1,000.00-	Technology/	
outside the school.	YES	YES	YES	YES	NO	\$1,500.00 Per Camera	Maintenance	N/a
Security camera locations								
provide maximum coverage of						Estimated Cost \$1,000.00-	Technology/	
grounds.	NO	NO	NO	YES	NO	\$1,500.00 Per Camera	Maintenance	N/A
Security cameras are stationed						Estimated Cost \$1,000.00-	Technology/	
inside the school.	YES	YES	YES	YES	NO	\$1,500.00 Per Camera	Maintenance	N/A
The bus loading area is						Estimated Cost \$1,000.00-	Technology/	
monitored by cameras.	YES	YES	YES	YES	NO	\$1,500.00 Per Camera	Maintenance	N/A
The parent pick-up/drop-off area						Estimated Cost \$1,000.00-	Technology/	
is monitored by cameras.	YES	YES	NO	YES	NO	\$1,500.00 Per Camera	Maintenance	N/A
The play/recreational areas are						Estimated Cost \$1,000.00-	Technology/	
monitored by cameras.	YES	NO	NO	YES	NO	\$1,500.00 Per Camera	Maintenance	N/A
The formal and informal								
gathering areas are monitored						Estimated Cost \$1,000.00-	Technology/	
by cameras.	YES	YES	NO	YES	NO	\$1,500.00 Per Camera	Maintenance	N/A
Communication Systems		1		I				
· · · · · · · · · · · · · · · · · · ·								
There is 2-way communication								
between the office and the								
following staff/areas								
Classrooms	YES	YES	YES	YES	NO	Not Necessary	N/A	N/A
Cafeteria	YES	YES	YES	YES	NO	Not Necessary	N/A	N/A
Playground	N/A	N/A	YES	YES	NO	Not Necessary	N/A	N/A
. 70	,	,						
Portable Classrooms/Buildings.	YES	N/A	N/A	N/A	N/A			

							Person Assigned	Date to be
	AHS	AMS	BES	MES	EBLC	Notes	Task	Completed
Band Hall.	YES	YES	N/A	N/A	N/A			
Each of the areas listed above								
are equipped with a system								
capable of initiating								
communication in an								
emergency.	YES	YES	YES	YES	NO			Complete
Health Practices								
Hand washing signs are posted.	YES	YES	NO	NO	YES		Principal	Complete
Hand sanitizer is available to						Not applicable due to safety		
staff and students.	YES	YES	YES	YES	NO	concerns with this age child.	Hinsley	Complete
Administration Building -								
Policies and Procedures								
Visitor Policies and Procedures				1			1	
Visitor policy/procedure dictates								
how/when a parent who is a								
registered sex offender may visit						New Procedures will be in		
their child during school hours.	N/A	N/A	N/A	N/A	NO	place at beg. Of 2013-14 year	Principal	Complete
Department Safety and Security	-						· ·	·
Policies and Procedures								
All deliveries are documented								
and drivers sign a delivery log.	N/A	N/A	N/A	N/A	NO	Not Necessary		
There is a system for inspecting								
There is a system for inspecting and approving items delivered to								
	NI/A	NI / A	NI / A	NI / A	NO	Investigate Training	McNabb	Complete
the building.	N/A	N/A	N/A	N/A	NO	Investigate Training	McNabb	Complete

							Person Assigned	Date to be
	AHS	AMS	BES	MES	EBLC	Notes	Task	Completed
There is a precedure in place for								
There is a procedure in place for dealing with suspicious and/or								
unauthorized deliveries.	NI / A	NI / A	NI / A		NO	Investigate Training	McNabb	Contombor
Emergency communications	N/A	N/A	N/A	N/A	NO	Investigate Training	IVICINADD	September
systems and procedures are								
tested according to a written								
schedule and using defined								
performance standards.	N/A	N/A	N/A	N/A	NO			Complete
A video monitoring system is in	IN/A		IN/A	N/A	NO			complete
place and can record in a high								
quality format that allows quick						Estimated Cost \$1,000.00-	Technology/	
review.	N/A	N/A	N/A	N/A	NO	\$1,500.00 Per Camera	Maintenance	System Updated
Building Exterior	N/A	N/ A	N/A		NO	91,500.001 el camera	Maintenance	System Opdated
The area around the facility is								
identified by signage as a safe,								
weapons-free, drug-free, alcohol-								
free, and tobacco-free school							Maintenance/Pri	
zone.	N/A	N/A	N/A	N/A	NO	Obtain Sign From Maintenance	ncipal	Complete
There are adequate sign,								
postings, or window decals								
directing all visitors to the main							Maintenance/Pri	
site entry.	N/A	N/A	N/A	N/A	NO	Metal Sign on Building	ncipal	Complete
The location of the reception								
area is clearly marked.	N/A	N/A	N/A	N/A	NO	Mark	Principal	Complete
The facility exterior is well								
maintained.	N/A	N/A	N/A	N/A	NO	Not Necessary at this Time		
Visitor parking areas are clearly								
identified and segregated from								
staff parking areas.	N/A	N/A	N/A	N/A	NO	Not Necessary at this Time		

							Person Assigned	Date to be
	AHS	AMS	BES	MES	EBLC	Notes	Task	Completed
E la destructura (Caraciana a II								
Exterior lighting fixtures are well								
maintained and provide						Flood lamp to light sidewalk		
adequate illumination.	N/A	N/A	N/A	N/A	NO	and parent parking.	Maintenance	N/A
Building Interior			1					
The reception area includes								
protective features such as a								
counter or desk, a panic or help								
button, a telephone, and an								
alternative exit.	N/A	N/A	N/A	N/A	NO			Complete
The facility has at least two								
independent methods of								
communication for emergencies.	N/A	N/A	N/A	N/A	NO			Complete
The main entrance is monitored								
by a receptionist or security								
personnel responsible for							D. S. S. S. L	
controlling access.	N/A	N/A	N/A	N/A	NO	Doors Remain Locked	Principal	Complete
Stadium - Policies and								
Procedures								
Pedestrian Safety and Egress				1				
Darking late are designed to								
Parking lots are designed to								
control vehicle speed using								
speed bumps, raised walkways,								,
curved drives, curb stops.	Yes	N/A	N/A	N/A	N/A	Speed Bumps are present		n/a
Facility Safety and Security								

							Person Assigned	Date to be
	AHS	AMS	BES	MES	EBLC	Notes	Task	Completed
Concession Booths are equipped								
with means to communicate								
with security personnel.	NO	N/A	N/A	N/A	N/A	Use Cell Phones		Complete
Emergency Operation Plan								
Situation and assumptions								
Maximum enrollment and								
enrollment figures for the								
school.	NO	NO	NO	NO	NO		McNabb	Complete
Information on students/staff								
with disabilities.	NO	NO	NO	NO	NO		McNabb	Complete
Attachments								
Incident Command System								
Organizational Chart and								
Summary	NO	NO	NO	NO	NO		McNabb	Complete
Master Schedule.	NO	NO	NO	NO	NO		McNabb	Complete
Special needs student, faculty,								
staff.	NO	NO	NO	NO	NO		McNabb	Complete
District (Compus Michaito								
District/Campus Website It is recommended that the								
following NOT be posted on a School or District Website or								
posted without thought of								
possible unintended use.								

							Person Assigned	Date to be
	AHS	AMS	BES	MES	EBLC	Notes	Task	Completed
Photos of faculty, staff or								
students (other than group or						Valissa will work with teachers		
activity photo).	YES	YES	YES	YES	YES	to remove items.	V. Jones	Complete
Personal information about staff						Valissa will work with teachers		
or students and their family.	YES	YES	YES	YES	YES	to remove items.	V. Jones	Complete