



SOUTH SAN ANTONIO INDEPENDENT SCHOOL DISTRICT

Agenda Item Summary

Meeting Date: April 20, 2026

Agenda Section: Consent

Agenda Item Title: Consider the approval to purchase a scoreboard for the South San High School football stadium from Daktronics Inc. utilizing Buyboard contract #777-25.

From: Andy A. Rocha, Executive Director of Operations

Description: The District is recommending the approval to purchase a 25'x44'9" video scoreboard for the football stadium located at South San Antonio High School from Daktronics utilizing Buyboard Cooperative contract #777-25. Please find enclosed the provided quotes and scoreboard renderings.

Campus	Price
South San HS – Football scoreboard	\$985,844.00
Engineered stamped drawing	\$1,200.00
Total	\$987,044.00

Recommendation: Recommend the Board of Managers approve the purchase of video scoreboard for the South San Antonio High School football stadium from Daktronics Inc. as presented.

Purchasing Director
and Approval Date: 9/1/2026

Funding Budget Code 199 81 6629 00 001 0 99 0 47
and Amount:

DAKTRONICS ORDER AGREEMENT # 762032-1-6

South San Antonio Independent School District
Saul Hinojosa
5622 Ray Ellison Blvd
San Antonio, TX USA 78242
Phone: (210)744-1598
Fax:
Email: saul.hinojosa@southsanisd.net

21/Aug/2026
Valid for: 120 days
Terms: Progress Payments
Subject to Credit Review
FCA: DESTINATION
Delivery: Call for Production Time

Reference: South San Stadium - Football Stadium – BuyBoard Contract #777-25

Item No.	Model	Description	Qty	Price
1	LVX-3000-760X1360-10SMD-NA-44.7	Daktronics Live Video Display Matrix: 760 lines by 1360 columns Line Spacing: 10mm LED Color: RGB- 281 Trillion Colors Cabinet Dimensions: 25' 0" H X 44' 9" W X 0' 11" D (Approx. Dimensions) Max Power: 68955 watts/display Weight: Unpackaged 11425 lbs per display; Packaged 13850 lbs per display	1	\$971,384.00
	Daktronics System Installation Drawings >100	Attachment support system drawings	1	
	Daktronics System Electrical Drawings >100	Power and control system drawings	1	
	System Startup	Final Commissioning of Equipment	1	
	Control-4 video inputs-SD/HD 1080p (Primary/Backup Player & Processor)	4 video inputs with Video Switcher with single channel replay	1	
	Show Control Laptop	Daktronics Configured Laptop with Software, Licensing and Configuration	1	
	4 Channel Replay Add-On	4 channel instant replay	1	
	Switcher Control Surface	For use with Control-4 Video Input only	1	
	All Sport® Pro Kit	Hardware and Software bundle to control Video/Scoring Information with tablet	1	
	Outdoor Scoreboard Radio Communication (Transmitter)	Frequency of 2.4 GHz	1	
	All Sport® Pro Wireless Access Point	TP-Link Wireless Access Point	1	
	Camera Kit - HD Camera with HD output (Wired)	High Definition	3	
	Headset Kit #1	1 Wired Headset and 3 Wireless Headsets Included	1	
	W-1490	Fiber Optic Cable; 50 µm Multimode; 12 Fiber with non-terminated ends	1000	
	All Sport® Radio Antenna Extension Kit 25ft	25ft Radio Antenna Extension Kit	1	

DAKTRONICS ORDER AGREEMENT # 762032-1-6

Custom DA-1001	Arch Truss; Alum, 5 ft 0 in tall x 44 ft 8 in long (Packaged Weight 1565 lbs)	1
3.3' Tall Backlit Channel Letters (SSS)	Backlit Channel Letters to read SOUTH SAN STADIUM	1
Additional Mounting Hardware - Outdoor Scoreboard	Enough parts for 1 section – 2 pole application; Increase quantity as necessary for additional sections/poles	4
Custom Outdoor Backlit Horizontal	Outdoor Backlit 6' 0" x 18' 4.8" Horizontal (Package Weight 884 lbs)	2
FB-2038-W-PV-F	PanaView® Football Scoreboard; Scoreboard Color: PMS 2935 70-4149402-A Blue; Border Stripe Color: White 7725-10 Cabinet Dimensions: 4' 0" H X 36' 0" W X 0' 8" D (Approx. Dimensions) Digit Type: PANAVIEW Digit Color: WHITE Weight: Packaged 850 lbs per display	1
Stripe; FB-2038 and Filler Panels	Border Stripe for Perimeter of FB-2038 and Filler Panel Cabinets; Border Stripe Color: White 7725-10	1
FB-2038 Backlit Captions	4' Scoreboard Backlit Captions	1
Radio Receiver	Frequency of 2.4 GHz	1
120VAC Trumpet Horn #55	For Outdoor Scoreboards	1
TNMC-16-W-24X90-17 LED	24X90-17 LED Team Name Message Center; White LED's Digit Color: WHITE Max Power: 160 watts/display Weight: Unpackaged 70 lbs per display; Packaged 250 lbs per display	2
Additional Mounting Hardware - Outdoor Scoreboard	Enough parts for 1 section – 2 pole application; Increase quantity as necessary for additional sections/poles	1
AS-5010 Kit	All Sport® 5010 Control Console Kit	1
Outdoor Scoreboard Radio Communication (Transmitter)	Frequency of 2.4 GHz	1
Additional Mounting Hardware - Outdoor Scoreboard	Enough parts for 1 section – 2 pole application; Increase quantity as necessary for additional sections/poles	4
Custom Outdoor Backlit Vertical	Outdoor Backlit 4' 0" x 4' 3.96" Vertical (Package Weight 139 lbs)	2
SS1500HD	Sportsound 1500HD Sound Cabinet *BLACK*, Mesh Color: _____	1
SSR-220 Outdoor	Sportsound Rack 220 that includes: 8Ch Audio Mixer.	1

DAKTRONICS ORDER AGREEMENT # 762032-1-6

Wireless Microphone Handheld Package	Wireless microphone handheld package includes: wireless receiver, handheld transmitter w/ SM58 mic, power supply, 1/2 wave antennas, rack mount kit, zippered accessory bag, and AA alkaline batteries	1
Wireless Bodypack Microphone System - Referees	Wireless Bodypack Microphone System for Referees. Includes: Receiver, Bodypack Transmitter with Black Pouch, Shure MX150B/O-TQG Lavalier Microphone with Clip, Windscreen, Case, Headworn Microphone, Antenna Combiner Kit for Dual Wireless Systems, and Daktronics In-Line Referee Mute Switch.	1
Remote Antenna Kit	Wireless microphone remote antenna kit includes: (2) 25' BNC antenna cables, (2) mounting brackets and bulkhead adapters. Uses 1/2 wave antennas supplied with rack.	1
Spare Parts Kit; SS1500HD	Spare Parts Kit for Sportsound 1500HD system. Includes (1) Amplifier, (2) LF Speakers, (2) MF Speakers, (2) HF Speakers	1
SSR-DM2	Sportsound Announcers Mixer, 2Ch Tabletop, Inputs (Microphone, Bluetooth, and MP3), Includes Single-Muff Headset, 1/8"to1/8" stereo cable, and XLR output cable. Power Supply Included.	1
W-1615	Cable, Audio Signal, 1 pair shielded 22 AWG, 1000' spool	1000
Labor; Field Technician, Audio System	Regional Field Service Technician Labor which includes final termination of audio cables, audio system commissioning, and customer operation training	1
SSD-1500-10MN-NA-56X240-30-SR (LED Mesh Only)	Digital Audio Mesh Covering for a Sportsound 1500HD Sound System. 30mm vertical x 10mm horizontal pixel spacing. Factory installed on audio system.	1
SSD Mesh Control Adder	SSD Control System. Includes: Daktronics Digital Media Player and Video Image Processor	1
TI-2034-W/R	Outdoor PanaView® Game & Play Clock Timer; Standalone Unit; Scoreboard Color: Black 8800; Border Stripe Color: White 7725-10 Cabinet Dimensions: 4' 9" H X 5' 0" W X 0' 8" D (Approx. Dimensions) Digit Type: PANAVIEW Digit Color: WHITE Max Power: 120 watts/display Weight: Unpackaged 95 lbs per display; Packaged 125 lbs per display	2
Radio Receiver	Frequency of 2.4 GHz	2
Angle Clamp Mounting Hardware (A)	For 2 Tubes	2
FinishLynx timing package	Competition Elite-Vision Package	1
Physical Installation	See attachment A.	1

DAKTRONICS ORDER AGREEMENT # 762032-1-6

	Bonds	Bonds apply only to the first year of warranty.	1	
2	FREIGHT	Shipping to site via Independent Carrier (step deck trailer @2 & flatbed trailer @2). Crane or telehandler required for unloading. Customer is responsible for receiving & unloading truck upon delivery.	1	\$14,460.00

Services

3	Warranty & Services		1	
	5 Years Parts & 2 Years Daktronics On-site Labor for 762032-1-6 Main Equipment	Includes Customer Care Level 1	1	
	Standard Video with Video Switcher On-Site Training		1	
	Custom RTD Frames -- Single Logo Background	Custom Logo RTD Frames. 1-3 RTD Frames	1	
	Team Spirit Vol.1 Football Animations - 14	Personalized Package - Your School Colors, Mascot/Logo - 14 Animations Included	1	
	Team Spirit Vol.1 Animations Pick 20 Sponsor Package	Personalized Package - Pick 20 Animations from any Team Spirit Animations. Intended to further fulfill sponsor features and sponsor logos.	1	
Total Price Excluding Applicable Tax:				\$985,844.00

Please reference listed sales literature: DD1521532 for SS1500HD, DD1696958 for TNMC-16-W-24X90-17 LED, DD1923159 for Control-4 video inputs-SD/HD 1080p (Primary/Backup Player & Processor), DD2563729 for Custom RTD Frames -- Single Logo Background, DD3041897 for SSD-1500-10MN-NA-56X240-30-SR (LED Mesh Only), DD3632181 for TI-2034-W/R, DD4757195 for FB-2038-W-PV-F, DD5296700 for LVX-3000-760X1360-10SMD-NA-44.7, DD5457022 for SSR-DM2, SL-03991 for AS-5010 Kit, SL-04370 for Outdoor Scoreboard Radio Communication (Transmitter), SL-04370 for Radio Receiver, SL-08028 for Custom DA-1001

Please reference listed shop drawings: DWG-05278987 for LVX-3000-760X1360-10SMD-NA-44.7, DWG-752494 for SS1500HD

DAKTRONICS ORDER AGREEMENT # 762032-1-6

Notes: Due to the current uncertainty regarding the status of tariffs, prices exclude tariffs imposed after May 29, 2025. In the event Daktronics' total cost for equipment, materials, or components required to perform the work increases due, directly or indirectly, to tariffs that are implemented after May 29, 2025, Daktronics reserves the right to an equitable adjustment to the purchase price.

Exclusions:

- Power
- Engineering Certification
- Taxes
- Hoist
- Applicable Permits
- Electrical Switch Gear or Distribution Equipment

Unless expressly stated otherwise in this Order Agreement # 762032-1 Rev 6 or the attachments, if Daktronics performs installation of the Equipment, the price quoted does not include the following services pertaining to physical installations: digging of footings (including dirt removal), any materials fabrication, installation of steel cages, rebar, or bolt attachments, or pouring and finishing of concrete footings. Those service may be provided for an additional cost beyond the quoted price. Purchaser shall be fully responsible for any and all additional costs plus overhead in the event anything unexpected of any nature whatsoever is found while digging the footings including but are not limited to rock, water, utility lines, pipes or any other unforeseen circumstance. The Purchaser acknowledges and agrees that it is fully responsible for all site conditions.

Prices and charges are subject to change by Daktronics at any time before the final agreement between the parties is effective. Ship Date will be determined after customer purchase order is received or agreement is signed or otherwise effective, shop drawings are approved (if required) and down payment is received (if required).

Installation Responsibilities:

If applicable please reference Attachment A for Installation Responsibilities.

Ad/ID Copy Approval Process

Customer shall provide digital artwork for advertising and identification panels, conforming to [Daktronics' graphic file standards](#), at the time of order.

Daktronics will create a proof of provided artwork and require approval of that proof three weeks prior to the initial anticipated ship date. Advertising and identification panels not approved in time, will be shipped without copy in Daktronics' standard finish.



Jose Rodriguez

PHONE:

FAX: 605-697-4746

EMAIL: Jose.Rodriguez@daktronics.com

Danny Braaten

PHONE:

FAX:

EMAIL: Danny.Braaten@daktronics.com

Terms And Conditions:

The Terms and Conditions which apply to this order available on request.

Limited Warranty and Extended Service Terms and Conditions (www.daktronics.com/DD5459759)

SL-02375 Standard Terms and Conditions of Sale (www.daktronics.com/terms_conditions/SL-02375.pdf)

SL-07862 Software License Agreement (www.daktronics.com/terms_conditions/SL-07862.pdf)

Additional Links:

Customer Care Level 1, Parts Coverage, Daktronics Labor Coverage (www.daktronics.com/DD5454476)

Team Spirit Animation Packages (https://daktronics.widen.net/s/fdxxhmk9I8/flyer_team-spirit-animation-package-option)

Acceptance:

The parties acknowledge and agree that the agreement (the "Agreement") is comprised of the terms and conditions contained within this order agreement and any attachments thereto, along with the documents at the website addresses above. Purchaser hereby agrees to purchase the equipment as defined in the Agreement. Purchaser acknowledges having had the opportunity and means to review the Agreement. The Agreement represents the entire agreement of the parties and supersedes any previous understanding or agreement. The Undersigned has actual authority to execute this document and Daktronics is relying on such authority. Purchaser acknowledges and agrees to the above, as evidenced by its attestation below.

Customer Signature

Date

Print Name/Title

PO number for invoicing purpose only

DAKTRONICS ORDER AGREEMENT # 762032-1-6 MAIN

ATTACHMENT A

CUSTOMER RESPONSIBILITIES

General

- 1) Secure necessary sign permits, as required, for each respective Equipment location(s); DOG clocks, video display
- 2) Secure necessary construction permits, as required, for each respective Equipment location(s); DOG clocks, video display
- 3) Provide soil investigation report at time of order for each respective Equipment location(s); video display
- 4) Customer is responsible to ensure the existing structure/building is adequate, including any necessary modifications, for the installation of the Equipment, including but not limited to (i) obtaining certified engineer drawings to the extent required by law and (ii) providing Daktronics, upon reasonable request, documentation relating to the existing structure and modifications necessary for Daktronics perform its work for each respective Equipment location is; DOG clocks
- 5) Mark location of the new Equipment as delineated in the quote for each respective Equipment location(s); DOG clocks, video display
- 6) All landscaping restoration, as required
- 7) Provide all landscaping, track, sidewalk and path protection along with site restoration, and/or sprinkler system repair work
- 8) Locate private underground utilities
- 9) Remove and reinstall any fencing to provide clear access for install equipment.
- 10) Remove any trees or vegetation to create clear area for new structure.

Structures

- 1) Paint existing support structure(s) after existing Equipment has been removed for the following Equipment location(s); DOG clocks
- 2) Perform any staining or coloring of new concrete from the installation of the new video display structure.

Electrical & Data

- 1) Provide primary power to the demarcation point (reference clarifications below) per all applicable electrical codes and regulations. Actual primary power requirements, with over current protection, shall be based on available site power and all associated loads for the new Equipment for each respective Equipment location; DOG clocks, video display
- 2) Provide electrical panel board with all associated breakers per all applicable electrical codes and regulations. Actual primary power requirements, with over current protection, shall be based on associated loads for the new Equipment for each respective Equipment location; DOG clocks
- 3) Provide and install signal cable conduit, with a pull string, from control location to the demarcation point (reference clarifications below) per all applicable electrical codes and regulations for each respective Equipment location; video display

Product/Equipment

- 1) Required power outlets on clean dedicated circuit(s) for all control Equipment for each respective Equipment location(s); video display
- 2) Provide storage of all Equipment and control equipment in a safe, dry, and secure location until installation for each respective Equipment location(s); DOG clocks, video display
- 3) Provide high speed internet connection to control room Equipment for each respective Equipment location(s); video display

DAKTRONICS RESPONSIBILITIES

General

- 1) Removal and disposal of existing Equipment for each of these Equipment location(s); DOG clocks, video display

- 2) Removal and disposal of existing primary structure for each of these Equipment location(s); video display excludes foundation removal, primary structure will be removed to the top of the existing foundation

Structures

- 1) Excavation of foundation(s) including spoils removal. Placement and finishing of concrete for foundation(s). For this quotation, Daktronics basis for foundation type for each respective Equipment location is; existing to be used for DOG clocks, drilled pier for video display
- 2) Steel fabrication and erection of structural column(s). Any Equipment location not specifically listed, either does not have structural column(s) or is not part of Daktronics project scope. The following Equipment location(s) are included in Daktronics quotation to fabricate and erect structural column(s); video display
- 3) Steel fabrication and erection of sub-structure for Equipment mounting. Any Equipment location not specifically listed, either does not have sub-structure or is not part of Daktronics project scope. The following Equipment location(s) are included in Daktronics quotation to fabricate and erect sub-structure for Equipment mounting; video display
- 4) Finish coating on structural steel provided in this quotation is paint for the following Equipment locations; video display

Electrical & Data

- 1) Provide secondary power conduits, conductors and power hook-up from demarcation point (reference clarifications below) to all Daktronics supplied load centers/termination panel at/within the Equipment per all applicable electrical codes and regulations for each respective Equipment location; DOG clocks, video display
- 2) Provide electrical panel board with all associated breakers per all applicable electrical codes and regulations. Actual primary power requirements, with over current protection, shall be based on associated loads for the new Equipment for each respective Equipment location; video display
- 3) Provide and install signal cable conduit, with pull string, from the demarcation point (reference clarifications below) to each Equipment signal termination point per all applicable electrical codes and regulations for each respective Equipment location; video display
- 4) Labor to pull new signal cable for Daktronics provided Equipment (excluding camera locations) for each respective Equipment location; video display
- 5) Labor to pull new signal cable to each camera location for each respective Equipment location; video display

Product/Equipment

- 1) Accept, lift, unload, and inspect all Equipment from carrier for each respective Equipment location(s); DOG clocks, video display
- 2) Lift and mount Equipment listed in this quotation for each respective Equipment location(s); DOG clocks, video display

QUALIFICATIONS/CLARIFICATIONS

- 1) **Foundations:** For this quotation Daktronics basis for new foundation design is a class 4 soil with a minimum allowable lateral bearing pressure of 150 psf/ft per Chapter 18 of the International Building Code (IBC). The foundation excavation is based on the excavated area remaining open without collapsing to allow the placement of applicable reinforcement and/or structural columns and concrete. This quotation does not include casings, slurry, dewatering or any other soil stabilization. In the event rock, water, differing soil conditions other than class 4 soil per Chapter 18 of the International Building Code (IBC) or unforeseen conditions are encountered, the Customer will be responsible for any additional costs, plus overhead and profit of 20%.
- 2) **Electrical:** The maximum voltage is 120 volts line to neutral for all Equipment in this quotation for each respective Equipment location(s); DOG clocks, video display
- 3) **Electrical Demarcation:** For all Equipment locations is five (5) feet off grade on structure
- 4) **Signal Demarcation:** For all Equipment locations is five (5) feet off grade on structure

- 5) Control Room Climate:** Normal operating temperature should be between 40° to 90° Fahrenheit (4° to 32° Celsius). Normal operating humidity should be less than 80% non-condensing. Storage temperature should be between -10° to 105° Fahrenheit (-23° to 41° Celsius). Storage humidity should be less than 95% non-condensing. Keep computers and monitors out of direct sunlight during storage. Allow control equipment taken out of storage to return to operating temperature range prior to turning it on (24 hours recommended) for each respective Equipment location(s); video display
- 6) Access:** Daktronics requires unobstructed access to Equipment and control room installation site until display is 100%. Installation equipment (cranes, lifts, trucks, concrete trucks, etc.) are expected to have access directly to the scoreboard/structure location. No concrete pumping, concrete buggies, or crane picks over 10' distance from scoreboard structure are included
- 7) Existing Conduit:** Costs to repair or replace damaged or obstructed conduit have not been included in this quote
- 8) Project Scope:** Installation pricing may not comply with all bid specifications, divisions, or drawings. Installation pricing is based on the tasks identified above. Any change or addition to the tasks or descriptions may result in additional costs
- 9) Damages and Wages:** Liquidated damages, prevailing wages, certified payroll or union labor have not been included in the installation pricing
- 10) Exterior Equipment:** The bottom of the Equipment will be placed at an elevation of ten (10) feet above grade
- 11) Building Penetrations:** Customer to provide all required building (wall/roof) penetrations for the installation of Daktronics provided wireless/radio components (external antennas, remote wireless access points, etc.) at the control location. Mount Daktronics provided wireless/radio components to the building in accordance with manufacturers recommendations. Building penetration location shall provide clear line-of-sight to the Equipment. Provide all conduit, with pull string, from control location equipment to the building penetration location

DAKTRONICS ORDER AGREEMENT # 762032-4-2

South San Antonio Independent School District

5622 Ray Ellison Blvd
San Antonio, TX USA 78242

Phone:

Fax:

Email:

21/Aug/2026

Valid for: 30 days

Terms: Net 30 days from shipment with
Purchase Order

Subject to Credit Review

FCA: DAKTRONICS

Delivery: Call for Production Time

Reference: Drawing

Item No.	Model	Description	Qty	Price
1	Daktronics System Certified Structural Drawings >100	Engineered stamped drawings per scope on contract documents	1	\$1,200.00
Total Price Excluding Applicable Tax:				\$1,200.00

DAKTRONICS ORDER AGREEMENT # 762032-4-2

Notes: Due to the current uncertainty regarding the status of tariffs, prices exclude tariffs imposed after May 29, 2025. In the event Daktronics' total cost for equipment, materials, or components required to perform the work increases due, directly or indirectly, to tariffs that are implemented after May 29, 2025, Daktronics reserves the right to an equitable adjustment to the purchase price.

Exclusions:

- | | |
|--|--|
| <ul style="list-style-type: none">- Electrical Installation- Shipping to site- Foundation- Hoist- Signal Conduit- Applicable Permits- Electrical Switch Gear or Distribution Equipment | <ul style="list-style-type: none">- Physical/Mechanical Installation- Structure- Power- Technical Support/Installation Support- Labor to Pull Signal Cable- Taxes- Front End Equipment |
|--|--|

Unless expressly stated otherwise in this Order Agreement # 762032-4 Rev 2 or the attachments, if Daktronics performs installation of the Equipment, the price quoted does not include the following services pertaining to physical installations: digging of footings (including dirt removal), any materials fabrication, installation of steel cages, rebar, or bolt attachments, or pouring and finishing of concrete footings. Those service may be provided for an additional cost beyond the quoted price. Purchaser shall be fully responsible for any and all additional costs plus overhead in the event anything unexpected of any nature whatsoever is found while digging the footings including but are not limited to rock, water, utility lines, pipes or any other unforeseen circumstance. The Purchaser acknowledges and agrees that it is fully responsible for all site conditions.

Prices and charges are subject to change by Daktronics at any time before the final agreement between the parties is effective. Ship Date will be determined after customer purchase order is received or agreement is signed or otherwise effective, shop drawings are approved (if required) and down payment is received (if required).

Installation Responsibilities:

If applicable please reference Attachment A for Installation Responsibilities.

Ad/ID Copy Approval Process

Customer shall provide digital artwork for advertising and identification panels, conforming to [Daktronics' graphic file standards](#), at the time of order.

Daktronics will create a proof of provided artwork and require approval of that proof three weeks prior to the initial anticipated ship date. Advertising and identification panels not approved in time, will be shipped without copy in Daktronics' standard finish.



Jose Rodriguez
PHONE:
FAX: 605-697-4746
EMAIL: Jose.Rodriguez@daktronics.com

Danny Braaten
PHONE:
FAX:
EMAIL: Danny.Braaten@daktronics.com

Terms And Conditions:

The Terms and Conditions which apply to this order available on request.

Limited Warranty and Extended Service Terms and Conditions	www.daktronics.com/DD5459759
SL-02375 Standard Terms and Conditions of Sale	www.daktronics.com/terms_conditions/SL-02375.pdf
SL-07862 Software License Agreement	www.daktronics.com/terms_conditions/SL-07862.pdf

Acceptance:

The parties acknowledge and agree that the agreement (the "Agreement") is comprised of the terms and conditions contained within this order agreement and any attachments thereto, along with the documents at the website addresses above. Purchaser hereby agrees to purchase the equipment as defined in the Agreement. Purchaser acknowledges having had the opportunity and means to review the Agreement. The Agreement represents the entire agreement of the parties and supersedes any previous understanding or agreement. The Undersigned has actual authority to execute this document and Daktronics is relying on such authority. Purchaser acknowledges and agrees to the above, as evidenced by its attestation below.

Customer Signature

Date

Print Name/Title

PO number for invoicing purpose only