



CE SCHOOL BUS

Sales Proposal For:

West Bonner County School District 83

Presented By:

HARLOW'S BUS SALES, INC

Vehicle Specifications
2027 CE SCHOOL BUS (PB110)

February 09, 2026

<u>Code</u>	<u>Description</u>
PB11000	Base Chassis, Model CE SCHOOL BUS with 276.00 Wheelbase, N/A CA, and 139.00 Axle to Frame. Bus Body Plan, AABS00005G Seat Capacity, 71
1570	TOW HOOK, FRONT (2) Frame Mounted
1ANA	AXLE CONFIGURATION 4x2
1CAC	FRAME RAILS High Strength Low Alloy Steel (50,000 PSI Yield); 10.125" x 3.062" x 0.312" (257.2mm x 77.8mm x 8.0mm); 489.2" (12425mm) Maximum OAL
1LMW	CROSSING GATE, FRONT Electric, Yellow Blade, Bumper Mounted <u>Includes</u> : CONTROL ASSEMBLY Solid State, Located Rear of Front Bumper, Heater not Required : CROSSING GATE, FRONT Matches Contour of Bumper
1LSG	BUMPER, FRONT Contoured, Steel, Painted Gloss Black, Severe Duty <u>Notes</u> : Bumper Thickness is .25"
1SAL	CROSSMEMBER, REAR, AF (1)
1WJE	WHEELBASE RANGE 276" (700cm) Only
1WRP	TOW HOOK, REAR (2) Mounted on Lower Rail Flange
2ASH	AXLE, FRONT NON-DRIVING {Meritor MFS-10-122A} I-Beam Type, 10,000-lb Capacity
3ADB	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 10,000-lb Capacity, with Shock Absorbers <u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications <u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6
4722	DRAIN VALVE {Bendix DV-2} Automatic, with Heater, for Air Tank
4AZS	AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Electronic Stability Program, with Automatic Traction Control
4EDN	AIR DRYER {Bendix AD-9SI} with Heater, Includes Safety Valve
4GBM	BRAKE, PARKING Manual Push-Pull Pneumatic Parking Brake
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM
4VLE	AIR DRYER LOCATION Mounted Inside Engine Compartment, Right Side
4VLY	AIR TANK LOCATION (1) Mounted Inside & Below Left Rail, Back of Cab
4WZT	GVWR LIMITATION FOR BUS with Air Brakes, Limited to 33,000-lbs Maximum to meet FMVSS 121 Requirements, for Conventional Bus
4XCJ	BRAKES, FRONT {Bendix Spicer ADB22X} Air Disc Type, Extended Service, Size 22.5", 23,000-lb Capacity

Vehicle Specifications
2027 CE SCHOOL BUS (PB110)

February 09, 2026

Code	Description
4XCK	BRAKES, REAR {Bendix Spicer ADB22X} Air Disc Type, Extended Service, Size 22.5", 26,000-lb Capacity per Axle
4XDW	BRAKE CHAMBERS, FRONT AXLE 18 Sqn, for Air Disc Brakes
4XEA	BRAKE CHAMBERS, REAR AXLE 18/24 Sqn Spring Brake, Double Diaphragm, for Air Disc Brakes
5710	STEERING COLUMN Tilting and Telescoping
5CAW	STEERING WHEEL 4-Spoke; 18" Dia., Black
5PRR	STEERING GEAR {TRW TAS66} Power
6901	PROPSHAFT GUARD
6DGA	DRIVELINE SYSTEM {Dana Spicer} SPL100, for 4x2/6x2
7BMK	EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Under Right Rail, for Single Long Horizontal Tail Pipe
7SCP	ENGINE EXHAUST BRAKE for Cummins ISB/B6.7/ISL/L9 Engine with Variable Vane Turbo Charger
7WBL	TAIL PIPE (1) Horizontal, Long, Exits Left Side Through Bumper
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
	Includes
	: HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel
	: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever
	: MISCELLANEOUS FEATURES Modular, Loom Protected, Grommets in all Applicable Body Openings, Assembled in Computer Assisted Fixture which Verifies Continuity and Correct Assembly Prior to Installation
	: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light
	: STARTER SWITCH Electric, Key Operated
	: TURN SIGNAL SWITCH Self-Cancelling with Lane Change Feature
	: TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted
	: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever
	: WIRING, CHASSIS Color Coded and Continuously Numbered
8540	HORN, ELECTRIC (2) Trumpet Style
8GXB	ALTERNATOR {Leece-Neville AV1160P2003} Brush Type, 12 Volt, 240 Amp Capacity, Pad Mount, with Remote Sense
8MJU	BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 2850CCA Total, Top Threaded Stud
8RMH	BATTERY DISCONNECT SWITCH {Cole-Hersee 75920-06} 300 Amp, Disconnects Charging Circuits, Locks with Padlock, Battery Box Mounted
8RPP	ANTENNA Shark Fin, Roof Mounted
8RRC	RADIO AM/FM/USB Input/Auxiliary Input, Includes Wiring and Antenna, with Public Address System
8TRM	COLLISION MITIGATION SYSTEM {Bendix Fusion 3.0} Adaptive Cruise Control, Stop & Drvr Go, Automatic Emergency Braking (AEB), with Pedestrian Collision Warning & Braking, Speed Sign Recognition with Overspeed Alert, Roadway Departure Alert & Braking, Lane Departure Warning
8TTK	BATTERY BOX Steel, with Sliding Tray, 25.25" Wide, for Standard Batteries, 1-3 Battery Capacity, Mounted Left Side Behind Front Axle Perpendicular to Frame Rail
8TTN	BATTERY BOX COVER Plastic, Front Cover for Frame Mounted Battery Box Compartment
8TYD	DATA RECORDER Omit Event Data Recorder Module
8WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn On if Windshield Wipers are Turned On

Vehicle Specifications
2027 CE SCHOOL BUS (PB110)

February 09, 2026

<u>Code</u>	<u>Description</u>
8WTK	STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt, Less Thermal Over-Crank Protection
8WWJ	INDICATOR, LOW COOLANT LEVEL with Audible Alarm
8WXB	HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses
8XJE	TURN SIGNALS, FRONT Dual Face, LED, Amber/Amber, Mounted on Top of Fender, Used with Standard Flush Mounted Front Turn Signal, Side Marker Lamps, Parking Lights and Reflectors
8XKC	HEADLIGHTS Halogen, with Daytime Running Lights, Automatic Twilight Controlled
8XPN	USB PORT One USB-A Port and One USB-C Port, Located in Instrument Panel
9AAB	LOGOS EXTERIOR Model Badges
9AAE	LOGOS EXTERIOR, ENGINE Badges
9HCW	GRILLE Molded in Black
9WAB	HOOD TILT ASSIST {EASY TILT} Mechanical
9WBW	FRONT END Tilting, Fiberglass, with Three Piece Construction, Dual Air Intakes
10020	CHASSIS PAINT Full Chassis
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100
	<u>Includes</u> : PAINT SCHEMATIC ID LETTERS "NB"
10788	PAINT TYPE Urethane, One or Two Colors, Other than Imron or International.
10AGB	CONNECTED PLATFORM Includes Connectivity Module and Five Year Data Plan
10AHZ	ENTRANCE DR COVERAGE CREDIT Bus Entrance Door Service Contract Coverage Credit
10AJY	PROMOTIONAL CREDIT for Bendix Fusion 3.0
10UAV	VEHICLE REGISTRATION IDENTITY ID for Non-CARB Omnibus and/or Non-ACT Adopting State or Exempt Vehicle. Not for use on vehicles registering in CA. Contains non-mitigated legacy engine & cannot be registered in CA unless exempt. You may be held liable under state law for failure to properly register vehicle.
	<u>Notes</u> : CANNOT BE REGISTERED IN CA. For vehicles that will be registered in States other than CA.
10WHJ	SPECIAL ROUTING CONTROL To Bus Vehicle Modification Center
10WUE	MUD FLAPS, FRONT WHEELS (2) Rubber, Mounted on Fender Extension
11001	CLUTCH Omit Item (Clutch & Control)
12702	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection, Nitrite Free
12EYJ	ENGINE, DIESEL {Cummins B6.7 260} EPA 2024, 260HP @ 2400 RPM, 660 lb-ft Torque @ 1600 RPM, 2600 RPM Governed Speed, 260 Peak HP (Max), School Bus Only
12TSY	FAN DRIVE {Borg-Warner SA85} Viscous Type, Screw On
	<u>Includes</u> : FAN Nylon
12UGN	THROTTLE, HAND CONTROL Electronic
12VCE	AIR CLEANER Single Element, Fire Retardant Media
12VKM	EMISSION, CALENDAR YEAR {Cummins B6.7} EPA, OBD and GHG Certified for Calendar Year 2026

Vehicle Specifications
2027 CE SCHOOL BUS (PB110)

February 09, 2026

<u>Code</u>	<u>Description</u>
12VVN	CRUISE CONTROL Electronic
12WPV	OIL PAN 15 Quart Capacity, For Cummins ISB/B6.7 Engines
12WSY	BLOCK HEATER, ENGINE {Phillips} 120V/750W, for Cummins ISB/B6.7 Engines <u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted in Center Through Front Bumper
12WVG	EPA IDLE COMPLIANCE Low NOx Idle Engine, Complies with EPA Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood
12WZE	CARB IDLE COMPLIANCE Does Not Comply with California Clean Air Idle Regulations
12XCC	RADIATOR Aluminum, 2-Row, Down Flow, Front to Back System, 640 SqIn Louvered, with 383 SqIn Charge Air Cooler, Includes In-Tank Oil Cooler <u>Includes</u> : RADIATOR HOSES Premium, Rubber
12XCS	CARB EMISSION WARR COMPLIANCE Does Not Comply with CARB Emission Warranty
13BCY	TRANSMISSION, AUTOMATIC {Allison 3000 PTS} 6th Generation Controls, Close Ratio, 5-Speed with Overdrive, Less PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, School Bus
13WET	TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter, Not for Use with Allison 1000 & 2000 Series Transmission
13WLP	TRANSMISSION OIL Synthetic; 29 thru 42 Pints
13WUM	ALLISON SPARE INPUT/OUTPUT for Pupil Transportation Series (PTS), Package Number 148
13WVV	NEUTRAL AT STOP OMIT
13WYU	SHIFT CONTROL PARAMETERS {Allison} 3000 or 4000 Series Transmissions, Performance Programming
14AWD	AXLE, REAR, SINGLE {Dana Spicer 21060S} Single Reduction, 21,000-lb Capacity, R Wheel Ends . Gear Ratio: 6.17
14TDV	SUSPENSION, REAR, AIR, SINGLE {International IROS} 21,000-lb Capacity, 9.25" Ride Height, with Shock Absorbers Mounted Outside the Rails
15LMN	FUEL/WATER SEPARATOR {Racor 400 Series,} 12 VDC Electric Heater, Includes Pre-Heater, with Primer Pump, Includes Water-in-Fuel Sensor
15LRE	LOCATION FUEL/WATER SEPARATOR Mounted Under Hood, Left Side, Above Front Axle
15SLL	FUEL TANK Top Draw, Steel, Rectangular, 100 US Gal (379L), Includes Protective Cage, Mounted Between Frame Rails and Behind Rear Axle
15WEP	DEF TANK 16.5 US Gal (62.5L) Capacity, Frame Mounted Outside Right Rail, Behind 0 Bow
16010	COWL Flat Back
16563	HEATER SHUT-OFF VALVES (2) Ball Valve Type
16BAM	AIR CONDITIONER with Integral Heater and Defroster
16GEG	GAUGE CLUSTER Premium Level; English with English Electronic Speedometer <u>Includes</u> : GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/Refill for : GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure or Auxiliary Air Pressure (if Air Equipped)

Vehicle Specifications
2027 CE SCHOOL BUS (PB110)

February 09, 2026

<u>Code</u>	<u>Description</u>
	: WARNING SYSTEM Low Fuel, Low DEF, Low Oil Pressure, High Engine Coolant Temp, Low Battery Voltage (Visual and Audible), Low Air Pressure, Primary and Secondary (if Air Equipped)
16HGH	GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster
16HLJ	GAUGE, DEF FLUID LEVEL
16VKB	CAB INTERIOR TRIM Classic, for Day Cab
16VVJ	WINDSHIELD Three Piece, Bonded, with Shaded Band
16XJP	INSTRUMENT PANEL Wing Panel
27DUW	WHEELS, FRONT {Accuride 51408} DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
28DUW	WHEELS, REAR {Accuride 51408} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
47AGG	BODY, BUS Conventional; 78" Headroom, 32'8" Body Length, +9 Section Front, 72 Passenger, 276 WB
47AJB	BODY CERTIFICATION TAG Mylar Label
47AJC	BODY TAG, METAL Capacity to Include the Total Number of Passengers
47APR	HEADLINER, BODY Conventional; 25'11"-35'08" Body Length, Perforated Full Length with Sound Insulation Full Length
47APX	FASTENERS, HEADLINER Screws
47ARH	BOWS, ROOF 14 ga., One Piece Construction
	<u>Includes</u> : BOWS, ROOF Positioned Floor Line to Floor Line, Threaded Through Roof Strainers and Drip Rail
47ARP	LIGHT BARS Plastic
47ASG	SKIRT, BODY for Conventional, 14 1/2", 16ga
	<u>Includes</u> : SKIRT, BODY Extra Smooth Steel Supported by Floor Gussets
47AUR	TIE DOWNS, BODY Grade 8 Bolts, Every Body Section
	<u>Includes</u> : TIE DOWNS, BODY with Formed Tab that Fits into Floor Structure to Prevent Turning
47AXT	RUB RAILS, BODY (4) Conventional; Steel, 31'2", 31'11", 32'8", 33'5", 34'2", 34'11", 35'8" Body Lengths, Includes Snow Rail
	<u>Includes</u> : RUB RAILS Full Length, Primer Coated (Both Sides), Attached to Body without Cuts or Splices
47AYB	BODY, REAR Includes Emergency Door
47AZE	SIDE SHEET, BODY, EXTERIOR Conventional, 16ga., Smooth, 31'2", 31'11", 32'8", 33'5", 34'2", 34'11", 35'8" Body Lengths
47AZL	FLOOR, BODY with Wheel Wells
47BAK	BUMPER, REAR Painted, 12" High, 3/16" Thick
47BAR	SUPPORTS, REAR BUMPER Bolted to Frame
47BBH	LINING, SIDE INTERIOR, LOWER Embossed Steel, Clear Coated

Vehicle Specifications
2027 CE SCHOOL BUS (PB110)

February 09, 2026

<u>Code</u>	<u>Description</u>
47BBZ	SEALER Extra; Sidewall to Floor, In Wheel Pocket Area, and Rear Wall to Floor
47BDJ	COMPARTMENT, DRIVER STORAGE Bin, Sized to Hold Three Ring Binder, Includes (1) USB-A Port and (1) USB-C Port
47BKK	LETTERS, SCHOOL BUS FRONT/REAR Decal; "SCHOOL BUS"; with 8" Black Reflective Letters, 3M Fluorescent Diamond Grade, Yellow On Front and Rear Cap
47BLD	STEP, FRONT ENTRANCE DOOR 27 1/4" Depth; 14ga Steel, Formed Treads, Naviflex Finish
47DAE	FASTENERS, REAR DOOR Lag Screws, Rear Door To Body
47DAJ	COVER, REAR DOOR INSIDE HANDLE Partial Coverage
47DBZ	GLASS GUARD Inside Back-up, In Lower Section of Rear Door
47DDE	HANDLE, ASSIST, ENTRANCE DOOR Outside Entrance
47DDH	HOLD BACK, REAR DOOR Stationary, No Cables, with Plastic Cover
47DDU	LATCH, REAR DOOR One Point Slide Bar, Cam Operated, with One Inch Stroke
47DEK	LOCK, REAR DOOR with Ignition Starter Interlock
47DEY	HANDLE, EXTERIOR, REAR Emergency Door; Yellow
47DNN	SWITCH, LOCATION Left of Driver; Includes Master Flasher, Amber Flasher, and 2 Position Door Control
47DXZ	PAINT, RUB RAIL Flange to Flange, Including Top Flange of Window Line Rub Rail
47DYL	DOOR, ENTRANCE, FRONT Air, Outward Opening, with Single Pane Glass
47EBD	LOCK, BATTERY COMPARTMENT Standard Location
47EBM	HOLD DOWN, BATTERY For Up To 3 Batteries
47EYH	COMPARTMENT, TOOLBOX, RT BPR 13" x 15" x 25.5", with Lock
47EYL	LOCK, ENTRANCE DOOR in External Release, with Key
47LAT	NOISE REDUCTION, ROOF BOW Conventional; Insulation, 31'2", 31'11", 32'8", 33'5", 34'2", 34'11", 35'8" Body Lengths
47LAU	INSULATION,ROOF/SIDES/BULKHEAD 1.5"
47MBA	UNDERCOAT, BODY Fire Resistant, Water Based, TT-C-730 Spec
	<u>Includes</u> : UNDERCOATING Performed Before and After Mounting on Chassis
47MJR	LETTERS, DOOR, REAR Decals; "EMERGENCY DOOR", 2" Black Letters Inside and Outside
47MNV	ARROW, RR DOOR, OUTSIDE Decal; Black .75" Stroke, Indicating Handle Direction
47MRU	LETTERS, E/E WINDOW, LEFT (2) Decal Sets, "EMERGENCY EXIT", Black Inside and Outside
47MSA	STRIPING, PERIMETER, REAR Emergency Door, 1" Yellow Reflective
47MTY	WIRING DIAGRAM Schematic, Electrical
	<u>Includes</u> : ACCESS PANEL for Wiring Diagram Schematic Located on Inside of Electrical Panel Door, Below Driver Window
47MVA	LETTERS, HEADER Decal; "WATCH YOUR STEP", 1" Black, Above Windshield
47MVC	LETTERS, STEPWELL Decal, "WATCH YOUR STEP", 2.5" Black, Behind Door on Step Riser
47MZA	MONITOR, POST TRIP INSPECTION Omit

Vehicle Specifications
2027 CE SCHOOL BUS (PB110)

February 09, 2026

<u>Code</u>	<u>Description</u>
47NAB	PAINT COLOR, RUB RAILS 0001 Canyon Black
47NGW	SEAL, RUB RAILS Top Edge, All Rails
47NHL	LETTERS, E/E WINDOW, RIGHT (2) Decal Sets, "EMERGENCY EXIT", Black, Inside and Outside
47NJA	PAINT COLOR, BODY EXTERIOR 4421 School Bus Yellow
47NJM	PAINT FLASHER BACKGRD 0001 Canyon Black
47NJS	PAINT COLOR, BUMPER Rear, 0001 Canyon Black
47NKM	PAINT COLOR, BODY INTERIOR 9384 Spring White
47NMG	OPERATING INSTRUCTIONS, REAR Decal, Inside Rear Emergency Door
47NTE	LOGO, ROOF LINE Decal; Wing and Shield, First Body Section, Above Driver Window and Entrance Door Over Driver Window and Entrance Door
47NTY	PAINT HOOD AND FENDER To Match Body Exterior
47NWH	STRIPING, ROOF HATCH, REAR {3M} Decal, Perimeter, 1" Yellow Fluorescent Diamond Grade
47NWI	STRIPING, SEATLINE {3M} 2" Yellow Fluorescent Diamond Grade
47NWS	STRIPING, REAR END {3M} Yellow Fluorescent Diamond Grade, 1" Horizontal and 2" Vertical
47NWT	STRIPING, ROOF HATCH, FRONT {3M} Decal, Perimeter, 1" Yellow Fluorescent Diamond Grade
47NWU	STRIPING, E/E WINDOW, RIGHT {3M} (02) Perimeter, 1" Yellow Fluorescent Diamond Grade
47NXH	STRIPING, E/E WINDOW, LEFT {3M} (02) Perimeter, 1" Yellow Fluorescent Diamond Grade
47PBZ	HANDLE, ASSIST Windshield Side Mounted, Left and Right, Body Color
47PLX	LETTERS, DEF, I.D. Decal; "DEF ONLY", 1" Black, on DEF Filler Door
47SBB	SUB FLOOR, PLYWOOD Conventional; B-B Marine Grade, Less Sealed Edges, 5/8", 5 Ply, for 31'2", 31'11", 32'8", 33'5", 34'2", 34'11", 35'8" Body Lengths
47SPH	ALPHA/NUMERIC DECAL GUIDE Quantity 071-80
48ACN	SEAT BELT, DRIVER, COLOR with Blaze Orange Seat Belt Webbing
48ANW	WINDOW, DRIVER Storm
48APL	WINDOW, STOPS 12" Opening, Only with 78" Headroom
48ARR	WINDOW, SASH (17) 27" Sections, 9"x 23" Opening
48ASL	WINDOW, SASH +9 SECTIONS (01) 9" x 32 1/4" Opening
48AUN	WINDOW, PASSENGER, TINT Conventional; 28% Light, Laminated Glass, 78" Headroom, with 31'2", 31'11", 32'8", 33'5", 34'2", 34'11", 35'8" Body Lengths
48BAH	WINDOW, E/E, LEFT (2) Vertical Hinge
48BDS	BARRIER, CRASH, AFT ENTRY DOOR 39", 2 Leg
48BJA	COLOR, WINDOW FRAME, PASS Passenger Window, Natural Aluminum Finish
48BKP	WINDOW, E/E, RIGHT (2) Vertical Hinge
48CDJ	WINDOW, STORM, RIGHT, 27" (1) Section
48CYA	HEATER, STEPWELL with Fixed Angle Louver to Door Glass
48CYD	WINDOW, STORM, RIGHT, 36" (1) Section

Vehicle Specifications
2027 CE SCHOOL BUS (PB110)

February 09, 2026

<u>Code</u>	<u>Description</u>
48DPN	HAND RAIL, ENTRANCE DOOR, AFT 1" Dia, Gloss Black
48DPT	HAND RAIL, ENTRANCE DOOR, FWD 1" Dia, Gloss Black
48HAG	WINDOW, ENTRANCE DOOR Storm, Tempered, Clear, with Single Piece Glass
48PAV	WHEEL POCKET COVER Plastic, ABS
48PAY	AISLE POSITION Center, for balanced seating
48PBD	FLOOR COVERING, COLOR Brown
48PHP	UPHOLSTERY, PASS SEATS, TYPE Prevaill, 42 oz.; for (23-24) Seats
48PJR	FLOOR COVERING, TRIM Aluminum
48PJZ	FLOOR COVERING, TYPE {Koroseal} All Body Lengths
48PKC	HOSE CLAMPS, HEATER HOSE Constant Torque for Heater System
48PKN	FAN, DEFOG FAR RIGHT (01) Black, Mounted Right Above Windshield, Forward Entrance Door, 2-Speed Switch in Panel
48PKR	FAN, DEFOG LEFT CENTER 6.50" Diameter, Black, Mounted Left of Center Post, 2-Speed Switch in Panel
48PMD	HEATER, PASS, LT MIDSHIP 1ST 84,500 BTU <u>Includes</u> : AIR FILTER
48PMJ	HEATER, PASS, LT REAR 84,500 BTU <u>Includes</u> : AIR FILTER
48PNW	HEATER, WATER PUMP {2 MPU 12} Self Priming, with Plastic Housing
48PPP	HEATER CUT OFF, VALVE INSIDE Brass Ball, Inside Driver Area
48PPS	ROOF VENT, FRONT Static
48PVA	UPHOLSTERY, DRIVER SEAT, STYLE Plain, with Cloth Insert
48PVK	UPHOLSTERY, DRIVER SEAT, COLOR Drivers Seat, Brown
48PWA	UPHOLSTERY, PASS SEATS, COLOR Brown, for Seats, Barriers and Head Bumpers
48PWR	UPHOLSTERY, DRIVER SEAT, TYPE Prevaill, 42 oz.
48PXP	UPHOLSTERY, BARRIER, TYPE (1-2) Prevaill, 42 oz.
48RAL	BARRIER, CRASH, AFT DRIVER 39", 1 Leg
48REP	PANEL, MODESTY, AFT OF DRIVER Mounted Under Barrier
48RET	PANEL, MODESTY, AFT ENTR DOOR Mounted Under Barrier
48RLX	CUSHION, SEAT 15" Depth
48RRA	UPHOLSTERY, SEAT, STITCHING Single
48RYW	SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Isolated, with 2 Position Front Cushion Adjustment, 6 to 17 Degree Seat Back Adjustment, Mechanical Lumbar Support, Includes Additional Back Padding <u>Includes</u> : SEAT BELT, DRIVER Adjustable D-Loop Seat Belt, Single Locking Retractor
48USV	SEAT BACK, PASSENGER High Back

Vehicle Specifications
2027 CE SCHOOL BUS (PB110)

February 09, 2026

<u>Code</u>	<u>Description</u>
48UXH	AIR FOIL Mounted Top, Rear of Vehicle, Yellow
48UXM	ARM REST, DRIVER Left and Right
48UZN	ROOF HATCH, FRONT {Specialty Hybrid Adv H1975-025-191-0F} Emergency Exit with Outside Release, Alarm, English Decals
48UZT	ROOF HATCH, REAR {Specialty Hybrid Adv H1975-025-191-0F} Emergency Exit with Outside Release, Alarm, English Decals
48VVR	STEP TREADS {Koroseal} Pebble White Nosing Only, with Non-Metal Backing, used with Formed Treaded Steps
48XGC	SEAT,26",WALL,3PT,LT {BTI Seating System} (01) High Back, with 3 Point Seat Belts
48YAD	SEAT,39",WALL,3PT,LT {BTI Seating System} (9) High Back, with 3 Point Seat Belts
48YAU	SEAT,39",WALL,3PT,RT {BTI Seating System} (10) High Back, with 3 Point Seat Belts
48YNS	SEAT,39",WALL,3PT,CHLD,UCRA,LT {BTI Seating System} (02) High Back, with 3 Point Seat Belts, Child Restraint and UCRA
48YNT	SEAT,39",WALL,3PT,CHLD,UCRA,RT {BTI Seating System} (02) High Back, with 3 Point Seat Belts, Child Restraint and UCRA
49000	BODY PLAN, APPROVED VARIATION None
49AMT	CIRCUIT, PROTECTION Breakers, Manual Reset in Lieu of Fuses
49AMV	ALARM, BACKING {Ecco #850} 112 dB
49AMY	SWITCH, REAR DOOR BUZZER for Emergency Door
49APH	SWITCH, DOME LIGHTS, SPLIT Front and Rear Operated with Separate 2 Position Switch, Quantity of Lights Split Equally
49ATV	LIGHT, INDIC, WARNING LIGHTS Red and Amber
	<u>Includes</u> : LIGHTS, WARNING Indicator Located in Instrument Cluster
49AWG	SPEAKER, OUTSIDE Horn, PA, Mounted on Right Rail Under Step Well
49AWV	SPEAKERS AND WIRING (8) Flush Mounted In Light Bar
49BCM	FLASHER SYSTEM (8) Warning Lights, 8-Lamp System, Electronic Relay Flasher, Sequential Operation, Red Lights Activate after Ambers Lights with Door Open
49BCR	LIGHT, EXTERIOR, CHECK Automatically Activates Lights for Pre Trip Inspection
49BLB	SAFETY TRIANGLE BREAKABLE SEAL
49BRV	MIRROR, CROSS VIEW, EXTERIOR (2) {Rosco Hawk-Eye} Black, Heated
49BSK	SWITCH, DOME LIGHT, REAR Separate, for Rear Row Dome Lights
49BSL	SWITCH, DOME LIGHTS, DIMMER for All Passenger Dome Lights
49BYT	LIGHTS, STOP (2) {Sound Off/OptiLuxx} and Tail; 7" Round LED, Red
49BZG	LIGHTS, BACK UP (2) {Sound Off/OptiLuxx} LED, 7" Round Clear
49CKT	FUEL FILLER PIPE Low Profile Neck Cap and Vent Hosing, for Use with Right Side Fill for Between the Rail Fuel Tanks, for Above the Floor Fuel Fill, for 25 GPM Fill Rate Only
49CLG	LIGHT, STROBE, GUARD Brush Guard; for Strobe Light 3" to 5" High
49CME	MONITOR, LIGHT SYSTEM with 16 LED or Incandescent Indicator Lights

Vehicle Specifications
2027 CE SCHOOL BUS (PB110)

February 09, 2026

<u>Code</u>	<u>Description</u>
49DBR	HOOD, WARNING LAMP (4) Black, 8-Lamp System, One Hood Above Two Lights
49DDC	LIGHTS, CLUSTER {Truck Lite} LED; Amber Front and Red Rear
49DNB	MIRROR, REAR VIEW, EXTERIOR {Rosco AccuStyle} Black, Motorized Head, Heated, Breakaway Bracket
49EGB	MIRROR, INSIDE 10" x 30", Clear
49EKT	STOP ARM, FRONT Electric, Metal Blade, 18" Octagon, Double Sided, 1/2" White Border, Hi Intensity Grade, Strobing LED Lights
49EKZ	HIGH WIND GUARD, FRONT Stop Arm Mounted
49ENK	VISOR, INTERIOR, LEFT FRONT 6" x 30", Transparent, For Left Windshield
49ENY	VISOR, INTERIOR, DRIVER LEFT 6" X 27" for Driver's Window
49ESC	LIGHTS, DOME, DRIVER (1) LED, Rectangular, Mounted in Light Bar in Ceiling, with Separate Switch
49EUB	KIT, FIRST AID Metal; 24 Unit, Spec State
49EVL	SWITCH, NOISE SUPPRESSION Actuator Legend States, "NOISE SUPP ", for Separate Solenoid, with Red Switch in Panel
49EWM	LIGHT, STROBE ECCO 6550C, Low Profile, Double Flash, 4.9" High
49GCH	LOCATION, FIRST AID KIT Right Side Front Bulkhead with Screws
49GED	SAFETY TRIANGLES Warning Reflectors, Mounted on Floor Between Driver Seat and Drivers Crash Barrier/ Stanchion/Partition
49GHL	REFLECTORS, SIDE, INTERMEDIATE (2) Amber, 4", Adhesive Back
49GHN	REFLECTORS, REAR (2) 3", Red, Adhesive Back
49GHR	REFLECTORS, SIDE, REAR (2) 3", Red, Adhesive Back
49GHV	REFLECTORS, SIDE, FRONT (2) 3", Amber; Adhesive Back, 1 Aft Drivers Window Left, 1 Aft Entrance Door Right
49GNJ	FUEL FILLER DOOR with Locking Latch
49GUB	CUTTER, SEAT BELT {TIE TECH Safecut} for Cutting Seat Belts
49GUH	CERTIFICATE HOLDER (1) 9.375" x 6"; with Transparent Cover
49GUM	INSPECTION PLATE Fuel Sending Unit 8" x 8" Steel
49GVC	MUD FLAPS, REAR WHEELS (2) Rubber
49GWS	CHAINS, REAR, AUTOMATIC Wiring Only, Routed with the Brake Lines
49JAC	DEF FILLER DOOR with Non-Locking Latch
49JBU	LIGHT, ENTRY DOOR {Sound Off/OptiLuxx} LED; 4" Oval; Light Mounted in Skirt Behind Entrance Door, Wired To Step Light
49JBW	LIGHT, STEP {Sound Off/OptiLuxx} 4" Round LED, White, Wired to Clearance Lights, Operated by Entrance Door
49JBZ	LIGHTS, DIRECTIONAL, REAR (2) {Sound Off/OptiLuxx} 7" Round Amber LED, with Arrow
49JED	LIGHTS, MARKER, FRONT & REAR LED, Flush Mount, Amber Front and Red Rear
49JEJ	LIGHTS, DOME LED, Rectangular Recessed Type, Two Full Rows, for 29'08", 30'05", 31'02", 31'11", 32'08", 33'05" Body Lengths
49JEY	LOCATION, BODY FLUID KIT on Bulkhead

Vehicle Specifications
2027 CE SCHOOL BUS (PB110)

February 09, 2026

<u>Code</u>	<u>Description</u>
49JGE	CUTTER, SEAT BELT, LOCATION Mounted on Panel Left of Driver
49JGJ	FIRE EXTINGUISHER 5 lb 3A-40BC Minimum, with Flexible Hose and Metal Nozzle
49JGN	FIRE EXTINGUISHER, FRONT LOC Located Behind Driver Seat
49JGV	KIT, BODY FLUID National Standard, Metal Box
49MUC	SIGN, DESTINATION, FRONT Omit
49MUD	SIGN, DESTINATION, REAR Omit
49NGG	LIGHTS, TAIL, LICENSE PLATE (2) {Sound Off/OptiLuxx} 4" Round LED, Red, Includes Stop & Light Window, Includes Mounting Gasket
49NGH	LIGHTS, WARNING (8) {Sound Off/OptiLuxx} (4) 7" Round Red Flashing LED and (4) 7" Round Amber Flashing LED, 2 Front, 2 Rear Each Color
49PSY	LIGHTS, DIRECTIONAL, SIDE {Sound Off/OptiLuxx} (2) Slim-Line LED Armored, Amber, (1) Each Side First Section Aft Entrance Door
49SAA	SWITCH, INSTRUMENT PANEL LIGHTS; Rheostat
49UAP	STATE OF OPERATION Idaho
49ZNN	LIGHTS, MARKER, SIDE, INTERMED LED, Amber, Flush Mount, Intermediate, Centered, Required for Units 30 Foot or Longer
51ZZZ	BODY PLAN, NON-SPECIAL NEEDS for Bus Body Configurator, OMIT Body Plan
7382138131	(2) TIRE, FRONT 11R22.5 Load Range H FUEL MAX RSA (GOODYEAR), 497 rev/mile, 75 MPH, All-Position
7382138137	(4) TIRE, REAR 11R22.5 Load Range H FUEL MAX RTD (GOODYEAR), 495 rev/mile, 75 MPH, Drive
Services Section:	
40126	WARRANTY Standard for CE, RE, BE School Bus Models, Effective with Vehicles Built March 1, 2017 or Later, CTS-3304H
40CYY	SRV CONTRACT, ENTRANCE DOOR {International} 3 Year/Unlimited Miles, Entrance Door Policy
49GVN	WARRANTY 5-Year, Limited

Financial Summary
2027 CE SCHOOL BUS (PB110)

February 09, 2026

<u>Description</u>	<u>(US DOLLAR)</u>	<u>Price</u>
Factory List Prices:		
Product Items	\$296,862.00	
Service Items	\$250.00	
Total Factory List Price Including Options:		\$297,112.00
C-On Spot chains	\$3,650.00	
L-Seon TH4 w/4 interior cameras installed	\$5,100.00	
L-2 Way Radio ICOM F5121 installed	\$1,370.00	
C-Winter Front-Yellow	\$150.00	
L-2 additional keys	\$75.00	
Total Preparation And Delivery:		\$10,345.00
Freight Charge	\$4,500.00	
Total Freight:		\$4,500.00
Total Factory List Price Including Freight:		\$311,957.00
Less Customer Allowance:		(\$141,050.41)
Total Vehicle Price:		\$170,906.59
Total Sale Price:		\$170,906.59
Total Per Vehicle Sales Price:		\$170,906.59
Total For 2 Vehicle Sales:		\$341,813.18
Net Sales Price:		\$341,813.18

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an IC Corporation vehicle.

This quote is good for 60 days.

West Bonner 2-CE71 w/3pt seats

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without Seller's Authorized Signature

Official Title and Date

If you haven't added a planned maintenance service contract to your proposal yet, please get in touch with your local dealer, International or IC Bus Sales Representative to learn more about the benefits when ordering together with the vehicle.

International® Financial offers loans, a full line up of lease options, and can establish a line of credit for use towards the purchase of International and IC Bus vehicles. Ask your dealer, International® or IC Bus® Sales Representative about completing an International Financial credit application and any promotional offers that may be available. International Financial services are provided by Navistar Financial Corporation.


Financial Summary
2027 CE SCHOOL BUS (PB110)

February 09, 2026

The TOPS FET Calculation is an estimate for reference purposes only. The seller is responsible for calculating and reporting/paying appropriate FET to the IRS.

The limited warranties applicable to the vehicles described here in are International Motors, LLC* standard printed warranties which are incorporated herein by reference and to which you have been provided a copy and hereby agree to their terms and conditions.

International Motors, LLC d/b/a International Motors USA LLC in Illinois and Ohio.



HIP-TO-KNEE SPACING (INCHES) +/-0.5"

SEATS	1	2	3	4	5	6	7	8	9	10	11	12
RIGHT	25.65	25.87	25.97	25.65	25.65	25.65	25.65	25.65	25.65	25.65	25.65	25.65
LEFT	25.43	25.65	25.75	25.43	25.43	25.43	25.43	25.43	25.43	25.43	25.43	25.43

DEALER/CUSTOMERS NOTES:
SPACING IS NOT BIT COMPATIBLE