

Prepared for:
John Alexander
Weber School District
5532 Adams Ave Pkwy
Ogden, UT 84405
Phone: 806-866-6018

Prepared by:
David Wangsgard
FREIGHTLINER OF UTAH
2240 SOUTH 5370 WEST
SALT LAKE CITY, UT 84120
Phone: 801-978-8000

A proposal for
Weber School District

Prepared by
FREIGHTLINER OF UTAH
David Wangsgard

Oct 30, 2020

2022 Freightliner M2 106
With 24 FT Box Body, Lift Gate and Reefer from D&A Equipment



Components shown may not reflect all spec'd options and are not to scale

Prepared for:
 John Alexander
 Weber School District
 5532 Adams Ave Pkwy
 Ogden, UT 84405
 Phone: 806-866-6018

Prepared by:
 David Wangsgard
 FREIGHTLINER OF UTAH
 2240 SOUTH 5370 WEST
 SALT LAKE CITY, UT 84120
 Phone: 801-978-8000

S P E C I F I C A T I O N P R O P O S A L

Data Code	Description	Weight Front	Weight Rear	Retail Price
Price Level				
PRL-16M	M2 PRL-16M (EFF:04/25/17)			N/C
Data Version				
DRL-040	SPECPRO21 DATA RELEASE VER 040			N/C
Vehicle Configuration				
001-172	M2 106 CONVENTIONAL CHASSIS	5,709	3,503	\$100,916.00
004-221	2021 MODEL YEAR SPECIFIED			STD
002-004	SET BACK AXLE - TRUCK			STD
019-002	STRAIGHT TRUCK PROVISION			STD
003-001	LH PRIMARY STEERING LOCATION			STD
General Service				
AA1-002	TRUCK CONFIGURATION			STD
AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)			STD
A85-002	PICKUP AND DELIVERY/SHORT HAUL SERVICE			STD
A84-1GM	GOVERNMENT BUSINESS SEGMENT			N/C
AA4-001	GENERAL FREIGHT COMMODITY			STD
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			STD
AB1-008	MAXIMUM 8% EXPECTED GRADE			STD
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			STD
995-091	MEDIUM TRUCK WARRANTY			STD
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 12000.0 lbs			
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 21000.0 lbs			
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 33000.0 lbs			
Truck Service				
AA3-002	REFRIGERATED VAN BODY			N/C
A88-99D	EXPECTED TRUCK BODY LENGTH : 0.0 ft			

Prepared for:
 John Alexander
 Weber School District
 5532 Adams Ave Pkwy
 Ogden, UT 84405
 Phone: 806-866-6018

Prepared by:
 David Wangsgard
 FREIGHTLINER OF UTAH
 2240 SOUTH 5370 WEST
 SALT LAKE CITY, UT 84120
 Phone: 801-978-8000

Data Code	Description	Weight Front	Weight Rear	Retail Price
AF3-2EU	GENERAL BODY & EQUIPMENT			N/C
AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES : 32.0 in			
Engine				
101-22N	CUM L9 270 HP @ 2000 RPM; 2200 GOV RPM, 800 LB-FT @ 1300 RPM	640	30	\$10,776.00
Electronic Parameters				
79A-075	75 MPH ROAD SPEED LIMIT			N/C
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			N/C
79K-007	PTO MODE ENGINE RPM LIMIT - 1100 RPM			N/C
79M-001	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED			N/C
79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM			N/C
79Q-003	PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM			N/C
79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH			N/C
79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND			N/C
* 80P-998	NO FLEET SPEC FOR PARAMETERIZATION			N/C
N 80G-002	PTO MINIMUM RPM - 700			N/C
80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH			N/C
Engine Equipment				
99C-017	2016-2019 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG17 CONFIGURATION			STD
99D-010	NO 2008 CARB EMISSION CERTIFICATION			N/C
13E-001	STANDARD OIL PAN			STD
105-001	ENGINE MOUNTED OIL CHECK AND FILL			STD
014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER			STD
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			STD
* 292-098	(2) ALLIANCE MODEL 1231XOE, GROUP 31, 12 VOLT MAINTENANCE FREE 2250 CCA THREADEDSTUD BATTERIES FCCC ONLY			N/C
290-017	BATTERY BOX FRAME MOUNTED			STD
281-001	STANDARD BATTERY JUMPERS			STD
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB			STD
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			STD

Prepared for:
John Alexander
Weber School District
5532 Adams Ave Pkwy
Ogden, UT 84405
Phone: 806-866-6018

Prepared by:
David Wangsgard
FREIGHTLINER OF UTAH
2240 SOUTH 5370 WEST
SALT LAKE CITY, UT 84120
Phone: 801-978-8000

	Data Code	Description	Weight Front	Weight Rear	Retail Price
	289-001	NON-POLISHED BATTERY BOX COVER			STD
	107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			STD
	108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR			STD
	131-013	AIR COMPRESSOR DISCHARGE LINE			STD
	152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			STD
	128-076	CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF	20		N/C
	016-1C3	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE			STD
	28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH			STD
	239-001	STANDARD EXHAUST SYSTEM LENGTH			STD
	237-052	RH STANDARD HORIZONTAL TAILPIPE			STD
	23U-001	6 GALLON DIESEL EXHAUST FLUID TANK			STD
	30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL			STD
	43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			STD
	23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			STD
	43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			STD
	273-036	BORG WARNER (KYSOR) REAR AIR ON/OFF ENGINE FAN CLUTCH			N/C
	276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			STD
	110-003	CUMMINS SPIN ON FUEL FILTER			STD
	118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER			N/C
N	266-013	1100 SQUARE INCH ALUMINUM RADIATOR	70		N/C
	103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			STD
	171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			STD
	172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			STD
	270-016	RADIATOR DRAIN VALVE			STD
	168-002	LOWER RADIATOR GUARD			STD
	138-011	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER	4		\$89.00

Prepared for:
John Alexander
Weber School District
5532 Adams Ave Pkwy
Ogden, UT 84405
Phone: 806-866-6018

Prepared by:
David Wangsgard
FREIGHTLINER OF UTAH
2240 SOUTH 5370 WEST
SALT LAKE CITY, UT 84120
Phone: 801-978-8000

Data Code	Description	Weight Front	Weight Rear	Retail Price
140-053	BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			N/C
134-001	ALUMINUM FLYWHEEL HOUSING			STD
132-004	ELECTRIC GRID AIR INTAKE WARMER			STD
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH			N/C
Transmission				
342-580	ALLISON 3000 HS AUTOMATIC TRANSMISSION, NO PTO PROVISION	170	50	\$5,393.00
Transmission Equipment				
343-342	ALLISON VOCATIONAL PACKAGE 226 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS HS, MH, PTS AND TRV			N/C
84B-005	ALLISON VOCATIONAL RATING FOR HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			STD
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84J-000	ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84K-000	ENGINE BRAKE RANGE ALTERNATE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES			STD

Prepared for:
John Alexander
Weber School District
5532 Adams Ave Pkwy
Ogden, UT 84405
Phone: 806-866-6018

Prepared by:
David Wangsgard
FREIGHTLINER OF UTAH
2240 SOUTH 5370 WEST
SALT LAKE CITY, UT 84120
Phone: 801-978-8000

Data Code	Description	Weight Front	Weight Rear	Retail Price
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			STD
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED			N/C
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013			N/C
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK			STD
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK			N/C
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)			STD
Front Axle and Equipment				
400-1A6	DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE			STD
402-020	MERITOR 15X4 Q+ CAM FRONT BRAKES			STD
403-002	NON-ASBESTOS FRONT BRAKE LINING			STD
419-023	CONMET CAST IRON FRONT BRAKE DRUMS			N/C
409-006	FRONT OIL SEALS			STD
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			STD
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			STD
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS			STD
536-050	TRW THP-60 POWER STEERING			STD
539-003	POWER STEERING PUMP			STD
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR			STD
40T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE			\$14.00
Front Suspension				
620-1E9	12,000# MONO TAPERLEAF FRONT SUSPENSION			STD
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			STD
410-001	FRONT SHOCK ABSORBERS			STD
Rear Axle and Equipment				
420-1C8	DETROIT DA-RS-21.0-4 21,000# R-SERIES SINGLE REAR AXLE			STD
421-478	4.78 REAR AXLE RATIO			N/C
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			STD

Prepared for:
John Alexander
Weber School District
5532 Adams Ave Pkwy
Ogden, UT 84405
Phone: 806-866-6018

Prepared by:
David Wangsgard
FREIGHTLINER OF UTAH
2240 SOUTH 5370 WEST
SALT LAKE CITY, UT 84120
Phone: 801-978-8000

Data Code	Description	Weight Front	Weight Rear	Retail Price
386-073	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	40	40	\$465.00
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			STD
433-002	NON-ASBESTOS REAR BRAKE LINING			STD
434-011	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)			N/C
451-023	CONMET CAST IRON REAR BRAKE DRUMS			N/C
440-006	REAR OIL SEALS			STD
426-100	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS			STD
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS			STD
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE			\$95.00

Rear Suspension

622-1MH	23,000# 52 INCH VARIABLE RATE MULTI-LEAF SPRING REAR SUSPENSION		50	(\$1,785.00)
621-001	SPRING SUSPENSION - NO AXLE SPACERS			N/C
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP			N/C

Brake System

018-002	AIR BRAKE PACKAGE			STD
490-100	WABCO 4S/4M ABS			STD
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			STD
904-001	FIBER BRAID PARKING BRAKE HOSE			STD
412-001	STANDARD BRAKE SYSTEM VALVES			STD
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			STD
413-002	STD U.S. FRONT BRAKE VALVE			STD
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			STD
480-009	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER	20		N/C
479-015	AIR DRYER FRAME MOUNTED			STD
460-001	STEEL AIR BRAKE RESERVOIRS			STD
477-006	BW DV-2 AUTO DRAIN VALVE WITHOUT HEATER ON ALL TANK(S)			\$82.00

Trailer Connections

335-004	UPGRADED CHASSIS MULTIPLEXING UNIT			STD
---------	------------------------------------	--	--	-----

Prepared for:
 John Alexander
 Weber School District
 5532 Adams Ave Pkwy
 Ogden, UT 84405
 Phone: 806-866-6018

Prepared by:
 David Wangsgard
 FREIGHTLINER OF UTAH
 2240 SOUTH 5370 WEST
 SALT LAKE CITY, UT 84120
 Phone: 801-978-8000

Data Code	Description	Weight Front	Weight Rear	Retail Price
32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT			STD
Wheelbase & Frame				
545-640	6400MM (252 INCH) WHEELBASE			N/C
546-101	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI	390	150	\$877.00
552-064	2575MM (101 INCH) REAR FRAME OVERHANG			N/C
55W-010	FRAME OVERHANG RANGE: 101 INCH TO 110 INCH	-90	380	N/C
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 186.42 in			
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 183.42 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 382.76			
FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 119.75 in			N/C
FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 172.92 in			N/C
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 186.45 in			
553-001	SQUARE END OF FRAME			STD
550-001	FRONT CLOSING CROSSMEMBER			STD
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			STD
561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION			STD
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			STD
572-001	STANDARD REARMOST CROSSMEMBER			STD
565-001	STANDARD SUSPENSION CROSSMEMBER			STD
Chassis Equipment				
556-1AN	THREE-PIECE 14 INCH STEEL CENTER BUMPER WITH FLEXIBLE PLASTIC ENDS			STD
558-001	FRONT TOW HOOKS - FRAME MOUNTED	15		\$74.00
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			STD
586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS			STD
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS			STD
Fuel Tanks				
204-192	50 GALLON/189 LITER RECTANGULAR ALUMINUM FUEL TANK - LH	20		\$84.00
218-005	RECTANGULAR FUEL TANK(S)			STD

Prepared for:
John Alexander
Weber School District
5532 Adams Ave Pkwy
Ogden, UT 84405
Phone: 806-866-6018

Prepared by:
David Wangsgard
FREIGHTLINER OF UTAH
2240 SOUTH 5370 WEST
SALT LAKE CITY, UT 84120
Phone: 801-978-8000

Data Code	Description	Weight Front	Weight Rear	Retail Price
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			STD
212-007	FUEL TANK(S) FORWARD			STD
664-001	PLAIN STEP FINISH			STD
205-001	FUEL TANK CAP(S)			STD
122-1H4	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR AND 12 VOLT PREHEATER	-5		\$30.00
216-020	EQUIFLO INBOARD FUEL SYSTEM			STD
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			STD
Tires				
093-1G4	MICHELIN XZE2 11R22.5 14 PLY RADIAL FRONT TIRES	12		(\$148.00)
094-1UX	MICHELIN X MULTI D 11R22.5 14 PLY RADIAL REAR TIRES		96	(\$360.00)
Hubs				
418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS			\$123.00
450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS			\$128.00
Wheels				
502-657	ACCURIDE 51408 ACCU-LITE 22.5X8.25 10-HUB PILOT 6.16 INSET 2-HAND STEEL DISC FRONT WHEELS			N/C
505-657	ACCURIDE 51408 ACCU-LITE 22.5X8.25 10-HUB PILOT 2-HAND STEEL DISC REAR WHEELS			N/C
496-011	FRONT WHEEL MOUNTING NUTS			STD
497-011	REAR WHEEL MOUNTING NUTS			STD
Cab Exterior				
829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			STD
650-008	AIR CAB MOUNTING			\$121.00
678-001	LH AND RH GRAB HANDLES			STD
646-009	PAINTED PLASTIC GRILLE			N/C
65X-001	ARGENT SILVER HOOD MOUNTED AIR INTAKE GRILLE			N/C
644-004	FIBERGLASS HOOD			STD
726-001	SINGLE ELECTRIC HORN			STD
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			STD

Prepared for:
John Alexander
Weber School District
5532 Adams Ave Pkwy
Ogden, UT 84405
Phone: 806-866-6018

Prepared by:
David Wangsgard
FREIGHTLINER OF UTAH
2240 SOUTH 5370 WEST
SALT LAKE CITY, UT 84120
Phone: 801-978-8000

Data Code	Description	Weight Front	Weight Rear	Retail Price
78G-002	KEY QUANTITY OF 2			STD
575-001	REAR LICENSE PLATE MOUNT END OF FRAME			STD
312-043	INTEGRAL HEADLIGHT/MARKER ASSEMBLY			STD
302-001	(5) AMBER MARKER LIGHTS			STD
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS			STD
300-015	STANDARD FRONT TURN SIGNAL LAMPS			STD
744-1BC	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE			\$286.00
797-001	DOOR MOUNTED MIRRORS			STD
796-001	102 INCH EQUIPMENT WIDTH			STD
743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS			N/C
729-001	STANDARD SIDE/REAR REFLECTORS			STD
768-043	63X14 INCH TINTED REAR WINDOW			STD
661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS			STD
654-011	RH AND LH ELECTRIC POWERED WINDOWS	4		\$218.00
663-013	1-PIECE SOLAR GREEN GLASS WINDSHIELD			STD
659-020	2 GALLON WINDSHIELD WASHER RESERVOIR WITH FLUID LEVEL INDICATOR, FRAME MOUNTED			N/C

Cab Interior

707-1AM	OPAL GRAY CLOTH INTERIOR			STD
706-013	MOLDED PLASTIC DOOR PANEL			STD
708-013	MOLDED PLASTIC DOOR PANEL			STD
772-006	BLACK MATS WITH SINGLE INSULATION			STD
691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING			STD
694-010	IN DASH STORAGE BIN			STD
696-002	(1) STORAGE CONSOLE WITH WRITING SURFACE FLOOR MOUNTED BETWEEN DRIVER AND PASSENGER SEATS	30		\$616.00
742-007	(2) CUP HOLDERS LH AND RH DASH			STD
680-006	GRAY/CHARCOAL FLAT DASH			STD
700-002	HEATER, DEFROSTER AND AIR CONDITIONER			STD
701-008	STANDARD HVAC DUCTING WITH SNOW SHIELD FOR FRESH AIR INTAKE			\$27.00
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			STD
170-015	STANDARD HEATER PLUMBING			STD

Prepared for:
John Alexander
Weber School District
5532 Adams Ave Pkwy
Ogden, UT 84405
Phone: 806-866-6018

Prepared by:
David Wangsgard
FREIGHTLINER OF UTAH
2240 SOUTH 5370 WEST
SALT LAKE CITY, UT 84120
Phone: 801-978-8000

Data Code	Description	Weight Front	Weight Rear	Retail Price
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR			STD
702-002	BINARY CONTROL, R-134A			STD
739-033	STANDARD INSULATION			STD
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			STD
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			STD
324-011	DOMED DOOR ACTIVATED LH AND RH, DUAL READING LIGHTS, FORWARD CAB ROOF			\$59.00
655-005	LH AND RH ELECTRIC DOOR LOCKS			\$99.00
284-101	(1) 12V POWER SUPPLY (1) DUAL 2.1 AMP USB CHARGER IN DASH			\$66.00
756-1D9	PREMIUM HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 3 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION, FORWARD AND REAR CUSHION TILT, ADJUSTABLE SHOCK ABSORBER	70		\$418.00
760-1J2	BASIC HIGH BACK NON SUSPENSION TOOL BOX PASSENGER SEAT			\$236.00
759-007	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS	4		\$69.00
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			STD
758-017	GRAY CORDURA PLUS CLOTH DRIVER SEAT COVER			\$5.00
761-017	GRAY CORDURA PLUS CLOTH PASSENGER SEAT COVER			\$5.00
763-101	BLACK SEAT BELTS			STD
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	10		\$478.00
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL			STD
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			STD

Instruments & Controls

732-004	GRAY DRIVER INSTRUMENT PANEL			STD
734-004	GRAY CENTER INSTRUMENT PANEL			STD
870-001	BLACK GAUGE BEZELS			STD
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM			STD
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES			STD
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS			STD
721-001	97 DB BACKUP ALARM		3	\$51.00

Prepared for:
John Alexander
Weber School District
5532 Adams Ave Pkwy
Ogden, UT 84405
Phone: 806-866-6018

Prepared by:
David Wangsgard
FREIGHTLINER OF UTAH
2240 SOUTH 5370 WEST
SALT LAKE CITY, UT 84120
Phone: 801-978-8000

	Data Code	Description	Weight Front	Weight Rear	Retail Price
	149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL			STD
	156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			STD
	811-042	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED			STD
	160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			STD
	844-001	2 INCH ELECTRIC FUEL GAUGE			STD
	148-003	PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE			STD
	856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			STD
	864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE			STD
	830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			STD
	852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			STD
	679-001	OVERHEAD INSTRUMENT PANEL			\$76.00
	746-116	AM/FM/WB WORLD TUNER RADIO WITH SIRIUS XM, CD PLAYER, BLUETOOTH, IPOD INTERFACE AND USB AND AUXILIARY INPUTS, J1939	10		\$746.00
	747-001	DASH MOUNTED RADIO			N/C
	750-002	(2) RADIO SPEAKERS IN CAB			N/C
	753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF			N/C
N	78C-003	INTEROPERABLE SDAR ANTENNA			\$82.00
	810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			STD
	817-001	STANDARD VEHICLE SPEED SENSOR			STD
	812-001	ELECTRONIC 3000 RPM TACHOMETER			STD
	162-011	IDLE LIMITER, ELECTRONIC ENGINE			STD
	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			STD
	660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY			STD
	304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH			STD
	882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			STD

Prepared for:
John Alexander
Weber School District
5532 Adams Ave Pkwy
Ogden, UT 84405
Phone: 806-866-6018

Prepared by:
David Wangsgard
FREIGHTLINER OF UTAH
2240 SOUTH 5370 WEST
SALT LAKE CITY, UT 84120
Phone: 801-978-8000

Data Code	Description	Weight Front	Weight Rear	Retail Price
299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE			STD
298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS			STD

Design

065-000	PAINT: ONE SOLID COLOR			STD
---------	------------------------	--	--	-----

Color

980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY			STD
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			STD
962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			STD
966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			STD
964-6Z7	BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX			STD
963-003	STANDARD E COAT/UNDERCOATING			STD

Certification / Compliance

996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			STD
---------	---	--	--	-----

Raw Performance Data

AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 183.42 in			
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 186.45 in			

Sales Programs

NO SALES PROGRAMS HAVE BEEN SELECTED

TOTAL VEHICLE SUMMARY

Adjusted List Price

Adjusted List Price ** \$120,511.00

Weight Summary

	Weight	Weight	Total
--	--------	--------	-------



Prepared for:
 John Alexander
 Weber School District
 5532 Adams Ave Pkwy
 Ogden, UT 84405
 Phone: 806-866-6018

Prepared by:
 David Wangsgard
 FREIGHTLINER OF UTAH
 2240 SOUTH 5370 WEST
 SALT LAKE CITY, UT 84120
 Phone: 801-978-8000

	Front	Rear	Weight
Factory Weight ⁺	7143 lbs	4302 lbs	11445 lbs
Dealer Installed Options	0 lbs	0 lbs	0 lbs
Total Weight⁺	7143 lbs	4302 lbs	11445 lbs

ITEMS NOT INCLUDED IN ADJUSTED LIST PRICE

Other Factory Charges

PMU-017	2016 OBD/2010 EPA/CARB/GHG17 ESCALATOR	\$300.00
PMV-998	NO ESCALATOR	STD
RAG-020	CUMMINS TARIFF CHARGE - \$205	\$205.00
P73-2FT	STANDARD DESTINATION CHARGE	\$2,200.00

Dealer Installed Options

		Weight Front	Weight Rear	Price
DNA	24 FT GENERAL BOX BODY, PALFINGER LIFT GATE, THERMO KING REEFER UNIT FROM D&A EQUIPMENT	0	0	\$54,596.00
Total Dealer Installed Options		0 lbs	0 lbs	\$54,596.00

Prepared for:
 John Alexander
 Weber School District
 5532 Adams Ave Pkwy
 Ogden, UT 84405
 Phone: 806-866-6018

Prepared by:
 David Wangsgard
 FREIGHTLINER OF UTAH
 2240 SOUTH 5370 WEST
 SALT LAKE CITY, UT 84120
 Phone: 801-978-8000

<p><u>Customer Information</u> Customer: Weber School District/Warner Truck Center Address: 930 W. 200 N. Ogden, UT 84404 Contact: Rob/Dave Date: 10/29/2020 Note: <u>Invoice Warner Truck Center Attn. Dave Wangsgard</u> <u>2240 South 5370 West West Valley City, UT 84120</u></p>	<p>E-Mail: Cell: 801-928-6006 Phone: (801)476-7975/801-978-8026 Fax: Quote #: WSD102920-24RV</p>
---	---

QUOTATION

<p><u>Chassis Specifications</u> Vin#: N/A Year: 2021 Make: Freightliner Model: Frame: 34" C/A: 186" C/A or 174" C/T</p> <p><u>Body Specifications</u> Qty: 1 Make: General/Utilimaster Length: 24' (Inside) Width: 96" Height: 90" (Inside) Floor style: 1 1/8" aluminum Inverted "T" Ribbed Floor Side panels: .040 aluminum sheet and post Side posts: Galv. Steel 'Z' posts on 16" centers Roof: Aluminum Roof bows: Galvanized on 24" centers Rear door: 2 1/2" "Whiting" low-temp insulated door Rear frame: Stainless steel reinforced Inside lining: One piece 'Kemlite' on walls, ceiling & doors w/corner coving (steals) Interior lighting: 2 LED dome lights w/switch inside cab Rear bumper: Std. ICC Longsills: 4" structural steel Crossmembers: 4" Structural steel 'I' beam on 12" centers Exterior lights: ICC/DOT approved clearance lights. Turn, stop & tail lights mounted in lift gate columns Grab handles: N/A Paint: All steel parts prepped, primed and painted to match</p>	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border: none;">Total Price:</td> <td style="border: 1px solid black; text-align: right; padding: 2px;">\$23,825.00</td> </tr> </table> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border: none;"><u>Options</u></td> <td style="border: none;"></td> </tr> <tr> <td style="border: none;">Approach plate: None</td> <td style="border: 1px solid black;"></td> </tr> <tr> <td style="border: none;">Side doors: None</td> <td style="border: 1px solid black;"></td> </tr> <tr> <td style="border: none;">Scuff rail: 10" high aluminum scuff side and front</td> <td style="border: 1px solid black; text-align: center;">Included</td> </tr> <tr> <td style="border: none;">Cargo fasteners: 2 rows "E" track down both sides and front</td> <td style="border: 1px solid black; text-align: center;">Included</td> </tr> <tr> <td style="border: none;">Ramp: None</td> <td style="border: 1px solid black;"></td> </tr> <tr> <td style="border: none;">Insulation: 3" polyurethane foam in walls, ceiling and floor</td> <td style="border: 1px solid black; text-align: center;">Included</td> </tr> <tr> <td style="border: none;">Reefer curtain: None</td> <td style="border: 1px solid black;"></td> </tr> <tr> <td style="border: none;">Retractable step: 4 mounted on left front corner post for access to refrigeration unit</td> <td style="border: 1px solid black; text-align: center;">Included</td> </tr> <tr> <td style="border: none;">Lift Gate: "Palfinger" ILD-55 5,500# Rail/column gate w/72" x 80" steel platform. LED lights mounted in columns</td> <td style="border: 1px solid black; text-align: right;">\$13,893.00</td> </tr> <tr> <td style="border: none;">Refrigeration: "Thermo King" T690-30 DSP self powered unit – Installed by Thermo King Intermountain</td> <td style="border: 1px solid black; text-align: right;">\$16,878.00</td> </tr> <tr> <td style="border: none;">Subtotal:</td> <td style="border: 1px solid black; text-align: right;">\$54,596.00</td> </tr> <tr> <td style="border: none;">Sales Tax:</td> <td style="border: 1px solid black; text-align: center;">Exempt</td> </tr> <tr> <td style="border: none;">Total Price:</td> <td style="border: 1px solid black; text-align: right;">\$54,596.00</td> </tr> </table>	Total Price:	\$23,825.00	<u>Options</u>		Approach plate: None		Side doors: None		Scuff rail: 10" high aluminum scuff side and front	Included	Cargo fasteners: 2 rows "E" track down both sides and front	Included	Ramp: None		Insulation: 3" polyurethane foam in walls, ceiling and floor	Included	Reefer curtain: None		Retractable step: 4 mounted on left front corner post for access to refrigeration unit	Included	Lift Gate: "Palfinger" ILD-55 5,500# Rail/column gate w/72" x 80" steel platform. LED lights mounted in columns	\$13,893.00	Refrigeration: "Thermo King" T690-30 DSP self powered unit – Installed by Thermo King Intermountain	\$16,878.00	Subtotal:	\$54,596.00	Sales Tax:	Exempt	Total Price:	\$54,596.00
Total Price:	\$23,825.00																														
<u>Options</u>																															
Approach plate: None																															
Side doors: None																															
Scuff rail: 10" high aluminum scuff side and front	Included																														
Cargo fasteners: 2 rows "E" track down both sides and front	Included																														
Ramp: None																															
Insulation: 3" polyurethane foam in walls, ceiling and floor	Included																														
Reefer curtain: None																															
Retractable step: 4 mounted on left front corner post for access to refrigeration unit	Included																														
Lift Gate: "Palfinger" ILD-55 5,500# Rail/column gate w/72" x 80" steel platform. LED lights mounted in columns	\$13,893.00																														
Refrigeration: "Thermo King" T690-30 DSP self powered unit – Installed by Thermo King Intermountain	\$16,878.00																														
Subtotal:	\$54,596.00																														
Sales Tax:	Exempt																														
Total Price:	\$54,596.00																														

(+) Weights shown are estimates only.
 If weight is critical, contact Customer Application Engineering.



Prepared for:
John Alexander
Weber School District
5532 Adams Ave Pkwy
Ogden, UT 84405
Phone: 806-866-6018

Prepared by:
David Wangsgard
FREIGHTLINER OF UTAH
2240 SOUTH 5370 WEST
SALT LAKE CITY, UT 84120
Phone: 801-978-8000

(**) Prices shown do not include taxes, fees, etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.



Prepared for:
John Alexander
Weber School District
5532 Adams Ave Pkwy
Ogden, UT 84405
Phone: 806-866-6018

Prepared by:
David Wangsgard
FREIGHTLINER OF UTAH
2240 SOUTH 5370 WEST
SALT LAKE CITY, UT 84120
Phone: 801-978-8000

Q U O T A T I O N

M2 106 CONVENTIONAL CHASSIS

SET BACK AXLE - TRUCK
CUM L9 270 HP @ 2000 RPM; 2200 GOV RPM, 800 LB-FT
@ 1300 RPM
ALLISON 3000 HS AUTOMATIC TRANSMISSION, NO PTO
PROVISION
DETROIT DA-RS-21.0-4 21,000# R-SERIES SINGLE REAR
AXLE
23,000# 52 INCH VARIABLE RATE MULTI-LEAF SPRING
REAR SUSPENSION

DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP
SINGLE FRONT AXLE
12,000# MONO TAPERLEAF FRONT SUSPENSION
106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL
CAB
6400MM (252 INCH) WHEELBASE
11/32X3-1/2X10-15/16 INCH STEEL FRAME
(8.73MMX277.8MM/0.344X10.94 INCH) 120KSI
2575MM (101 INCH) REAR FRAME OVERHANG

			PER UNIT		TOTAL
VEHICLE PRICE	TOTAL # OF UNITS (1)	\$	73,165	\$	73,165
EXTENDED WARRANTY		\$	0	\$	0
DEALER INSTALLED OPTIONS		\$	54,596	\$	54,596
CUSTOMER PRICE BEFORE TAX		\$	127,761	\$	127,761

TAXES AND FEES

FEDERAL EXCISE TAX (FET)	\$	(151)	\$	(151)
TAXES AND FEES	\$	0	\$	0
OTHER CHARGES	\$	0	\$	0

TRADE-IN

TRADE-IN ALLOWANCE	\$	(0)	\$	(0)
---------------------------	----	-----	----	-----

BALANCE DUE	(LOCAL CURRENCY)	\$	127,610	\$	127,610
--------------------	-------------------------	-----------	----------------	-----------	----------------

COMMENTS:

Projected delivery on ____ / ____ / ____ provided the order is received before ____ / ____ / ____.

APPROVAL:

Please indicate your acceptance of this quotation by signing below:

Customer: X_____ Date: ____ / ____ / ____.

Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at www.daimler-truckfinancial.com.

