

Proposal

Job Number: CO2419827

P.O. Box 4769 Corpus Christi, Tx 78469 Phone (361) 289-2819 Fax (361) 289-2764

Proposal Submitted To: Calallen High School Baseball /Softball Field	Phone: 361-242-5604	Date: 10/31/2024	
Billing Address: 4205 Wildcat Dr		Job Name: Calallen High School Baseball /Softball Field/Blair McDavid/4205 Wildcat Dr	
City, State, Zip: Corpus Christi, TX 78410		Job Location: 4205 Wildcat Dr Corpus Christi, TX 78410	
Contact/Architect: Blair McDavid	Date of Plans:	Email Address: bmcdavid@calallen.org	Mobile/Pager:

We are pleased to submit this proposal for your consideration:

Bid: Aluminum Fencing

D&C Fence Co. will tear out and haul off 710LF of Chain Link Fence, to include removal of post footings.

Black vinyl chain link fencing;

D&C Fence Co. will furnish and install 118'LF of 6' tall 8-gauge Black vinyl chain link fencing, using (4) new 3" SS40 terminal posts and (1) 3" existing terminal posts, (5) 1-5/8" SS40 braces with truss rods, 2-1/2" SS40 line posts, 1-5/8" SS40 top rail, and 7-gauge bottom wire. All terminal posts will be set in 12"x42" concrete footings. All line posts will be set on 10' centers in 12"x36" concrete footings.

D&C will build and install (1) Black vinyl 5LF personnel gate, 6' tall, using (2) 3" SCH40 gate posts in 12"x42" concrete footings, 2" SCH40 pipe frame, bulldog hinges, and a industrial fulcrum latch

D&C will build and install (1) 24' LF double drive swing gates 6' tall using 4" SS40 gate posts set in 12"x36" concrete footings, 2" SS40 pipe frame, Black vinyl chain link fabric, heavy duty bulldog hinges, and industrial fulcrum latch.

Aluminum fencing;

D&C Fence Company will install 710'LF of Alumi-Guard black 6' – 3 Channel "Belmont" industrial grade aluminum fencing. D&C will use 6'x8' panels and use 2.5"x2.5"x.075 square aluminum line posts with caps set in 8"x36" concrete footings or flanged with Epoxy to the concrete. D&C will build and install (2) 5'LF Alumi-Guard black industrial 3 Channel "Ascot" aluminum personnel gate, 6' tall using, 3"x 3"x .250 gate posts in 12"x42" concrete footers, 2- Tru-Close hinges and a industrial fulcrum latch.

D&C will install (1) 6' tall x18' wide Alumi-Guard black Imperial 3 Channel "Belmont" aluminum cantilever gate, made to match fence style using (2) 4"x 4"x .250 T- slot gate posts set in 12"x42" concrete footers. Gate will include (2) truck assemblies, guide rollers and industrial collector latch. **Aluminum fence comes with a manufacturer's limited lifetime warranty on materials and finish. *Aluminum fence comes with a manufacturer's limited lifetime warranty on materials and finish.*

D&C will install (1) 120 volt Liftmaster CSL24UL chain driven gate operator w/ battery backup ;using (1) photo eyes to help prevent accidental entrapment, (10) programed remotes. D&C will test all limits and safeties to ensure proper gate operation. Gate to include (1) dual key knox box switch.

Cable barrier fence;

D&C will grade, form, pour and finish a 18" wide x 254' long of 4" thick 4000 PSI concrete area with a smooth finish: using 1"x4" redwood expansion joints, #4 rebar

D&C will install 70' of 36" tall cable barrier fence using – 4" SCH 40 Bollard posts set on 10' centers in 36" concrete footings, with 3 /4" galvanized cable and clamps.

D&C will build and install (1) 12' LF barricade style gate 4'; using 4" SCH40 gate posts set in 12"x42" concrete footings, 2-1/2" SCH40 pipe frame, 2" SCH40 pipe supports, weld on block hinges, and industrial gate catch.

Item Total: \$88,925.00	_Initial to accept
Total Estimated: \$88,925.00	Initial to accept

PLUS SALES TAX IF APPLICABLE

Wood Proposal Price is valid for 15 days from creation date and for all other jobs, the price is valid for 30 days from creation date, after said date, price is no longer valid and is subject to change.

If a contract is delayed by the customer for longer than 90 days from acceptance date the price may be subject to change.

If building permit is required additional fees will apply.

Phone:	Job Number: CO2419827 Date:
361-242-5604	10/31/2024
IONS	
ontract between two parties and rued as an acceptance of this F	
PRIOR TO STARTING JOB C WISE NOTED ON CONTRACT ate acceptance. There will be a ay convert their check to an ele	F. More or less material a 25% charge if customer
reserves the right to repossess annual percentage rate on pas by for collection.	
of the property line. Property O irrigation, pool, gas, electric, e NOT be held responsible or liab er is responsible for obtaining a	etc) which are located ole for damage of any
nless specified above.	
acuzzis during demolition and i or deaths resulting from access	
es, trees, and debris from the f	ence line in order to
hip for four years of completion I products that may over time v I over. D&C Fence Company	varp, split, or shrink. This
e warranty.	
warranty labor for one year.	
	price of this interest of this interest of this interest of the property of the property line. Property of the property line is responsible or lial er is responsible for obtaining and its resulting from access of the property line is responsible for obtaining and the property line is responsible for obtaini

THANK YOU!

Date:_

Estimator: Jerry Burch Ph. 361-206-8968 Email: jburch@dcfence.com By signing you are agreeing to the following terms and conditions listed above.

Accepted: