



INTEGRATED CE S BUS

Sales Proposal For:

New Buffalo Area Schools

Presented By:

MIDWEST TRANSIT EQUIPMENT

\$95,688.00 Delivered

Vehicle Specifications
2021 INTEGRATED CE S BUS (PB105)

January 27, 2020

<u>Code</u>	<u>Description</u>
PB10500	Base Chassis, Model INTEGRATED CE S BUS with 276.00 Wheelbase, N/A CA, and 166.00 Axle to Frame.
1570	TOW HOOK, FRONT (2) Frame Mounted
1CAC	FRAME RAILS High Strength Low Alloy Steel (50,000 PSI Yield); 10.125" x 3.062" x 0.312" (257.2mm x 77.8mm x 8.0mm); 480.1" (12195mm) Maximum OAL
1LLE	BUMPER, FRONT Contoured, Steel, Severe Duty
1LMW	CROSSING GATE, FRONT Electric, Yellow Blade, Bumper Mounted
1SAM	CROSSMEMBER, REAR, AF (2)
1WJE	WHEELBASE RANGE 276" (700cm) Only
1WRP	TOW HOOK, REAR (2) Mounted on Lower Rail Flange
2ASH	AXLE, FRONT NON-DRIVING {Meritor MFS-10-122A} I-Beam Type, 10,000-lb Capacity
3ADB	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 10,000-lb Capacity, with Shock Absorbers
4002	BRAKE, PARKING Omit Item
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications
4AZS	AIR BRAKE ABS {Bendix AntiLock Brake System} with Electronic Stability Program (4-Channel; 4 Sensor/4 Modulator) with Automatic Traction Control
4EBS	AIR DRYER {Bendix AD-9} with Heater
4EXP	BRAKE CHAMBERS, FRONT AXLE {Bendix} 20 SqIn
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 Spring Brake
4JCJ	BRAKES, FRONT, AIR CAM S-Cam; 16.5" x 5.0"; Includes 20 Sq. In. Long Stroke Brake Chambers
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM
4WBX	DUST SHIELDS, FRONT BRAKE for Air Brakes
4WDM	DUST SHIELDS, REAR BRAKE for Air Brakes
4WZT	GVWR LIMITATION FOR BUS with Air Brakes, Limited to 33,000-lbs Maximum to meet FMVSS 121 Requirements, for Conventional Bus
5708	STEERING COLUMN Tilting
5CAL	STEERING WHEEL 2-Spoke, 18" Dia., Black
5PRR	STEERING GEAR {TRW (Ross) TAS66} Power
6DGA	DRIVELINE SYSTEM {Dana Spicer} SPL100, for 4x2/6x2
7BLA	EXHAUST SYSTEM Single, Horizontal Aftertreatment Device, Frame Mounted Under Right Rail, for Single Long Horizontal Tail Pipe
7WBL	TAIL PIPE (1) Horizontal, Long, Exits Left Side Through Bumper
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
8GXH	ALTERNATOR {Leece-Neville AVI160P2007} Brush Type; 12 Volt 210 Amp. Capacity, Pad Mount
8NBX	BATTERY SYSTEM {JCI} Maintenance-Free, (3) 12-Volt 2850CCA Total, Top Threaded Stud

Vehicle Specifications
2021 INTEGRATED CE S BUS (PB105)

January 27, 2020

<u>Code</u>	<u>Description</u>
8TTK	BATTERY BOX Steel, with Sliding Tray, 25.25" Wide, for Standard Batteries, 1-3 Battery Capacity, Mounted Left Side Behind Front Axle Perpendicular to Frame Rail
8TUT	COLLISION MITIGATION SYSTEM Omit
8VAZ	HORN, ELECTRIC (2) Trumpet Style, Mounted on Top of Mega-Bracket
8WPB	HEADLIGHTS Halogen, Composite Aero Design, with Daytime Running Lights
8WTK	STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt, Less Thermal Over-Crank Protection
8WWJ	INDICATOR, LOW COOLANT LEVEL with Audible Alarm
8WXB	HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position
8WZL	HEADLIGHTS, WIG WAG with Bus Pupil Warning Lights
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses
9AAE	LOGOS EXTERIOR, ENGINE Badges
9WAB	HOOD TILT ASSIST {EASY TILT} Mechanical
9WAY	FRONT END Tilting, Fiberglass, with Three Piece Construction
10020	CHASSIS PAINT Full Chassis
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100
10788	PAINT TYPE Urethane, One or Two Colors, Other than Imron or International.
10AAZ	OVER THE AIR PROGRAMMING Omit
10XAH	PROMOTIONAL PACKAGE LED INTR {Sound Off/OptiLuxx} LED Lights
10XAJ	PROMOTIONAL PACKAGE LED EXT {Sound Off/OptiLuxx} LED Lights
10XAK	PROMOTIONAL PACKAGE 7 Year Unlimited Miles/km Warranty, Limited Time Program for Allison 2000 Series Transmission on School and Commercial Buses (Supplied directly through Allison)
11001	CLUTCH Omit Item (Clutch & Control)
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection
12EJT	ENGINE, DIESEL {Cummins B6.7 250} EPA 2017, 250HP @ 2400 RPM, 660 lb-ft Torque @ 1600 RPM, 2600 RPM Governed Speed, 250 Peak HP (Max), School Bus Only
12TJA	FAN DRIVE {Warner Electric FC-550} Electronically Activated and Controlled
12UGN	THROTTLE, HAND CONTROL Electronic
12UYE	RADIATOR Aluminum; 2-Row, Cross Flow, Over Under System, 717 SqIn Louvered, with 313 SqIn Charge Air Cooler. with In-Tank Transmission Cooler
12VBR	AIR CLEANER with Service Protection Element
12VHH	FEDERAL EMISSIONS {Cummins B6.7} EPA, OBD and GHG Certified for Calendar Year 2020
12VVN	CRUISE CONTROL Electronic
12VWH	GOVERNOR Electronic Road Speed Type; for Electronic Engines and Bus Models; with 55 MPH Default
12WSY	BLOCK HEATER, ENGINE {Phillips} 120V/750W, for Cummins ISB/B6.7 Engines
12WZD	EMISSION COMPLIANCE Engine Shutdown System Exempt Vehicles, Complies with California Clean Air Regulations
13ART	TRANSMISSION, AUTOMATIC {Allison 2500 PTS} 5th Generation Controls, Wide Ratio, 5-Speed with Overdrive, Less PTO Provision, Less Retarder, with 33,000-lb GVW and GCW Max, School Bus

Vehicle Specifications
2021 INTEGRATED CE S BUS (PB105)

January 27, 2020

<u>Code</u>	<u>Description</u>
13WLN	TRANSMISSION OIL Synthetic; 20 thru 28 Pints
13WYY	SHIFT CONTROL PARAMETERS {Allison} 1000 or 2000 Series Transmissions, Performance Programming
14AKC	AXLE, REAR, SINGLE {Dana Spicer S140} Single Reduction, 21,000-lb Capacity, 190 Wheel Ends . Gear Ratio: 5.29
14TBS	SUSPENSION, REAR, AIR, SINGLE {International IROS} 21,000-lb Capacity, 9.25" Ride Height, with Shock Absorbers
15SZM	FUEL TANK Top Draw, Steel, Rectangular, 65 US Gal (246L), Includes Protective Cage, for Low Profile Fuel Filler Assembly and Vent Hosing, Mounted Between Frame Rails and Behind Rear Axle
15WDT	DEF TANK 12 US Gal (45L) Capacity, Frame Mounted Outside Right Rail, Behind 0 Bow
16010	COWL Flat Back
16HBA	GAUGE CLUSTER English with English Electronic Speedometer
16HGH	GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster
16HLJ	GAUGE, DEF FLUID LEVEL
16VCD	DASH INSULATOR
27DUW	WHEELS, FRONT {Accuride 51408} DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
28DUW	WHEELS, REAR {Accuride 51408} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
29580	WHEEL SEALS, FRONT {International} Oil-Lubricated Wheel Bearings
47AJB	BODY CERTIFICATION TAG Mylar Label
47AJC	BODY TAG, METAL Capacity to Include the Total Number of Passengers
47AMG	BODY, BUS Conventional; 78" Headroom, 34'11" Body Length, +9 Section Rear, 78 Passenger, 276 WB
47APR	HEADLINER, BODY Conventional; 25'11"-34'11" Body Length, Perforated Full Length with Sound Insulation Full Length
47APX	FASTENERS, HEADLINER Screws
47ARH	BOWS, ROOF 14 ga., One Piece Construction
47ARP	LIGHT BARS Plastic
47ATB	SKIRT, BODY Conventional, 20", 16ga., 31'2", 31'11", 32'8", 33'5", 34'2", 34'11", Body Length
47AUR	TIE DOWNS, BODY Grade 8 Bolts, Every Body Section
47AXT	RUB RAILS, BODY (4) Conventional; Steel, 31'2", 31'11", 32'8", 33'5", 34'2", 34'11", Body Length, Includes Snow Rail
47AYB	BODY, REAR Includes Emergency Door
47AZE	SIDE SHEET, BODY, EXTERIOR Conventional, 16ga., Smooth, 31'2", 31'11", 32'8", 33'5", 34'2", 34'11", Body Length
47AZL	FLOOR, BODY with Wheel Wells
47BAK	BUMPER, REAR Painted, 12" High, 3/16" Thick
47BAR	SUPPORTS, REAR BUMPER Bolted to Frame

Vehicle Specifications
2021 INTEGRATED CE S BUS (PB105)

January 27, 2020

Code	Description
47BBH	LINING, SIDE INTERIOR, LOWER Embossed Steel, Clear Coated
47BBZ	SEALER Extra; Sidewall to Floor, In Wheel Pocket Area, and Rear Wall to Floor
47BKK	LETTERS, SCHOOL BUS FRONT/REAR Decal; "SCHOOL BUS"; with 8" Black Reflective Letters, 3M Fluorescent Diamond Grade, Yellow On Front and Rear Cap
47BLD	STEP, FRONT ENTRANCE DOOR 27 1/4" Depth; 14ga Steel, Formed Treads, Naviflex Finish
47DAE	FASTENERS, REAR DOOR Lag Screws, Rear Door To Body
47DAJ	COVER, REAR DOOR INSIDE HANDLE Partial Coverage
47DDE	HANDLE, ASSIST, ENTRANCE DOOR Outside Entrance
47DDH	HOLD BACK, REAR DOOR Stationary, No Cables, with Plastic Cover
47DDU	LATCH, REAR DOOR One Point Slide Bar, Cam Operated, with One Inch Stroke
47DEK	LOCK, VANDAL, REAR DOOR with Ignition Starter Interlock
47DEY	HANDLE, EXTERIOR, REAR Emergency Door; Yellow
47DNB	DOOR, ENTRANCE, FRONT Electric, Outward Opening, with Split Pane Glass
47DNK	SWITCH, LOCATION Steering Wheel; Includes Master Flasher, Flasher On/Off, Red Override, and Door Control
47EBM	HOLD DOWN, BATTERY For (2) Standard Size Batteries
47EVS	COMPARTMENT, LUGGAGE, LT FWD 114" x 24" x 18"
47EVU	COMPARTMENT, LUGGAGE, RT FWD 114" x 24" x 18"
47KDC	MONITOR, POST TRIP INSPECTION {Leave No Student Behind} Accessory Controlled, with Push Button Alarm Disable at Rear of Bus Prompts Driver to Walk to Back of Bus and Push Button in Light Bar to Deactivate System
47LAB	NOISE REDUCTION, DRIVER FLOOR Insulation Covering Complete Driver Floor Area
47LAT	NOISE REDUCTION, ROOF BOW Conventional; Insulation, 31'2", 31'11", 32'8", 33'5", 34'2", 34'11", Body Lengths
47LAU	INSULATION, ROOF AND SIDES 1.50", All Models
47MBA	UNDERCOAT, BODY Fire Resistant, Water Based, TT-C-730 Spec
47MJR	LETTERS, DOOR, REAR Decals; "EMERGENCY DOOR", 2" Black Letters Inside and Outside
47MMT	STANDEE WARNING Decal; "PASSENGERS NOT PERMITTED TO STAND FORWARD WHITE LINE"
47MNT	ARROW, RR DOOR, INSIDE Decal; Red, .75" Stroke, Indicating Handle Direction
47MTY	WIRING DIAGRAM Schematic, Electrical
47MVA	LETTERS, HEADER Decal; "WATCH YOUR STEP", 1" Black, Above Windshield
47MVC	LETTERS, STEPWELL Decal, "WATCH YOUR STEP", 2.5" Black, Behind Door on Step Riser
47MZU	LETTERS, SIGN, REAR Electronic, Red Letters "STOP & DO NOT PASS" Alternating, Orange Letters "CAUTION & STOPPING" Alternating
47NAB	PAINT COLOR, RUB RAILS 0001 Canyon Black
47NGW	SEAL, RUB RAILS Top Edge, All Rails
47NJA	PAINT COLOR, BODY EXTERIOR 4421 School Bus Yellow
47NJM	PAINT FLASHER BACKGRD 0001 Canyon Black

Vehicle Specifications
2021 INTEGRATED CE S BUS (PB105)

January 27, 2020

Code	Description
47NJS	PAINT COLOR, BUMPER Rear, 0001 Canyon Black
47NKE	PAINT COLOR, ROOF 9219 Winter White, (Does Not Include Lift Door) Beginning 5" Above Drip Rail, Rounded Corners
47NKL	PAINT, RUB RAIL Flange to Flange
47NKM	PAINT COLOR, BODY INTERIOR 9384 Spring White
47NMG	OPERATING INSTR, REAR Decal, Inside Rear Emergency Door
47NNG	LETTERS, E/E WINDOW, LEFT (3) Decal Sets, "EMERGENCY EXIT", Black Inside and Outside
47NPD	LETTERS, E/E WINDOW, RIGHT (3) Decal Sets, "EMERGENCY EXIT", Black, Inside and Outside
47NTE	LOGO, ROOF LINE Decal; Wing and Shield, First Body Section, Above Driver Window and Entrance Door Over Driver Window and Entrance Door
47NTY	PAINT HOOD AND FENDER To Match Body Exterior
47NWH	STRIPING, ROOF HATCH, REAR {3M} Decal, Perimeter, 1" Yellow Fluorescent Diamond Grade
47NWJ	STRIPING, SEATLINE {3M} 2" Yellow Fluorescent Diamond Grade
47NWR	STRIPING, REAR END {3M} 2" Yellow Fluorescent Diamond Grade
47NWT	STRIPING, ROOF HATCH, FRONT {3M} Decal, Perimeter, 1" Yellow Fluorescent Diamond Grade
47NWW	STRIPING, E/E WINDOW, RIGHT {3M} (03) Perimeter, 1" Yellow Fluorescent Diamond Grade
47NXJ	STRIPING, E/E WINDOW, LEFT {3M} (03) Perimeter, 1" Yellow Fluorescent Diamond Grade
47NXN	STRIPING, PERIMETER, REAR {3M} Emergency Door, 1" Yellow Fluorescent Diamond Grade
47PBZ	HANDLE, ASSIST Windshield Side Mounted, Left and Right, Body Color
47PLX	LETTERS, DEF, I.D. Decal; "DEF ONLY", 1" Black, on DEF Filler Door
47SBS	SUB FLOOR, PLYWOOD Conventional; B-C Exterior Grade, Less Sealed Edges, 5/8", 5 Ply, for 31'2",31'11", 32'8",33'5", 34'2", 34'11", Body Length
48ACN	SEAT BELT, DRIVER, COLOR with Blaze Orange Seat Belt Webbing
48ANT	WINDOW, DRIVER Laminated, Clear
48APL	WINDOW, STOPS 12" Opening, Only with 78" Headroom
48ARS	WINDOW, SASH (18) 27" Sections, 9"x 23" Opening
48ASP	WINDOW, SASH +9 SECTIONS (2) 9" x 32 1/4" Opening
48BAJ	WINDOW, E/E, LEFT (3) Vertical Hinge
48BJA	COLOR, WINDOW FRAME, PASS Passenger Window, Natural Aluminum Finish
48BKR	WINDOW, E/E, RIGHT (3) Vertical Hinge
48BUB	WINDOW, PASSENGER, TINT Conventional; 28% Light, Tempered Glass, 78" Headroom, with 34'11", 31'2", 31'11", 32'8", 33'5", 34'2" Body Lengths
48GHC	HEATER, DRIVER 90,000 BTU, with Defroster and without Rear Heat Duct
48GYV	HEATER, DEFLECTOR Kit, for Driver Heater
48NAT	FITTINGS, AIR SEAT for Driver Seat
48PAM	WINDSHIELD 3 Flat Pieces, 73% Light, with Band
48PAV	WHEEL POCKET COVER Plastic, ABS

Vehicle Specifications
2021 INTEGRATED CE S BUS (PB105)

January 27, 2020

<u>Code</u>	<u>Description</u>
48PAY	AISLE POSITION Center, for balanced seating
48PEW	FLOOR COVERING, COLOR Gray #766
48PJS	FLOOR COVERING, TRIM Stainless Steel with Stainless Steel Screws
48PJV	STANDEE, MARKER, FRONT 2" White Rubber Strip, Between Barriers
48PJZ	FLOOR COVERING, TYPE {Koroseal} All Body Lengths
48PKC	HOSE CLAMPS, HEATER HOSE Constant Torque for Heater System
48PKR	FAN, DEFOG LEFT CENTER 6.50" Diameter, Black, Mounted Left of Center Post, 2-Speed Switch in Panel
48PKS	FAN, DEFOG RIGHT CENTER 6.50" Diameter, Black, Mounted Over Windshield, 15" Right of Centerline, 2-Speed Switch in Panel
48PMD	HEATER, PASS, LT MIDSHIP 1ST 84,500 BTU
48PMJ	HEATER, PASS, LT REAR 84,500 BTU
48PMS	HEATER, STEPWELL 50,000 BTU
48PNW	HEATER, WATER PUMP {2 MPU 12} Self Priming, with Plastic Housing
48PPM	HEATER CUT OFF, VALVE Ball, with Butterfly Handle
48PPP	HEATER CUT OFF, VALVE INSIDE Brass Ball, Inside Forward of Driver Heater
48PPS	ROOF VENT, FRONT Static
48PTT	ARM REST, DRIVER, RIGHT {National}
48PUT	NUTS, BELT MOUNTING Standard Nuts For Seat Belt Mounting
48PVA	UPHOLSTERY, DRIVER SEAT, STYLE Plain, with Cloth Insert
48PVN	UPHOLSTERY, DRIVER SEAT, COLOR Drivers Seat, Gray
48PWD	UPHOLSTERY, PASS SEATS, COLOR Gray, for Seats, Barriers and Head Bumpers
48PWN	UPHOLSTERY, DRIVER SEAT, TYPE Vinyl, 42 oz.
48PXA	UPHOLSTERY, BARRIER, TYPE (1-2) Vinyl, 42 oz.
48RAE	BARRIER, CRASH, AFT ENTRY DOOR 39", 1 Leg
48RAL	BARRIER, CRASH, AFT DRIVER 39", 1 Leg
48RET	PANEL, MODESTY, AFT ENTR DOOR Mounted Under Barrier
48RGE	HAND RAIL, ENTRANCE DOOR, FWD Stainless Steel; Curved
48RGR	HAND RAIL, ENTRANCE DOOR, AFT Stainless Steel, 4", Above Step
48RLX	CUSHION, SEAT 15" Depth
48RRA	UPHOLSTERY, SEAT, STITCHING Single
48RYW	SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Isolated, with 2 Position Front Cushion Adjustment, 6 to 17 Degree Seat Back Adjustment, Mechanical Lumbar Support, Includes Additional Back Padding
48SBG	UPHOLSTERY, PASS SEATS, TYPE Vinyl, 42 Ounce
48SDW	SEAT,PASS,LT,39",2 LEG (13)
48SKP	SEAT,PASS,RT,39",2 LEG (13)

Vehicle Specifications
2021 INTEGRATED CE S BUS (PB105)

January 27, 2020

Code	Description
48UCP	ROOF HATCH, FRONT {Transpec 1975-028-121-03} with Outside Release, with English Decals
48UCR	ROOF HATCH, REAR {Transpec 1975-028-121-03} with Outside Release, with English Decals
48USV	SEAT BACK, PASSENGER High Back
48VVR	STEP TREADS {Koroseal} Pebble White Nosing Only, with Non-Metal Backing, used with Formed Treaded Steps
49002	BODY PLAN, APPROVED VARIATION Number 002
49AAZ	SWITCH, INTERRUPT CROSS GATE Single Cycle; with Auto Reset, Located In Driver Compartment
49AHV	LIGHT, STROBE, STOP SIGN, FRT In Lieu Of Flashing Lights Furnished with Stop Sign, Speciality
49AMD	SWITCH, DRIVER PANEL, TYPE Rocker
49AMJ	ALARM, BACKING {Ecco #575} 107 db
49AMT	CIRCUIT, PROTECTION Breakers, Manual Reset in Lieu of Fuses
49AMY	SWITCH, REAR DOOR BUZZER for Emergency Door
49ANH	SWITCH, MAGNETIC, DISCONNECT Master, Ignition Operated, All Body Circuits
49ANU	SOURCE, POWER 12 VDC, Mounted In Dash
49ARM	SWITCH, DOME LIGHT, REAR Separate, for Rear Row Dome Lights, Last Light on Each Side
49ATV	LIGHT, INDIC, WARNING LIGHTS Red and Amber
49AVN	LIGHT, LT LUGGAGE COMPARTMENT (01) with Switch
49AVT	LIGHT, RT LUGGAGE COMPARTMENT (01) with Switch
49AWU	SPEAKERS AND WIRING (6) Flush Mounted in Light Bar
49BCR	LIGHT, EXTERIOR, CHECK Automatically Activates Lights for Pre Trip Inspection
49BDL	MONITOR, LIGHT SYSTEM {Sound Off/OptiLuxx} with 16 LED or Incandescent Indicator Lights
49BKT	FLASHER SYSTEM (8) Warning Lights, 8-Lamp System, Sequential Operation with Master Flasher, Red Lights Activate after Amber Lights Deactivate with Door Closing
49BLL	WIRING, VIDEO SYSTEM Power and Ground Connection Only; Connection in Flasher Plate Area with 20 Amp Fuse Protection
49BLM	WIRING, TWO WAY RADIO Power and Ground Connection Only; Connection in Flasher Plate Area with 20 Amp Fuse Protection
49BVD	SWITCH, BATTERY Shut-Off, 300A Weather Resistant, In Battery Compartment
49BVJ	MIRROR, CROSS VIEW, EXTERIOR {Mirror Lite High Definition Busboy} for Left & Right Side; Stainless Steel, Heated
49BYC	RADIO, ENTERTAINMENT {Panasonic} AM/FM/CD Stereo, Includes Antenna and Cable, with Public Address System
49BYT	LIGHTS, STOP (2) {Sound Off/OptiLuxx} and Tail; 7" Round LED, Red
49BYY	LIGHTS, DIRECTIONAL, FRONT {Sound Off/OptiLuxx} with Park, 7" Round Amber LED, on Front Cowl
49BZG	LIGHTS, BACK UP (2) {Sound Off/OptiLuxx} LED, 7" Round Clear
49CKT	FUEL FILLER PIPE Low Profile Neck Cap and Vent Hosing, for Use with Right Side Fill for Between the Rail Fuel Tanks, for Above the Floor Fuel Fill, for 25 GPM Fill Rate Only
49DBR	HOOD, WARNING LAMP (4) Black, 8-Lamp System, One Hood Above Two Lights

Vehicle Specifications
2021 INTEGRATED CE S BUS (PB105)

January 27, 2020

<u>Code</u>	<u>Description</u>
49EGB	MIRROR, INSIDE 10" x 30", Clear
49EKT	STOP ARM, FRONT Electric, Metal Blade, 18" Octagon, Double Sided, 1/2" White Border, Hi Intensity Grade, Strobing LED Lights
49ENK	VISOR, INTERIOR, LEFT FRONT 6" x 30", Transparent, For Left Windshield
49ETX	KIT, FIRST AID No. 927, 10 UNIT, Michigan
49EVL	SWITCH, NOISE SUPPRESSION Actuator Legend States, "NOISE SUPP ", for Separate Solenoid, with Red Switch in Panel
49EXL	MIRROR, REAR VIEW, EXTERIOR {Rosco} Open View, Stainless Steel, Heated, Motorized, Non-Detent
49EYH	LIGHT, STROBE LED, Specialty Man. Co. 845-4020-100, Low Profile, Double Flash, 4.50" High
49GAH	KIT, BODY FLUID Indiana
49GBV	WINDSHIELD WIPERS (2) Cowl Mounted
49GCH	LOCATION, FIRST AID KIT Right Side Front Bulkhead with Screws
49GDB	LATCH, DOOR BULKHEAD Lever Latch, for Bulkhead Mounted Safety Compartment or Destination Sign Access Doors
49GDD	DOOR, REAR BULKHEAD For Access to Rear Bulkhead
49GDG	PADDING COMPART ABOVE DRIVER Window; Safety Equipment Compartment, with Cutout for Dome Light
49GDS	COMPARTMENT ABOVE DRIVER Left of the Driver
49GEE	COMPARTMENT, OVER WINDSHIELD with Latch, No Lock, No Buzzer, Centered Over Windshield, with Single Piece Panel, (Requires Latch)
49GEH	SAFETY TRIANGLES Warning Reflectors, Mounted on Drivers Barrier 9.5" Above Floor
49GGE	FIRE EXTINGUISHER, DRIVER AREA 5 lb 2A-40BC Minimum with Flexible Hose and Metal Nozzle
49GHN	REFLECTORS, REAR (2) 3", Red, Adhesive Back
49GHR	REFLECTORS, SIDE, REAR (2) 3", Red, Adhesive Back
49GHV	REFLECTORS, SIDE, FRONT (2) 3", Amber; Adhesive Back, 1 Aft Drivers Window Left, 1 Aft Entrance Door Right
49GHX	REFLECTORS, SIDE, INTERMEDIATE (2) 3" Amber, 1 Each Side, Below The Third Rub Rail From the Top, Adhesive Back
49GKC	FUSEES, DRIVER AREA Stand-Up Type, Two Sets of Three, 30 Min. in Red Metal Case
49GNJ	FUEL FILLER DOOR with Locking Latch
49GUB	CUTTER, SEAT BELT {TIE TECH Safecut} for Cutting Seat Belts
49GUK	FENDERS, RUBBER, REAR (2)
49GUM	INSPECTION PLATE Fuel Sending Unit 8" x 8" Steel
49GUX	MUD FLAPS, FRONT WHEELS (2) Rubber
49GUY	MUD FLAPS, REAR WHEELS (2) Anti-Spray, Anti-Sail
49GWW	WINDSHIELD WASHER Kit; 6 Quart Capacity, Bottle
49JAD	DEF FILLER DOOR with Locking Latch
49JBP	LIGHTS, DOME {Sound Off/OptiLuxx} (07) LED, Rectangular Recessed Type, Mounted in Light Bar
49JBS	LIGHTS, CLUSTER {Sound Off/OptiLuxx} Oval, 4 Internal LEDs per Light; Amber Front and Red Rear

Vehicle Specifications
2021 INTEGRATED CE S BUS (PB105)

January 27, 2020

Code	Description
49JBU	LIGHT, ENTRY DOOR {Sound Off/OptiLuxx} LED; 4" Oval; Light Mounted in Skirt Behind Entrance Door, Wired To Step Light
49JBV	LIGHT, LICENSE PLATE {Sound Off/OptiLuxx} LED, with Mounting Gasket
49JBW	LIGHT, STEP {Sound Off/OptiLuxx} 4" Round LED, White, Wired to Clearance Lights, Operated by Entrance Door
49JBY	LIGHTS, MARKER, FRONT, REAR {Sound Off/OptiLuxx} (4) Total, Slim-Line Armored LED, (2) Amber Front and (2) Red Rear
49JBZ	LIGHTS, DIRECTIONAL, REAR (2) {Sound Off/OptiLuxx} 7" Round Amber LED, with Arrow
49MZX	LATCH, COMPARTMENT Non Locking, for Overhead Storage Compartment
49NAL	LIGHTS, DOME, DRIVER (3) {Sound Off/OptiLuxx} Rectangular LED, Mounted Left & Right in Ceiling and in Light Bar Left of Driver; Activated with Separate Switch
49NGJ	LIGHTS, WARNING (8) {Sound Off/OptiLuxx} (4) 7" Round Red Strobing LED and (4) 7" Round Amber Strobing LED, 2 Front, 2 Rear Each Color
49PSY	LIGHTS, DIRECTIONAL, SIDE {Sound Off/OptiLuxx} (2) Slim-Line LED Armored, Amber, (1) Each Side First Section Aft Entrance Door
49UBA	STATE OF OPERATION Michigan
49ZNE	LIGHTS, MARKER, SIDE {Sound Off/OptiLuxx} Slim-Line Armored, LED, Intermediate, Centered; Required for Units 30 Foot or Longer
49ZNG	LIGHTS, STOP & TAIL ADDITIONAL (2) {Sound Off/OptiLuxx} 4" Round LED, Red, with Flange
50DAE	BODY PLAN, NON-SPECIAL NEEDS Conventional; 34' 11" Body Length, +9 Section Rear, 78 Passenger, 276" WB, DX4093A000
7372138121	(4) TIRE, REAR 11R22.5 Load Range G G572 1AD (GOODYEAR), 496 rev/mile, 75 MPH, Drive
7372138132	(2) TIRE, FRONT 11R22.5 Load Range G ENDURANCE RSA (GOODYEAR), 496 rev/mile, 75 MPH, All-Position
OBD001	MISCELLANEOUS Ignore SQ Reference, Please remove from order

Services Section:

40126	WARRANTY Standard for CE, RE, BE School Bus Models, Effective with Vehicles Built March 1, 2017 or Later, CTS-3304H
49GVN	WARRANTY 5-Year, Limited WINTER FRONT COVER REAR STEP & HANDLE INSTALL SAFETY VISION CAMERA SYSTEM INCLUDING A REAR FACEING STOPARM CAMERA INSTALL 2-WAY ANTENNA & COAXIL CABLE