

To:
 Joe Brown
 (331) 230-1906 (Contact)

Project:
 SODEXO - WALDO MIDDLE
 SCHOOL - SERVING AREA
 56 Jackson St
 Aurora, IL 60505

From:
 TriMark Marlinn LLC
 Justin Zerin
 6100 W. 73rd Street, Suite 1
 Bedford Park, IL 60638
 708-496-1700
 708-496-5747 (Contact)

Project Code: 238677

Job Reference Number: 176656

Item	Qty	Description	Sell	Sell Total
1A	1	CUSTOM Delfield Model No. 000-40014F8N1 SHELLEY CUSTOM FABRICATION SCS-50 , 50" CASHIER'S COUNTER 36 INCHES HIGH, DRAWER ON LEFT END, 50" S/S V-TRAY SLIDE 12" WIDE WITH 3 RIBS LOCATED ON CUSTOMER SIDE 34" HIGH, 12" INCH TRAYSLIDE EXTENSION, 30" S/S V-TRAY SLIDE 12" WIDE WITH 3 RIBS LOCATED ON RIGHT END 34" HIGH, LINE-UP INTERLOCK, LAMINATE FINISH VERIFY WITH STANDARD GRADE LAMINATE, 115V/15A OUTLET WITH 10 AMP. BREAKER	\$6,637.18	\$6,637.18
			ITEM TOTAL:	\$6,637.18
2A	1	CUSTOM Delfield Model No. 000-40014F8N2 SHELLEY CUSTOM FABRICATION SSCS-74-BP 74" REFRIGERATED COLD PAN SERVING COUNTER, R290 36 INCHES HIGH, 3" TOP EXTENSION, 77" S/S V-TRAY SLIDE 12" WIDE WITH 3 RIBS, LOCATED ON CUSTOMER SIDE, MOUNTED 34" HIGH, LINE-UP INTERLOCK, LAMINATE FINISH , VERIFY WITH STANDARD GRADE LAMINATE, S/S OPEN UNDERSTORAGE 16" HEIGHTLOCATED RIGHT, FLEXISHIELD FACTORY INSTALLED TO BASE, UNIT ROTATED TO START "U" SHAPED LINE UP. 1 ea W00007AN 7 year compressor warranty, standard 1 0550000N WARRANTY,2YR,S/L, NO CHARGE	\$12,125.80	\$12,125.80
			ITEM TOTAL:	\$12,125.80
FS-2A	1	CUSTOM Delfield Model No. 000-CCA14F8N2 SHELLEY CUSTOM FABRICATION FLEXIBLE SHIELD, CONVERTS TO THREE POSITIONS, TWO TIER 75.378 INCHES LONG X 17.5 INCHES WIDE X 26 INCHES HIGH, SECOND TIER SNEEZE GUARD FRONT, GLASS SHELVES, WITH LED LIGHT ON FIRST TIER, WITH LED LIGHT ON SECOND TIER	\$9,793.38	\$9,793.38
			ITEM TOTAL:	\$9,793.38

Item	Qty	Description	Sell	Sell Total
3A	1	CUSTOM Delfield Model No. 000-40014F8N3 SHELLEY CUSTOM FABRICATION SH-6-NU SIX WELL HOT FOOD COUNTER WITH ENCLOSED BASE 36 INCHES HIGH, 96" S/S V-TRAY SLIDE 12" WIDE WITH 3 RIBS, LOCATED ON CUSTOMER SIDE, MOUNTED 34" HIGH, 96" S/S WORKSHELF 10" WIDE, LOCATED ON OPERATOR SIDE, MOUNTED 36" HIGH, LINE-UP INTERLOCK, LAMINATE FINISH , VERIFY WITH STANDARD GRADE LAMINATE, S/S OPEN UNDERSTORAGE 16" HEIGHT, FLEXISHIELD FACTORY INSTALLED TO BASE	\$16,906.78	\$16,906.78
			ITEM TOTAL:	\$16,906.78
FS-3	1	CUSTOM Delfield Model No. 000-CCA14F8N3 SHELLEY CUSTOM FABRICATION FLEXIBLE SHIELD, CONVERTS TO THREE POSITIONS 93.378 INCHES LONG X 19.5 INCHES WIDE X 16 INCHES HIGH WITH GLASS SHELF, WITH HEATLAMP,HATCO,GR5AL- 72, 120V ON FIRST TIER	\$12,561.37	\$12,561.37
			ITEM TOTAL:	\$12,561.37
	1	CUSTOM Delfield Model No. NOTE EMPTY SPACE - EQUIPMENT BY OTHERS SPACE FOR UNIT BY OTHERS.		
3B	1	CUSTOM Delfield Model No. 000-40014F8N3 SHELLEY CUSTOM FABRICATION SH-6-NU SIX WELL HOT FOOD COUNTER WITH ENCLOSED BASE 36 INCHES HIGH, 96" S/S V-TRAY SLIDE 12" WIDE WITH 3 RIBS, LOCATED ON CUSTOMER SIDE, MOUNTED 34" HIGH, 96" S/S WORKSHELF 10" WIDE, LOCATED ON OPERATOR SIDE, MOUNTED 36" HIGH, LINE-UP INTERLOCK, LAMINATE FINISH , VERIFY WITH STANDARD GRADE LAMINATE, S/S OPEN UNDERSTORAGE 16" HEIGHT, FLEXISHIELD FACTORY INSTALLED TO BASE	\$16,906.78	\$16,906.78
			ITEM TOTAL:	\$16,906.78
FS-3B	1	CUSTOM Delfield Model No. 000-CCA14F8N3 SHELLEY CUSTOM FABRICATION FLEXIBLE SHIELD, CONVERTS TO THREE POSITIONS 93.378 INCHES LONG X 19.5 INCHES WIDE X 16 INCHES HIGH WITH GLASS SHELF, WITH HEATLAMP,HATCO,GR5AL- 72, 120V ON FIRST TIER	\$12,561.37	\$12,561.37
			ITEM TOTAL:	\$12,561.37

Item	Qty	Description	Sell	Sell Total
2B	1	CUSTOM Delfield Model No. 000-40014F8N5 SHELLEY CUSTOM FABRICATION SCSC-74-BP 74" REFRIGERATED COLD PAN SERVING COUNTER, R290 36 INCHES HIGH, 3" TOP EXTENSION, 77" S/S V-TRAY SLIDE 12" WIDE WITH 3 RIBS, LOCATED ON CUSTOMER SIDE, MOUNTED 34" HIGH, LINE-UP INTERLOCK, LAMINATE FINISH , VERIFY WITH STANDARD GRADE LAMINATE, S/S OPEN UNDERSTORAGE 16" HEIGHTLOCATED RIGHT, FLEXISHIELD FACTORY INSTALLED TO BASE 1 ea W00007AN 7 year compressor warranty, standard 1 0550000N WARRANTY,2YR,S/L, NO CHARGE	\$12,125.80	\$12,125.80
			ITEM TOTAL:	\$12,125.80
FS-2B	1	CUSTOM Delfield Model No. 000-CCA14F8N5 SHELLEY CUSTOM FABRICATION FLEXIBLE SHIELD, CONVERTS TO THREE POSITIONS, TWO TIER 75.378 INCHES LONG X 17.5 INCHES WIDE X 26 INCHES HIGH, SECOND TIER SNEEZE GUARD FRONT, GLASS SHELVES, WITH LED LIGHT ON FIRST TIER, WITH LED LIGHT ON SECOND TIER	\$9,793.38	\$9,793.38
			ITEM TOTAL:	\$9,793.38
1B	1	CUSTOM Delfield Model No. 000-40014F8N6 SHELLEY CUSTOM FABRICATION SCS-50 , 50" CASHIER'S COUNTER 36 INCHES HIGH, DRAWER ON RIGHT END, 50" S/S V-TRAY SLIDE 12" WIDE WITH 3 RIBS LOCATED ON CUSTOMER SIDE 34" HIGH, 30" S/S V-TRAY SLIDE 12" WIDE WITH 3 RIBS LOCATED ON LEFT END 34" HIGH, 12" INCH TRAYSLIDE EXTENSION, LINE-UP INTERLOCK, LAMINATE FINISH VERIFY WITH STANDARD GRADE LAMINATE, 115V/15A OUTLET WITH 10 AMP. BREAKER, UNIT ROTATED PER DRAWING.	\$6,637.18	\$6,637.18
			ITEM TOTAL:	\$6,637.18

Item	Qty	Description	Sell	Sell Total
4	1 ea	COOLED COMBINATION; REMOTE REFRIGERATED RPI Industries Model No. VIAS2-20-R-SQ-SC -TAC (M) * easy change front glass in NSF position * price tags * machine compartment in special height 32 1/2 inch * customer side: Easy-Change system NSF version - detail Easy Change * shorter LED - support bar * polyhygienica cutting board (without mirror) Entirely made of stainless steel 1.4301, all sides satin finished, Insulation: polyurethane hard foam, force ventilated aggregat mounted in the attached aggregat box, fully automatic defrosting, drainage HD Ø 30 - floor drain required, programmable digital refrigeration controller with digital temperature display, incl. adjustable feet with plinth panel; DISPLAY CASE TOP: refrigerated coated lift up evaporator with fan assisted cooling - to be lifted up, low voltage fans, service side: Mirastar hinged doors, customer side: front panel, with base decks, illumination on all presentation levels, suitable for 1/1 GN trays; DISPLAY CASE SUBSTRUCTURE grab&go: refrigerated coated lift up evaporator with fan assisted cooling - to be lifted up, low voltage fans, service side: drawer with bottle slider for bottles, customer side: open - grab&go, with LED lighting Temperature COLD: +41°F Voltage: 115V/ 208 - 230V / 60Hz Refrigerant: R448A Capacity: 6,5amps Dim.: (WxDxH) 30 1/2" (47 1/2") x 34" (42 7/8") x 51" weight(net): 234,00kg/pcs.	\$31,079.34	\$31,079.34

 ITEM TOTAL: **\$31,079.34**

Item	Qty	Description	Sell	Sell Total
5	1 ea	INSTALLATION Advanced Installation Management Model No. EQUIPMENT INSTALL Accept delivery of new equipment. Check for damage, inventory and report. Remove existing cafeteria food service line. Dispose of old equipment. Pull new conductors for new service line equipment. Assemble and install according to provided CAD drawings. Any modification from the drawings is a change order. Gas lines to be turned off and removed back to ball valve and capped. Any other modification or removal of gas lines will be a change order. Equipment to Be Installed: (2) 5-well hot serving lines (Model SH-6-NU) (2) cashier stands (Model SCS-50) (2) cold serving lines (Model SCSC-74-BP) Flexible food shields ***Delivery Trucks Must Have Liftgate Service ***Note Hood And Walk-In Work Not Included ***Note Final Electrical, Plumbing And Gas Connections Not Included ***Note Start Up Not Included ***Note Night, Weekend, Prevailing Wage, And Union Labor Not Included ***Note 1st Floor Install Quoted ***Note Budget Quote. Pricing May Vary At That Time Based On Site Conditions ***QUOTE VALID FOR 60 DAYS***	\$25,000.00	\$25,000.00

ITEM TOTAL: \$25,000.00

Total \$172,128.36

PRICE ADJUSTMENTS

Prices may not reflect applicable tariffs, duties, import fees, taxes, or other governmental charges. TriMark reserves the right to correct or adjust quoted prices at any time due to tariffs, market fluctuations, supply chain disruptions, third-party supplier cost changes, general contractor delays, or any other factors outside of TriMark's control. TriMark will use commercially reasonable efforts to hold pricing for (7) seven calendar days from the date of the quote; however, all pricing remains subject to correction or adjustment as set forth above, including during the seven-day hold period.

TRIMARK RETURN POLICY

All returns must be unused, undamaged and in their original packaging. All returns are subject to inspection. If a returned item is not in its original packaging, the customer will be responsible for the repackaging cost. If a returned item is damaged or cannot be sold as new, partial or no credit will be provided based on the condition of the item(s).

Please contact your TriMark representative to initiate a return.

Custom fabricated and made-to-order items are non-cancellable and non-returnable unless the return is due to TriMark's mistake. This includes any product that has custom configurations or accessories.

Stock Supplies and Equipment can be returned within 30 days of delivery for a refund of the selling price and any taxes paid. Return freight charges are the responsibility of the customer.

Non-Stock, non-custom Supplies and Equipment may be returned to the OEM subject to their return policy for a refund of the selling price plus any taxes paid. The customer is responsible for return freight charges and a minimum 30% restocking fee.

TRIMARK TERMS AND CONDITIONS OF SALE

This Quote shall be subject to TriMark's Terms of Sale

(<http://www.trimarkusa.com/SiteMedia/SiteResources/Terms/TriMark-Terms-and-Conditions-of-Sale.pdf>), which are incorporated herein by reference and shall govern.

The parties specifically agree that no signature shall be required in order for this Quote or its applicable terms and conditions to be deemed legally binding and enforceable on Customer where the intent to be so bound can be inferred (including by acceptance or retention of products or services), notwithstanding contrary requirements under any law.

Acceptance: _____ Date: _____
Printed Name: _____
Project Grand Total: \$172,128.36