

# 16917 PART 1

## Call Us First! DO NOT RETURN TO STORE.

For questions on assembly or for general inquiries, you may contact us in the following ways:

Call customer service: 1-877-743-3400

### **AVOID THE WAIT!**

# visit us online at help.backyardproducts.com

- → Submit a help request
- → Answers to frequently asked questions
- → Live chat with an agent



Did you enjoy building your shed?

# JOIN OUR TEAM

AND MAKE UP TO \$1,500/WEEK\*

#### Call a Recruiter Today! 734-365-7000



Flexible schedule




No selling, just building



Bonus incentives available



<sup>\*</sup>based on number of completed installations



**How to Enter:** 



Open camera. Aim. Tap.





**Scan** QR code above.



**Click** 'write a review'



**Find your product.** Tell us what you think.



**Submit your review.**You'll be notified by e-mail if you've won the \$500 gift card.

Write a Backyard Products, LLC. product review at backyardreviews.net for a chance to win a \$500 Visa gift card. No purchase necessary to enter. Must be legal U.S. resident (including DC & Puerto Rico), 18 or older to participate. Taxes on prize are responsibility of winner. Odds of winning depend on the number of eligible reviews received. Void where prohibited. For complete details and official rules, visit https://backyardreviews.net/sweepstakes-rules.



#### ASSEMBLY MANUAL CLASSIC 12' x 12' (365,8 x 365,8 cm)


16917 06/10/2022

		1110	0177
uii	,,,,,	INI/-	SIZE
DU			$\Omega I Z =$

#### **ACTUAL FLOOR SIZE**

BASE MODEL	12' x 12' (365,8 x 365,8 cm)	12' x 12' (365,8 x 365,8 cm)
+1: 12' x 4' Extender	12' x 16' (365,8 x 487,7 cm)	12' x 16' (365,8 x 487,7 cm)
+1: 12' x 8' Extender	12' x 20' (365,8 x 609,6 cm)	12' x 20' (365,8 x 609,6 cm)
+1: 12' x 8' and +1: 12' x 4' Extender	12' x 24' (365,8 x 731,5 cm)	12' x 24' (365,8 x 731,5 cm)

#### **KEEP THIS MANUAL FOR FUTURE REFERENCE**



Base Building 12' x 12'

#### **⚠** IMPORTANT! **⚠**

READ INSTRUCTIONS THOROUGHLY PRIOR TO BEGINNING ASSEMBLY.

#### **BEFORE YOU BEGIN**

#### BUILDING RESTRICTIONS AND APPROVALS

Be sure to check local building department and homeowners association for specific restrictions and/ or requirements before building.

#### ENGINEERED DRAWINGS

Contact our Customer Service Team if engineered drawings are needed to pull local permits.

#### SURFACE PREPARATION

To ensure proper assembly you must build your shed on a level surface.

Recommended methods and materials to level your shed are listed on page 10.

#### CHECK ALL PARTS

Inventory all parts listed on pages 5-8.

#### ADDITIONAL MATERIALS

You will need additional materials to complete your shed. See pages 3-4 for required and optional materials and quantities.




#### \*\*\*CONTACT OUR CUSTOMER SERVICE TEAM IF ANY PARTS ARE MISSING OR DAMAGED\*\*\*



Call: 1-877-743-3400 email: customerservice@backyardproductsllc.com




#### **TOOLS**



Safety! Always use approved safety glasses during assembly.

#### HELPFUL REMINDER SYMBOLS


Look for these symbols for helpful reminders throughout this manual.



#### ORIENT LUMBER AND TRIM FOR BEST APPEARANCE

Framing lumber is graded for structural strength and not appearance. Exterior trim is graded for one good side.

Always install the material leaving the best edge and best surface visible. Please remember that these blemishes in no way negatively affect the strength or integrity of our product. (See Fig. A, B, C.)



#### **ADDITIONAL MATERIALS**

#### **FOUNDATION OR FLOOR MATERIALS**

- If you purchased a separate floor kit, use instructions and materials in that kit to construct your floor.
- See the FLOOR LEVELING section on page 10 for recommended methods and suggested materials to properly level your floor, as this will vary depending on your specific site.

#### REINFORCED WOOD FLOOR FRAME (OPTIONAL)

IMPORTANT! Depending on your specific use you may want to construct a heavy duty floor frame by adding additional floor joists (shown below as shaded). Below is a list of additional materials (not included):

12x12'  x3 2 x 4 x 12' (5,1 x 10,2 x 304,8 cm) Treated Lumber cut to 2 x 4 x 117" (5,1 x 10,2 x 297,2 cm)  x12 3" (7,6 cm) hot-dipped galvanized nails	→ Standard 16" (40,5 cm) spacing → Optional 12" (30,5 cm) spacing
12x16'  x4 2 x 4 x 12' (5,1 x 10,2 x 304,8 cm) Treated Lumber cut to 2 x 4 x 117" (5,1 x 10,2 x 297,2 cm)  x16 3" (7,6 cm) hot-dipped galvanized nails	→ Standard 16" (40,5 cm) spacing → Optional 12" (30,5 cm) spacing
12x20'  x5  2 x 4 x 12' (5,1 x 10,2 x 304,8 cm) Treated Lumber cut to 2 x 4 x 117" (5,1 x 10,2 x 297,2 cm)  x20 3" (7,6 cm) hot-dipped galvanized nails	→ Standard 16" (40,5 cm) spacing → Optional 12" (30,5 cm) spacing
12x24'  x6  2 x 4 x 12' (5,1 x 10,2 x 304,8 cm) Treated Lumber cut to 2 x 4 x 117" (5,1 x 10,2 x 297,2 cm)  x24  3" (7,6 cm) hot-dipped galvanized nails	

Standard 16" (40,5 cm) spacing

← Optional 12" (30,5 cm) spacing

#### **ADDITIONAL MATERIALS**

#### **COMPLETING YOUR SHED**

You will need these additional materials:

	12x12'12x16'12x20'12x24'	12x12' 12x16' 12x20' 12x24'
	<b>+++</b>	++++
3-TAB SHINGLES (Bundles)  PAINT FOR SIDING (Gallons) Use 100% acrylic latex exterior paint. (2) coats recommended.  1" galvanized roofing nails (lbs). For shingles.	3 3 4 Caulk Tubes Use 100% acrylic latex exterior paint.  Caulk Tubes Use acrylic paintable latex exterior caulk.	2 2 3 3
	OPTIONAL MATERIALS	
	1 <u>2x1</u> 2'12x16'12x20'12x24'	
	<b>***</b>	
Drip Edge (Feet)	60 70 80 90	
#15 Roofing Felt (Sq ft. to cover)	199 264 329 399	

REFER TO THE BACK OF THIS MANUAL AND THE MANUFACTURER'S INSTRUCTIONS FOR INSTALLATION OF SHINGLES, DRIP EDGE AND FELT.

2.5

1.5

1" Galvanized Roofing Nails (lbs)....

For roofing felt.

#### PARTS IDENTIFICATION AND SIZES

Double letter part identification is stamped on some parts.



• Check these locations for part stamp.

#### WOOD SIZE CONVERSION CHART

Nominal Board Size Actual Size

2 x 4 .......1-1/2" x 3-1/2" (3,8 x 8,9 cm)

1 x 4 ......3/4" x 3-1/2" (1,9 x 8,9 cm)

2 x 3 ......1-1/2" x 2-1/2" (3,8 x 6,3 cm)

1 x 3 ......3/4" x 2-1/2" (3,8 x 6,3 cm)

•	12x12'	GABLE 12' x 12' PARTS LIST INVENTORY YOUR PARTS before you begin. We suggest sorting parts by the category they are listed in.
	x	5 AL 2 x 4 x 7" (5,1 x 10,2 x 17,8 cm)
•	x	7/- 3/4"
	x	
WALL	x	
_	x	
	x	2 x 4 x 68-1/2" (5,1 x 10,2 x 174 cm)  2 x 4 x 78-1/2" (5,1 x 10,2 x 199,4 cm)
	x	2 x 4 x 92-5/8" (5,1 x 10,2 x 235,3 cm)
4.0	x	
ERS		6 x 24" (15,2 x 61 cm)
RAFTERS		2 x 4 x 77-15/16" (5,1 x 10,2 x 198 cm)
F	x	
	□ ^	
M	x	2 <b>WTC</b> 2 x 6 x 49-3/4" (5,1 x 15,2 x 126,4 cm)
TRII	Пх	
	∐ x □ x	
	x	
(0	x	<u></u>
DOORS	∐ x □ x	
DO	Дх	<b>2 OO</b> 69" (175,3 cm) Door Stiffener
	x	1 2J 19/32" x 2-1/2" x 72" (1,5 x 6,3 x 182,9 cm)


#### PANEL & DOORS PARTS LIST


NOTE: Panel parts are not stamped with part identification. **7**x9 **x2 x1 x1** 3/8 x 48 x 84" 3/8 x 23-7/8 x 84" (1 x 121,9 x 213,4 cm) (1 x 60,6 x 213,4 cm) \_ x2 ຼ | x1 \_\_ x1 | x2 **ROOF PANELS** Roof panels are 7/16" (1,1 cm) thick. | x2 x2 | | x2 | x2 36-1/2" x 96" (92,7 x 243,8 cm) 48" x 96" 47-7/8" x 48" 36-1/2" x 47-7/8" (121,9 x 243,8 cm) (121,6 x 121,9 cm) (92,7 x 121,6 cm) **LOFT & SHELF PARTS LIST** Loft and shalf panels are 7/16" (1,1 cm) thick. x1 NK 2 x 3 x 48" 2 x 3 x 96" (5,1 x 7,6 x 243,8 cm) (5,1 x 7,6 x 121,9 cm) x2 SP | | x2 | TP 2 x 4 x 48" 2 x 4 x 96" (5,1 x 10,2 x 243,8 cm) (5,1 x 10,2 x 121,9 cm) 23-7/8" x 40-7/8" (60,6 x 103,8 cm) 23-7/8" x 96" (60,6 x 243,8 cm) x14 AC x2 WJ 2 x 3 x 10" 1 x 4 x 48" (5,1 x 7,6 x 25,4 cm) (2,5 x 10,2 x 121,9 cm) x2 KP **□** x14 1 x 4 x 96" 3/8 x 8 x 12-1/2" (1 x 20,3 x 32 cm) (2,5 x 10,2 x 243,9 cm) x2 **x2** 7/16 x 11-7/8 x 48" 7/16 x 11-7/8 x 96"

(1,1 x 30,2 x 243,9 cm)

(1,1 x 30,2 x 121,9 cm)

#### NAIL BOXES (Shown Actual Size) **x6** BOXES > 3" (7,6 cm) x6 BOXES > 2" (5,1 cm) FASTENER/HARDWARE BAG (Shown Actual Size) > 2" (5,1 cm) x85 x155 □ 1-1/2" (3,8 cm) x90 **x25** NOTE: x70 1-1/4" (3,2 cm) If you are using a nail gun, nails may be used where screws are **x85** 3/4" (1,9 cm) shown for quicker assembly. (1,3 cm) Length of nail must match screw length. x12 Other HARDWARE (Not Actual Size)





#### GABLE EXTENDER KIT PARTS LIST

Inventory your parts before you begin.
We suggest sorting parts by the category they are listed in.


Part identification is stamped on some parts.

WOOD SIZE CONVERSION CHART Nominal Board Size Actual Size

RS RS				2 x 4	
• 0	• Check these locations for part stamp.    1 x 33/4" x 2-1/2" (3,8 x 6,3 cm)  12' x 4' EXTENDER				
	x6	SP	2 x 4 x 48" (5,1 x 10,2 x	121,9 cm)	
-1	x2 VF 2 x 6 x 48" (5,1 x 15,2 x 121,9 cm)  x4 Al 2 x 4 x 78-1/2" (5,1 x 10,2 x 199,4 cm)				
VALI					
	x2	3/8 x 48 x 84" (1 x 121,9 x 213,4	1 cm)		
RS	<b>2</b> □ x4 <u> </u>				
RAFTERS	<b>ADA</b> 2 x 4 x 77-15/16" (5,1 x 10,2 x 198 cm)			( 198 cm)	
RA	x1	TP		2 x 4 x 96"	(5,1 x 10,2 x 243,9 cm)
S7:	Roof par	els are 7/16" (1,1 cm) thick.	Ä	x12	
ROOF PANELS	x2	7/16" x 36-1/2" x 47-7/8"	HARDWARE		3" (7,6 cm)
)F P		(1,1 x 92,7 x 121,6 cm)	RDI	1-1/4" (3,2 cı	
ROC	x2	7/16" x 47-7/8" x 48" (1,1 x 6 x 121,9 cm)	H		
		, , ,	12' x 8' EXTE	NDER	
	x8	Al	2:	x 4 x 78-1/2" (5,1 x 10,2 x 1	99,4 cm)
7		VX		2 x 6 x 96"	(5,1 x 15,3 x 243,9 cm)
WALL					,
		3/8 x 48 x 84"			
40	x4	(1 x 121,9 x 213,4	1 cm)		
RAFTERS	8x				
AFT	x8	ADA	2 x	4 x 77-15/16" (5,1 x 10,2 x	198 cm)
R	x2	TP		2 x 4 x 96"	(5,1 x 10,2 x 243,9 cm)
ELS	Roof par	els are 7/16" (1,1 cm) thick.	SE	x20	
AN	x2	7/16" x 36- (1,1 x 92,7	-1/2" x 96" 7 x 243,9 cm)		3" (7,6 cm)
ROOF PANELS			HARDWARE " x 96"	1-1/4" (3,2 cı	
RO	x2	7/16" x 48' (1,1 x 121,	" x 96" ,9 x 243,9 cm)		

#### **CONCRETE FOUNDATION**

If you choose to install your kit on a concrete slab refer to the diagram below. Attach the sill plates on the foundation as shown, and continue on to page 14.




- Allow new concrete slabs to cure for at least seven (7) days.
- A treated 2 x 4 (5,1 x 10,2 cm) sill plate is required when installing your shed on concrete. Purchase full length treated lumber, or butt shorter pieces end-to-end and seal seams with caulk.
- Use a high quality exterior grade caulk beneath all sill plates.
- Fasten 2 x 4 (5,1 x 10,2 cm) sill plates to slab using approved concrete anchors (fasteners not included).
- Check local code for concrete foundation requirements.


#### OPTIONAL WOOD FRAME FLOOR LEVELING OPTIONS

There are multiple ways to level your floor frame. Our recommended leveling method is shown below.

Leveling materials are not included in this kit.

#### PREFERRED METHOD - 4x4 TREATED RUNNERS (Typical for 12' x 12' Kit)





#### **LEVELING METHODS**

- · Level under 4x4 runners only.
- Locate leveling material 12" from ends of runners and no more than 48" apart.
- Asphalt shingles should be used between 4x4 runners and blocks or treated lumber. Never use shingles in direct contact with ground.
- For best results and aiding in water drainage use gravel under each concrete block.

#### LEVELING MATERIALS

	Gravel
	Solid Masonry Blocks in 1", 2", 4" or 8" thickness
	2x4 Treated Lumber
	Asphalt Shingles
<u>(1</u> )	Leveling higher than 16" not recommended.

#### LEVELING & SQUARING THE FLOOR FRAME (Not Included)



#### LEVEL AND SQUARE FLOOR FRAME



Before attaching floor decking, it is important to level and square the floor frame. A level and square floor frame is required to correctly construct your shed.




See page 10 for the preferred floor leveling method.

Use a level and ensure the frame is level before applying floor panels.

BEGIN

Check for frame squareness by measuring diagonally across the corners (diagonal measurement D). If the measurements are the same, the frame is square. Use the chart below to determine measurement D.

SHED SIZE	D	
12' x 12'	<b>203-5/8</b> " (612,3 cm)	
12' x 16'	<b>240"</b> (609,6 cm)	
12' x 20'	<b>279-7/8"</b> (710,9 cm)	
12' x 24'	<b>322"</b> (817,9 cm)	



4x4 runners are generally installed 12" (30,5 cm) from ends of floor frame and under any seams.



After the frame is level and square, secure one side of frame to 4x4 runners using one fastener at ends of each runner.

At the opposite end of the frame, secure the frame to 4x4 runners with one fastener at the ends of each runner, ensuring that the frame remains square.

Fasten the frame to the 4x4 runners with (2) 3" screws at each connection (Fig. A).




Your floor frame is now level.

#### **IMPORTANT!**


NOTE: 12' x 12' Gable shown standard throughout manual

Ensure the floor frame is level after installing floor panels. Re-level if needed.





- The floor should used as a stable work surface for wall construction.
- Organize your assembly procedure during the build process to avoid over-handling of the walls.




#### **WALL INDEX**



IMPORTANT! Build door header before building any walls (see page 14).

#### 12' x 12'

After assembling the walls for your 12' x 12' shed, go to page 28 for wall installation.




12' x 12'

Wall 01: Page 16 Wall 02: Page 18

Wall 03: Page 20 (Build 2 eave walls)

#### 12' x 20'

After assembling the walls for your 12' x 20' shed, go to page 39 for wall installation.




12' x 20'

Wall 01: Page 16 Wall 02: Page 18

Wall 05: Page 24 (Build 2 eave walls)

#### 12' x 16'

After assembling the walls for your 12' x 16' shed, go to page 33 for wall installation.



12' x 16'


Wall 01: Page 16

Wall 02: Page 18

Wall 04: Page 22 (Build 2 eave walls)

#### 12' x 24'

After assembling the walls for your 12' x 24' shed, go to page 45 for wall installation.



12' x 24'

Wall 01: Page 16 Wall 02: Page 18

Wall 06: Page 26 (Build 2 eave walls)

#### **DOOR HEADER**



#### Assemble this door header before building any walls!



#### **PARTS REQUIRED:**


x2 AM

2 x 4 x 67" (5,1 x 10,2 x 170,2 cm)

x1

7/16 x 3-1/4 x 66-3/4" (1,1 x 8,3 x 170,2 cm) *OSB* 

x18 3" (7.6 cm)



ASSEMBLED END VIEW

#### **V**BEGIN

Place (1) **AM** and *OSB* end-to-end on flat surface, flush in middle. Center *OSB* on top of **AM**.

Fasten together with 3" nails in the pattern shown.

2 Flip header assembly over and nail as shown on the other side.

AM

Flush

OSB

AM




Flush

Your door header is now assembled.

#### WALL PANEL INSTALLATION HINTS & EXAMPLES

#### PARTS REQUIRED:



**3/4" GAUGE BLOCK** 

TEMP. SPACER







Ensure your wall is square by installing one panel and squaring frame.

#### Install all wall panels with the primed side facing up.

**V**BEGIN


Place a 48" X 84" panel on the wall frame, as shown.


Locate the panel 1-1/2" above the top plate.

Use a 2 x 3 as a gauge block for the 1-1/2" top overhang measurement. Use the gauge block to mark the 3/4" side measurement on the wall stud. Secure panel with (2) 2" nails in the corners (Fig. A).


Move to the opposite end. Using the long edge of the panel as a lever, move the panel side-to-side until you have a 3/4" measurement on the wall stud. Secure corner with (2) 2" nails (Fig. B).

Secure panel with 2" nails spaced 6" apart on edges and 12" apart inside panel. Note the panel lip-edge/square edge orientation.





For squareness maintain 3/4" and 1-1/2" measurement along panel edge. 2x3 3/4" BEGIN HERE 1-1/2" (1,9 cm) (3,8 cm)EXAMPLE WALL 6" (15,2 cm) 12" (30,5 cm) 3/4" Gauge **Block** 3/4' (1,9 cm)LIP EDGE




# ## Comparison of Comparison of

BEGIN


Orient parts on edge on floor as shown. Measure and mark from end of boards. Orient **Pre Assembled Header** as shown **(Fig. A)**. Secure with (2) 3" nails at each connection and (4) 3" nails at seams.


Fasten (3) middle parts AL to Pre Assembled Header with (2) 3" screws (Fig. B).
Fasten (2) end AL to studs AI with (4) 3" nails at each side.
Secure parts AL to top plates with (2) 3" nails at each connection and (4) 3" nails at seam.




#### GABLE WALL 01 WITH DOOR

#### PARTS REQUIRED:








- Install the left panel 1-1/2" from the top plate. Use a 2x3 spacer for consistent measurement. Secure panel with 2" nails spaced 6" apart on edges.
- 4 Install the right panel flush to installed panel, as shown. Ensure 64" (162,8 cm) door measurement. Use part 00 as a temporary brace. Secure with (2) 3" screws.

Secure panels with 2" nails spaced 6" apart on edges.




Install (2) 11-7/8" x 84" panels flush to installed panels and 1-1/2" from the top plate.

Secure panels with 2"

nails spaced 6" apart on edges. Note the panel lip-edge/square edge orientation.

Your 12' gable wall with door is now assembled. Carefully flip the wall over.




#### 



Orient parts on edge on floor as shown. Measure and mark from end of boards. Secure with (2) 3" nails at each connection and (4) 3" nails at seams.





# 12' GABLE WALL 02 PARTS REQUIRED: x1 23-7/8" x 84" (60,6 x 213,4 cm) x2 48 x 84" (121,9 x 213,4 cm)




Install 48" x 84" panel 1-1/2" from the top plate.

Use a 2x3 spacer for consistent measurement.

Secure panel with 2" nails spaced 6" apart on edges and 12" inside panel.

Note the panel lip-edge/square edge orientation.






Install (2) **48"** x **84"** panels flush to installed panels.

Locate panels 1-1/2" from the top plate.

Secure with 2" nails spaced 6" apart on edges and 12" apart inside panel.

Note the panel lip-edge/square edge orientation.





Your 12' gable wall 02 is now assembled. Carefully flip the wall over.


#### 


#### Build two identical walls.

BEGIN


Orient parts on edge on floor. Measure and mark from end of boards.

Secure with (2) 3" nails at each connection and (4) 3" nails at seams.





#### 12' EAVE WALL 03






Install 48" x 84" panel 1-1/2" from the top plate.

Use a 2x3 spacer for consistent measurement.

Secure panel with 2" nails spaced 6" apart on edges and 12" inside panel.

Note the panel lip-edge/square edge orientation.




3

Install next (2) **48" x 84"** panels flush to installed panels.

Locate panels 1-1/2" from the top plate.

Secure with 2" nails spaced 6" apart on edges and 12" inside panel.


Note the panel lip-edge/square edge orientation.





Carefully flip the wall over. Repeat all steps to build the 2nd 12' eave wall. Your 12' eave walls are now assembled.


21




#### Build two identical walls.

#### BEGIN


Orient parts on edge on floor. Measure and mark from end of boards. Secure with (2) 3" nails at each connection and (4) 3" nails at seams.






#### 16' EAVE WALL 04

#### **PARTS REQUIRED:**








Install (1) **48" x 84"** panel 1-1/2" from the top plate.

Use a 2x3 spacer for consistent measurement.

Secure panel with 2" nails spaced 6" apart on edges and 12" inside panel.

Note the panel lip-edge/square edge orientation.




3

Install (3) **48" x 84"** panels flush to installed panels.

Locate panels 1-1/2" from the top plate.

Secure with 2" nails spaced 6" apart on edges and 12" apart inside panel.

Note the panel lip-edge/square edge orientation.





Carefully flip the wall over. Repeat all steps to build the 2nd 16' eave wall.


Your 16' eave walls are now assembled.


#### 20' EAVE WALL 05 **PARTS REQUIRED:** x88 3" (7,6 cm) x2 YFA 2 x 4 x 68-1/2" (5,1 x 10,2 x 174 cm) x1 HVC 2 x 4 x 44-3/8" (5,1 x 10,2 x 112,7 cm) 2 x 4 x 78-1/2" (5,1 x 10,2 x 199,4 cm) x1 TJ 2 x 4 x 92-5/8" (5,1 x 10,2 x 235 cm) x2 TP 2 x 4 x 96" (5,1 x 10,2 x 243,8 cm)

#### Build two identical walls.

**V**BEGIN


Orient parts on edge on floor. Measure and mark from end of boards. Secure with (2) 3" nails at each connection and (4) 3" nails at seams.






#### 20' EAVE WALL 05

#### **PARTS REQUIRED:**






2 Install (1) 48" x 84" panel 1-1/2" from the top plate. Use a 2x3 spacer for consistent measurement.

Secure panel with 2" nails spaced 6" apart on edges and 12" inside panel.


Note the panel lip-edge/square edge orientation.



Install (4) 48" x 84" panels flush to installed panels. Locate panels 1-1/2" from the top plate.

Secure with 2" nails spaced 6" apart on edges and 12" apart inside panel.

#### Note the panel lip-edge/square edge orientation.





Carefully flip the wall over. Repeat all steps to build the 2nd 20' eave wall.

Your 20' eave walls are now assembled.


# 24' EAVE WALL 06 PARTS REQUIRED: x2 YFA 2 x 4 x 68-1/2" (5,1 x 10,2 x 174 cm) x11 AI 2 x 4 x 78-1/2" (5,1 x 10,2 x 199,4 cm) x1 TJ 2 x 4 x 92-5/8" (5,1 x 10,2 x 235 cm) x2 TP 2 x 4 x 96" (5,1 x 10,2 x 243,8 cm)

#### Build two identical walls.

BEGIN

Orient parts on edge on floor. Measure and mark from end of boards. Secure with (2) 3" nails at each connection and (4) 3" nails at seams.





### 24' EAVE WALL 06

**PARTS REQUIRED:** 


**x6** 48 x 84" (121,9 x 213,4 cm )



Install (1) 48" x 84" panel 1-1/2" from the top plate. Use a 2x3 spacer for consistent measurement.

Secure panel with 2" nails spaced 6" apart on edges and 12" inside panel.


Note the panel lip-edge/square edge orientation.



3 Install (5) 48" x 84" panels flush to installed panels. Locate panels 1-1/2" from the top plate.

Secure with 2" nails spaced 6" apart on edges and 12" apart inside panel.


Note the panel lip-edge/square edge orientation.






Carefully flip the wall over. Repeat all steps to build the 2nd 24' eave wall.


Your 24' eave walls are now assembled.







Secure lower edge of panel to floor frame with 2" nails spaced 6" apart. Angle nails into floor frame (Fig. A).



#### 1st 12' EAVE WALL INSTALLATION PARTS REQUIRED x1 () 2" (5,1 cm) 3" (7,6 cm) x12 1-1/2" (3,8 cm) 3" (7,6 cm) BEGIN Fig. B Place 12' eave wall centered on floor. 1-1/2" (3,8 cm) overlap is to the top. 2" (5,1 cm) Secure wall with (1) 2" screw into 12' gable wall Screw bottom plate (Fig. A) and top plate (Fig. B). Flush 1-1/2" (3,8 cm)Secure wall to bottom plate first. !\ ENSURE PANEL CORNERS ARE FLUSH.

2" (5,1 cm) Screw


Fig. A

Nail lower edge of panels to floor with 2" nails spaced 6" apart.

Angle nails into floor frame (Fig. C).

Nail panel to 12' wall stud with 1-1/2" nails spaced 6" apart.

Secure wall top plate with (1) 3" screw angled at the corner at an angle as shown (Fig. D).



3" (7,6 cm)

Fig. D



Your 1st 12' eave wall is now installed.

**Nails** 


Fig. C

Nail 2" nails first.

2" (5,1 cm) Nails

#### 2nd 12' EAVE WALL INSTALLATION PARTS REQUIRED: 3" (7,6 cm) 2" (5,1 cm) 2" (5,1 cm) x13 3" (7,6 cm) 1-1/2" (3,8 cm) **V**BEGIN 1-1/2' Fig. B Place 2nd 12' eave wall centered on floor 1-1/2" (3,8 cm) overlap is to the top. 2" (5,1 cm) !\ ENSURE PANEL CORNERS ARE FLUSH. 3" (7,6 cm) Secure wall with (1) 2" screw through Nails eave wall panel into 12' gable wall bottom and top plates (Fig. B, Fig. A). Secure wall to bottom plate first. 6" (15,2 cm) Nail lower edge of wall panels to floor frame with 2" nails Flush spaced 6" apart. Nail 2" nails first. Angle nails into floor frame (Fig. C). 2" (5,1 cm) Nails 3" (7,6 cm) Nails Secure wall bottom plates to floor with 3" nails (Fig. C). Fig. A 2" (5,1 cm) Screw 3" (7,6 cm) Screw


- A Nail 12' eave wall panel to 12' gable wall stud with 1-1/2" nails spaced 6" apart.
- Secure wall top plate with (1) 3" screw at the corner at an angle as shown (Fig. D).





Your 2nd 12' eave wall is now installed.

#### 12' GABLE WALL WITH DOOR INSTALLATION PARTS REQUIRED x2 ) 3" (7,6 cm) x16 3" (7,6 cm) 1-1/2" (3,8 cm) **V**BEGIN Fig. B 2" (5,1 cm) Place 12' gable wall on floor, centered Screw between installed walls. Secure wall with 2" screws into top and bottom plates (Fig. A, Fig. B). Flush Secure wall to bottom plate first. !\ ENSURE PANEL CORNERS ARE FLUSH. !\ Flush Fig. A 2" (5,1 cm) Screw 3" (7,6 cm) Screw Nail lower edge of panels to floor with 2" nails spaced 6" apart. Angle nails into floor frame (Fig. C).




REMOVE TEMPORARY BRACING.

#### 12' x 12' WALL DOUBLERS INSTALLATION

#### 

#### BEGIN

- Orient parts on top of wall frames. Measure and mark from end of boards. Secure from top with (2) 3" nails spaced every 24" (Fig. A).
- 2 Secure from bottom with (2) 3" screws at each corner (Fig. B).





Your wall doublers are now installed.

CONTINUE TO PAGE 51 TO RESUME CONSTRUCTION OF 12' X 12' SHED.

#### 12' GABLE WALL 02 INSTALLATION

#### 


DEGIN


1 Center 12' wall on the 120" (304,8 cm) floor dimension.
1-1/2" (3,8 cm) overlap is to the top.


Use OO as a temporary brace.
Secure with (2) 3" screws.

Flush

Secure lower edge of panel to floor frame with 2" nails spaced 6" apart. Angle nails into floor frame (Fig. A).








# 2nd 16' EAVE WALL INSTALLATION

**PARTS REQUIRED:** 






Secure gable wall top plate with (1) 3" screw at the corner at an angle, as shown (Fig. D).



Your 2nd 16' wall is now installed.

# 12' GABLE WALL WITH DOOR INSTALLATION PARTS REQUIRED x2 3" (7,6 cm) x16 3" (7,6 cm) 1-1/2" (3,8 cm) **V**BEGIN Fig. B 2" (5,1 cm) Place 12' gable wall on floor, centered Screw between installed walls. Secure wall with 2" screws into top and bottom plates (Fig. A, Fig. B). Flush Secure wall to bottom plate first. !\ ENSURE PANEL CORNERS ARE FLUSH. !\ Flush Fig. A 2" (5,1 cm) Screw 3" (7,6 cm) Screw Nail lower edge of panels to floor with 2" nails spaced 6" apart.




REMOVE TEMPORARY BRACING.

### 

### **V**BEGIN

- Orient parts on top of wall frames. Measure and mark from end of boards. Secure from top with (2) 3" nails spaced every 24" (Fig. A).
- 2 Secure from bottom with (2) 3" screws at each corner (Fig. B).




CONTINUE TO PAGE 51 TO RESUME CONSTRUCTION OF 12' X 16' SHED.

### 12' GABLE WALL 02 INSTALLATION

### 

Center 12' wall on the 120" (304,8 cm) floor dimension.
1-1/2" (3,8 cm) overlap is to the top.


Use **00** as a temporary brace.
Secure with (2) 3" screws.





2" (5,1 cm)

1-1/2" (3,8 cm)

Secure lower edge of panel to floor frame with 2" nails spaced 6" apart. Angle nails into floor frame (Fig. A).









### 2nd 20' EAVE WALL INSTALLATION

### **PARTS REQUIRED:**







Secure 20' wall panel to 12' wall stud with 1-1/2" nails spaced 6" apart.



# 12' GABLE WALL WITH DOOR INSTALLATION PARTS REQUIRED ), 1990, 199 x2 3" (7,6 cm) x16 3" (7,6 cm) 1-1/2" (3,8 cm) **V**BEGIN Fig. B 2" (5,1 cm) Place 12' gable wall on floor, centered Screw between installed walls. Secure wall with 2" screws into top and bottom plates (Fig. A, Fig. B). Flush Secure wall to bottom plate first. !\ ENSURE PANEL CORNERS ARE FLUSH. !\ Flush Fig. A 2" (5,1 cm) Screw 3" (7,6 cm) Screw Nail lower edge of panels to floor with 2" nails spaced 6" apart.



REMOVE TEMPORARY BRACING.




### 12' GABLE WALL 02 INSTALLATION

### 

Description (204,8 cm) floor dimension.
1-1/2" (3,8 cm) overlap is to the top.


Use **00** as a temporary brace.


Secure with (2) 3" screws.




1-1/2" (3,8 cm)

Secure lower edge of panel to floor frame with 2" nails spaced 6" apart. Angle nails into floor frame (Fig. A).









### 2nd 24' EAVE WALL INSTALLATION

### **PARTS REQUIRED:**







Secure 24' wall panel to 12' wall stud with 1-1/2" nails spaced 6" apart.



# 12' GABLE WALL WITH DOOR INSTALLATION PARTS REQUIRED x2 3" (7,6 cm) x16 3" (7,6 cm) 1-1/2" (3,8 cm) **V**BEGIN Fig. B 2" (5,1 cm) Place 12' gable wall on floor, centered Screw between installed walls. Secure wall with 2" screws into top and bottom plates (Fig. A, Fig. B). Flush Secure wall to bottom plate first. !\ ENSURE PANEL CORNERS ARE FLUSH. !\ Flush Fig. A 2" (5,1 cm) Screw 3" (7,6 cm) Screw Nail lower edge of panels to floor with 2" nails spaced 6" apart.




REMOVE TEMPORARY BRACING.



# Please continue to the included booklet

# PART 2


to complete your shed.



Build (2) rafter assemblies with (1) gusset (Fig. B).

BEGIN

Place two rafter-halves AD in the corner of back and side walls, flush to panels and studs. Flush rafters at peak. Secure gusset to rafters with 2" nails following the pattern shown (Flg. A).



SET ASIDE THESE TWO RAFTER ASSEMBLIES.

### Depending on your shed size, build rafters with (2) gussets (Fig. C).


- Place two rafter-halves on floor and flush in the corners of wall and RL, as shown in STEP 1. Flush rafters at peak. Secure gusset to rafters with 2" nails following the pattern shown (Flg. A).
- Flip over rafter assembly and fasten second gusset to other side with 2" nails (Flg. C).

Fig. B - Build 2 for all sizes 144" (365,8 cm) 1-GUSSET RAFTERS



Your rafters are now assembled.

Remove RL and screws from floor.



# PARTS REQUIRED: x5 x7 2-Gusset Preassembled x2 1-Gusset Preassembled x2 3" (7,6 cm)



1 Alig

Align rafters over the wall studs.


Check that you have the measurements shown.

Secure rafters with (2) 3" screws angled at each end (Fig. A, Fig. B).

Secure rafters on opposite side.




Maintain the measurements between rafters.



1

Maintain the measurements between rafters.



### RAFTER INSTALLATION 12x20' 12x24' **PARTS REQUIRED: x11** 2-Gusset Preassembled 1-Gusset Preassembled **x44** x52 3" (7,6 cm)

### BEGIN



Align rafters over the wall studs.




Check that you have the measurements shown.

Secure rafters with (2) 3" screws angled at each end (Fig. A, Fig. B).

Secure rafters on opposite side.





Maintain the measurements between rafters.



Maintain the measurements between rafters.

### 12' x 24'






### Install gable panels with the primed side facing up.



- Place middle panel on (2) **AF**. Arrange parts to measurements shown. Secure panel with 1-1/2" nails spaced 6" apart along edge. Check measurements as you build the gable unit.
- Place left and right panels on **AF**, flush to middle panel. Secure panel with 1-1/2" nails spaced 6" apart along edge.

Mark the center of the middle gable panel.



Repeat steps to assemble the 2nd gable unit.



Your (2) gable units are now assembled.

### **GABLE INSTALLATION PARTS REQUIRED:** x8 |) 3" (7,6 cm) x108 2" (5,1 cm) **Preassembled**

**V**BEGIN


Measure 2-9/16" (6,5 cm) down from top plate doubler and mark at each side as shown. Set gable unit on top plate. Fasten with (1) 2" nail on each side.



**BE SURE GABLE IS CENTERED ON WALL BEFORE NAILING.** 

Continue nailing lower edge of panels to wall doubler with 2" nails spaced 6" apart.


- Secure gable panels to rafter with with 2" nails spaced 6" apart.
- Working inside, secure gable unit with (2) 3" screws angled into each AF at an angle (Fig. A).




Repeat steps to install the opposite side gable.



Your gable units are now installed.







Secure panels with (1) 2" nail into each rafter, as shown.


Move to the top of the panel and keep spacing between the center of the rafters.

Secure panels with (1) 2" nail into each rafter.






6 Next, install 36-1/2" x 47-7/8" and 36-1/2" x 96" roof panels with a 3/4" measurement on the rafter (Fig A) and flush to the installed panels (Fig. E).





# 12' x 12' ROOF PANELS

**PARTS REQUIRED:** 



7 Secure all roof panels with 2" nails spaced 6" apart and 12" apart inside panels.





### 12' x 16' ROOF PANELS

### PARTS REQUIRED:



GAA 3/4" GAUGE BLOCK



Fig. B

Flush at peak

**x**1

Roof panels may cause serious injury until securely fastened.

(121,9 x 243,8 cm)


48 x 96"


Note: Install all roof panels with the rough side up (painted grid lines).



Place the **48" x 96"** panel on rafters with a 3/4" measurement on the rafter (**Fig A**) and the panel flush at the peak (**Fig. B**).

Secure panel with (1) 2" nail in each corner.







2

Move to the opposite end.
Using the long edge of the panel as a lever, move the panel sideto-side until the top corner is flush to the peak (Fig. B).

Move gable end rafter edge until it is 1/2" from the panel (Fig. C).

Secure panel with (1) 2" nail in each corner.





Move gable end rafter edge until it is 1/2" from the 2nd 48" x 48" roof panel (Fig. C).

Finish securing panel with (1) 2" nail in each corner.





Maintain spacing between the center of the rafters at the lower edge of the panels (Fig. D).

Secure panels with (1) 2" nail into each rafter, as shown.


Move to the top of the panel and keep spacing between the center of the rafters.

Secure panels with (1) 2" nail into each rafter.






Next, install **36-1/2" x 96"** with a 3/4" measurement on the rafter **(Fig A)**, and flush to the installed panels. Secure panel with (1) 2" nail in each corner.




7 Instal (2) **36-1/2"** x **47-7/8"** roof panels flush to the installed panels in the following order: Secure panels with (1) 2" nail in each corner.

# 12' x 16' ROOF PANELS


**PARTS REQUIRED:** 



8 Secure all roof panels with 2" nails spaced 6" apart and 12" apart inside panels.




Repeat all steps to install roof panels on the opposite side.




FINISH

Your roof panels are now installed.

### 12' x 20' ROOF PANELS







2

Move to the opposite end.
Using the long edge of the panel as a lever, move the panel side-to-side until the top corner is flush to the peak (Fig. B).

Move gable end rafter edge until it is 1/2" from the panel (Fig. C).

Secure panel with (1) 2" nail in each corner.






it is 1/2" from the roof panel **(Fig. C)**. Finish securing panel with (1) 2" nail in each corner.


5

Maintain spacing between the center of the rafters at the lower edge of the panels (Fig. D). Secure panels with (1) 2" nail into each rafter, as shown.


Move to the top of the panel and keep spacing between the center of the rafters.

Secure panels with (1) 2" nail into each rafter.





6 Next, install 36-1/2" x 96" roof panel with a 3/4" measurement on the rafter (Fig A). Secure panel with (1) 2" nail in each corner.




Install 2nd 36-1/2" x 96" and 36-1/2" x 47-7/8" roof panels flush to the installed panels. Secure panels with (1) 2" nail in each corner.

# 12' x 20' ROOF PANELS x268 2" (5,1 cm)

8 Secure all roof panels with 2" nails spaced 6" apart and 12" apart inside panels.

**PARTS REQUIRED:** 



### 12' x 24' ROOF PANELS

### **PARTS REQUIRED:**



GAA 3/4" GAUGE BLOCK



<u>^</u>!\

Roof panels may cause serious injury until securely fastened.

Note: Install all roof panels with the rough side up (painted grid lines).

Note: Install all roof panels with

1 BEGIN

Place the **48" x 96"** panel on rafters with a 3/4" measurement on the rafter (**Fig A**) and the panel flush at the peak (**Fig. B**).

Secure panel with (1) 2" nail in each corner.





Fig. A







Move to the opposite end.
Using the long edge of the panel as a lever, move the panel side-to-side until the top corner is flush to the peak (Fig. B).

Move gable end rafter edge until it is 1/2" from the panel (Fig. C).

Secure panel with (1) 2" nail in each corner.





Install 47-7/8" x 48" roof panel flush to the installed panel and flush at the peak (Fig. B). Secure panel with (1) 2" nail in each corner.


Move gable end rafter edge until it is 1/2" from the 2nd 48" x 48" roof panel (Fig. C). Finish securing panel with (1) 2" nail in each corner.


6

Maintain spacing between the center of the rafters at the lower edge of the panels (**Fig. D**). Secure panels with (1) 2" nail into each rafter, as shown.

Move to the top of the panel and keep spacing between the center of the rafters.


Secure panels with (1) 2" nail into each rafter.





Install (1) 36-1/2" x 96" roof panels with a 3/4" measurement on the rafter at each side (Fig A), and flush to the installed panels.

Secure panels with (1) 2" nail in each corner.



8 Install 2nd 36-1/2" x 96" flush to the installed panels and with a 3/4" measurement on the rafter (Fig A). Secure panel with (1) 2" nail in each corner.


Install (2) **36-1/2"** x **47-7/8"** roof panels flush to the installed panels.. Secure panels with (1) 2" nail in each corner.

### 12' x 24' ROOF PANELS


**PARTS REQUIRED:** 



9 Secure all roof panels with 2" nails spaced 6" apart and 12" apart inside panels.




Repeat all steps to install roof panels on the opposite side.



### 

### BEGIN

Install gable trim **CQR** and **CQL** flush to top of roof panel and flush at peak, as shown. Secure trim with 2" finish nails spaced evenly.



Repeat steps to install trim to the opposite gable.



## ## 12' x 12' EAVE TRIM PARTS REQUIRED: x2 WTC 2 x 6 x 49-3/4" (5,1 x 15,2 x 126,4 cm) x2 VX 2 x 6 x 96" (5,1 x 15,2 x 243,8 cm) \*\*\*Total Control Control


### BEGIN

- Place **VX** eave trim flush along edge of roof panel (**Fig. A**).

  Screw through roof panel into trim with 1-1/4" screws spaced evenly in a staggered pattern.
- Install WTC flush to edge of roof panel and flush to installed eave trim **VX**.

  Screw through roof panel into trim with 1-1/4" screws spaced evenly in a staggered pattern.

  \*\*Part WTC may need to be trimmed to fit\*\*



Repeat installation on opposite side.



### 

### **V**BEGIN


- Place WTC eave trim flush along edge of roof panel (Fig. A) and flush to gable trim.

  Screw through roof panel into trimwith 1-1/4" screws spaced evenly in a staggered pattern.
- Install **VX** flush to edge of roof panel and flush to installed eave trim **WTC**.

  Screw through roof panel into trim with 1-1/4" screws spaced evenly in a staggered pattern.
- Install VF flush to edge of roof panel and flush to installed eave trim VX.

  Screw through roof panel into trim with 1-1/4" screws spaced evenly in a staggered pattern.

  \*\*Last trim piece may need to be trimmed to fit\*\*



Repeat installation on opposite side.



### ## 12' x 20' EAVE TRIM PARTS REQUIRED: x2 WTC 2 x 6 x 49-3/4" (5,1 x 15,2 x 126,4 cm) x2 VX 2 x 6 x 96" (5,1 x 15,2 x 243,8 cm) \*\*\*Total Control of the Control of th

### **V**BEGIN


- Place WTC eave trim flush along edge of roof panel (Fig. A) and flush to gable trim.

  Screw through roof panel into WTC with 1-1/4" screws spaced evenly in a staggered pattern.
- Install **VX** flush to edge of roof panel and flush to installed eave trim **WTC**.

  Screw through roof panel into trim with 1-1/4" screws spaced evenly in a staggered pattern.
- Install 2nd VX flush to edge of roof panel and flush to installed eave trim VX.

  Screw through roof panel intotrim with 1-1/4" screws spaced evenly in a staggered pattern.

  \*\*Last trim piece may need to be trimmed to fit\*\*



Repeat installation on opposite side.

FINISH

### 

### **V**BEGIN

- Place WTC eave trim flush along edge of roof panel (Fig. A) and flush to gable trim.


  Screw through roof panel into trim with 1-1/4" screws spaced evenly in a staggered pattern.
- Install **VX** flush to edge of roof panel and flush to installed eave trim **WTC**.

  Screw through roof panel into trim with 1-1/4" screws spaced evenly in a staggered pattern.
- Install 2nd **VX** flush to edge of roof panel and flush to installed eave trim **VX**.

  Screw through roof panel into trim with 1-1/4" screws spaced evenly in a staggered pattern.
- Install VF flush to edge of roof panel and flush to installed eave trim VX.

  Screw through roof panel into trim with 1-1/4" screws spaced evenly in a staggered pattern.

  \*\*Last trim piece may need to be trimmed to fit\*\*




Repeat installation on opposite side.

### **CORNER TRIM**

### **PARTS REQUIRED:**

x8 [


3/8" x 1-3/4" x 83-1/2" (1 x 4,5 x 212.1cm)



x64 🗓

### BEGIN


- 1 Install gable end 83-1/2" corner trim under gable panel, (Fig. A) and flush to eave wall panel (Fig. B). Secure with 2" finishing nails spaced evenly.
- Install eave side 83-1/2" corner trim flush to eave soffit and flush along seam of installed corner trim (Fig. C). Secure with 2" finishing nails spaced evenly.




Repeat steps for each corner of shed.



Your corner trim is now installed.








**DOOR WALL** 


### LOFT JOISTS PARTS REQUIRED: x2 SP 2 x 4 x 48" (5,1 x 10,2 x 121,9 cm) x2 TP 2 x 4 x 96" (5,1 x 10,2 x 243,8 cm) 7/16" (11 mm) Drill Bit


BEGIN

Orient parts **TP** and **SP** on a flat surface. Hold parts **TP** and **SP** flush and aligned.




Turn assembled joist over and repeat staggered nail pattern.






BEGIN

Install **NK** and **PT** flush to bottom of top plate and flush at seam. Secure with (2) 3" nails at wall studs and (4) 3" nails at seam.



- Clamp or hold joist assembly in place flush to top plate and flush against wall stud. Drill through wall stud with 7/16" drill bit using hole in joist assembly as a guide.
- Line up holes of joist assembly with holes in studs.

  Secure joist with hex bolts, flat washers and lock nuts at both sides (Fig. A).






Your loft supports are now installed.

# LOFT PANELS PARTS REQUIRED: x1 23-7/8" x 40-7/8" (60,6 x 103,8 cm) x1 23-7/8" x 96" (60,6 x 244 cm)

BEGIN


Install loft panels centered over loft joists and ledger board. Secure with 2" nails spaced 8" (20 cm) apart.

**NOTE**: There will be a gap of approximately 1/2" (13 mm) on either side of installed deck panels.




FINISH

Your loft panels are now installed.




### BEGIN


Secure **AC** to shelf panels with (3) 2" nails. Assemble (14) shelf supports as shown; 10 left-side, 4 right-side.




Install shelf supports at shown heights from floor and flush to wall studs of wall opposite door. Secure with (3) 2" nails.




### SHELF INSTALLATION




Install shelf panels centered over shelf supports, flush to wall studs and flush at seams. Secure with (2) 2" nails in each shelf support. Use (4) nails at seams.



Install facia **WJ** and **KP** flush to bottom of shelf panels and flush at seams. Secure with (2) 2" nails at each support and (4) 2" nails at seams.






**√**BEGIN

1 Place doors on flat surface. 3/8" offset is to top.

Look for red (right) and green (left) on hinge board.

Attach temporary supports **OO** and **GAA** as shown.



### PARTS REQUIRED: x1 OO TEMPORARY SUPPORT 69" (175,3 cm) Door Stiffener

2 Install OO flush under panels.
Secure to floor frame with (2) 3" screws (Fig. A).
Mark center of door opening.

Fig. A


Fig. A

Flush
against wall panels
OO

(2) 3" (7,6 cm) Screws
TEMPORARY SUPPORT

Screw hinge boards into wall supports with (10) 3" screws, as shown.

Nake sure screws go into framing.



Remove temporary supports and check to make sure doors open and close properly.

FINISH
Your doors are now installed.

### **DOOR STIFFENERS PARTS REQUIRED:** x14 2" (5,1 cm) 69" (175,3 cm) Door Stiffener

### BEGIN

00

x2 [

- 1 Center **OO** vertically on the left door in the doorway (Fig. A) overlapping 1" (2,5 cm) along the edge of door (Fig. B).
  - Secure with (7) 2" screws through outside trim into **OO**.
- 2 Center **OO** vertically on the right door in the door opening offset 1" (2,5 cm) from the edge of door (Fig. B). Secure with (7) 2" screws through outside trim into **OO**.


Fig. A Fig. B 00 (2,5 cm) **IMPORTANT** Center OO TO HOLD in door opening. **THESE DIMENSIONS** 2" (5,1 cm) Screws (2,5 cm) OFFSET 12" (30,5 cm) Approx. (5,1 cm) **Screws** x14 Your door stiffeners are now installed.


### **DOORS PARTS REQUIRED: x62** 3/4" (1,9 cm) x7 □ 2" (5,1 cm) **x2** AH 19/32" x 2-1/2" x 26 5/8" (1,5 x 6,3 x 67,6 cm) **x1** 3/4" (1,9 cm) x1 AHR Bagged separately/ special coating 19/32" x 2-1/2" x 62" (1,5 x 6,3 x 157,5 cm) 64" Metal Threshold 19/32" x 2-1/2" x 72" (1,5 x 7,6 x 182,9 cm) 19/32" x 2-1/2" x 62" (1,5 x 6,3 x 157,5 cm)



Install trim **AH**, **AHL** and **AHR** as shown. Level **AH** before installing. Fasten trim to each door from inside with (11) 3/4" screws (**Fig. A**, **Fig B**).


2 Center trim **ZJ** over doors and secure with (7) 2" finishing nails into framing as shown.





3 Install 64" metal threshold with (11) 3/4" screws.





Your door trim and metal threshold are now installed.


### **DOOR HARDWARE**

### **PARTS REQUIRED:**





1 Install decorative hinges in locations shown. Secure with 3/4" screws.



FINISH

Your decorative door hinges are now installed.

### **DOOR HARDWARE**

### **PARTS REQUIRED:**






### **V**BEGIN

- Place bolt on **OO** in open position with bolt end 3/8" (9,5 mm) down from frame. Bolt is open when loop is contacting base (**Fig A**).
- 2 Mark and pre-drill holes for screws. Install bolt with screws supplied.

  Drill 5/16" (7,9 mm) hole deep enough for bolt to slide into.
- Place bolt on **OO** in open position with bolt end 1/2" (12,7 mm) up from floor. Bolt is open when loop is connecting base (**Fig. B**).
- Mark and pre-drill holes for screws. Install bolt with screws supplied.


  Drill 5/16" (7,9 mm) hole deep enough for bolt to slide into.



### **DOOR HARDWARE**

### **PARTS REQUIRED:**






3/8" (10,9 cm) Drill Bit

Measure and mark location of hole on outside of right door as shown (Fig. A). Pre-drill hole with 1/4" drill.

Re-drill hole with 3/8 " drill.




Keep drilled hole square to trim to avoid breaking edge of door stiffener.



6 Insert handle in hole and secure with 1-1/4" screws.

Attach inside handle and secure with set screw as shown.







Your spring bolt, T-handle and decorative hinges are now installed.

### **HOOK & EYE**

### **PARTS REQUIRED:**







You have installed your hook & eyes.


### **GABLE WINDOW**


### **PARTS REQUIRED:**

x2 DI

19/32" x 2-1/2" x 12" (1,5 x 6,3 x 30,5 cm)


**x2 EU** 19/32" x 2-1/2" x 17" (1,6 x 7,6 x 43,2 cm)





BEGIN

Center window in front gable as shown and secure with 3/4" screws Seal back of window with high-quality paintable exterior caulk before installing.




2 Install window trim centered over installed window.

Secure with 3/4" screws and 2" finishing nails, as shown.

Do not screw into frame of window.

Snip off protruding nails from inside.






Your gable window and trim is now installed.

### VENT (Not included in kit.)

• Follow directions provided by manufacturer and these instructions.













Locate and mark for two vents in side walls as shown; (1) at top and (1) at bottom.

Cut out marked openings.

Caulk behind vent flanges.

Secure with 1/2" screws.







Your vents are now installed.

### PAINT & CAULK

### - NOT INCLUDED -



- Use acrylic latex caulk that is paintable. Caulk at all horizontal and vertical seams, between the trim and walls, and all
  around the door trim.
- Use a high quality exterior acrylic latex paint. When painting your building, there are a few key areas that can be easily overlooked that must be painted:
  - · Bottom edge of all siding and trim
  - Inside of doors and all 4 edges


### Note:

Prime all un-primed exterior wood before painting. (Follow directions provided by manufacturer.)

### **ROOF FELT**


- NOT INCLUDED -


• Install felt flush to all roof edges overlapping 3". Use minimal amount of roofing nails to hold in place.



### **DRIP EDGE**- NOT INCLUDED -

- Install drip edge over roof felt on gable side and under roof felt on eave side (Fig. A).
- Do not use nails on side of drip edge that hangs over side of building.
- · Only nail top of drip edge as shown.






NOTE: 12' x 12' Model Shown.

### **SHINGLES** - NOT INCLUDED -

• Follow directions provided by manufacturer and these instructions.



Familiarize yourself with a 3-Tab Shingle.




/!\ NEVER DRIVE FASTENERS INTO OR ABOVE SEALING STRIPS.

BEGIN

1


Install first starter row upside down and color up with a 1" overhang at back and bottom of roof panel. Use (4) nails per shingle. Starter row must be straight and level all the way across with lower edge of roof deck.

NOTE: If you have installed drip edge install shingles flush to drip edge.





### SHINGLES continued...

2 Beginning at front of shed, install first row of shingles with notch at 1" past roof edge or flush with drip edge.




Install second row of shingles flush at top of first row's rain slots. Ensure 1" overhang or flush to drip edge at front, stagger each row.





### SHINGLES continued...


Continue installing rows of shingles to the peak. At the peak make sure there is a maximum of 5" or less to the rain slot, as shown below. If shingles overlap at ridge cut to peak with a utility knife.





• If more than 5" to rain slot you must install another row of shingles.

- 6 Repeat steps 1 7 to shingle the opposite side of your roof. Trim shingles at ridge.
- 7 Once both sides are shingled you need to trim ends. Strike a chalk line 1" from edge.
- 8 Using your shingle hooked blade carefully cut shingles along chalk line.





You have finished shingling your roof. Proceed to capping the ridge.


### SHINGLES - RIDGE CAP

• You will finish off the top of the roof with a ridge cap made from shingles.




BEGIN


1 Cut shingles in THREE pieces. Hint: Use cut-off pieces first.



Install first ridge cap flush to shingles at front, as shown.




3 Install second ridge cap 5" back, as shown.




### SHINGLES - RIDGE CAP continued...


Continue installing ridge cap to back of roof.




Make sure there is 4" between the shingle-color and edge of shingles.



When you have 4" minimum of shingle color cut one piece to cap your roof.



Install flush to shingles.



You have finished your ridge cap.

					_
CATEGORY	PART DESCRIPTION	PART SIZE	PART ITEM #	BUILDING QTY.	PART
	Loft Ledger Board "A"	LUM SPF 2X3X96 #2&BTR	12115	1	PT
2 X 3	Loft Ledger Board "B"	2 X 3 X 48" PLATE 2 X 3 X 10" SUPPORT	Q 4800000000 Q 10000000000	1 14	NK AC
	Shelf Support	2 X 3 X 10 SUPPORT	Q 10000000000	14	_ AC
2 X 4	Back Wall Top & Btm "A" / Dblr "A" / Loft	LUM SPF 2X4X96 #2&BTR	12306	9	TP
	Side Wall T & B Plate "A" / Dblr "B" Side Wall T & B Plate "B"	LUM SPF 2X4X92-5/8 #2&BTR 2 X 4 X 44 3/8" PLATE	12305 O 44060000000	4 4	TJ HV0
	Side Wall Top Plate	2 X 4 X 68-1/2"	O 68080000000	4	YF
	Doubler "C"	2X4X48" DOUBLER/ PLATE/ CRATE	O 48000000000	8	SF
	Wall Studs Jack Studs	2 X 4 X 78 1/2" 2 X 4 X 68" STUD	O 78080000000 O 68000000000	23	UN
	Over Door Crippler	2 X 4 X 7"	O 07000000000	5	Al
	Header	2 X 4 X 67"	O 67000000000	2	Al
	Rafter Front / Rear Gable Connector	2 X 4 X 77-15/16" @ 22.5 2 X 4 X 18 1/8"-22.5* CONNECT	O 77152222000 O 18022222000	14 4	AD AF
			1 1012222200	·	-
2 X 6	Overhang "A"	LUM WSPF 2X6X96 #1 PREMIUM PET	12416	2	VX
	Overhang "B"	2 X 6 X 49 3/4" OVERHANG	N 49120000000	2	WT
1 X 3 PINE	Gauge Block	1 X 3 X 5" PINE FILLER	U 05000000000	1	GA
	Faccio "A"	LIM ODE 4VAVOS OS EDGE DET	14407	•	1/2
1 X 4 PINE	Fascia "A" Fascia "B"	LUM SPF 1X4X96 SQ EDGE PET 1 X 4 X 48 PET	14407 T 48000000000	2 2	KF W.
		, ATA IOTE	1 1000000000		
7/16 OSB	Upper Roof Panel "A"	OSB 7/16" x 4' x 8'	11110	2	-
	Upper Roof Panel "B" Lower Roof Panel "A"	7/16" OSB 47 7/8" X 48" ROOF 7/16" OSB 36-1/2" X 96" ROOF	C 48004714000 C 96003608000	2 2	-
	Lower Roof Panel "B"	7/16" OSB 36-1/2 X 96" ROOF 7/16" OSB 36 1/2" X 47-7/8"	C 47143608000	2	+ =
	Loft Deck "A"	7/16" OSB 23 7/8" X 96" ROOF	C 96002314000	1	
	Loft Deck "B"  Door Header Filler	7/16" OSB 23 7/8" X 40 7/8" 7/16" OSB 3 1/4" X 66 3/4" HEADER	C 40142314000 C 66120304000	1 1	-
	Shelf Top "A"	7/16" OSB 3 1/4 X 00 3/4 TIEADER	C 96001114000	2	
	Shelf Top "B"	7/16" OSB 11 7/8" X 48"	C 48001114000	2	
GUSSETS	To	EZ8"/OSB 6" X 24" GUSSET 22.5*	J 24000600225	12	
G033E13	Gusset	EZ6703B 0 X 24 G033E1 ZZ.3	3 24000000223	12	
NO GROOVE SIDING	Center Gable Panel w/ Hole FRONT	3/8" NG 23 9/16" X 33 1/2" X	K 4800330804W	1	
	Center Gable Panel BACK	3/8" NG 23 9/16"" X 33 1/2""	K 48003308044	1	
	Front / Rear Gable Panel - Right Front / Rear Gable Panel - Left	3/8" NG 23 9/16" X 48" RIGHT FRONT GABLE 3/8" NG 23 9/16" X 48" LEFT FRONT GABLE	K 48002309100 K 48002309200	2 2	-
	Corner Trim	3/8" NG 1 3/4" X 83-1/2"	K 83080112000	8	
8OC SIDING	Rearwall Panel "A" / Side Panel Rear Panel "B"	SIDING 8" OC 4'X7'  EZ 8" 23 7/8" X 84" WALL PANEL	11506 J 84002314000	9	
	Frontwall Panel Right	EZ 8" 48" x 84" RIGHT FRONTWALL	J 84004800101	1	
	Frontwall Panel Left	EZ 8" 48" x 84" LEFT FRONTWALL	J 84004800201	1	
	Shelf Bracket	EZ 8" 8" X 12 1/2" PRECUT for	J 120808000PP	14	-
19/32 X 3 SMART TRIM	Vertical / Over Door Trim	19/32 TST 2 1/2" X 72" TRIM	UT72000208000	1	Z.
	Long Cross Buck - Right	19/32 TST 2 1/2" X 62" 22.5*	UT62000208221	1	AH
	Long Cross Buck - Left Horizontal Door Rail	19/32 TST 2 1/2" X 62" 22.5*	UT62000208222	<u>1</u>	AH
	Horizontal Window Trim	19/32 TST 2 1/2" X 26 5/8" 19/32 TST 2 1/2" X 17"	UT26100208000 UT17000208000	2	Al- El
	Vertical Window Trim	19/32 TST 2 1/2" X 12"	UT12000208000	2	D
	Coble Trim Dight	10/22 TCT 2 1/0" V 04 45/46" 20 5* 0/5 DOT TO	LIT9/45020204	2	1 00
19/32 X 4 SMART TRIM	Gable Trim Right Gable Trim Left	19/32 TST 3 1/2" X 84 15/16" 22.5* O/E RGT TRIM 19/32 TST 3 1/2" X 84 15/16" 22.5* O/E LFT TRIM	UT84150308221 UT84150308222	2 2	CQ
PURCHASED COMPONENTS	Door Stiffener	LSL 1-1/4 X 2-1/4 X 69 PET	12715	2	00
	Square Gable Window Black T-Handle w/ Faux Hinges	WINDOW 12" SQUARE HANDLE - T & "D" HANDLES, FAUX	15273 15220	1 1	-
	Hardware Kit	H/K CLASSIC SERIES GABLES	15781	1	
	Threshold	THRESHOLD 7/8" X 1-1/2" X 63-7/8	15420	1	-
PACKAGING	Instructions		16917	1	T
			_	·	
Right Door Assembly	30222-R Door Panel	EZ 8" 31 1/4" X 71 1/2"	J 71083104000		1
	Right Hinge Assembly	HINGE RIGHT (RED) 19/32x3 THIN TRIM	30121-TT		1
	Vertical Door Stiles	19/32 TST 2 1/2" X 71 5/8"	UT71100208000		2 <b>G</b> Y
	Horizontal Door Rails	19/32 TST 2 1/2" X 26 5/8"	UT26100208000	:	2 <b>A</b> l
			1		
	30222-L				
	Door Panel	EZ 8" 31 1/4" X 71 1/2"	J 71083104000		•
Left Door Assembly		EZ 8" 31 1/4" X 71 1/2" HINGE LEFT (GREEN) 19/32x3 THIN TRIM 19/32 TST 2 1/2" X 71 5/8"	J 71083104000 30131-TT UT71100208000		1 1 2 <b>G</b> Y

### **LIMITED CONDITIONAL WARRANTY\***

Backyard Storage Solutions, LLC warrants the following:

- 1. Every product is warranted from defects in workmanship and manufacturing for 1 year.
- 2. All accessories, hardware and metal components are warranted for 2 years.
- 3. All Oriented Strand Board (OSB) is warranted for 2 years
- 4. Siding and Trim is warranted for 15 years.
- 5. LP Prostruct® Flooring is warranted for 10 years
- 6. Cedar lumber is warranted for 15 years.
- 7. Preserved Pine is warranted for 10 years.
- 8. Redwood is warranted for 10 years.
- 9. Metal Roof is warranted for 25 years.

Backyard Storage Solutions, LLC will repair, replace or pay for the affected part. In no event shall Backyard Storage Solutions, LLC pay the cost of labor or installation or any other costs related thereto. All warranties are from date of purchase. If a cash refund is paid on an affected part, it will be prorated from the date of purchase.

### **CONDITIONS**

The warranty is effective only when:

- The unit has been erected in accordance with the assembly instructions.
- 2. The unit has been properly shingled and painted or stained and reasonably and regularly maintained thereafter.
- 3. The failure occurs when the unit is owned by the original purchaser.
- 4. Backyard Storage Solutions, LLC has received the warranty registration card within thirty (30) days of purchase and notification of the failure in writing within the warranty period specified above.
- 5. Backyard Storage Solutions, LLC has had reasonable opportunity during the sixty (60) days following receipt of notification to inspect and verify the failure prior to commencement of any repair work.

### REQUIREMENTS

### Storage Buildings

To validate your warranty, it is necessary to properly maintain your Backyard Storage Solutions, LLC unit; shingle the roof and paint or solid-colored stain the siding using quality, 100% acrylic latex exterior product with a minimum of two (2) coats within thirty (30) days of assembly; caulk above all doors and all horizontal and vertical trim boards; paint and seal all exposed edges, sides and faces of siding/trim and OSB siding to include all exterior walls and all sides and all edges of doors.

### Gazebos & Pergolas

To validate your warranty, it is necessary to properly maintain your Backyard Storage Solutions, LLC unit. This includes treating all of the exposed cedar and pine surfaces on your gazebo or pergola structure with an exterior grade wood preservative, an exterior oil-based semi-transparent stain, an acrylic latex exterior paint or an acrylic latex solid color exterior stain within 30 days of assembly and as needed thereafter to maintain your warranty.

Keep vegetation trimmed away from building and make sure siding panels and trim do not come in contact with masonry or cement. The minimum ground clearance for siding must be one half inch (½ inch) from concrete slab or two and one half inches (2 ½") from the ground when building is erected or constructed on a treated wood floor kit. Water from sprinklers must be kept off unit. In no event will Backyard Storage Solutions, LLC be responsible for any indirect, incidental, consequential or special damages nor for failure(s) that are caused by events, acts or omissions beyond our control including, but not limited to, misuse or improper assembly, improper maintenance (which eventually leads to rot or decay) and acts of God. Backyard Storage Solutions, LLC will not be held responsible for any labor costs incurred to construct your unit.

This warranty gives you certain specific rights that vary from state to state.

### **CLAIM PROCEDURE**

To make a claim under this warranty, you can either call 1-888-827-9056 or email: customerservice@backyardproducts.com. Please have ready the information below when you call or include the information in your email:

- 1. The model and size of the product.
- 2. A list of the part(s) for which the claim is made.
- 3. Proof of purchase of the Backyard Storage Solutions, LLC item, as shown on the original invoice or receipt.
- 4. Run code: found on exterior product label or assembly instructions enclosed in the product package.

All other inquiries can be mailed to:

Backyard Storage Solutions, LLC Attn: Customer Service 1000 Ternes Monroe, MI 48162