



October 19, 2015

Geneva Community Unit School District 304 Donna Oberg 227 N. 4th Street Geneva, IL 60134

Donna,

Thank you for allowing Midwest Transit Equipment, Inc. the opportunity to furnish this quote on your school bus equipment needs.

We are quoting new 2016 Chevrolet-Collins 27 passenger school buses per the attached specifications and cost breakdown. The bus includes all CRS (Child Restraint) seats. Two flip down cushions per seat. Specifications are similar to the last purchase.

These buses would be purchased through the State of IL purchase contract #4018020. Please include this number on the purchase order if approved by the District.

Last year General Motors sold U-Haul 25,000 of the 30,000 chassis they built and created huge shortages in the school bus industry. This year we are also hearing rumors they will be doing a large purchase again. For this reason, we cannot guarantee a delivery date. We are estimating a time from of March-August or even later. General Motors does not offer finance terms which requires MWT to pay for the buses when built. We are planning on ordering a large number of buses and hope we get most of them.

Sales Price: \$54,639.25 per unit. We can also offer lease or finance plans if interested.

Thank you again for this opportunity. I can be reached in the office at (800) 933-2412 ext 1476, cell at (219) 688-7527, or email at scott.vanderlee@midwesttransit.com.

Sutt Dominile

Scott Vanderlee

Geneva CUSD # 304 27-PASSENGER BUS ACQUIRED UNDER IL CMS CONTRACT 4018020

COST OF INEW UNIT ACQUIRED USING STATE CONTRACT AS DASE 340.498.00	COST OF NEW UNIT ACQUIRED	USING STATE CONTRACT AS BASE	\$40,496.00
--	---------------------------	------------------------------	-------------

COMPONENTS OF IL CMS CON	TRACT 4018020	ì
--------------------------	---------------	---

TOTAL PER IL CMS ITEMS	\$47 707 25
OPTION - DELIVERY FOR UNIT KANKAKEE TO GENEVA, IL 89 MI. @\$1.25 CPM	111.25
OPTION - 39" INTEGRATED CHILD SAFETY RESTRAINT SEAT - QTY OF (4)	3,600.00
OPTION - REAR AIR CONDITIONING #3713-174-1229	3,500.00
27-PASSENGER UNIT COMM. # 3713-174-1224	40,496.00

LOCAL OPTIONS OFGENEVA

LOCAL OF HONS OF GENEVA	
2016 MODEL CHEVROLET CHASSIS 12.3K 6.0L BASE MODEL INCREASE	2,250.00
→ SKIRT MOUNTED BATTERY BOX FOR 2ND BATTERY W/STORAGE	859.00
14 GAUGE STEEL FLOOR BELLY	399.00
PADDED SHOULDER RAILS	102.00
DRIVER'S ENTRY STEP	180.00
REAR TOW HOOKS/EYES	189.00
GAS SHOCK FOR REAR DOOR HOLDBACK	69.00
CUP HOLDER IN DRIVERS AREA	35.00
ROOF TOP PAINTED WHITE	389.00
DRIVER DOME LIGHT ON SEPARATE CONSOLE SWITCH	68.00
GRAY FLOOR COLOR AND STEPS	281.00
REFLECTIVE SCHOOL BUS SIGNS FRONT AND REAR	210.00
REFLECTIVE STRIPPING DOWN BOTH SIDES AND REAR END	326.00
WINDOW LINE ADDITIONAL RUB RAIL	329.00
HEATED REMOTE POWRED EXTERIOR MIRRORS	595.00
TRANSPEC ROOF HATCH / SAFETY VENT	389.00
DRIVERS AUXILLARY DEFOG FAN	87.00
LICENSE AND TITLE FEE	175.00

TOTAL LOCAL OPTIONS	\$6,932.00	\$6,932.00
---------------------	------------	------------

TOTAL PRICE WITH LOCAL OPTIONS INCLUDED \$54,639.25

TOTAL PRICE PER UNIT \$54,639.25

BASE PROPOSAL INCLUDES STANDARD LETTERING & UNIT NUMBER



CONFIG NUMBER DH500 27-Pass SB Seats CONFIG DESCR DH500 27-Pass SB Seats 159" 12.3K 6.0L GAS

CONFIG REVISION Yellow SB

CONFIG REV DATE **REDUCED CAPACITY TO 27***

ORDER DESCR ALL ICS SEATS

DIST NAME Midwest Transit Equipment

DIST CONTACT Brad Bush
DIST PHONE 815-933-2412
DIST BILL ADDR 146 W. Issert Drive

DIST BILL CITY Kankakee
DIST BILL STATE IL
DIST BILL ZIP 60901

CUST NAME St. of IL Geneva 304

CHAS ORIGIN 2016 Chassis TILT & CRUISE

CHAS CINION		ZOTO CHASSIS TIET & CINOICE
ITEM*******	QTY	DESCRIPTION************************************
NOTE 1	1	3" AMB REFLECTORS- LOC ON BODY
*	1	FACING FORWARD BHD DRV & FRT
**	1	OF THE DOD, NO MORE THAN 30"
***	1	UP OFF THE GRD & NO MORE THAN
****	1	11" INWARD FROMT HE OUTER BODY
423606-117	1	LENGTH 23FT-LOC INT FRT ENDCAP
423606-28P	2	PASS CAP 28-LOC EXT BHD DOD
-	1	AND INT FRONT BUILKHEAD
12316F6G12Y317	1	CU/16/D159/6.0G/12300/Y/ACTC
COL-20141201	1	PRICE SCHEDULE COL 01/12/15
100-1-21-12	1	Spec, FMVSS "School Bus" >10,000# GVWR, driver plus 10 or more passengers (wheelchair
		positions counted as 4 passengers), may be used to transport students to or from school.
110-DH500-15	1	Core components, DRW high headroom model 5 section. Standard floor (with wheelwells), 76"
		interior headroom, 25"X78" entrance door, 96" overall width, all-galvanized-steel construction,
		2014.
200-111155-12	1	A/C 55K ACT, 2 fan, CS-2 skirt mount condenser, dash evaporator, EV20 in-wall evaporator,
		Chevy gas.
210-12-12-12	1	Battery tie-in for Chevy diesel units. Two batteries held in a battery box.
230-200-13	1	Bumper 10" x 3/16 steel channel DRW, wrap around extending forward at least 12" with
		protecting end caps, for use with exhaust pipe routed under the bumper or to the side.
233-201-13	1	Bumper Brace to attach to frame side, DH 400/500 models, all Gas and Diesel exhaust systems.
236-1110-12	1	Fuel system protection and preperation for Chevy gas chassis standard floor 139"WB
238-1-500-0-12	1	PARTS REQUIRED TO BUILD SPECIFIC BODY MODEL ON SPECIFIC CHASSIS BRAND
		(CHEVY STD 500)
240-04-13	1	Tow eyes rear only, installled on chassis frame, includes additional tow hooks bolted to tow eyes.
240-59-14	1	Fuel sending unit access cover, black diamond tread plate recessed into rubber floor to provide
		inspection access to fuel sending unit.
250-211-12	1	Door, entrance, black aluminum frame with full-length tempered AS2 glass for SH/DH units
260-2-12	1	Door entrance control, manual with positive over-center locking handle in both open and closed
		positions, for glass doors, driver control panel mounted on post above handle.
265-213-13	1	Rear egress door, RH (curbside) hinge, aluminum construction, select glass rear door
		upper/lower separately. Gas shock hold open.
270-02-12	1	Rear door hinge that is made up of 4-6" long hinges.

280-10-13	1	Rear Door Latch single latch at center of door, with interior red handle and exterior web style non-hitching handle.
294-02-12	1	Core electrical items for all Chevy School buses including Elect. Board, switch panel, buzzer, domes, step lights, and main harness
300-14-12	1	Pilot light, red 1/2" that indicates when the rear door is open, located on drivers control box and tied to the rear door buzzer.
300-31-12	1	Buzzer at rear emergency door that activates when the emergency exit buzzer in the drivers compartment is activated.
300-42-12	1	Child alert system; after engine shutdown/cyling of warning lights; system pulses horn if doors are opened prior to going to rear of the bus and hitting the cancel button. Going to the back of the bus assures the driver that all passengers have left.
300-51-12	1	Backup-alarm 112dBA that is activated upon placing the bus in reverse gear, wired through the ignition.
300-61-12	1	Circuit breakers provided instead of fuses. Breakers are manual-reset.
300-72-12	1	Switch for heater & fan shutdown, quickly limits interior noise, includes AM/FM radio, heater, defroster, and A/C. Does not affect windshield wipers.
320-500-112-12	1	Chevy 500 exhaust thru/under the rear bumper gasoline
330-103-12	1	Endcaps fiberglass front and rear exterior for use with school bus warning lights on DH units
332-213-14	1	Exterior steel rear corner skins left and right, driprail and below emergency exit rear door for DH units
334-500-21-12	1	Exterior aluminum left and right roof skins for DRW 500 (5section) units
336-500-302-14	1	Exterior steel left and right side skins, behind and above driver skins for DH 500 (5section) units
338-1500-20-14	1	Skirts, steel below body panels for std floor DH500 with AC
339-122-21-14	1	Storage/Battery Box, steel skirt with additional steel compartment
340-02-12	1	Mud Flaps Rear SX
345-11-12	1	Entrance step drivers side, Chevy, bright aluminum diamond tread, includes flat mud flap on passenger side.
350-500-21-2-12	1	Flooring gray rubber, 1/8" smooth rubber under seats, 3/16" ribbed center aisle rubber 15" wide.
355-02-12-12	1	Flooring step treads, DRW standard and elevated floor models, gray ribbed tread with integral white ribbed nosing.
360-500-21-12	1	Plywood subfloor for SX58 units, 1/2" thick
390-01-12	1	Standee marker 2 inch wide white placed at front of aisle, includes decal "NO STANDEES FORWARD OF WHITE LINE".
390-04-14	1	Cover tops of interior wheel well with flooring material with a black elastomer side trim cover, fits dual rear wheel wheelwells
390-500-210-12	1	14ga galvanized metal skin under plywood subfloor
400-21-12	1	Heater 60K floor mount for Chevy units placed IN RIGHT HAND REAR CORNER OF BUS, includes 2 shutoff valves, BLEEDER VALVE
420-500-10-14	1	Interior panels below window, embossed aluminum, standard floor 500 units.
422-02-12	1	Interior Panels Rear Wall DRW with Exit Door
430-500-100-13	1	Interior panels upper, smooth aluminum painted white for DRW 500 units.
440-01-12	1	Grabrail 42" long 1 1/4 dia. stainless, mounted left of entry on RH barrier, designed to prevent entanglement (Passes NHSTA string and nut test)
440-03-12	1	Mirror interior clear view back bonded glass, rounded corners and protected edges, 6 x 16 flat. Installed above drivers head on front bulkhead. Interior mirror providing the driver a clear view of interior and rear exit door.
440-09-12	1	Window Split Sash Opening With 6" Red Mark
440-13-12	1	Permit Holder 6x9 Plastic with Zip-lock style opening, mounted on front bulkhead.
440-24-12	1	Vandal lock, permits manual lock of rear emergency door from inside while bus not in use, with buzzer. Engine will not start until lock is disengaged, warning buzzer will activate to alert driver lock is engaged. For visual indication
440-50-13	1	Interior addition driver cup holder, mounted to center console at driver RH below switch panel.
450-01-12	1	Brake/tail lights LED with separate license plate light, (2) 4" flush mount
460-01-12	1	Brake/tail lights, 2- 7" Incandescent
		- ·

470-01-12	1	Clearance lights LED type; row of three red lights on rear of bus and single reds on left & right
470 01-12	•	rear, row of three amber lights on front of bus with single ambers on left and right front sides.
		Lights are low profile grommet mount.
472-01-12	1	Four domelights are powered through the ignition, will only function when ignition is turned on
	r	and dome light switch is on.
474-03-12	1	Drivers dome light on a separate switch. Battery powered. It is not associated with OEM lighting.
480-03-12	1	Lamps, turn signal, amber rear 7" incandescent
490-01-12	1	Lamps, backup white (2) 4" flush mount LED
494-03-12	1	Lights, stepwell lights are illuminated by a DOD operated switch so as to light only when the
		headlights and clearance lights are on and the DOD is open.
500-02-04-12	1	Strobe light, roof mounted, low profile, dual flash, with switch. Power off ignition. Strobe located
		4' from rear of bus.
510-02-12	1	Warning lights, four red & four amber halogen 7"
520-03-1-12	1	Warning light system, 8 light, sequential, wired through ignition, Master switch, Warning Start
		switch.
540-05-12	1	Lights, turn signal, amber LED 2" below side bodyrail and behind entrance doors. Mount with
		armor.
565-12-1110-12	1	Remote Heated Rearview and Crossview mirror system w/ black bracketry for GM DRW buses.
		ROSCO AccuStyle 8"x15" dual Rearview mirror incl. 7"x9.5" flat and 7"x4" convex mirror glass,
		with Heated EyeMax LP Crossview mirrors.
580-03-202-12	1	Headknockers to comply with FMVSS 222; foam pads covered with gray fire block upholstery.
590-06-202-12	1	Padding, shoulder 4" tall that runs under the windows; foam pad covered with gray fire block
		upholstery.
600-12-002-14	1	Paint body exterior yellow, Chevy DH/DE buses.
620-32-13	1	Paint scheme with black borders around warning lights extending approximately 3 inches inboard
		of warning lights to vertical inner border. Endcap areas around black gelcoat regions are painted
		body color including center portion of front and rear caps.
630-14-3-14	1	Radio AM/FM/Bluetooth/Aux/clock, includes antenna and four speakers. For Chevy units.
650-50020999-12	1	Rubrails, floor level side rubrails that wrap around the rear of the bus to the emergency door,
		4.6" tall X 16 ga steelBLACK
652-50020999-12	1	Rubrails, seat level side rubrails that wrap around the rear of the bus to the emergency door, 4.6"
		tall X 16 ga steelBLK
654-00000000-12	1	RUBRAIL NONE AT WINDOW LEVEL
656-50007999-14	1	Skirt level rubrails, for use with 500 models, skirt panels accommodate AC condenser and
		battery box - BLACK
660-12-12	1	Triangle warning reflectors (set of three).
660-22-12	1	Fire extinguisher, 5 lb., 3A 40BC with 10" hose and nozzle,, may only be mounted near entrance
		door.
660-31-12	1	Seat belt cutter, loaded loose in driver compartment.
670-902-12	1	Body fluids kit for AL, AR, CO, CT, KS, MA, MN, ND, PA, SD, TX, WI, WY
680-245-12	1	First aid kit 10 Unit for Illinois
690-3-01-39-201	1	Barrier, 39" left hand high back with medium gray vinyl upholstery, leg at 27" position.
691-3-12	1	Barrier spacing LH to B-pillar, spacing provides energy absorption zone for 3 passengers per
700 0 04 00 004		FMVSS222, must be selected when LH front seat accommodates 3 passengers.
700-3-01-39-201	1	Barrier, 39" right hand high back with medium gray vinyl upholstery, no welting, leg at 27"
704.0.40	4	position.
701-0-12	1	Barrier spacing RH to stepwell, none.
710-3-02-39-202	4	Seat, 39" left hand, three passenger with lap belts, two ICS and Latch positions, with medium
711-28-12		gray fireblock vinyl upholstery, no welting. Orange, gray, and red belts. Leg at 27" position. Seat spacing LH 28in hip/knee, maximum allowable to meet FMVSS 222 (school bus
	4	· · · · · · · · · · · · · · · · · · ·
720-3-02-39-202	5	Seat, 39" right hand, three passenger with lap belts, two ICS and Latch positions, with medium gray fireblock vinyl upholstery, no welting. Orange, gray, and red belts. Leg at 27" position.
721-27-12	5	Seat spacing RH 27in hip/knee.
730-01-14	9	Seat mounting hardware floor mount seats, required for each non-track-mount seat
760-11-XXXXX-12	1	Decal "EMPTY WEIGHT XXXXX" 2in black, RH behind entrance door
760-14-XXXXX-12	1	DECAL 2" LETTERBELT "LENGTH XXXX FT".
100 14/0000-12		DEGREE ELITERALE CURVITIONALI.

760-22-002-12	1	Tape, reflective two inch yellow, outline sides/rear of DH/DE units
760-31-12	1	Additional Relectors, amber 3", two (Specify Location)
770-02-12	1	Endcap signage "SCHOOL BUS" decals 8" high black letters with 1" stroke on yellow reflective
		background, includes front and rear.
780-100-12	1	Signage, identification, "Collins"
790-01-12	1	Decal "NO STANDEES" 2in black, front bulkhead
790-02-XX-12	2	Decal "PASS CAPACITY" 2in black, front bulkhead
800-07-12	1	Exterior decal 2" tall "EMERGENCY DOOR" in black/arrow in black. Interior decal 2" tall
		"EMERGENCY DOOR" in black/arrow red. (WA Spec)
830-01-12	1	Crossing control arm with yellow polycarbonate blade, solid state electronics, Specialty 78600
840-02-12	1	Stop Arm, EG Decal, WG, Incandescent Specialty 7500 - METAL
850-02-12	1	Momentary interrupt switch for crossing arm, for use with 8-light system
860-01-12	1	Auxiliary fan two-speed, right side over windshield.
860-04-12	1	Roof vent, static with non-closeable control grille.
870-01-001-12	1	Roof Hatch Transpec Low Profile Standard Safety Vent II Model 1975, 1" White Tape on Ext.
		Perimeter, Activate Buzzer when Opened w/ Ignition on, Emergency Exit Decals, Operating
		Instructions, Interior & Exterior Handles, Not Approved for Canada
925-01-12	1	Window Transition Chevy glass, AS2 tempered clear glass
950-213-12	1	Windows Rear Body DH/DE with Rubber Mounted AS3 Tempered 32% Tinted Glass
960-13-12	1	Window Rear Door Lower Rubber Mounted AS3 Tempered 32% Tinted Glass
970-13-12	1	Window Rear Door Upper Rubber Mounted AS3 Tempered 32% Tinted Glass
980-213-12	10	Window Split Sash 36" with AS3 Tempered 26% Tinted Glass, providing an unobstructed 12 x 28
		opening when upper sash is lowered.
982-2-100-2-12	1	Window Split Sash 36" RH and LH Vertical Egress Hinge, Release Handle, Buzzer,
		Interior/Exterior Signage, and Yellow Exterior Reflective Tape.
985-02-12	1	Undercoat body components, chassis components such as driveline, brake lines, wiring, exhaust
		system are not undercoated NJ Spec.
986-01-14	1	Warranty, standard limited body, covers body shell, structure, seat structure for 5 YR/100K MI,
		manufacturer's components for 2 YR/24K MI, other components 1 YR/12K MI. Excludes
		corrosion due to road chemicals. See warranty policy for full details.
990-01-12	1	Exhaust pipe to be flush with bumper or side (+0.25"/-0.00"), otherwise exhaust pipe extends 1"
		to 1.5" from bumper or body
990-02-12	1	Install OEM hub caps at factory, Chevy units only, hub caps will NOT be included if not selected.

Unit File Name: M:\Users\Brad\Collins\2015 Quotes\2016 Geneva St of IL DH500 27-Pass all ICS 159 12.3K 6.0L Gas Yellow.xls Option file name: C:\BConfig\MWT-BConfig 01-12-15.xls Form EF-7.7.2 V2.01 generated on: 10/19/2015 by Brad

Approval	Date
If written approval is not received,	Collins Bus Corporation
accepts no responsibility for mis-b	puilt units.