

DAKTRONICS QUOTE # 878547-1-0

McKinney Independent School District
Colby Peek
1400 Wilson Creek Pkwy
McKinney, TX USA 75069
Phone: (469)302-3999
Fax:
Email: cpeek@mckinneyisd.net

28/Jul/2025
Quote Valid for: 30 days
Terms: Net 30 days from shipment with
Purchase Order
Subject to Credit Review
FCA: DESTINATION
Delivery: Call for Production Time

Reference: McKinney Boyd High School - Baseball - BuyBoard Contract # 678-22

Item No.	Model	Description	Qty	Price
1	BA-2125-W-PV-F/R	PanaView® Baseball Scoreboard; Scoreboard Color: Navy Blue (42111) Semi-Gloss Finish; Caption Color: White (7725-10); Left Caption Choice (Pitch Count, At Bat, or Time): GUEST PITCHES; Right Caption Choice (Pitch Count, At Bat, or H/E): HOME PITCHES; Border Stripe Color: Cardinal Red (7725-53) Cabinet Dimensions: 7' 0" H X 25' 0" W X 0' 8" D (Approx. Dimensions) Digit Type: PANAVIEW Digit Color: WHITE Max Power: 755 watts/display Weight: Unpackaged 600 lbs per display; Packaged 1300 lbs per display	1	\$21,184.00
	Stripe; BSO 0A-1157-1521 / 1558	Stripe around BSO Digits for BA-2125 Scoreboards; Color: Cardinal Red (7725-53)	1	
	Team Name Outdoor	Team Name Caption in place of HOME caption; Name: BRONCOS	1	
	18" Digit Pitch Count Upgrade Add-On for Third Digit	Upgrade Pitch Count to Add-On Third 18" Digit for Baseball Scoreboard Models: BA-2005, BA-2125, and BA-2127.	2	
	AS-5010 Kit	All Sport® 5010 Control Console Kit	1	
	Outdoor Scoreboard Radio Communication (Transmitter)	Frequency of 2.4 GHz	1	
	Radio Receiver	Frequency of 2.4 GHz	1	
	All Sport® Radio Antenna Extension Kit 50ft	50ft Radio Antenna Extension Kit	1	
	I-Beam Mounting Hardware (A)	For 2 I-Beams	2	
	Additional Mounting Hardware - Outdoor Scoreboard	Enough parts for 1 section – 2 pole application; Increase quantity as necessary for additional sections/poles	1	
	System Startup	Final Commissioning of Equipment	1	
2	DA-1001-25 with Non-Backlit Lettering and Screen Backing	Arch Truss; Alum, 4ft tall x 25ft long w/ 50% Non-Backlit Lettering/Logo & Screen Backing. (Navy Blue (42111) Semi-Gloss Finish)	1	\$10,264.00

DAKTRONICS QUOTE # 878547-1-0

Cabinet Dimensions: 4' 0" H X 25' 0" W X 0' 3" D
(Approx. Dimensions)
Weight: Unpackaged 340 lbs per display; Packaged 755 lbs per display

	Additional Mounting Hardware - Outdoor Scoreboard	Enough parts for 1 section – 2 pole application; Increase quantity as necessary for additional sections/poles	1	
3	Physical Installation	See attachment A.	1	\$9,400.00
4	FREIGHT	Shipping to 75071 via Partial Load (enclosed trailer). Usually unloads at a dock. Forklift or pallet jack may be required. Customer is responsible for receiving & unloading truck upon delivery.	1	\$2,605.00
Services				
5	G5C5-W	Five (5) Year Parts Only - Includes Customer Care Level 3	1	
	1 Year On-Site Labor	Includes Customer Care Level 1	1	

Total Price Excluding Applicable Tax:	\$43,453.00
--	--------------------

Please reference listed sales literature: DD2594524 for BA-2125-W-PV-F/R, DD5454486 for G5C5-W, SL-03991 for AS-5010 Kit, SL-04370 for Outdoor Scoreboard Radio Communication (Transmitter), SL-04370 for Radio Receiver, SL-08028 for DA-1001-25 with Non-Backlit Lettering and Screen Backing

Leasing Program

If your purchase exceeds \$25,000, you may qualify for our leasing program allowing you more flexibility to spread out the cost of your Daktronics display over of a period up to five (5) years. Benefits of our leasing program include fixed rate financing, non-appropriation clause, no prepayment penalty, and customizable payment schedules. Plus, at the end of the lease, the equipment is yours to keep with no additional balloon payments.

Sample payment options as follows:

\$50,000 in total equipment cost = \$11,285 per year

\$100,000 in total equipment cost = \$22,568 per year

\$250,000 in total equipment cost = \$56,420 per year

****Payments based on 5 year/annual payment in advance structure. Leasing is subject to credit approval and agreed upon documentation with Daktronics lending partner. Contact your Daktronics representative for additional options and details.**

Notes: Due to the current uncertainty regarding the status of tariffs, prices exclude tariffs imposed after May 29, 2025. In the event Daktronics' total cost for equipment, materials, or components required to perform the work increases due, directly or indirectly, to tariffs that are implemented after May 29, 2025, Daktronics reserves the right to an equitable adjustment to the purchase price.

Exclusions:

- | | |
|------------------------------|--|
| - Structure | - Foundation |
| - Power | - Hoist |
| - Engineering Certification | - Signal Conduit |
| - Labor to Pull Signal Cable | - Applicable Permits |
| - Taxes | - Electrical Switch Gear or Distribution Equipment |
| - Front End Equipment | |

Unless expressly stated otherwise in this Quote # 878547-1 Rev 0 or the attachments, if Daktronics performs installation of the Equipment, the price quoted does not include the following services pertaining to physical installations: digging of footings (including dirt removal), any materials fabrication, installation of steel cages, rebar, or bolt attachments, or pouring and finishing of concrete footings. Those service may be provided for an additional cost beyond the quoted price. Purchaser shall be fully responsible for any and all additional costs plus overhead in the event anything unexpected of any nature whatsoever is found while digging the footings including but are not limited to rock, water, utility lines, pipes or any other unforeseen circumstance. The Purchaser acknowledges and agrees that it is fully responsible for all site conditions.

Prices and charges are subject to change by Daktronics at any time before the final agreement between the parties is effective. Ship Date will be determined after customer purchase order is received or agreement is signed or otherwise effective, shop drawings are approved (if required) and down payment is received (if required).

Installation Responsibilities:

If applicable please reference Attachment A for Installation Responsibilities.

Ad/ID Copy Approval Process

Customer shall provide digital artwork for advertising and identification panels, conforming to [Daktronics' graphic file standards](#), at the time of order.

Daktronics will create a proof of provided artwork and require approval of that proof three weeks prior to the initial anticipated ship date. Advertising and identification panels not approved in time, will be shipped without copy in Daktronics' standard finish.

Mike Howell
PHONE: 972-978-8390
FAX: 605-697-4746
EMAIL: Mike.Howell@daktronics.com

Mack Burns
PHONE: 605-692-0200
FAX:
EMAIL: Mack.Burns@daktronics.com

Terms And Conditions:

The Terms and Conditions which apply to this order available on request.

Limited Warranty and Extended Service Terms and Conditions (www.daktronics.com/DD5459759)

SL-02375 Standard Terms and Conditions of Sale (www.daktronics.com/terms_conditions/SL-02375.pdf)

SL-07862 Software License Agreement (www.daktronics.com/terms_conditions/SL-07862.pdf)

Additional Links:

Customer Care Level 1, Parts Coverage, Daktronics Labor Coverage (www.daktronics.com/DD5454476)

Customer Care Level 3, Parts Coverage, No Daktronics Labor Coverage (www.daktronics.com/DD5454486)

NOTE:

The pricing may be adjusted for freight and taxes depending on the options selected.
Please request order documents to submit your order.

DAKTRONICS QUOTE # 878547-1-0 MAIN

ATTACHMENT A

CUSTOMER RESPONSIBILITIES

General

- 1) Secure necessary sign permits, as required, for each respective Equipment location(s); Main
- 2) Secure necessary construction permits, as required, for each respective Equipment location(s); Main
- 3) Mark location of the new Equipment as delineated in the quote for each respective Equipment location(s); Main
- 4) All landscaping restoration, as required
- 5) Provide all landscaping, track, sidewalk and path protection along with site restoration, and/or sprinkler system repair work

Structures

- 1) Not applicable

Electrical & Data

- 1) Provide primary power to the demarcation point (reference clarifications below) per all applicable electrical codes and regulations. Actual primary power requirements, with over current protection, shall be based on available site power and all associated loads for the new Equipment for each respective Equipment location; Main
- 2) Provide electrical panel board with all associated breakers per all applicable electrical codes and regulations. Actual primary power requirements, with over current protection, shall be based on associated loads for the new Equipment for each respective Equipment location; Main

Product/Equipment

- 1) Provide storage of all Equipment and control equipment in a safe, dry, and secure location until installation for each respective Equipment location(s); Main

DAKTRONICS RESPONSIBILITIES

General

- 1) Removal and disposal of existing Equipment for each of these Equipment location(s); Main
- 2) Removal and disposal of existing primary structure for each of these Equipment location(s); Pitch Counter excludes foundation removal, primary structure will be removed to the top of the existing foundation

Structures

- 1) Paint existing support structure(s) after existing Equipment has been removed for the following Equipment location(s); Main
- 2) Structural removals are only for the adjacent pitch counter structure. Main scoreboard structure will be reused.

Electrical & Data

- 1) Provide secondary power conduits, conductors and power hook-up from demarcation point (reference clarifications below) to all Daktronics supplied load centers/termination panel at/within the Equipment per all applicable electrical codes and regulations for each respective Equipment location; Main

Product/Equipment

- 1) Accept, lift, unload, and inspect all Equipment from carrier for each respective Equipment location(s); Main
- 2) Lift and mount Equipment listed in this quotation for each respective Equipment location(s); Main

QUALIFICATIONS/CLARIFICATIONS

- 1) **Paint Existing Structure:** An allowance has been included in this quotation to repaint the exposed existing structure. The repainting is limited to wire brushing any exposed rust areas and applying a new coat of paint. No warranty for the structure repainting is included.
- 2) **Electrical:** The maximum voltage is 120 volts line to neutral for all Equipment in this quotation for each respective Equipment location(s); Main
- 3) **Electrical Demarcation:** For all Equipment locations is five (5) feet off grade on structure
- 4) **Access:** Daktronics requires unobstructed access to Equipment and control room installation site until display is 100%. Installation equipment (cranes, lifts, trucks, concrete trucks, etc.) are expected to have access directly to the scoreboard/structure location. No concrete pumping, concrete buggies, or crane picks over 10' distance from scoreboard structure are included
- 5) **Existing Conduit:** Costs to repair or replace damaged or obstructed conduit have not been included in this quote
- 6) **Project Scope:** Installation pricing may not comply with all bid specifications, divisions, or drawings. Installation pricing is based on the tasks identified above. Any change or addition to the tasks or descriptions may result in additional costs
- 7) **Damages and Wages:** Liquidated damages, prevailing wages, certified payroll or union labor have not been included in the installation pricing
- 8) **Existing Structure:** The top of the new Equipment will be placed at the top of the existing columns. No column extensions or modifications have been included in this Quote. This may result in the bottom of the Equipment being at a different elevation off grade than the existing Equipment.
- 9) **Building Penetrations:** Customer to provide all required building (wall/roof) penetrations for the installation of Daktronics provided wireless/radio components (external antennas, remote wireless access points, etc.) at the control location. Mount Daktronics provided wireless/radio components to the building in accordance with manufacturers recommendations. Building penetration location shall provide clear line-of-sight to the Equipment. Provide all conduit, with pull string, from control location equipment to the building penetration location