
Approval to Award Toilet Partition Equipment and Installation Contract

Background:

A discussion was held during the December Finance and Facilities Committee Meeting regarding the replacement of toilet partitions at Benjamin Middle School. The current partitions are original to the building and look out of place, given the new epoxy floors poured last school year.

Additionally, the current partitions have become increasingly difficult to repair and maintain. Repair parts must be modified to work, and many stalls lack the mechanical components needed to maintain student privacy.

The administration sought quotes for the replacement and installation of toilet partitions through our cooperative purchasing partners and received pricing from three sources.

- Equipment Only from Schoolfix, with self-removal and installation: \$41,120
- Larson Equipment: Equipment, Removal, and Installation: \$46,326
- ABS Services: Equipment, Removal, and Installation: \$112,570

The administration reviewed the proposal with Larson to ensure it matched the scope of the requested work, and it was confirmed. Larson Equipment is a trusted vendor, as they furnished and installed the casework and student/teacher furniture for our classroom refresh projects. Installation will begin during the summer of 2026, with completion before the start of the 2026-2027 school year.

Recommendation:

The Administration recommends that the Board approve Larson Equipment's proposal to remove, equip and install all toilet partitions at Benjamin Middle School in the amount of \$46,326.

Respectfully submitted,



Joel Filas

THE LARSON COMPANY
EQUIPMENT AND FURNITURE

DATE: 02/07/26

Brian Foley | 847-705-0460 Office
Sales | 847-705-0560 Fax
847-654-3233 Direct
1000 E. State Pkwy., Unit F | 630-546-1499 Cell
Schaumburg, Illinois 60173 | bfoley@larsoncompany.com

Benjamin Middle School

www.larsoncompany.com

Dr. Joel Filas
Benjamin SD 25
28W250 Saint Charles Road
West Chicago, Il. 60185

QUANTITY	ITEM / DESCRIPTION	UNIT	PRICE
1 lot	Scanton Products Hiny Hider plastic toilet partitions per enclosed drawing.		\$46,326.00
		TOTAL	\$46,326.00

Terms - Net 30 days

F.O.B.: INSTALLED

Delivery Via: Common Carrier

Time required for delivery: 4-6 weeks (Approximately)

State or local taxes will be added where applicable. This Quotation is made for immediate acceptance and is subject to change without notice. Clerical errors are subject to correction. All orders or contracts are accepted contingent upon fires, strikes, accidents, and to government restrictions or other causes beyond our control. Prices in effect at time of shipment must apply, but should there be a change you will be notified.

Respectfully submitted:
THE LARSON COMPANY

Accepted: _____
By: _____

By: Brian T. Foley
Title: Sales Rep.

SHIPPING INSTRUCTIONS: _____



make your
RESTROOM
the BEST ROOM



your
INDUSTRY
LEADER

Hiny Hiders Partitions - Color: Grey, Texture: Orange Peel
Configuration: Floor Mounted Overhead Braced, Height: 55" Standard Panels & Doors
Vanities, Urinal Screens, Tufftec Benches - Color: Grey
Tufftec Lockers - Color: Blueberry

With over **25 years of experience**, Scranton Products is the industry leader in plastic bathroom partitions and lockers. Constructed from **premium, American-made solid plastic**, our products resist dents, scratches, corrosion, graffiti and mildew.

When you purchase Scranton Products, you are **investing in peace of mind**. With unmatched durability and an array of designer colors and textures, Scranton Products installs confidence in every product.

COLOR, TEXTURE & DESIGN

OPTIONS

TRADITIONAL COLOR COLLECTION



BOLD COLOR COLLECTION



WARM COLOR COLLECTION



METALLIC COLOR COLLECTION




FIRE RATING

Whether your fire rating needs are NFPA 286, Class A, or Class B, we have the material to match.

CUSTOM COLORS AVAILABLE UPON REQUEST.

Color matching is limited by printing process. Actual samples are available and recommended prior to color selections.


*Special orders require extended lead times. Minimum order requirements may apply.



Rough measurements used for wall to wall layout.
Slight adjustments made based on provided measurements and layouts.



Layouts: Big Gym girls
Room Qty: 1 THUS
Style: Overhead Braced
Material: Solid Plastic.
Color: Blue 9509

- Consult with your local officials for ADA and plumbing code compliancy, Each locality differs in interpretation and enforcement of guidelines and codes.
- If Elevation Drawings are needed please email us your request.
- HR (Head Rail) attaches to top of Pilasters and to adjacent walls at 83" from floor.
- HR size shown refers to length of Head Rail. HR is cut on jobsite to size needed.
- Overall Depth shown is from Back Wall to Face of Partition.
- Doors are not 3/8" less than listed Door Opening for hardware.




Layouts: Big Gym boys
Room Qty: 1 THUS
Style: Overhead Braced
Material: Solid Plastic
Color: Blue 9509

- Consult with your local officials for ADA and plumbing code compliance. Each locality differs in interpretation and enforcement of guidelines and codes.
- If Elevation Drawings are needed please email us your request.
- HR (Head Rail) attaches to top of Pilasters and to adjacent walls at 83" from floor.
- HR size shown refers to length of Head Rail. HR is cut on jobsite to size needed.
- Overall Depth shown is from Back Wall to Face of Partition.
- Doors are cut 3/8" less than listed Door Opening for hardware.



Layouts: 8th grade girls
 Room Qty: 1 THUS
 Style: Overhead Braced
 Material: Solid Plastic
 Color: Blue 9509


- Consult with your local officials for ADA and plumbing code compliance. Each locality differs in interpretation and enforcement of guidelines and codes.
- If Elevation Drawings are needed please email us your request.
- HR (Head Rail) attaches to top of Pilasters, and to adjacent walls at 83" from floor.
- HR size shown refers to length of Head Rail. HR is cut on jobsite to size needed.
- Overall Depth shown is from Back Wall to Face of Partition.
- Doors are cut 3/8" less than listed Door Opening for hardware.



Layouts: 8th Grade boys
 Room Qty: 1 THUS
 Style: Overhead Braced
 Material: Solid Plastic
 Color: Blue 9509

- Consult with your local officials for ADA and plumbing code compliance. Each locality differs in interpretation and enforcement of guidelines and codes.
- If Elevation Drawings are needed please email us your request.
- HR (Head Rail) attaches to top of Pilasters and to adjacent walls at 83" from floor.
- HR size shown refers to length of Head Rail. HR is cut on jobsite to size needed.
- Overall Depth shown is from Back Wall to Face of Partition.
- Doors are cut 3/8" less than listed Door Opening for hardware.


Ⓢ = Stiffener Channel
 Used to provide added support for Pilaster
 3 1/2" wide x 7.5" high



ADA door should swing out of stall



Layouts: 5th Grade boys
 Room Qty: 1 THUS
 Style: Overhead Braced
 Material: Solid Plastic
 Color: Blue 9509

- Consult with your local officials for ADA and plumbing code compliance. Each locality differs in interpretation and enforcement of guidelines and codes.
- If Elevation Drawings are needed please email us your request.
- HR (Head Rail) attaches to top of Pilasters and to adjacent walls at 83" from floor.
- HR size shown refers to length of Head Rail. HR is cut on jobsite to size needed.
- Overall Depth shown is from Back Wall to Face of Partition.
- Doors are cut 3/8" less than listed Door Opening for hardware.



Layouts: 5th Grade girls
Room Qty: 1 THUS
Style: Overhead Braced
Material: Solid Plastic
Color: Blue 9509

- Consult with your local officials for ADA and plumbing code compliance.
- Each locality differs in interpretation and enforcement of guidelines and codes.
- If Elevation Drawings are needed please email us your request.
- HR (Head Rail) attaches to top of Pilasters and to adjacent walls at 83" from floor.
- HR size shown refers to length of Head Rail. HR is cut on jobsite to size needed.
- Overall Depth shown is from Back Wall to Face of Partition.
- Doors are cut 3/8" less than listed Door Opening for hardware.




Layouts: 5th Grade girls 2
 Room Qty: 1 THUS
 Style: Overhead Braced
 Material: Solid Plastic
 Color: Blue 9509

- Consult with your local officials for ADA and plumbing code compliancy.
- Each locality differs in interpretation and enforcement of guidelines and codes.
- If Elevation Drawings are needed please email us your request.
- HR (Head Rail) attaches to top of Pilasters and to adjacent walls at 83" from floor.
- HR size shown refers to length of Head Rail. HR is cut on jobsite to size needed.
- Overall Depth shown is from Back Wall to Face of Partition.
- Doors are cut .3/8" less than listed Door Opening for hardware.

Ⓢ = Stiffener Channel

Used to provide added support for Pilaster
3 1/2" wide x 7 1/2" high





Layouts: 6th Grade girls
Room Qty: 1 THUS
Style: Overhead Braced
Material: Solid Plastic
Color: Blue 9509

- Consult with your local officials for ADA and plumbing code compliance.
- Each locality differs in interpretation and enforcement of guidelines and codes.
- If Elevation Drawings are needed please email us your request.
- HR (Head Rail) attaches to top of Pilasters and to adjacent walls at 83" from floor.
- HR size shown refers to length of Head Rail. HR is cut on jobsite to size needed.
- Overall Depth shown is from Back Wall to Face of Partition.
- Doors are cut 3/8" less than listed Door Opening for hardware.

800 445 5148
MIKE NORTON


(S) = Stiffener Channel
 Used to provide added support for Pilaster
 3-1/2" wide x 7/8" high



Layouts: 6th Grade boys
 Room Qty: 1 THUS
 Style: Overhead Braced
 Material: Solid Plastic
 Color: Blue 9509


- Consult with your local officials for ADA and plumbing code compliance.
- Each locality differs in interpretation and enforcement of guidelines and codes.
- If Elevation Drawings are needed please email us your request.
- HR (Head Rail) attaches to top of Pilasters and to adjacent walls at 83" from floor.
- HR size shown refers to length of Head Rail. HR is cut on jobsite to size needed
- Overall Depth shown is from Back Wall to Face of Partition.
- Doors are 7/8" less than listed Floor Opening for hardware

QTY = 1





Layouts: Big Gym girls
 Room Qty: 1 THUS
 Style: Overhead Braced
 Material: Solid Plastic
 Color: Blue 9509

- Consult with your local officials for ADA and plumbing code compliance.
- Each locality differs in interpretation and enforcement of guidelines and codes.
- If Elevation Drawings are needed please email us your request.
- HR (Head Rail) attaches to top of Pilasters, and to adjacent walls at 83" from floor.
- HR size shown refers to length of Head Rail. HR is cut on jobsite to size needed.
- Overall Depth shown is from Back Wall to Face of Partition.
- Doors are cut 3/8" less than listed Door Opening for hardware.




Layouts: Big Gym boys
Room Qty: 1 THUS
Style: Overhead Braced
Material: Solid Plastic
Color: Blue 9509

- Consult with your local officials for ADA and plumbing code compliance. Each locality differs in interpretation and enforcement of guidelines and codes.
- If Elevation Drawings are needed please email us your request.
- HR (Head Rail) attaches to top of Pilasters and to adjacent walls at 83" from floor.
- HR size shown refers to length of Head Rail. HR is cut on jobsite to size needed.
- Overall Depth shown is from Back Wall to Face of Partition.
- Doors are cut 3/8" less than listed Door Opening for hardware





Layouts: 8th grade girls *camp*
 Room Qty: 1 THUS
 Style: Overhead Braced
 Material: Solid Plastic
 Color: Blue 9509

- Consult with your local officials for ADA and plumbing code compliance. Each locality differs in interpretation and enforcement of guidelines and codes.
- If Elevation Drawings are needed please email us your request.
- HR (Head Rail) attaches to top of Pilasters and to adjacent walls at 83" from floor.
- HR size shown refers to length of Head Rail. HR is cut on jobsite to size needed.
- Overall Depth shown is from Back Wall to Face of Partition.
- Doors are cut 3/8" less than listed Door Opening for hardware.




Layouts: 8th Grade boys
 Room Qty: 1 THUS
 Style: Overhead Braced
 Material: Solid Plastic
 Color: Blue 9509

- Consult with your local officials for ADA and plumbing code compliancy.
- Each locality differs in interpretation and enforcement of guidelines and codes.
- If Elevation Drawings are needed please email us your request.
- HR (Head Rail) attaches to top of Plasters and to adjacent walls at 83" from floor.
- HR size shown refers to length of Head Rail. HR is cut on jobsite to size needed.
- Overall Depth shown is from Back Wall to Face of Partition.
- Doors are cut 3/8" less than Head Door Opening for Hardware





Layouts: 5th Grade boys
 Room Qty: 1 THUS
 Style: Overhead Braced
 Material: Solid Plastic
 Color: Blue 9509

- Consult with your local officials for ADA and plumbing code compliance, Each locality differs in interpretation and enforcement of guidelines and codes.
- If Elevation Drawings are needed please email us your request.
- HR (Head Rail) attaches to top of Pilasters and to adjacent walls at 83" from floor.
- HR size shown refers to length of Head Rail. HR is cut on jobsite to size needed.
- Overall Depth shown is from Back Wall to Face of Partition.
- Doors are cut 3/8" less than listed Door Opening for hardware.



Layouts: 5th Grade girls
 Room Qty: 1 THUS
 Style: Overhead Braced
 Material: Solid Plastic
 Color: Blue 9509



- Consult with your local officials for ADA and plumbing code compliance. Each locality differs in interpretation and enforcement of guidelines and codes.
- If Elevation Drawings are needed please email us your request.
- HR (Head Rail) attaches to top of Plasters and to adjacent walls at 83" from floor.
- HR size shown refers to length of Head Rail. HR is cut on jobsite to size needed.
- Overall Depth shown is from Back Wall to Face of Partition.
- Doors are cut 3/8" less than listed Door Opening for hardware.



Layouts: 5th Grade girls 2
 Room Qty: 1 THUS
 Style: Overhead Braced
 Material: Solid Plastic
 Color: Blue 9509



- Consult with your local officials for ADA and plumbing code compliance. Each locality differs in interpretation and enforcement of guidelines and codes.
- If Elevation Drawings are needed please email us your request.
- HR (Head Rail) attaches to top of Pilasters and to adjacent walls at 83" from floor.
- HR size shown refers to length of Head Rail. HR is cut on jobsite to size needed.
- Overall Depth shown is from Back Wall to Face of Partition.
- Doors are cut 3/8" less than listed Door Opening for hardware.

(S) = Stiffener Channel
Used to provide added support for Plaster
3 1/2" wide x 7.5" high



Layouts: 6th Grade girls
Room Qty: 1 THUS
Style: Overhead Braced
Material: Solid Plastic
Color: Blue 9509

- Consult with your local officials for ADA and plumbing code compliance. Each locality differs in interpretation and enforcement of guidelines and codes.
- If Elevation Drawings are needed please email us your request.
- HR (Head Rail) attaches to top of Pilasters and to adjacent walls at 83" from floor.
- HR size shown refers to length of Head Rail. HR is cut on jobsite to size needed.
- Overall Depth shown is from Back Wall to Face of Partition.
- Doors are cut 3/8" less than listed Door Opening for hardware.



Layouts: 6th Grade boys
Room Qty: 1 THUS
Style: Overhead Braced
Material: Solid Plastic
Color: Blue 9509

- Consult with your local officials for ADA and plumbing code compliance. Each locality differs in interpretation and enforcement of guidelines and codes.
- If Elevation Drawings are needed please email us your request.
- HR (Head Rail) attaches to top of Plasters and to adjacent walls at 83" from floor.
- HR size shown refers to length of Head Rail. HR is cut on jobsite to size needed.
- Overall Depth shown is from Back Wall to Face of Partition.
- Doors are cut 3/8" less than listed Door Opening for hardware.