

No. _____



UNITED INDEPENDENT SCHOOL DISTRICT AGENDA ACTION ITEM

TOPIC _____ Approval of Request from Ricardo Rodriguez for Use of Board of Trustees _____

Discretionary Funds for United South High School for \$11,368 _____

SUBMITTED BY: _____ Ricardo Rodriguez _____ **OF:** _____ Board Member _____

APPROVED FOR TRANSMITTAL TO SCHOOL BOARD: _____

DATE ASSIGNED FOR BOARD CONSIDERATION: _____ January 20, 2010 _____

RECOMMENDATION:

Approval of Request from Ricardo Rodriguez for Use of Board of Trustees Discretionary for United South High School for \$11,368.

RATIONALE:

BUDGETARY INFORMATION

BOARD POLICY REFERENCE AND COMPLIANCE:



Exhibit A

**United Independent School District
Board of Trustees Discretionary Funds Request Form
Fiscal Year 2009-2010**

Requesting Campus: United South High School

Campus Principal: David R. Canales

Board Member: Ricardo Rodriguez

Board Member: _____

Description of Request: (2) Score Boards

Estimated Cost of Request \$ 11,368.00

Principal Signature: [Signature] Date 1-11-10

Board Member Approval: Yes No

Board Member Signature: Ricardo Rodriguez Date 1-20-10

Board Member Signature: _____ Date [Signature]

Superintendent Signature: _____ Date _____

Board Approval: Yes No Date Approved: _____

Please return the completed form to the Superintendent's Office for final processing.

DAKTRONICS



PANTHERS

13

FOUL

08

SCORE

1020

GUEST

00

FOUL

00

SCORE

PERIOD

A B

PLAYER FOUL

345

MATCH



Overall Dimensions:
6'-0" high x 8'-0" wide.
Basketball Scoreboard
BB-2103
6'-0" high x 8'-0" wide.

Do not use this rendering for ad copy approval. The mascots and fonts depicted here are for conception only. They do not meet the requirement needed by our copy management.

United South High School - BB-2103 Laredo, Texas

© 2010 Daktronics, Inc. ALL RIGHTS RESERVED. DO NOT REPRODUCE BY ANY MEANS WITHOUT THE EXPRESSED WRITTEN CONSENT OF DAKTRONICS, INC.

DAKTRONICS

Quote # 361597-1 Rev 0

United Independent School District
 United Independent School District
 201 Lindenwood
 Laredo, TX USA 78045
 Phone: (956) 473-6201
 Fax: (956) 473-6476
 Email:

14/Dec/2009
 Quote valid for: 60 days
 Terms: NET 30 DAYS
 FOB: DAKTRONICS
 Delivery: 6 weeks from order placement

Reference: United South High School - Basketball Scoreboards

Item No.	Model	Description	Qty	Price
1	BB-2103-13	Tuff Sport® Basketball/Volleyball/Wrestling Scoreboard, Price includes 2 AS-5010 control consoles. Cabinet Dimensions: 6' 0" H X 8' 0" W X 0' 6" D (Approx. Dimensions) Digit Type: PANAVIEW Max Power: 200 Max Watts/Display Weight: Unpackaged 180 lbs per display; Packaged 235 lbs per display	2	\$11,368.00
	Indoor Scoreboard Border Stripe	Indoor Scoreboard Border Stripe (1 per scoreboard)	2	
	Team_Name_Caption	PANTHERS in place of Home (ordered with scoreboard)	2	
	ID_C_TS_8_I	Corner Panel, 8' Scoreboard, 17x21 Decorated	4	
	Soft-sided carrying case for AS-3100, AS-4100 or AS-5010	Soft-sided carrying case for All Sport Controllers	2	
	TOL Option for BB-2103/04-13	Time Outs Left option for BB-2103-13 Digit Type: PANAVIEW	2	
	Radio_Transmitter	Radio Transmitter 2.4 GHz	2	
	Radio_Receiver	Radio Receiver 2.4 GHz	2	
	INSTALL-P	Installation of scoreboards, lift rental, final signal hook-up & operator training, not to exceed 2 technicians 1 day time & travel. Does not include installation of conduit or pulling cable.	1	
	FREIGHT	Shipping to site	1	
Service Plans				
2	G5C5-W	Five Year Warranty - Parts Coverage - G5G5	1	
	On-site Labor	One Year Extended Service for on-site labor coverage	1	
				TOTAL PRICE: \$11,368.00



Exclusions:

- Electrical Installation
- Foundation
- Engineering Certification
- Labor to Pull Signal Cable
- Taxes
- Front End Equipment
- Structure
- Power
- Signal Conduit
- Applicable Permits
- Electrical Switch Gear or Distribution Equipment

Unless expressly stated otherwise in this Quote # 361597-1 Rev 0 or the attachments, if Daktronics performs installation of the Equipment, the price quoted does not include the following services pertaining to physical installations: digging of footings (including dirt removal), any materials fabrication, installation of steel cages, rebar, or bolt attachments, or pouring and finishing of concrete footings. Those service may be provided for an additional cost beyond the quoted price. Purchaser shall be fully responsible for any and all additional costs plus overhead in the event anything unexpected of any nature whatsoever is found while digging the footings including but are not limited to rock, water, utility lines, pipes or any other unforeseen circumstance. The Purchaser acknowledges and agrees that it is fully responsible for all site conditions.

Installation Responsibilities:

If applicable please reference Attachment A for Installation Responsibilities.

Ad/ID Copy Approval Process

Daktronics will process your proofs on orders that include advertising and identification panels. Your digital files and copy layouts should conform to graphic file standards document, SL-04116. The digital data files and copy layouts must be submitted at the time of your order and our proofs need to be approved two weeks prior to your initial anticipated ship date. Advertising and identification panels not receiving proof approvals in time will be shipped without copy in our standard finish.



Jose Rodriguez
 PHONE: 210-342-1680
 FAX: 210-342-1484
 EMAIL: Jose.Rodriguez@daktronics.com


Terms And Conditions:

- The Terms and Conditions which apply to this order available on request.
- SL-02375 Standard Terms and Conditions of Sale (www.daktronics.com/terms_conditions/SL-02375.pdf)
 - SL-02374 Standard Warranty and Limitation of Seller's Liability (www.daktronics.com/terms_conditions/SL-02374.pdf)
 - SL-07862 Software License Agreement (www.daktronics.com/terms_conditions/SL-07862.pdf)
 - SL-04116 Graphic File Standards (www.daktronics.com/terms_conditions/SL-04116.pdf)

Acceptance:

The Undersigned has actual authority to execute this document and Daktronics, Inc is relying upon such authority.

The parties hereby acknowledge and agree that the terms and conditions contained within this Quote along with the terms and conditions of the Daktronics Standard Terms and Conditions, the Standard Warranty and Limitations of Liability, and/or the Software License Agreement (together, the "Terms and Conditions") constitute the full and final understanding of the parties regarding the sale of equipment and/or the provision of services and entirely replace and supersede any previous understanding or agreement between the parties. By executing this agreement, Purchaser acknowledges that it has had opportunity and means to review the Terms and Conditions as provided in the website addresses above. In the alternative, hardcopy of these Terms and Conditions will be provided upon request. Further it is acknowledged and agreed that the price of the equipment and/or the provision of services contained within this agreement are expressly conditioned upon Purchaser's acceptance of the Terms and Conditions without change. Any modification of the Terms and Conditions may require a corresponding change in price. Accordingly, the Purchaser acknowledges and agrees to these Terms and Conditions as evidenced by its attestation below.



BB-2103 BASKETBALL SCOREBOARD SPECIFICATIONS

This single-sided Tuff Sport® basketball scoreboard features statistical information in addition to basic game information. This scoreboard displays period time to 99:59, HOME and GUEST scores to 199, PERIOD to nine, PLAYER number to 99, player FOUL to nine, team FOULS to 19, optional time outs left to nine and indicates possession, bonus. When period time is less than one minute, the scoreboard displays time to tenths-of-a-second. This scoreboard is shown with optional striping and UniView™ digit options.

PRODUCT SPECIFICATIONS

PRODUCT SAFETY

APPROVAL:

120 V AC Models: ETL listed, tested to CSA standards
230 V AC Modles: CE labeled for indoor use

DIMENSIONS:

Height 6'-0", Width 8'-0", Depth 6" (1829 mm, 2438 mm, 152 mm)

WEIGHT:

180 lb (82 kg)

POWER:

Available in 120 VAC (200 W; 1.7 A) or 230 VAC (200 W; .9 A) configurations
(Add 100 W for optional TNMCs)

CONSTRUCTION:

Durable, lightweight aluminum

DIGITS/INDICATORS:

Clock and score digits are 13" (330 mm) high. T.O.L. (time outs left) digits are 7" (178 mm) high. All other digits are 10" (254 mm) high. Clock digits, time-outs left (T.O.L.), PERIOD digit, PLAYER/FOUL/MATCH digits and Bonus indicator are amber. All other digits and indicators are red. Available with PanaView® or UniView LED digit technology (see SL04729 for further details).

CAPTIONS:

HOME and GUEST captions are 6" (152 mm) high. All other captions are 4" (102 mm) high. Captions are vinyl applied directly to the display face.

DISPLAY COLOR:

More than 150 colors (from Martin Senour® paint book) are available at no additional cost.

OPERATING TEMPERATURES:

Display: -22 to 122 degrees Fahrenheit (-30 to 50 degrees Celsius)
Console: 32 to 122 degrees Fahrenheit (0 to 50 degrees Celsius)

BB-2103 PRODUCT SPECIFICATION (CONTINUED)

ALL SPORT® 5000 CONTROL CONSOLE:

Control console electronics are housed in a rugged aluminum case. Console has a 32-character liquid crystal prompting display to verify entries and recall information currently displayed. Case and sealed membrane keyboard make console face water-resistant. Console is capable of controlling other sports using keyboard inserts. A 20' (6096 mm) control cable and a 6' (1829 mm) power cord are supplied. The power cord plugs into a standard grounded 120 V AC outlet. Maximum power demand is 5 watts. The 230 VAC scoreboard uses All Sport® 5000 control console.

CONTROL CABLE:

One pair shielded cable of 22 AWG minimum is required

JUNCTION BOX:

A cover plate with mounted connector and standard 2" x 2" x 4" (51 mm x 51 mm x 102 mm) outlet box is provided. Connector mates with connector from control console.

HORN:

A vibrating horn, mounted behind the scoreboard face, sounds automatically when period clock counts down to zero or manually as controlled by the operator.

SYNCHRONIZATION:

The BB-2103 has the capability to operate in sync with all other Daktronics basketball scoreboards.

GENERAL INFORMATION:

The scoreboard provides scoring capabilities for two teams. 100% solid state electronics are housed in an all aluminum cabinet. The scoreboard arrives at the site fully assembled. Specifications and pricing are subject to change without notice.

WARRANTY/SERVICE PLAN:

Exclusive Daktronics GoldSM plan in the U.S. and Canada (see SP10093 for more information).

SEGMENT TIMER MODE:

The segment timer mode is ideal for keeping practices on schedule. The horn at the end of a segment allows coaches and athletes to focus on the practice and to listen for the horn when it is time to change drills (see SL04004 for more information).

OPTIONS :

- | | |
|--|--|
| 1. Durable carrying case for console | 11. 2.4 GHz Spread Spectrum Radio (see SL04370) |
| 2. Scoreboard striping | 12. Advantage time option (see SL03679) |
| 3. Team name in place of HOME | 13. Corner Sponser/Logo panels (17" x 21") |
| 4. Visual Horn Indicator (see SL02093) | 14. Different sounding horn |
| 5. Programmable message display | 15. Alternate caption colors available (see SL06409) |
| 6. Protective screen | 16. TNMC requires All Sport® 5000 consoles |
| 7. Suspension installation kit | 17. Advertisement/ Identification panels |
| 8. Time-outs left | |
| 9. Double bonus indicator | |
| 10. Programmable team name message centers (see SL04342) | |

BB-2103 PRODUCT SPECIFICATION (CONTINUED)

OPTIONAL LOGO/SPONSOR PANELS:

Non-backlit Height

Height	Width
1'-3" (381 mm)	8'-0" (2438 mm)
1'-6" (457 mm)	8'-0" (2438 mm)
2'-0" (610 mm)	8'-0" (2438 mm)
2'-6" (762 mm)	8'-0" (2438 mm)
3'-6" (1067 mm)	8'-0" (2438 mm)


Backlit Height

Height	Width
1'-6" (457 mm)	8'-0" (2438 mm)
2'-0" (610 mm)	8'-0" (2438 mm)
2'-6" (762 mm)	8'-0" (2438 mm)
3'-0" (914 mm)	8'-0" (2438 mm)
4'-11" (1499 mm)	8'-0" (2438 mm)
5'-9" (1753 mm)	8'-0" (2438 mm)
8'-0" (2438 mm)	8'-0" (2438 mm)
9'-10" (2998 mm)	8'-0" (2438 mm)


*For additional information on ordering logo/sponsor panels, see SL-04014.

FOR ADDITIONAL INFORMATION:

1. Mechanical specifications: drawing # 1237-E10A-149234
2. Electrical and signal specifications: drawing # 1237-E10A-158848
3. Architectural Specifications: SL0478
4. Manual reference: Daktronics Tuff Sport Indoor Basketball LED Scoreboards ED-13110



BB-2103 Wrestling mode



BB-2103 Volleyball mode

For additional information on Daktronics scoring/timing products, call 605-697-4300 or 800-325-8766.

All Sport®, GoldSM, PanaView®, Tuff Sport®, and UniView™ are trademarks of Daktronics, Inc. Martin Senour® is a registered trademark of its owner.

SL052107-04463 Page 3 of 3 Copyright © 2003-2006 Daktronics, Inc.

For faster service call the appropriate sales group toll-free:

800-DAKTRONICS (800-325-8766) General Sales
888-DAK SCORE (888-325-7267) High School/Park & Rec Sales
888-DAK SIGN (888-325-7446) Commercial Sales
800-558-9526 Business Communications Sales
888-DAK TIME (888-325-8463) College/University Sales
888-CHRONDEK (888-247-6633) Auto Racing Sports

