



NEW BUS PROPOSAL

30355 S.E. Highway 212
Boring, Oregon 97009
(800) 258-2473 westernbus.com

Quote Date		Revision Date		Sales Consultant & Phone	
9/15/2025		9/15/2025		SARAH JONES (503) 905-0011	
Customer/District #					
CORBETT SCHOOL DISTRICT					
Contact Name			Title		
TODD WILLIAMS			TRANSPORTATION SUPERVISOR		
Address		City	State	Zip	
35800 HISTORIC COLUMBIA RIVER HWY		CORBETT	OR	97019	
Phone		Email			
(503) 261-4265		TWILLIAMS@CORBETT.K12.OR.US			
Purchase QTY	Model Year	Wheelbase	Estimated Delivery		
1	2026	273"	270-300 DAYS AFTER RECEIPT OF ORDER		
Make	Model	Body Length			
BLUE BIRD	ALL AMERICAN REAR ENGINE	T3RE4006 (8400)			
Passenger Capacity	Alternate Capacity	Cooperative Contract, if Applicable			
84	N/A	SALEM-KEIZER COOP RFP			
Trade Ins? Y/N	Beltline Lettering - Provide Exact Requirements				
<input type="checkbox"/> Y <input type="checkbox"/> N	CORBETT SCHOOL DISTRICT NO. 39				
Financing? Y/N	Required Fleet Number(s)				
<input type="checkbox"/> Y <input type="checkbox"/> N					
WBS Coordinated? Y/N	Additional Comments / Notes				
<input type="checkbox"/> Y <input type="checkbox"/> N	GVWR OF 36,200 LBS.				
Sales Price Per Bus		\$	457,738.00		
Extended Sales Price Total		\$	457,738.00		

Thank you for the opportunity to present this new bus quotation. We look forward to working with you on your transportation needs.



BODY MODEL

X	Body Model	T3RE4006, 84 passenger body, 273" w/b, 489" overall length
---	------------	--

CHASSIS SPECIFICATIONS

X	Alternator	NO alternator provided for electric motor	
X	Axle, Front	Two leaf parabolic taper front springs, 13,200 lb., Hendrickson Softek	STD
X	Axle, Front	Hendrickson NXT 13,200 lb. front axle with 50 degree wheelcut	STD
X	Axle, Front	Synthetic based oil lubed front & rear wheel bearings, 80W/140	
X	Axle, Rear	Rear spring suspension, one-stage, 23,000 lb.	
X	Axle, Rear	Dana 23,000 lb. rear axle with 5.29 rear axle ratio	
X	Battery	Battery, auxiliary qty 2 DEKA Group 31, 12V w/ 925 cca, reserve capacity of 190 minutes	
X	Battery - EV	High voltage battery system, 194kw, Energy Storage Module (ESM) is 2 strings of 7 for 14 batteries total	
X	Battery - EV	12s2p cell connection in module, combined energy rating of batteries 194 kWh w/ 618 VDC & 314 Ah nominal	
X	Battery - EV	LEVEL 2 & LEVEL 3 charging capabilities with CCS1 plug, 88% usable battery capacity	
X	Battery - EV	Lithium-ion-nickel-manganese-cobalt batteries & Battery Management System (BMS)	
X	Battery - EV	Each set of 7 strings is wired in series & each string is wired in parallel to each other	
X	Battery - EV	Each string can operate independent, no single point failure causes bus to be inoperable	
X	Battery	Battery compartment, chassis mounted, locking, with roll out tray	
X	Battery	Battery compartment closeout seal to body	Inc'd
X	Battery	Battery disconnect switch, in battery compartment, for EV with decal	
X	Brakes	Air service brakes, 16.5"X6" front and 16.5"X8.62" rear, Gunit brand brake drums	
X	Brakes	Air brakes, Meritor Wabco brake chambers	STD
X	Brakes	Meritor automatic slack adjusters	STD
X	Brakes	Oil slinger keeps oil away from brake lining if wheel seal leaks	STD
X	Brakes	Bendix AD-9 heated air dryer	
X	Brakes	Remote mounted air tank drain valves, in driver's side front wiper motor door	
X	Brakes	E-Z Grip soft button cover cushion for parking brake release	Inc'd
X	Brakes	Parking brake interlock, service brake must be applied to release parking brake	Inc'd
X	Brakes	Brake dust shields, for front & rear brakes, for drum brakes	Inc'd
X	Brakes	Suspended brake & accelerator pedals w/ optimized spacing	STD
X	Brakes	Bendix ESC electronic stability control, includes automatic traction control	STD
X	Bumpers	License plate bracket for front bumper	Inc'd
X	Cooling	Coolant, to -34 degrees for electric motor	
X	Electrical	Standard chassis electrical system includes fuses	STD
X	Electrical	Power socket accessory with cap for cell phone charging, in LH side panel	STD
X	Electrical	Ignition keyed alike, key #601	Inc'd
X	Engine	Cummins electric powered LSM200C-HV3000 motor with 315 hp and 750 lbs of torque	
X	Engine	Pedestrian alert system with noise generator for EV	
X	Engine	Over the air telematics for Cummins Accelerate EV package	
X	Electrical	DELETE standard cruise control for electric motor	
X	Engine	Top hinged solid rear engine door with non-locking gas shocks	STD
X	Engine	Engine governor, limits top speed to 65 mph for electric motor	
X	Fuel System	Level 2 AC/Level 3 DC fast charging system charging capability, using CCS1 combination plug	
X	Fuel System	V2G capable, electricity back to grid, must discuss w/local electricity provider	
X	Fuel System	NON-locking door, spring loaded for charging port	

X	Fuel System	Rear charging port installed in rear motor access compartment door	Inc'd
X	Gauges	Speedometer, tachometer, odometer, and hourmeter	STD
X	Gauges	Ametek Dixon instrument cluster & message display center control panel	STD
X	Gauges	Back-up camera monitor included in dash instrument cluster display	STD
X	Lights	LED headlights	STD
X	Mud Flaps	Full length front and rear mud flaps	Inc'd
X	Steering	Tilt & telescoping steering column	STD
X	Tires	Goodyear 11R22.5 Endurance RSA hwy tread front, Fuel Max RTD traction rear, load range H	
X	Tires	Balance rear wheels	
X	Tow Hooks	Two front and rear tow hooks	Inc'd
X	Traction	Onspot automatic tire chains installed locally with electric motor	
X	Undercoating	Premium undercoating, Sulfonate enhanced direct to metal modified wax coating	STD
X	Wheels	Hub piloted steel wheels, 22.5 X 8.25, black, 5 hand hole	STD

BODY SPECIFICATIONS

X	Compartments	Electrical access panel below driver window in skirt, locking	Inc'd
X	Compartments	Rear engine compartment door and access panels, non-locking	STD
X	Compartments	Wiper access panels below windshield, non-locking	STD
X	Compartments	Emergency equipment compartment over windshield, non-locking, emergency equipment installed inside	
X	Compartments	Interior driver's storage compartment over driver's LH shoulder, locking	
X	Compartments	Side luggage, 20.75" X 22" X 80", double, 20 cu.ft., #186-19, LH midmount for EV buses	
X	Construction	Body meets Colorado Rack & Load Test & Kentucky Pole Test as STANDARD	STD
X	Decals	Blue Bird logo on roof line RH & LH, black with electric plug	
X	Doors	Air operated entrance door, outward opening, mechanical actuated switches	Inc'd
X	Doors	Keyed security lock on entrance door	
X	Doors	Entrance door wired battery hot	Inc'd
X	Doors	Left side emergency door with telescopic retainer	Inc'd
X	Doors	Vandal lock on side emergency door, slide bolt & rear emergency window, plug lock style	
X	Electrical	Manual resetting circuit breakers for most body circuits, in lieu of fuses	
X	Electrical	Front upper inner access plates in front bulkhead area, both sides	STD
X	Fans	6" auxiliary fans, upper left and upper center	Inc'd
X	Floor	5/8" marine "BB" grade plywood flooring, screwed down	Inc'd
X	Floor	Black rubber flooring with aluminum aisle trim	STD
X	Floor	Ribbed matching rubber flooring in driver's area (blue floor will be smooth)	STD
X	Grabrail	Left side grabrail in entrance door area, mounted to RH barrier	STD
X	Grabrail	Right side forward grabrail in stepwell	
X	Headroom	77" headroom with 12" split sash windows	STD
X	Heaters	Front 90,000 BTU defroster system	STD
X	Heaters	Driver's foot warmer heater, 12,000 BTU	Inc'd
X	Heaters	Rear underseat floor mounted heater, 50,000 BTU, LH rear	
X	Heaters	Rear underseat floor mounted heater, 50,000 BTU, LH mid	
X	Heaters	EPDM heater hose with Breeze brand constant torque clamps	STD
X	Horns	Backup alarm, 112 dBA, mounted under bus	Inc'd
X	Insulation	Fiberglass insulation roof, front, rear corners, and sidewalls	Inc'd
X	Insulation	Additional fiberglass insulation in front roof cap area & roof bow cavities	Inc'd
X	Insulation	Sound deadening spray coat	Inc'd

X	Insulation	Insulation on the driver's side external firewall/toe box	Inc'd
X	Insulation	First two ceiling sections acoustical headliner	STD
X	Lettering	6" black, both sides _____	Inc'd
X	Lettering	Bus numbers in standard locations, 6" black _____	Inc'd
X	Lettering	Emergency door/exit lettering for all pushout windows & doors	Inc'd
X	Lettering	Unlawful to pass signage to meet state specifications	Inc'd
X	Lights	Backlighting of switch panel controlled by rheostat switch	STD
X	Lights	Clearance and cluster lights, LED grommet mounted with LED ID bar	STD
X	Lights	Daytime running lights	STD
X	Lights	LED stepwell lights	STD
X	Lights	Dual row dome lights in wire molding, with driver's, left, right, & rear on switches	Inc'd
X	Lights	Front 7", rear 7", & side amber directional lights, LED	Inc'd
X	Lights	Rear 7" & 4" red stop and tail lights, LED	STD
X	Lights	Backup lights, 4" LED, vandal resistant	STD
X	Lights	Eight way warning lights, LED, colored lenses	
X	Lights	Strobing pattern option for LED 8-lights	
X	Lights	Doran 16 light monitor for warning light system, universal	
X	Lights	NO hoods installed over 8-way warning lights	STD
X	Mirrors	Rosco Open View ES Split rearview mirrors, 7 3/8" X 10" flat & 7 3/8" X 10" convex, heated & remote controlled	
X	Mirrors	Rosco Eye-Max LP, Asymmetrical Shape, crossview mirrors, heated	
X	Mirrors	Interior rearview mirror, 6"X30"	STD
X	Paint	Body and chassis painted school bus yellow w/ black rubrails & bumpers	STD
X	Paint	3" black ABS bezel background around warning lights	Inc'd
X	Paint	Rubrails painted full width profile	Inc'd
X	Radio	REI AM/FM/USB/Auxiliary/BT/PA with front USB and AUX inputs	Inc'd
X	Radio	Eight (8) interior deluxe speakers	Inc'd
X	Radio	Exterior PA speaker mounted behind grill	Inc'd
X	Radio	Wiring for two way radio system, provides power & ground wires & pull wire	
X	Radio	Order 2-way, antenna, & programming from Day Wireless, Western Bus to install before delivery	
X	Reflective	3M Diamondgrade SCHOOL BUS signs, front and rear	Inc'd
X	Reflective	3M Diamondgrade reflective, 2" along sides and 1.75" rear outline	Inc'd
X	Rubrails	Four rubrails - window, seat, floor, & skirt level - 16 gauge steel, screwed w/steel end caps	STD
X	Rubrails	Rubrails extend on side lift doors only & seat rail around to rear corner	STD
X	Safety Equip	First aid kit, body fluid kit, 5 lb. fire extinguisher, triangle kit, & seat belt cutter	Inc'd
X	Seat, Barriers	Highback barriers at front RH and LH	STD
X	Seat, Driver's	Adjustable driver's shoulder belt, with in-line "D" ring for 17" adjustment	STD
X	Seat, Driver's	Updated driver's 3 point seat belt, floor mtd w/ emergency locking retractor	STD
X	Seat, Driver's	Fasten seat belt warning light & buzzer for driver's seat belt, belt to be orange in color	
X	Seat, Driver's	Driver's seat mounted at floor level (no seat platform)	STD
X	Seat, Driver's	National Premium air susp. seat, w/ fabric, dual shocks, triple lumbar support, 6-way front cushion adj, black	
X	Seat, Driver's	Driver's console mounted armrest to the left of the driver	Inc'd
X	Seat, Driver's	Driver's seat armrest, for right side of seat only	
X	Seat, Passenger	Modesty panel below front barrier for RH side, behind entrance door	Inc'd
X	Seat, Passenger	Highback NON-Convertible & NON-Lap Belt Ready seats	STD
X	Seat, Upholstery	Gray fire block seat upholstery, seats & barriers	STD

X	<i>Side Panels</i>	Exterior side panels, 20 gauge w/beaded smooth side panels, standard 19 3/4" skirts	STD
X	<i>Stepwell</i>	Galvanized G90 stepwell material	STD
X	<i>Stepwell</i>	Vinyl studded step treads, w/white nosing, metal backing, black	Inc'd
X	<i>Stepwell</i>	Stepwell skid plate for stepwell protection	Inc'd
X	<i>Stop Arm</i>	SMI stop arm, air operated, with LED cluster lights, hi-reflective, w/ wind guard	Inc'd
X	<i>Stop Arm</i>	Crossing arm, with polycarbonate blade, air operated	Inc'd
X	<i>Stop Arm</i>	Magnetic latch for crossing arm	Inc'd

X	Sun Visor	6 1/2" X 30" dark tinted acrylic sun visor, padded edges	Inc'd
X	Switches	Noise suppression "railroad" switch, latching	Inc'd
X	Switches	Warning light & entrance door switches mtd RH switch panel	Inc'd
X	Ventilation	Roof hatch, Safet Fleet Advantage with upgraded larger HD handle, Qty 2	Inc'd
X	Video System	Pre-wire for video system, 16 gauge ground wires, + ignition & battery hot wires w/6 amp circuit	Inc'd
X	Video System	Seon DH4 DVR video system w/500 GB hard drive, 2 cameras, GPS & sensors installed	
X	Video System	Cameras: Front facing & rear facing front, DVR mounted in LH side of front overhead compartment	
X	Video System	Spare hard drive for new DH system shipped loose, 1 per bus	
X	Windows	Blue Bird E-Z Window split sash incl. interlocking sashes, weatherstripping	STD
X	Windows	Tinted & tempered side windows	
X	Windows	Four (4) pushout windows, two per side, vertical hinges	Inc'd
X	Windows	Rear emergency window glass, tinted & tempered, no rear side vision glass	
X	Windows	Clear & tempered entrance door glass	STD
X	Windows	Clear and tempered glass in driver's window	STD
X	Windshield	Two piece, curved bonded tinted windshield	STD
X	Windshield	Grip handles, two, for cleaning windshield	Inc'd
X	Windshield	Single switch, 2 speed, intermittent wet arm windshield wipers	STD

WARRANTY COVERAGE

X	Warranty	Extended Blue Bird warranty "Silver 3/10", three year/unlimited miles, Option 31300-26 (S4)	
X	Warranty	Cummins PowerDrive System Standard Warranty 5 years/100,000 miles for EV	STD
X	Warranty	High Voltage Battery System Standard Warranty 8 years/195MWhrs for 194kW battery	STD

NOTES/COMMENTS

X	Notes/Comments	All options listed above the price are included in the sales price to you	
X	Notes/Comments	Pricing quoted is valid for 30 days	

Vehicle Sales Price	\$	442,738.00
Current Tariff Charge Subject to Change**	\$	15,000.00
Credit for 90% Payment by RFD at Blue Bird***	\$	-
GRAND TOTAL VEHICLE SALES PRICE	\$	457,738.00

By signing below, I acknowledge the specifications listed above are complete and correct.
The bus order will be placed from this list of requirements.



[Redacted Signature Area]

Customer's Authorized Representative

Title

Date

Director of Sales

9/15/2025

Western Bus Sales, Inc. Authorized Representative

Date

AVAILABLE ALTERNATIVE OPTIONS - NOT INCLUDED IN ABOVE PRICE

**Due to newly implemented tariffs on raw materials & components, any resulting price increases from our manufacturers has been passed through to the end user. While we strive to minimize the impact, these adjustments will be reflected in the final price of the vehicle at invoicing time. Blue Bird has currently set the tariffs for Type D EV buses built by 3/31/26 at \$15,000 shown above. Tariffs charges for buses finishing at Blue Bird after this date are still unknown.

*** Please note that Western Bus is offering a program to help offset tariff charges. Should the district be able to pay an advanced deposit of 90% of the total sales price per bus at the time of Blue Bird factory ready, a discount for reduced interest flooring costs can be deducted from the sales price. Please let us know if you are interested in information on this program.

SEAT & BODY PLAN

Usage : School Bus State: OREGON BP: 5015842


PLBT:
T3RE

Length:4006
Wheelbase:
273.0
Usage:
School Bus
Body Plan
5015842



PLBT:
T3RE

Length:
4006
Wheelbase:
273.0
Usage:
School Bus
Body Plan
5015842




Seat Plan #
16369
Capacity:
84

SP: 16369 T3RE 4006, 84 CAP



BP: 5015842 T3RE 4006 273 WB

SP: 16369 T3RE 4006, 84 CAP



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	39SBHB	39SBHB
7	39SBHB	39SBHBFM
8	39SBHB	39SBHBFSLH
9	39SBHB	39SBHB
10	39SBHB	39SBHB
11	39SBHB	39SBHB
12	39SBHB	39SBHB
13	39SBHB	39SBHB
14	39SBHBRRDAV	39SBHBRRDAV

T3RE4006 SED7L SBHB FLIP

DO NOT SCALE

T3RE 4006

Capacity	84
Seat Plan #	16369
Wheelbase	273.0