

**Tupelo Public School District
 THS Administration Building
 Parking Additions
 Tupelo, Mississippi**

REVISION:	DATE / DESCRIPTION

Tupelo High School
 4125 Golden Wave Drive
 Tupelo, MS 38801

SCHEMATIC DESIGN
 NOT FOR CONSTRUCTION

PROJECT NUMBER
19017.00

DATE: 09.20.2019
 DRAWN BY: S. SLOAN
 CHECKED BY: S. SLOAN

L300

GRADING NOTES:

1. Due to unknown existing conditions, contractor shall field verify existing elevations and as needed, make adjustments to ensure slopes indicated are achieved.
2. No improvements are proposed outside of construction limits; however contractor shall be required to do minor grading work consisting of lowering or raising of grade adjacent to existing structures as required by landscape architect if deemed necessary. Minor grading shall be absorbed by contractor.
3. Spot elevations shown are recommendations of finished pavement elevation. Contractor shall coordinate with landscape architect on site elevations with landscape architect. If any adjustments to the elevations of the site has been done and the spot elevations locations have been staked with a curfitt to proposed finished grade at each location.
4. Proposed elevations indicate finished conditions. For rough grading elevations allow for thickness of subgrade (18" for asphalt) and street paving and curbs to remain. All materials protected from damage, and if damaged, shall be replaced to preconstruction conditions promptly at no cost to the owner.
5. All testing shall be performed by an owner approved testing laboratory at the expense of the contractor.
6. Spot elevations indicated are for bottom face of curb unless otherwise noted.

