

CEILING, OPTIONS

ACOUSTICAL, FRONT TWO PANELS ONLY
2" INSULATION IN ROOF

-\$500.00
N/A

FLOOR, RUBBER or VINYL

MFG. STANDARD COLOR BLACK INCL. STEP TREADS
RUBBER/VINYL IN DRIVERS COMP. AND OVER WH HSGS
WHEEL HOUSING COLOR BLACK
5/8" EXTERIOR PLYWOOD

FLOOR, OPTIONS

INDICATE COLOR OPTION BROWN
INDICATE COLOR OPTION GREY
RUBBER FLOORING FULL LENGTH OF THE BUS
VINYL FLOORING FULL LENGTH OF THE BUS
ONE PIECE FLOOR OPTION
PLYWOOD, MARINE GRADE

\$202.40
\$202.40
STD
NA
NA
\$69.00

INTERIOR, OPTIONS

PADDED SHOULDER RAILS

\$161.00

SEATS

42 OZ MATERIAL, FIRE RETARDANT
WITHOUT WELTING
STANDARD COLOR PROVIDED BROWN
HIGH BACK SEATS 28"

SEATS, OPTIONS

52 OZ MATERIAL, COMPLETE BUS
FIRE BLOCK MATERIAL
DOUBLE STITCHING ON SEAMS
COLOR OPTIONS BLUE
COLOR OPTIONS GREEN
COLOR OPTIONS GREY

NA
\$323.84
NA
\$323.84
\$323.84
NC

WINDOWS

TEMPERED, CLEAR
STANDARD WINDOW HEIGHT ___" UPPER & LOWER COMB.

WINDOWS, OPTIONS

BLACK SASH
BLACK SASH WITH AREA BETWEEN WINDOWS BLACK
TEMPERED, CLEAR W/ HIGH HEADROOM
TEMPERED, TINTED W/ HIGH HEADROOM
LAMINATED, CLEAR W/ HIGH HEADROOM
LAMINATED, TINTED W/ HIGH HEADROOM

\$73.60
N/A
STD
\$50.60
\$971.52
\$971.52

INTERIOR, OPTIONS

PADDED SHOULDER RAILS

\$161.00

SEATS

42 OZ MATERIAL, FIRE RETARDANT
WITHOUT WELTING
STANDARD COLOR PROVIDED **BROWN**
HIGH BACK SEATS 28"

SEATS, OPTIONS

52 OZ MATERIAL, COMPLETE BUS
FIRE BLOCK MATERIAL
DOUBLE STITCHING ON SEAMS
COLOR OPTIONS **BLUE**
COLOR OPTIONS **GREEN**
COLOR OPTIONS **GREY**

NA
\$364.32
NA
\$364.32
\$364.32
NC

WINDOWS

TEMPERED, CLEAR
STANDARD WINDOW HEIGHT " UPPER & LOWER COMB.

WINDOWS, OPTIONS

BLACK SASH
BLACK SASH WITH AREA BETWEEN WINDOWS BLACK
TEMPERED, CLEAR W/ HIGH HEADROOM
TEMPERED, TINTED W/ HIGH HEADROOM
LAMINATED, CLEAR W/ HIGH HEADROOM
LAMINATED, TINTED W/ HIGH HEADROOM

\$92.00
N/A
STD
\$50.60
\$1,214.40
\$1,214.40

BODY SIZE DIMENSION 47 PASSENGER

PASSENGER CAPACITY
SEAT SPACING PROVIDED
WHEEL BASES AVAILABLE

25' 08"
47-48
31.25"
217.00

BASE PRICE PER SPECIFICATIONS

\$80,854.00

AISLES

RIBBED CENTER AISLE
COLOR TO MATCH FLOORING
STRIPLESS

AISLE OPTIONS

ALUMINUM STRIPS
STAINLESS STEEL STRIPS
GALVALUME STRIPS

STD
\$326.60
N/A

BODY PANELS

20 GAUGE STANDARD
22 GAUGE INTERNAL SIDE PANELS

BODY PANELS, OPTIONS

16 GAUGE SMOOTH SIDE PANELS
20 GAUGE REEDED SIDES

\$500.00
STD

CEILING,

1-1/2 INSULATION IN ROOF
INSULATED ROOF BOW CAVITIES
22 GAUGE PANELS
ACOUSTICAL, FULL LENGTH

CEILING, OPTIONS

ACOUSTICAL, FRONT TWO PANELS ONLY
2" INSULATION IN ROOF

| |
|-----------|
| |
| |
| -\$500.00 |
| N/A |
| |

| |
|--|
| |
| |
| |
| |
| |

20 GAUGE STANDARD
22 GAUGE INTERNAL SIDE PANELS

BODY PANELS, OPTIONS

16 GAUGE SMOOTH SIDE PANELS
20 GAUGE REEDED SIDES

| | |
|----------|--|
| | |
| | |
| | |
| | |
| \$500.00 | |
| STD | |
| | |

CEILING, OPTIONS

ACOUSTICAL, FRONT TWO PANELS ONLY
2" INSULATION IN ROOF

| |
|-----------|
| |
| |
| -\$500.00 |
| N/A |
| |

| |
|--|
| |
| |
| |
| |
| |

52 OZ MATERIAL, COMPLETE BUS
 FIRE BLOCK MATERIAL
 DOUBLE STITCHING ON SEAMS
 COLOR OPTIONS BLUE
 COLOR OPTIONS GREEN
 COLOR OPTIONS GREY

| |
|----------|
| N/A |
| \$526.24 |
| NA |
| \$526.24 |
| \$526.24 |
| NC |
| |

| |
|--|
| |
| |
| |
| |
| |
| |
| |

WINDOWS

TEMPERED, CLEAR
STANDARD WINDOW HEIGHT ____" UPPER & LOWER COMB.

WINDOWS, OPTIONS

BLACK SASH
BLACK SASH WITH AREA BETWEEN WINDOWS BLACK
TEMPERED, CLEAR W/ HIGH HEADROOM
TEMPERED, TINTED W/ HIGH HEADROOM
LAMINATED, CLEAR W/ HIGH HEADROOM
LAMINATED, TINTED W/ HIGH HEADROOM

BODY SIZE DIMENSION 81 PASSENGER

PASSENGER CAPACITY
SEAT SPACING PROVIDED
WHEEL BASES AVAILABLE

BASE PRICE PER SPECIFICATIONS

BODY SIZE DIMENSION 81 PASSENGER

PASSENGER CAPACITY
SEAT SPACING PROVIDED
WHEEL BASES AVAILABLE

BASE PRICE PER SPECIFICATIONS

AISLES

RIBBED CENTER AISLE
COLOR TO MATCH FLOORING
STRIPLESS

AISLE OPTIONS

ALUMINUM STRIPS
STAINLESS STEEL STRIPS
GALVALUME STRIPS

| | |
|-------------|-------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| \$119.60 | |
| N/A | |
| STD | |
| \$50.60 | 50.60 |
| \$1,578.72 | |
| \$1,578.72 | |
| | |
| 35' 07" | |
| 71-77 | |
| 27.90 | |
| 280.00 | |
| | |
| \$85,162.00 | |
| | |
| 35' 07" | |
| 81-83 | |
| \$26.50 | |
| \$280.00 | |
| | |
| \$88,426.00 | |
| | |
| | |
| N/A | |
| N/A | |
| N/A | |
| | |
| | |
| STD | |
| \$326.00 | |
| N/A | |
| N/A | |

ADDITIONAL WRAP AROUND RUBRAIL
CAULKING TOP OF EXTERIOR RUBRAILS

EACH SET

| |
|----------|
| \$27.60 |
| \$133.40 |
| |
| |
| |
| |

| |
|--|
| |
| |
| |
| |
| |
| |

SEAT BELT FOR DRIVER
3 POINT RETRACTABLE

HEATER OPTIONS FOR FLAT FLOOR:

WALL HEATER BTU 40,000
 WALL HEATER BTU 80,000
 ADDITIONAL HEATER INSTALLED 80,000 BTU. LH LOC.
 ADDITIONAL HEATER INSTALLED 50,000 BTU. LH LOC.
 ADDITIONAL HEATER INSTALLED _____ BTU. _____ LOC.
 ADDITIONAL HEATER INSTALLED _____ BTU. _____ LOC.
 RIGHT SIDE MOUNTED HEATER 80,000 BTU
 RIGHT SIDE MOUNTED HEATER 50,000 BTU
 RIGHT SIDE MOUNTED HEATER _____ BTU
 DELETION OF MIDSHIP HEATER
 DELETION OF REAR HEATER
 RADIANT HEAT, BOTH SIDES OF THE BUS, FULL LENGTH

DOOR LOCATION:

FRONT

DOOR LOCATION, OPTIONS:

MIDSHIP, DIRECTLY BEFORE REAR WHEELS
 REAR, BEHIND REAR WHEELS
 (VERIFY WITH DEALER EXACT LOCATION AND BODY SECTION
 DOOR IS INSTALLED)

TYPE OF LIFT

BRAND RICON MODEL K5510
 DOOR REQUIRED X
 PLATFORM DIMENSIONS X
 BRAND RICON MODEL S2005
 DOOR REQUIRED X
 PLATFORM DIMENSIONS X
 BRAND BRAUN MODEL NCL9454
 DOOR REQUIRED X
 PLATFORM DIMENSIONS X
 BRAND BRAUN MODEL NCL919
 DOOR REQUIRED X
 PLATFORM DIMENSIONS X

TIEDOWNS: PER POSITION "L" TRACK

BRAND Q-STRAINT MODEL 8100 LATCH _____
 BRAND SURE-LOCK MODEL FF612 LATCH _____
 BRAND Q-STRAINT MODEL QRT LATCH _____
 BRAND SURE-LOCK MODEL _____ LATCH _____

TRACKING: PER POSITION

"L" TRACKING 2 FLUSH TRACKS
 "L" TRACKING 4 FLUSH TRACKS

BARRIERS:

BARRIER, BOLT MOUNTED, 2 TOTAL PER BUS

BARRIER OPTIONS: BOLT MOUNTED EACH

39" BARRIER
 36" BARRIER
 30" BARRIER
 DELETE BARRIERS, EACH

BARRIER OPTIONS: TRACK MOUNTED EACH

TWO TRACK MOUNTED BARRIERS IN LIEU OF BOLT MOUNTED
 39" BARRIER
 36" BARRIER
 30" BARRIER

| | | |
|--|------------|--|
| | \$437.00 | |
| | \$616.40 | |
| | \$455.40 | |
| | \$358.80 | |
| | NA | |
| | NA | |
| | \$533.60 | |
| | \$358.80 | |
| | NA | |
| | -\$360.00 | |
| | -\$420.00 | |
| | NA | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | NC | |
| | NC | |
| | | |
| | | |
| | | |
| | \$3,095.80 | |
| | | |
| | | |
| | \$3,569.60 | |
| | | |
| | | |
| | \$3,670.80 | |
| | | |
| | | |
| | \$3,491.40 | |
| | | |
| | | |
| | | |
| | | |
| | \$437.00 | |
| | \$450.80 | |
| | \$823.40 | |
| | \$772.80 | |
| | | |
| | | |
| | NA | |
| | \$202.40 | |
| | | |
| | | |
| | STD | |
| | | |
| | | |
| | \$225.00 | |
| | \$170.00 | |
| | \$155.00 | |
| | -\$155.00 | |
| | | |
| | | |
| | \$299.00 | |
| | \$165.60 | |
| | \$138.00 | |
| | \$147.20 | |

FUEL HEATER, IN LINE
 FUEL HEATER, IN-FUEL TANK
 ELECTRIC MANIFOLD GRID HEATER
 FUEL PRIMER PUMP
 240 HP 560 FTLBTQ
 FORD 6.8 L V10 362 H.P. GAS POWERED 450 LB
 FORD 6.8 L V10 PROPANE POWERED LOW NOX 0.02
 FORD 7.3L GAS OR PROPANE POWERED WHEN AVAILABLE

| | |
|------------|---------|
| STD | |
| NA | |
| STD | |
| STD | |
| N/A | |
| -\$400.00 | -400.00 |
| \$6,950.00 | |
| \$500.00 | 0.00 |

RADIATORS:

OIL COOLER X INTERNAL _____ EXTERNAL _____
MAJOR MAT'L USED ALUMINUM

RADIATOR OPTIONS:

SHUTTERS, HYDRAULIC \$772.80
SHUTTERS, AIR \$657.80
WINTER FRONTS, SNAP ON, INDICATE COLOR BLACK \$85.00
BUG SCREEN \$46.00

FAN CLUTCH:

ELECTRIC OPERATED FAN CLUTCH STD
DRIVE MASTER 2 SPEED NA
ELECTRO - MAGNETIC FAN CLUTCH NA

FUEL-WATER SEPARATOR:

RACOR 490 W/PRIMER PUMP STD
RACOR 790R W/ELECTRIC PUMP \$161.00
RACOR 690R30 NA
FLEETGARD W/HEATER AND LIGHT NA
ALLIANCE W/HEATER, LIGHT AND PUMP NA
OTHER SEPARATORS OFFERED _____ NA

EXHAUST SYSTEM

LEFT DISCHARGE, LEFT SIDE OF FRAME, BELOW BUMPER

EXHAUST SYSTEM, OPTIONS:

LEFT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER \$0.00
LEFT SIDE DISCHARGE, IN FRONT OF DUALS \$0.00
90 DEGREE TURN DOWN ON TAIL PIPE NA
HEAT SHIELD BETWEEN MUFFLER/FUEL TANK NA
STAINLESS STEEL UNDER BUMPER \$184.00
STAINLESS STEEL TURN DOWN \$184.00
STAINLESS STEEL SIDE FRONT OF DUALS \$59.80

FENDERS/HOOD:

EASY LIFT HOOD, 15 LBS. MAX. _____ LBS.

FRAME:

MFG.'S. STANDARD, APPROX. 254" W.B.
TOW HOOKS, FRONT AND REAR
FRAME 50.000 PSI STRENGTH



FRAME, OPTIONS:

TRAILER HITCH WITH ELECTRICAL PLUG \$700.00
WHEEL BASE 158" BODY LENGTH AVAIL. _____ NA
WHEEL BASE 170" BODY LENGTH AVAIL. _____ NA
WHEEL BASE 179" BODY LENGTH AVAIL. _____ NA
WHEEL BASE 189" BODY LENGTH AVAIL. 23' 11" \$0.00
WHEEL BASE 193" BODY LENGTH AVAIL. _____ NA
WHEEL BASE 199" BODY LENGTH AVAIL. _____ NA
WHEEL BASE 217" BODY LENGTH AVAIL. 26' 10" \$0.00
WHEEL BASE 218" BODY LENGTH AVAIL. _____ NA
WHEEL BASE 219" BODY LENGTH AVAIL. _____ NA
WHEEL BASE 236" BODY LENGTH AVAIL. _____ NA
WHEEL BASE 238" BODY LENGTH AVAIL. 28' 07" \$0.00
WHEEL BASE 252" BODY LENGTH AVAIL. 30' 11" \$0.00
WHEEL BASE 254" BODY LENGTH AVAIL. _____ NA
WHEEL BASE 259" BODY LENGTH AVAIL. _____ NA
WHEEL BASE 273" BODY LENGTH AVAIL. 33' 10" \$0.00
WHEEL BASE 276" BODY LENGTH AVAIL. _____ NA
WHEEL BASE 279" BODY LENGTH AVAIL. _____ NA
WHEEL BASE 280 BODY LENGTH AVAIL. 35' 07" \$0.00
WHEEL BASE _____ BODY LENGTH AVAIL. _____ NA

WHEEL BASE ____ " BODY LENGTH AVAIL. _____.

FUEL TANK:

APPROX. 60-65 GALLONS, RIGHT SIDE MOUNTED
ACCESS PLATE FOR SENDER UNIT REPLACEMENT
FUEL DOOR INCLUDED





INDICATE BUMPER-TO-BUMPER RADIUS / WHEEL BASE

| | | |
|------------------|----------------|--------|
| _____ WHEEL BASE | _____ ' _____" | RADIUS |
| _____ WHEEL BASE | _____ ' _____" | RADIUS |
| _____ WHEEL BASE | _____ ' _____" | RADIUS |
| _____ WHEEL BASE | _____ ' _____" | RADIUS |

Two vertical rectangular boxes, each divided into five horizontal sections. The boxes are empty and intended for drawing or diagrams.

ADDITIONAL OPTIONS:

ITEM Ford 6R140 6 SPEED W/PROPANE OR GAS
 ITEM ****Transport to dealer for warranty repair CUMMINS 5YR**
 ITEM **** Transport to dealer for warranty repair GAS and PROPANE 5YR**
 ITEM **** contact dealer for coverage details**
 ITEM _____
 ITEM _____

| | | |
|--|------------|--|
| | | |
| | \$0.00 | |
| | \$2,500.00 | |
| | \$550.00 | |
| | | |
| | NA | |
| | NA | |

SUBTOTAL CHASSIS AND OPTIONS

2,826.44

DISCOUNTS

2 TO 3 UNITS
4 TO 5 UNITS
6 TO ___ UNITS

**UNITS
PURCHASED**

| | | | |
|--|-----------|--|------|
| | -\$300.00 | | 0.00 |
| | -\$500.00 | | 0.00 |
| | -\$750.00 | | 0.00 |

FREIGHT DELIVERY CHARGE: FACTORY TO DEALER

\$2,000.00

2,000.00

DELIVERY

LOCATION OF DEALERSHIP DULUTH, MN
 DELIVERY CHARGE TO DISTRICT 0.00 PER MILE
 MINIMUM CHARGE FOR DELIVERY IN LIEU OF MILEAGE

MILES

| | | |
|------|---|--|
| 0.00 | # | |
| 0.00 | | |

TRANSFER THE HIGHER OF THE TWO VALUES (F1837 or F1839) TO THE TALLY COLUMN

MANUALS; LIST

SERVICE MANUAL MEDIA CD
 ACCESS TO ON LINE MANUALS
 ENGINE ELECTRONICS MANUAL
 CIRCUIT DIAGRAMS
 ENGINE SERVICE
 ENGINE TROUBLE SHOOTERS
 PARTS MANUAL
 DUPLICATE PARTS MANUAL
 4 HOUR WEB SITE TRAINING - ON DISTRICT SITE
 8 HOUR TECHNICAL TRAINING ON DISTRICT SITE
16 HOUR TRAINING OUR LOCATION

| | |
|----------|--|
| \$200.00 | |
| NA | |
| \$200.00 | |
| \$100.00 | |
| \$200.00 | |
| \$200.00 | |
| \$150.00 | |
| NA | |
| \$0.00 | |
| NA | |
| \$0.00 | |

TOTAL TAXABLE CHARGES
EXCISE TAX

94,617.88
6,150.16

WARRANTY:

ENGINE WARRANTY: CHOOSE ONLY ONE

ENGINE 6.7L BRAND CUMMINS
 YEARS 5 MILES 100,000 STANDARD WARRANTY
 YEARS 5 MILES 150,000
 YEARS 5 MILES 200,000
 YEARS 10 MILES 200,000
 YEARS ___ MILES ___

| | | |
|--|------------|--|
| | | |
| | | |
| | | |
| | \$2,500.00 | |
| | \$4,500.00 | |
| | \$6,500.00 | |
| | NA | |
| | | |
| | | |
| | | |
| | NA | |
| | NA | |
| | NA | |
| | NA | |

ENGINE ELECTRICAL WARRANTY: CHOOSE ONLY ONE

ENGINE ___ BRAND ___
 YEARS ___ MILES ___ STANDARD WARRANTY
 YEARS ___ MILES ___
 YEARS ___ MILES ___
 YEARS ___ MILES ___
 YEARS ___ MILES ___

ENGINE WARRANTY: CHOOSE ONLY ONE

ENGINE 6.8L BRAND FORD
YEARS 5 MILES UNLIMITED STANDARD WARRANTY
YEARS _____ MILES _____
YEARS _____ MILES _____
YEARS _____ MILES _____
YEARS _____ MILES _____

| |
|----|
| |
| |
| |
| NA |
| NA |
| NA |
| NA |

| |
|--|
| |
| |
| |
| |
| |
| |
| |

REPRESENTATIVE SIGNATURE

TIMOTHY HERSTAD
REPRESENTATIVE

9/29/2016
DATE