



# FloorPartners

## REVISED QUOTATION:

DATE: January 16, 2023

BID DATE: November 21, 2022

TO: Aledo Independent School District

RE: Coder Elementary School Re-Carpet  
Aledo ISD

ATTENTION: Chris Campbell

SALES TAX: Excluded

Chris, we are pleased to submit our quotation for work related at above referenced project and described below, including the following;

- 3,324.88 s/y of Interface "Cubic" i2 carpet tile or equal, Color: TBD
- 3 cartons of Interface "Cubic" i2 carpet tile or equal to be provided for attic stock, Color: TBD
- 4,320 l/f of Roppe 4" "700 Series" rubber cove base; Color: TBD
- 42 l/f of Roppe resilient transition strip
- 60 units of Uzin "888" patching compound
- Removal and disposal of the existing carpet
- Removal and disposal of the existing rubber base
- Removal of the existing carpet adhesive by mechanical "Dustless Scrape Away"
- All freight and Delivery

**Total \$130,460.00**

*Special Note: Included in our quote is 1 (one) bag of Uzin "888" waterproof patching compound per 500 s/f of finish flooring. Also, where moisture sensitive products are scheduled to be installed, we have included all cost associated with RH/PH/MVER testing.*

**Note! The following are specifically excluded: MOISTURE MITIGATION, MOVING AND/OR RE-INSTALLING FURNITURE, TEMPORARY HVAC SERVICES, MECHANICAL PROFILING OF POWER TROWELED SURFACES, MAJOR FLOOR PREPARATION, DUST PROTECTION, CAULKING, FLOOR SEALER(S), GRINDING OR LEVELING OF THE CONCRETE SUBSTRATE, VACUUMING, PROTECTION OF OUR FINISHED PRODUCT FROM DAMAGE BY OTHERS.**

Thank you,

Jeff Green  
Floor Partners, Inc.

## WOOD • CARPET • TILE • STONE

5212 Airport Freeway | Haltom City, TX 76117 | 817.735.8500 | Fax: 817.735.8551 | [www.FloorPartners.com](http://www.FloorPartners.com)



# FloorPartners

## REVISED QUOTATION:

DATE: January 16, 2023

BID DATE: November 21, 2022

TO: Aledo Independent School District

RE: Coder Elementary School Re-Carpet  
Aledo ISD

ATTENTION: Chris Campbell

SALES TAX: Excluded

Chris, we are pleased to submit our quotation for work related at above referenced project and described below, including the following;

- 83.72 s/y of Interface "Step Repeat" i2 walk-off carpet tile; Color: TBD
- 212 l/f of Roppe 4" "700 Series" rubber cove base; Color: TBD
- 3 units of Uzin "888" patching compound
- All freight and Delivery

**Total \$4,280.00**

*Special Note: Included in our quote is 1 (one) bag of Uzin "888" waterproof patching compound per 500 s/f of finish flooring. Also, where moisture sensitive products are scheduled to be installed, we have included all cost associated with RH/PH/MVER testing.*

**Note! The following are specifically excluded: MOISTURE MITIGATION, MOVING AND/OR RE-INSTALLING FURNITURE, TEMPORARY NVAC SERVICES, MECHANICAL PROFILING OF POWER TROWELED SURFACES, MAJOR FLOOR PREPARATION, DUST PROTECTION, CAULKING, FLOOR SEALER(S), GRINDING OR LEVELING OF THE CONCRETE SUBSTRATE, VACUUMING, PROTECTION OF OUR FINISHED PRODUCT FROM DAMAGE BY OTHERS.**


Thank you,

  
Jeff Green  
Floor Partners, Inc.

## WOOD • CARPET • TILE • STONE

5212 Airport Freeway | Haltom City, TX 76117 | 817.735.8500 | Fax: 817.735.8551 | [www.FloorPartners.com](http://www.FloorPartners.com)






VLK ARCHITECTS

ARCHITECT

VLK Architects, Inc.  
2821 West 7th Street, Suite 300  
Fort Worth, Texas 76107  
Main Phone: 817.633.1600  
www.vlkarchitects.com

ALEDO I.S.D.  
ALEDO, TEXAS



ISSUED: NOVEMBER 9, 2015

REVISIONS

Revision No.

Director LGV  
Designer JMH  
Proj. Arch. RER  
Drawn By ARM  
Quality Control VLK

PROJECT NO.

1537.00

SHEET TITLE

BUILDING ORIENTATION PLAN

SHEET NO.

A2.01

COPYRIGHT © 2015 VLK ARCHITECTS

Coder Elementary School Addition and Controlled Entry



1 BUILDING ORIENTATION PLAN  
SCALE: 1/16"=1'-0"





# FloorPartners

## REVISED QUOTATION:

DATE: January 17, 2023

BID DATE: November 21, 2022

TO: Aledo Independent School District

RE: McCall Elementary School Re-Carpet  
Aledo ISD

ATTENTION: Chris Campbell

SALES TAX: Excluded

Chris, we are pleased to submit our quotation for work related at above referenced project and described below, including the following;

- 3,970.72 s/y of Interface "Cubic" i2 carpet tile or equal, Color: TBD
- 3 cartons of Interface "Cubic" i2 carpet tile or equal to be provided for attic stock, Color: TBD
- 6,072 l/f of Roppe 4" "700 Series" rubber cove base; Color: TBD
- 804 l/f of Roppe resilient transition strip
- 72 units of Uzin "888" patching compound
- Removal and disposal of the existing carpet
- Removal and disposal of the existing rubber base
- Removal of the existing carpet adhesive by mechanical "Dustless Scrape Away"
- All freight and Delivery

**Total                    \$160,120.00**

***Special Note:** Included in our quote is 1 (one) bag of Uzin "888" waterproof patching compound per 500 s/f of finish flooring. Also, where moisture sensitive products are scheduled to be installed, we have included all cost associated with RH/PH/MVER testing.*

**Note! The following are specifically excluded:** MOISTURE MITIGATION, MOVING AND/OR RE-INSTALLING FURNITURE, TEMPORARY HVAC SERVICES, MECHANICAL PROFILING OF POWER TROWELED SURFACES, MAJOR FLOOR PREPARATION, DUST PROTECTION, CAULKING, FLOOR SEALER(S), GRINDING OR LEVELING OF THE CONCRETE SUBSTRATE, VACUUMING, PROTECTION OF OUR FINISHED PRODUCT FROM DAMAGE BY OTHERS.

Thank you,

  
Jeff Green  
Floor Partners, Inc.

## WOOD • CARPET • TILE • STONE

5212 Airport Freeway | Haltom City, TX 76117 | 817.735.8500 | Fax: 817.735.8551 | [www.FloorPartners.com](http://www.FloorPartners.com)



# FloorPartners

## QUOTATION:

DATE: December 7, 2022

BID DATE: November 21, 2022

TO: Aledo Independent School District

RE: McCall Elementary School Re-Carpet  
Aledo ISD

ATTENTION: Chris Campbell

SALES TAX: Excluded

Chris, we are pleased to submit our quotation for work related at above refenced project and described below, including the following;

- 149.50 s/y of Interface "Step Repeat" i2 walk-off carpet tile; Color: TBD
- 212 l/f of Roppe 4" "700 Series" rubber cove base; Color: TBD
- 3 units of Uzin "888" patching compound
- All freight and Delivery

Total **\$8,060.00**

*Special Note: Included in our quote is 1 (one) bag of Uzin "888" waterproof patching compound per 500 s/f of finish flooring. Also, where moisture sensitive products are scheduled to be installed, we have included all cost associated with RH/PH/MVER testing.*

**Note: The following are specifically excluded: MOISTURE MITIGATION, MOVING AND/OR RE-INSTALLING FURNITURE, TEMPORARY HVAC SERVICES, MECHANICAL PROFILING OF POWER TROWELED SURFACES, MAJOR FLOOR PREPARATION, DUST PROTECTION, CAULKING, FLOOR SEALER(S), GRINDING OR LEVELING OF THE CONCRETE SUBSTRATE, VACUUMING, PROTECTION OF OUR FINISHED PRODUCT FROM DAMAGE BY OTHERS.**

Thank you,

  
Jeff Green  
Floor Partners, Inc.

**WOOD • CARPET • TILE • STONE**

5212 Airport Freeway | Haltom City, TX 76117 | 817.735.8500 | Fax: 817.735.8551 | [www.FloorPartners.com](http://www.FloorPartners.com)



VLK Architects  
 1161 Corporate Drive West  
 Suite 300  
 Arlington, Texas 76006  
 817 284 1600

STRUCTURAL  
 Metro Structures Consultants  
 206 N.E. Loop 820 Suite 507  
 Hurst, Texas 76051  
 817 284 8639

M.E.P.  
 Image Engineering Group, Ltd.  
 635 Westport Parkway, Suite 300  
 Grapevine, Texas 76051  
 817 410-2833

LANDSCAPE  
 The Landscape Alliance  
 861 W. Polkline Rd., Sta. 1110  
 Hurst, Texas 76053  
 817 569 6909



PATRICIA DEAN BOSWELL McCALL  
 ELEMENTARY SCHOOL  
 ALEDO I.S.D. TEXAS  
 WILLOW PARK

DIRECTOR: LOU  
 PROJ. ARCH: SCJ  
 DESIGNER: OLG  
 DRAWN BY: GHA


SHEET TITLE: FLOOR PLAN UNIT 'A'  
 ISSUE DATE: 27 APRIL 2007  
 REVISIONS:

PROJECT NO: 2519.00  
 SHEET NO: A2.01  
 OF SHEETS


COPYRIGHT © 2007 NK ARCHITECTS

- ### GENERAL CONSTRUCTION NOTES
- FIN. FLOOR ELEVATION IS 372.29 WHICH IS = 100.00 DATUM
  - PARTITIONS ARE TYPE 'P' UNLESS OTHERWISE NOTED. REF. SHEET A2.11 FOR FIRE PROTECTION REQUIREMENTS REFER TO SHEETS A1.05
  - PROVIDE FIRE TREATED WOOD BLOORING IN WALLS AS REQ. AT ALL HANDRAILS, MILLWORK, CASEWORK, LOCKERAGE, WARDER BOARDS, ETC. REFER ITEM 22 FOR TYPICAL BLOORING AT ALL CASEWORK
  - NO = MIRROR BOARD, TB = THICK BOARD, TS = THICK STRIP, PRECISING WARDER'S LENGTH
  - FGS = FIRE EXTINGUISHER CABINET, FE = FIRE EXTINGUISHER OR WARDER, FHC = FIRE HOSE CABINET, HS = HORIZONTAL BARS
  - SS = SINK, DROPT. RIS = ROOF DRAIN, CS = OVERFLOW DRAIN & SPOUT. CONTRACTOR SHALL COORDINATE THE LOCATION OF ELECTRICAL DEVICES IN MILLWORK, LOCKERS, ETC. ALL ELECTRICAL DEVICES, OUTLETS, ETC. NOT COORDINATED IN MILLWORK, LOCKERS, ETC. SHALL BE RELOCATED BY CONTRACTOR
  - REFER TO DETAIL 14211 FOR TYPICAL GLASS PARTITIONS AT DOORS. ALL NEW DOORS SHALL MEET THE REQUIREMENTS OF THIS DRAWING. IF A DOOR IS FOUND THAT DOES NOT MEET THESE REQUIREMENTS, CONTACT THE ARCHITECT PRIOR TO CONSTRUCTION
  - REF. SHEET A2.05 FOR THE CORRIDOR JOINT DETAIL AT ALL DOOR AND OPENINGS
  - REFER TO SHEET A2.05 FOR TYP. BRACING AND NON-LOAD BEARING WALL PARTITIONS
  - REFER TO ELEVATIONS FOR EXACT LOCATIONS OF DOORSWELLS
  - PROVIDE BLOORING IN WALLS FOR OTHER FINISHED PROTECTION SCREENS


- ### FLOOR PLAN LEGEND
- PARTITION FRAMING AND WALL BLOORING SURFACES EXTEND UP ABOVE HIGHEST CEILING PLANE AND BRACE TO STRUCTURE ABOVE WITH DIAGONAL METAL BRACING @ 4'-0" O.C. MAX. FOR PARTITIONS TO DECK REFER TO REFLECTED CEILING PLANS
  - LOCKER TYPE FOR LOCKER TYPES, REF. 202.01
  - LOCKER QUANTITY
  - FURNITURE BY OWNER, INCL. G.C. TO COORDINATE W/ ADJACENT OUTLETS, CASEWORK, ETC.




4 TELESCOPING BLEACHER PLAN  
 SCALE: 1/8" = 1'-0"



1 FLOOR PLAN - UNIT A  
 SCALE: 1/8" = 1'-0"



2 LOCKER TYPE ELEVATION  
 SCALE: 1/8" = 1'-0"



3 LOCKER BASE  
 SCALE: 1/8" = 1'-0"



5 BRICK STEPS  
 SCALE: 1/8" = 1'-0"







VLK Architects  
1161 Corporate Drive West  
Suite 300  
Arlington Texas 76066  
817 633 1600

STRUCTURAL  
Metro Structural Consultants  
305 N.E. Loop 820 Suite 507  
Hurst Texas 76053  
817 284 8833

M.E.P.  
Image Engineering Group, Ltd.  
635 Westport Parkway, Suite 300  
Grapevine, Texas 76051  
817 410-2858

LANDSCAPE  
The Landscape Alliance  
851 W. Pipeline Rd., Ste. 111D  
Hurst, Texas 76053  
817 589 8909



PATRICIA DEAN BOSWELL MCCALL  
ELEMENTARY SCHOOL  
ALEDO I.S.D. TEXAS  
WILLOW PARK,

DIRECTOR PROJ. ARCH.  
L.G.V. SCJ

DESIGNER DRAWN BY  
D.L.O. GRA

SHEET TITLE  
FLOOR PLAN  
UNIT B'

ISSUE DATE  
27 APRIL 2007

REVISIONS


PROJECT NO.  
2519.00

SHEET NO.  
A2.02  
OF SHEETS


COPYRIGHT © 2007 VLK ARCHITECTS



1 FLOOR PLAN - UNIT B  
SCALE: 1/8"=1'-0"




- GENERAL CONSTRUCTION NOTES**
- FIN. FLOOR ELEVATION IS 972.00 WHICH IS = 100.00 DATUM
  - PARTITIONS ARE TYPE "P1" UNLESS OTHERWISE NOTED REF. SHEET A2.11
  - FOR FIRE PROTECTION REQUIREMENTS REFER TO SHEETS A1.05
  - PROVIDE FIRE TREATED WOOD BLOCKING IN WALLS AS REQ. AT ALL HANDRAILS, MILLWORK, CASEWORK, TACKBOARDS, MARKER BOARDS, ETC. REFER 16/A2.02 FOR TYPICAL BLOCKING AT ALL CASEWORK
  - MB = MARKER BOARD, TB = TACK BOARD, TS = TACK STRIP, PRECEDING NUMBER IS LENGTH
  - FEC = FIRE EXTINGUISHER CABINET, FE = FIRE EXTINGUISHER W/ BRACKET, FHC = FIRE HOSE CABINET, HB = HORIZONTAL BLINDS
  - D.S. = DOWN SPOUT, R.D. = ROOF DRAIN, O.D. = OVERFLOW DRAIN & SPOUT
  - CONTRACTOR SHALL COORDINATE THE LOCATION OF ELECTRICAL DEVICES W/ MILLWORK, LOCKERS, ETC. ALL ELECTRICAL DEVICES, OUTLETS, ETC. NOT COORDINATED W/ MILLWORK, LOCKERS, ETC. SHALL BE RELOCATED BY CONTRACTOR
  - REFER TO DETAIL 1/A2.11 FOR TYPICAL CLEARANCES AT DOORS. ALL NEW DOORS SHALL MEET THE REQUIREMENTS OF THIS DRAWING. IF A DOOR IS FOUND THAT DOES NOT MEET THESE REQUIREMENTS, CONTACT THE ARCHITECT PRIOR TO CONSTRUCTION
  - REF. DETAIL 5/A2.05 FOR TYP. CONTROL JOINT DETAIL AT ALL GYP. BD. OPENINGS
  - REFER TO SHEET A2.05 FOR TYP. BRACING AT NON-LOAD BEARING CMU PARTITIONS
  - REFER TO SHEET A2.05 FOR TYP. PARTITION PENETRATIONS - PIPE, CONDUIT & DUCTS
  - REFER TO ELEVATIONS FOR EXACT LOCATIONS OF DOWNSPOUTS
  - PROVIDE BLOCKING IN WALLS FOR OWNER FURNISHED PROJECTION SCREENS



2 TYP. FLOOR EXPANSION JOINT SCALE: 3"=1'-0"

3 TYP. DETAIL at EXPAN. JT. SCALE: 3"=1'-0"

3 CORNER GUARD DTL. SCALE: 3"=1'-0"







1 FLOOR PLAN - UNIT C  
SCALE: 1/8" = 1'-0"

**FLOOR PLAN LEGEND**

PARTITION FINISHING AND WALLBOARD SURFACES NOTED 4' ABOVE HIGHEST CEILING PLANE AND BRACE TO STRUCTURE ABOVE WITH DIAGONAL METAL BRACING @ 4'-0" O.C. MAX. FOR PARTITIONS TO DECK REFER TO REFLECTED CEILING PLANS.

LOCKER TYPE FOR LOCKER TYPES, REF. 2042 01  
LOCKER QUANTITY

FURNITURE BY OWNER (F.O.) & C. TO COORDINATE W/ ADJACENT OUTLETS CASEWORK, ETC.

- GENERAL CONSTRUCTION NOTES**
1. FIN. FLOOR ELEVATION IS 0102.00 WHICH IS = 100.00 GRADE
  2. PARTITIONS ARE TYPE "P" UNLESS OTHERWISE NOTED. SEE SHEET A2.11
  3. FOR FIRE PROTECTION REQUIREMENTS REFER TO SHEETS A1.05
  4. PROVIDE FIRE TREATED WOOD BLOODING IN WALLS AS REQ. AT ALL PERIMETERS, WALL CORNERS, BACKSPLASHES, WINDOW SILLINGS, ETC. REFER TO SHEET A2.05 FOR TYPICAL BLOODING AT ALL CORNERS.
  5. MB = MARKER BOARD, TB = TACK BOARD, TS = TACK STRIP, PRECEDING NUMBER IS LENGTH
  6. FPC = FINE CORNICE/EMER CABINET, FC = FINE ESTABLISHER IN BRACKET, FHC = FINE HOLE CHAMFER, HW = HORIZONTAL BLINDS
  7. OS = DOWN SPOUT, S.D. = SLOTTED DRAIN & SPOUT
  8. CONTRACTOR SHALL COORDINATE THE LOCATION OF ELECTRICAL DEVICES W/ MALLWORK, LOCKERS, ETC. ALL ELECTRICAL DEVICES, OUTLETS, ETC. NOT COORDINATED W/ MALLWORK, LOCKERS, ETC. SHALL BE RELOCATED BY CONTRACTOR.
  9. REFER TO DETAIL S4.21 FOR TYPICAL CLEARANCES AT DOORS. ALL NEW DOORS SHALL MEET THE REQUIREMENTS OF THIS DRAWING. IF A DOOR IS FOUND THAT DOES NOT MEET THESE REQUIREMENTS, CONTACT THE ARCHITECT PRIOR TO CONSTRUCTION.
  10. REF. DETAIL S4.25 FOR FIRE CONTROL JOINT DETAIL AT ALL DOOR OPENINGS
  11. REFER TO SHEET A2.05 FOR TYP. BRACING AT NON-LOAD BEARING WALL PARTITIONS
  12. REFER TO SHEET A2.05 FOR TYP. PARTITION PENETRATIONS - PIPE, CONDUIT & DUCTS
  13. REFER TO ELEVATIONS FOR EXACT LOCATIONS OF DOWNSPOUTS
  14. PROVIDE BLOODING IN WALLS FOR OWNER FURNISHED PROJECTION SCREENS



VLK Architects  
1161 Corporate Drive West  
Suite 300  
Arlington, Texas 76010  
817 633 1800

STRUCTURAL  
Metro Structural Consultants  
305 N.E. Loop 803, Suite 307  
Houston, Texas 77063  
817 284 8833

M.E.P.  
Image Engineering Group, Ltd  
655 Westpark Parkway, Suite 300  
Grapevine, Texas 76051  
817 410-2658

LANDSCAPE  
The Landscape Alliance  
951 W. Plains Rd., Sta. 111D  
Houston, Texas 77063  
817 589 8908



PATRICIA DEAN BOSWELL MCCALL  
ELEMENTARY SCHOOL  
ALEDO I.S.D. TEXAS  
WILLOW PARK, TEXAS

DIRECTOR PROJ. ARCH.  
LBY SCJ

DESIGNER DRAWN BY  
DLO BPA

SHEET TITLE  
FLOOR PLAN  
UNIT 'C'

ISSUE DATE  
27 APRIL 2007

REVISIONS

PROJECT NO.  
2519.00

SHEET NO.  
A2.03

OF SHEETS





**GENERAL CONSTRUCTION NOTES**

1. FIN. FLOOR ELEVATION IS 872.00 UNLESS NOTED OTHERWISE.
2. PARTITIONS ARE TYPE "P" UNLESS OTHERWISE NOTED. REF. SHEET A2.11.
3. PER FIRE PROTECTION REQUIREMENTS, REFER TO SHEETS A2.15.
4. PROVIDE FIRE PROTECTED WOOD BLOCKING IN WALLS AS NOTED BY ALL:
  - MASONRY, MILLWORK, CASEWORK, ENCLOSURES, MANNING BARRIERS, ETC.
  - REFER TO SCHEDULE FOR TYPICAL BLOCKING AT ALL CASEWORK.
5. MB - MASONRY BOARD, TB - TACK BOARD, TS - TACK STRIP, PRECEDING NUMBER IS LENGTH.
6. FIC - FIRE EXTINGUISHER CABINET, FE - FIRE EXTINGUISHER BY BRACKET, FIC - FIRE EXTINGUISHER CABINET, MB - MASONRY BOARD.
7. 2" x 4" CORNER STUDS, BS - ROOF BRACKETS, DS - DOWNFLOW DRAIN & SPOKE.
8. CONTRACTOR SHALL COORDINATE THE LOCATION OF ELECTRICAL DEVICES BY MILLWORK, LOCKERS, ETC. ALL ELECTRICAL DEVICES, OUTLETS ETC NOT COORDINATED BY MILLWORK, LOCKERS, ETC. SHALL BE RELOCATED BY CONTRACTOR.
9. REFER TO SCHEDULE 14071 FOR TYPICAL CLEARANCES AT DOORS. ALL NEW DOORS SHALL MEET THE REQUIREMENTS OF THIS DRAWING. IF A DOOR IS PLACED THAT DOES NOT MEET THESE REQUIREMENTS, CONTACT THE ARCHITECT PRIOR TO CONSTRUCTION.
10. REFER TO SHEET A2.12 FOR TOP CORNER JOINT DETAIL AT ALL DOOR SCHEDULE CHANGES.
11. REFER TO SHEET A2.12 FOR TOP CORNER JOINT DETAIL AT NON-LOAD BEARING WALL PARTITIONS.
12. REFER TO SHEET A2.12 FOR TOP CORNER JOINT DETAIL - FIVE CONDUIT & DUCTS.
13. REFER TO SHEET A2.12 FOR TOP CORNER JOINT DETAIL - CONDUIT & DUCTS.
14. PROVIDE BLOCKING IN WALLS AS NOTED BY ARCHITECT.

**FLOOR PLAN LEGEND**

- PARTITION FRAMING AND WALLBOARD SURFACES, EXTERIOR & INTERIOR CEILING PLANE AND BRACE TO STRUCTURE ALONG WITH DIAGONAL METAL BRACING @ 4" X 4" MAX. FOR PARTITION PARTITIONS TO DECK REFER TO REFLECTED CEILING PLANS.
- DOOR TYPE:
  - SWING LOCKER TYPES, REF. 242.01
  - DOOR QUANTITY
- FURNITURE BY OWNER (NO. & C. TO COORDINATE W/ VENDOR'S OUTLETS, CASEWORK, ETC.)



VLK Architects  
1161 Corporate Drive West  
Suite 300  
Arlington, Texas 76010  
817 634 1600

**STRUCTURAL**

Metro Structural Consultants  
305 N.E. Loop 820 Suite 907  
Houston, Texas 77063  
817 294 8833

**M.E.P.**

Image Engineering Group, Ltd.  
635 Westport Parkway, Suite 300  
Greenville, Texas 76053  
817 410-2555

**LANDSCAPE**

The Landscape Alliance  
661 W. Palmito Rd., Ste. 111D  
Houston, Texas 77053  
817 589 8909




**PATRICIA DEAN BOSWELL McCALL  
ELEMENTARY SCHOOL  
ALEDO I.S.D., TEXAS  
WILLOW PARK,**

DIRECTOR: RELAY/LOV  
DESIGNER: DLO  
DRAWN BY: ORA


SHEET TITLE: FLOOR PLAN UNIT D  
ISSUE DATE: 27 APRIL 2007  
REVISIONS:

PROJECT NO. 2519.00  
SHEET NO. A2.04  
OF SHEETS

COPYRIGHT © 2007 V.L.K. ARCHITECTS



1 FLOOR PLAN - UNIT D  
SCALE: 1/8" = 1'-0"







# FloorPartners

## REVISED QUOTATION:

DATE: January 17, 2023

BID DATE: November 21, 2022

TO: Aledo Independent School District

RE: Stuard Elementary School Re-Carpet  
Aledo ISD

ATTENTION: Chris Campbell

SALES TAX: Excluded

Chris, we are pleased to submit our quotation for work related at above refenced project and described below, including the following;

- 3,348.80 s/y of Interface "Cubic" i2 carpet tile or equal, Color: TBD
- 3 cartons of Interface "Cubic" i2 carpet tile or equal to be provided for attic stock, Color: TBD
- 4,500 l/f of Roppe 4" "700 Series" rubber cove base; Color: TBD
- 732 l/f of Roppe resilient transition strip
- 61 units of Uzin "888" patching compound
- Removal and disposal of the existing carpet
- Removal and disposal of the existing rubber base
- Removal of the existing carpet adhesive by mechanical "Dustless Scrape Away"
- All freight and Delivery

**Total            \$134,240.00**

***Special Note:** Included in our quote is 1 (one) bag of Uzin "888" waterproof patching compound per 500 s/f of finish flooring. Also, where moisture sensitive products are scheduled to be installed, we have included all cost associated with RH/PH/MVER testing.*

**Note! The following are specifically excluded:** MOISTURE MITIGATION, MOVING AND/OR RE-INSTALLING FURNITURE, TEMPORARY HVAC SERVICES, MECHANICAL PROFILING OF POWER TROWELED SURFACES, MAJOR FLOOR PREPARATION, DUST PROTECTION, CAULKING, FLOOR SEALER(S), GRINDING OR LEVELING OF THE CONCRETE SUBSTRATE, VACUUMING, PROTECTION OF OUR FINISHED PRODUCT FROM DAMAGE BY OTHERS.

Thank you,

Jeff Green  
FloorPartners, Inc.

## WOOD • CARPET • TILE • STONE

5212 Airport Freeway | Haltom City, TX 76117 | 817.735.8500 | Fax: 817.735.8551 | [www.FloorPartners.com](http://www.FloorPartners.com)





**VJK ARCHITECTS**  
 1161 CORPORATE DRIVE WEST  
 SUITE 300  
 ARLINGTON, TX 76006  
 817.633.1800

**SCHRICKEL ROLLINS**  
 1161 CORPORATE DRIVE WEST  
 SUITE 200  
 ARLINGTON, TX 76006  
 817.649.3216

**METRO STRUCTURAL CONSULTANTS**  
 306 N.E. LOOP 820  
 SUITE 507  
 HURST, TX 76053  
 817.284.8833

**REED WELLS BENSON**  
 COIT CENTRAL TOWER SUITE 1100  
 12001 NORTH CENTRAL EXPY  
 DALLAS, TX 75243  
 972.788.4222

**ACKERMAN-BARNES**  
 320 DECKER DRIVE  
 SUITE 118  
 LAS COLINAS, TX 75062  
 972.719.2802



08.22.2005

H.S. ATHLETIC ADDITIONS / RENOVATIONS  
 CODER ELEMENTARY ADDITIONS / RENOVATIONS  
 NORTH TRANSPORTATION FACILITY  
 TENNIS COURTS  
 STUARD ELEMENTARY ADDITIONS / RENOVATIONS  
 BUILDING PACKAGE  
 ALEDO I.S.D.

DIRECTOR: LGV  
 DESIGNER: DLD  
 CMD  
 PROJ. ARCH: JWH  
 PROJ. COOR: RER  
 DRAWN BY: LVB

SHEET TITLE  
 STUARD ELEMENTARY  
 OVERALL FLOOR PLAN  
 AND GENERAL NOTES


ISSUE DATE  
 08.22.2005

REVISIONS


PROJECT NO.  
 2517 / 2518

SHEET NO.  
**A3-101**

COPYRIGHT © 2005 VJK ARCHITECTS



NOTE: REFERENCE ELEVATIONS, FINISH SCHEDULE, PLANS, AND SPECIFICATIONS FOR ADDITIONAL INFORMATION REQUIRED FOR WALL CONSTRUCTION.  
 O.E. - ACOUSTICAL PANELS, LAMINATE WALL SYSTEMS, GYP. BOARD WALL SHAPING, MILLWORK, ETC...




GENERAL NOTES FOR ALL CONDITIONS:  
 1. BLOCKING REQUIRED REGARDLESS OF MFRS. RECOMMENDATIONS OR REQUIREMENTS  
 2. BLOCKING OF 2x6 IS MIN. SIZE TO BE PROVIDED. PROVIDE LARGER BLOCKING IF REQUIRED BY MFR. OR PROJECT CONDITIONS  
 3. VERIFY EXACT LOCATION OF BLOCKING BY MFRS. INSTALLATION REQUIREMENTS.

**2 PARTITION TYPES**  
 SCALE: 1/2"=1'-0"

NOTE: REFER TO REFLECTED CEILING PLANS FOR LOCATION OF FIRE RATED PARTITION TYPES.

**3 TYPICAL WOOD BLOCKING DETAILS**  
 SCALE: NOT TO SCALE



This hatched area was completed in the controlled entry project.

**1 STUARD ELEMENTARY OVERALL FLOOR PLAN**  
 SCALE: 1/8"=1'-0"

STUARD