PROPOSAL

SCALE 1/2"=1'-0"









FACES: TO BE ALUMINUM .090 WITH DIGITAL PRINT OVERLAY APPLIED FIRST SURFACE. VINYL PRINT WILL HAVE A CLEAR OVER LAMINATE.

INSTALL: FLUSH MOUNT TO BUILDING. ATTACHED TO THE SIDE OF THE SCOREBOARD.










FILE NAME: [WO]NOVA HOME	LOANS[CABINET] SALESMAN: MIKE ADDIS	WORK ORDER #: 4770	REV DATE	NOTES	BY
JOB NAME: NOVA HOME LOAD	NS - AMPHI JOB CONTACT:	SIGN TYPE:	00/00/00		SJO
JOB ADDRESS: AMPHI HIGH SCH	OOL ADDRESS:	DESIGNER:			
CITY: TUCSON	CITY: TUCSON	DATE: 00/00/2010			
SUITE: N/A	PHONE: (520)	INSTALL DATE: 00/00/0000			
ZIP : 857	FAX: (520)	WO & PER: 000-00			
This is an original unpublished drawing created by	Addisigns Inc. It is submitted for your personal use in connection with a proposed project being planned	for you by Addisigns Inc. It is not to be reproduced, copied, photographed, exhibit	ited or used in any	fashion without the expressed written approval of /	Addisigns Inc.
ACCEPT DATE:BUY	ZER SIGNATURE:ADDISIGNS:	SHOP APPROVAL 1:SHO	OP APPROV	/AL 2: PAGE 1 C)F 2


PROPOSAL

SCALE 1/2"=1'-0"






8'-0"



CUSTOMER TO SUPPLY BOARD WE WILL REMOVE OLD BOARD AND INSTALL THE NEW ONE. THE OLD CABLE WILL BE USED TO CONNECT WE WILL TIE THEM IN AND CUSTOMER TO SUPPLY ANY CONNECTIONS FOR THE CABLE.







FILE NAME: [WO]NOVA HOME LOANS[CABINET]	SALESMAN: MIKE ADDIS	WORK ORDER #: 4770	REV DATE	NOTES	B'
JOB NAME: NOVA HOME LOANS - AMPHI	JOB CONTACT:	SIGN TYPE:	00/00/00		ازی
OB ADDRESS: AMPHI HIGH SCHOOL	ADDRESS:	DESIGNER:			
CITY: TUCSON CITY: TUCSON		DATE: 00/00/2010			
SUITE: N/A	PHONE: (520)	INSTALL DATE: 00/00/0000			
ZIP: 857	FAX: (520)	WO & PER: 000-00			

PAGE 2 OF 2 ACCEPT DATE: BUYER SIGNATURE: ADDISIGNS: SHOP APPROVAL 1: SHOP APPROVAL 2:

INTEGRATED DISPLAY AND SCORING SOLUTIONS



Model 2750 (Indoor) Basketball/Volleyball/Wrestling Scoreboard

SCOREBOARD/CONTROL OPERATING FEATURES

MODEL 2750	MPC WIRED	MPCW WIRELESS	MPCX WIRELESS Not available with ETNs		
TIMING 13" Super Bright Red LED Digits	Bi-directional UP or DOWN count. Any num- ber can be set between 0:00-99:59. 1/10th seconds display during final minute.	Bi-directional UP or DOWN count. Any num- ber can be set between 0:00-99:59.1/10th seconds display during final minute.	Bi-directional UP or DOWN count. Any num- ber can be set between 0;00-99;59, 1/10th seconds display during final minute.		
TEAM SCORES Displays 0-199 13" Super Bright Amber LED Digits		Displays 0-199	Displays 0-199		
PERIOD 9" Super Bright Amber LED Digits Displays 0-9		Displays 0-9	Displays 0-9		
NEXT POSSESSION (BASKETBALL) SERVE (VOLLEYBALL) ADVANTAGE (WRESTLING) Super Bright Amber LED	Displays arrow for each team.	Displays arrow for each team.	Displays arrow for each team.		
BONUS/DOUBLE BONUS Super Bright Red LED	Displays the letter "B" for each team (BASKETBALL)	Displays the letter "B" for each team (BASKETBALL)	Displays the letter "B" for each team (BASKETBALL)		
PLAYER/FOUL (BASKETBALL) GAME (VOLLEYBALL) WEIGHT (WRESTLING) 9" Super Bright Red LED Digits	BASKETBALL displays 0-99 for player number and 0-9 for personal fouls. VOLLEYBALL displays game number; WRESTLING can be used as advantage timer or display weight.	BASKETBALL displays 0-99 for player number and 0-9 for personal fouls. VOLLEYBALL displays game number. WRESTLING can be used as advantage timer or display weight.	BASKETBALL displays 0-99 for player number and 0-9 for personal fouls. VOLLEYBALL displays game number. WRESTLING can be used to display weight.		
TEAM/FOULS (BASKETBALL) WON (VOLLEYBALL) MATCH (WRESTLING) 9" Super Bright Amber LED Digits	Displays 0-19 for each team.	Displays 0-19 for each feam.	Displays 0-19 for each team.		
TIME OF DAY	In place of displaying game time on the score- board, the "time out" time may be displayed or the "time of day". "Time of day" can still display after control turned off.	In place of displaying game time on the score- board, the "time out" time may be displayed or the "time of day". "Time of day" can still display after control turned off.	"Time of day" can display after control turned off.		
HORN Two located in scoreboard	Sounds automatically at 0:00 for a minimum of two (2) seconds. May omit automatic hom. Can sound manually at any time.	Sounds automatically at 0:00 for a minimum of two (2) seconds. May omit automatic hom. Can sound manually at any time.	Sounds automatically at 0:00 for a minimum of two (2) seconds. May omit automatic horn. Can sound manually at any time.		
JUNCTION BOXES	Two (2) 4"x2 1/8" with covers, furnished per scoreboard for installation	N/A	N/A		
CONTROL CABLE	One (1) length required of 2-WIRE (coaxial type) 14" diameter. Order length required.	N/A	N/A		

In addition to the standard 16 colors, Nevco can match any PMS color. Please contact your local Display and Scoring Consultant for pricing information.

#103 Cardinal Red	#73 Maroon	#102 Team Orange	#99 Golden Yellow	#142 Kelly Green	#74 Forest Green	#120 Teal Blue	#72 Electronic Blue	#140 Royal Blue	#121 Midnight Blue	#141 Navy Blue	#104 Medium Purple	#70 Desert Tan	#95 Silver Gray	#76 Print Black	Natural Aluminun
ACENCY	ADDDOVA	rain zein	time con	CE INDU	CT DV / A N A I	57 A		DOWER	WITH DE	DITTO	DTIONS.	AVAP LE	7 Apper ≤0	A Park A	

AGENCY APPROVAL: UL/CUL listed, FCC, CE, INDUSTRY CANADA. SCOREBOARD: Size 8'L x 6'H x 8"D (2.44 x 1.83 x .20 meters), constructed of aluminum. Hanging weight approximately 135 lbs. (61 kg).

CAPTIONS: HOME, GUESTS, FOULS, PLAYER, WON, GAME, MATCH, WEIGHT and PERIOD, white 6" high. (HOME and GUESTS are omitted when ordered with ETNs.)

LED UNITS: Seven-bar segmented digits with protective aluminum cover: POWER WITHOUT ETNS: 120 VAC, .96 Amps, 50/60 Hz. / 240 VAC, .49 Amps, 50/60 Hz. Requires earth ground.

POWER WITH REAR-LIT CAPTIONS: 120 VAC, 1.17 Amps, 50/60 Hz./ 240 VAC, 59 Amps, 50/60 Hz. Requires earth ground.

POWER WITH ETNS: 120 VAC, 1.18 Amps, 50/60 Hz / 240 VAC, .59 Amps, 50/60 Hz. Requires earth ground.

POWER WITH REAR-LIT CAPTIONS AND ETNS: 120 VAC, 1.32 Amps, 50/50 Hz / 240

VAC, .67 Amps, 50/60 Hz. Requires earth ground

BUILT-IN LIGHTNING PROTECTION: All models feature optical isolation circuitry providing additional protection against lightning strikes.

GUARANTEE: TO VIEW OR RECEIVE THE MOST RECENT COPY OF OUR GUARANTEE, PLEASE VISIT WWW.NEVCO.COM/INFO/GUARANTEE, PHP.
U.S. SERVICE: 1-800-851-4040. INTERNATIONAL SERVICE: 1-618-664-0360. CANADA SERVICE: 1-800-461-8550.



BUILD YOUR OWN DISPLAY AND SCORING SYSTEM ONLINE AT:

WWW.NEVCO.COM

U.S. & CANADA: 800-851-4040 INTERNATIONAL: 618-664-0360 FAX: 618-664-0398 E-MAIL: INFO@NEVCO.COM



SCOREBOARDS

MODEL 2750


Size: 8' x 6' x 8" (2.44 x 1.83 x .20 meters)

Approximate hanging weight: 135 lbs. (61 kg)

Digit Size: 13"/9" Digit Color: Super Bright Red & Amber







Advanced timing features ideal for Basketball/Volleyball/Wrestling Facilities.

- Energy-efficient LEDs reduce power consumption and operating expense.
- · Ability to retrofit team name caption plates.
- · Bright, long lasting LED lamp banks when ordered with rear-lit team names.
- Large, 4" Bonus, Double Bonus and Possession Indicator digits included.
- · Durable and lightweight cabinet design.
- Universal—syncs with Nevco accessories.
- · Extended advertising opportunities.
- · Lighted time colon and decimal; automatically adjusts to 1/10th of a second.
- · Built-in Power Factor Correction.
- . Includes basketball, volleyball and wrestling caption plates.
- · Advantage Timer feature included with wrestling captions.



Combine your scoreboard with a Nevco monochrome or full-color message center to create a complete scoring and display system. Team/Sponsor signs also available.



BUILD YOUR OWN DISPLAY AND SCORING SYSTEM ONLINE AT:

WWW.NEVCO.COM

U.S. & CANADA: 800-851-4040 INTERNATIONAL: 618-664-0360 FAX: 618-664-0398 E-MAIL: INFO@NEVCO.COM



CONTRACT

W/O#

3808 E. 38th Tucson Az 85713 (520) 748-1540 fax (520) 571-9120

November 2, 2010

Amphitheater School District 25 W. Calle Concordia Tucson, AZ 85704

Contact PHONE Joe Paddock (520)696-5771

FAX

Addisigns Contact: Mike Addis

Billing name: same Billing address: same

DESCRIPTION OF WORK

Score Board removal and install new

- Remove existing score boards and replace with customer supplied boards. Score boards will be installed into the existing position of the old boards. Old boards will be removed and scrapped unless customer wants to keep them.
- The exit signs will be relocated to the side of the existing boards and tied into the existing power on site. Access is behind the signs from the crawl space access panels.
- Coordination to be with Joe on site or the facilities manager on site.
- Included is the final electrical connection to the customer provided power supply directly adjacent to sign location. Included are all install materials and hardware.

file name: contract sign move Project Cost: \$ 3,678.00

Structural Drawings, Staff Labor & Permit Fees:

Sales Tax: \$

Total: \$ 3,678.00

Less Deposit: \$ 1,839.00

Balance Due Upon Completion: \$ 1,839.00

ELECTRICAL SERVICE to sign location & LANDLORD APPROVAL are the responsibility of the customer.

If Addisigns is required to bring legal action for collection of any amount owing hereunder, Addisigns will be entitled to all expenses incurred, including but not limited to attorney fees and costs. Time is of the essence of this agreement. This proposal shall be deemed revoked by Addisigns unless accepted within 120 days by Customer. Upon acceptance by signature below, Customer hereby purchases, and Addisigns Incorporated ("Addisigns") hereby sells the SIGN herein described. Payment in full is due upon project completion. Project completion is defined as the date on which the SIGN is installed and working properly. Accounts 30 days overdue shall accrue interest at a rate of 11/2% per month (18% per annum) until paid in full. To secure payment of the purchase price herein, and all other obligations of Customer to Addisigns arising from this or any other transaction, additions, accessions, replacements thereto, and proceeds, under the terms and conditions expressed herein and on the reverse side of this form.

DATE ACCEPTED	BUYER SIGNATURE	ADDISIGNS SIGNATURE	Smithael T.	addi
1			83	well a

Leonard Sweeney & Associates

17617 N. 61st Avenue Glendale, Arizona 85308 602-978-8444 Fax 602-938-2804

NEVCO Inc.

301 E. Harris Avenue Greenville, Illinois 62243 1-800-851-4040 Fax 618-664-0398

Bid Quotation

Date: 8/29/10

Job Name: Amphi High School

25 W. Calle Concordia

Oro Valley, AZ 85704

Att: David Martinez dmartine@amphi.com

520-820-1391

Bid Includes:

Two Each Nevco Model 2750NL Basketball Scoreboards (green)

One Each MPCW Wireless Control and Carrying Case

One Each Control Overlay for Basketball/Volleyball/Wrestling

Two Each Wireless Receivers

Freight

Total Base Bid \$7,411.20 6.6% Out of State Tax \$489.14 Grand Total \$7,900.34

Exclusions: Installation

Please Note: Nevco Scoreboard Company is supplying and will be invoicing for materials. A PO should be made out directly to them for the above amount.

Thank You,

Leonard Sweeney & Associates

Leonard Sweeney