



Outlook

---

## Bus NVR

---

**From** Ryan Hopkins <Ryan@hopalongit.com>

**Date** Wed 4/2/2025 3:50 PM

**To** Ken Tharman <ktharman@nvhuskies.org>

So the one I was looking at before I can get through a vendor which is nice so we are not tied to any company. Vivotek NV9311P is the NVR. It allows for 8 Camers and runs \$1700. It is military grade. Then we add however many cameras you want. 1-2 and a security hard drive. The cameras are \$500 a piece and throw in a hard drive. I would say each bus would be \$4000 on the high side if you pitched it. We can come in under that but get approved for that.

---

Ryan Hopkins  
Owner, Hop-A-Long I.T. Services LLC  
785-874-8258  
[www.hopalongit.com](http://www.hopalongit.com)



## < Mobile NVR



**S Series**



# H.265 8-CH Embedded PoE Mobile NVR

- 802.3at/af Compliant PoE & Management Efficiency
- Built-in G-sensor for Vehicle Vibration Alerts
- GPS Tracking on Google Maps with VAST 2 VMS
- Delay Power On/Off & Low Voltage Protection
- EN50155/MIL-STD-810G Certified


**Overview**

Specification

Download

**sales for availability.**


## Benefits



## H.265 1080P Real-time Live Display

Featuring a powerful multi-core SoC to provide 1080p (1920x1080) real-time live display so that users will not miss any information during monitoring, the NVRs

recording capacity than regular H.264 systems.



## WiFi and LTE Connection Options

The video stream and data of the Mobile NVRs will be transmitted to the control center remotely for monitoring via WiFi 802.11a/b/g/n/ac or LTE connection.






Internet




G-sensor Event



Bus Station

## Built-in G-sensor

Built-in G-sensor for drive safety control. Users can set the sensitivity level and the G-sensor will be triggered in the event of an accident or when extreme vibrations happen.




10

Dewarp




103R



108R



VIVOTEK'S NVR OFFERS BOTH LIVEVIEW AND Playback modes for one fisheye network camera simultaneously. They also provide multiple fisheye de-warp display modes, including 1O, 1P, 1R, 1O3R, 1O8R, allowing users to monitor any angle, or to enjoy precise detailed images for a total surveillance experience.



## GPS Tracking on Google Maps

different area applications. By remotely using VAST 2 VMS, it allows users to have both live video display and GPS tracking from Google Maps.



EN50155



MIL-STD 810G



Extreme  
Weather Proof

## Rugged Design for Mobile Surveillance

Compliance with transportation standards EN50155 and MIL-STD-810G, which ensures meeting anti-vibration and anti-shock requirements, and operable in tough





surge protection.



**Subscribe to get the latest information**

Input your email

Subscribe



## Company



About Us

Investor Relations

Sustainability

Contact Us

## News Center



Newsroom

Successful Case

Events



Terms of Use

Privacy Policy

Marketing Material Usage Rules

Intellectual Property

VPP Portal Terms of Use

**VIVOTEK USA (for USA and Canada)** 

2050 Ringwood Avenue, San Jose, CA 95131,  
USA

+1-408-773-8686

Sales Inquiry 





## Technical Support

© Copyright 2025 VIVOTEK Inc. All rights reserved.

[Product Selector](#)

[Contact Us](#)

[Download Center](#)