LINCOLN COUNTY SCHOOL DISTRICT

Long Range Facility Planning Report





BRIC ARCHITECTURE, INC. SEPTEMBER 2020

This page left blank intentionally for printing purposes.

| TABLE OF CONTENTS

1	Introduction	1
2	District Overview	7
3	Vision for Lincoln County School Facilities	9
4	District-Wide Enrollment and Capacity Analysis	11
5	Facility Profile Sheets	13
6	Capital Improvement Plan	41
7	Appendix	47



Participants

LINCOLN COUNTY LONG RANGE FACILITIES PLANNING COMMITTEE

Dr. Karen Gray, Superintendent Rhea Warren, Assistant to the Superintendent and School Board Rich Belloni, Facilities Director Ron Beck, School Board Member (Zone 3) Tim Kaufman, Facilities Manager Chris Carlson, Community Member Dan Hess, BRIC Architecture Inc. Thea Wayburn, BRIC Architecture Inc.

SCHOOL PRINCIPALS

Libba Sager, Crestview Heights Michael Gass, Crestview Heights Sandy Mummey, Oceanlake Elementary School Shelley Moore, Sam Case Elementary School Rebecca Bostwick, Taft Elementary School Liz Postlewait, Toledo Elementary School Kristin Becker, Yaquina View Elementary School Aaron Belloni, Newport Middle School Reyna Mattson, Newport High School Amy Skirvin, Waldport Middle/High School Nick Lupo, Taft 7-12 School Richard Ceder, Toledo Junior/Senior High School

EDUCATIONAL ADEQUACY ASSESSMENT TEAM

Elisa Warner, BRIC Architecture Inc. Thea Wayburn, BRIC Architecture Inc. Andrew Werth, BRIC Architecture Inc.

FACILITIES ASSESSMENT TEAM

Chris Walkup, GLAS Architects

OTHER MEETING ATTENDEES


Vince Dye, Operations Administrator Katie Barrett, Elementary School Teaching and Learning Administrator Alex Brasch, FLO Analytics Ben Maloney, FLO Analytics



1 INTRODUCTION

The following report summarizes the Long Range Facilities Plan for Lincoln County School District. Lincoln County School District's Long Range Facilities Plan presents a long-term vision for facilities development to accommodate District operations and educational programs, in compliance with ORS 195.110. The report includes a comprehensive analysis of the District's schools, assessing their ability to meet short, mid and long-term educational and operational needs. The Long Range Facilities Plan was developed using a comprehensive, multi-pronged process spanning several months. Major activities included:

- → Building condition assessments (conducted by GLAS Architects) of all schools and admin/support facilities in the District, documenting site conditions, building envelope, structure, mechanical, plumbing, and electrical systems.¹
- → Educational adequacy assessments of all schools based on interviews with school principals.
- → Capacity analyses of all Lincoln County schools in order to determine the ability of current District school facilities to meet 10-year enrollment projections.²
- → Establishment of district-wide facilities goals based on collaborative sessions with the Lincoln County Long Range Facilities Planning Committee.
- Development of a capital improvement plan (CIP) outlining the District's facilities projects over the next 10 years.



¹ Facilities assessments were performed by GLAS Architects.

² Enrollment projections were prepared by FLO Analytics on behalf of Lincoln County School District.

Process

The Long Range Facilities Plan was developed through a series of information-gathering activities that informed the District's capital improvement goals over a 10-year planning horizon. The main components of the long range facilities planning process include:

- → Facility Condition Assessments
- → Educational Adequacy Assessments
- → School Capacity Analyses
- → Capital Improvement Plan
- → Facility Condition Assessments

In winter of 2020, the firm of GLAS Architects was contracted by Lincoln County School District to perform building condition assessments of all the District's facilities. The assessments encompassed a comprehensive set of building and site features, including interior and exterior systems, mechanical, electrical, plumbing, security, ADA requirements, and technological infrastructure. The site assessments included documentation of drainage issues, pavement condition, and other features of parking lots, drop-off lanes, fields, paved walkways, and play areas.

The field team incorporated key findings into the Oregon Department of Education (ODE) Assessment template, including information regarding school safety and security, accessibility, indoor air quality (IAQ), technology and documentation of harmful substances. These forms were completed as a stand-alone deliverable and provided separately to the District (in Excel format).

EDUCATIONAL ADEQUACY ASSESSMENTS

Educational adequacy assessments were conducted by BRIC Architecture on each Lincoln County school based on principal interviews. The educational adequacy assessments addressed the following areas:

- → Integration of Technology
- → Support of STEAM and Project-Based Learning
- → Spaces to Support Flexible Instruction/Varied Group Sizes

- → Environmental Conditions for Learning
- → General Classroom Features
- → Special Education Program Resources
- → Spaces to Support P.E. Curriculum
- → Commons/Cafeteria and Servery
- → Library Media Center
- → Safe and Secure Learning Environments
- → Administrative Spaces to Support School Operations/ Community Programs

Lincoln County School District referenced a variety of state and national standards in assessing the educational adequacy of its school facilities, as well as best practices in school design. These standards informed the visioning process for the Long Range Facilities Plan and provided a framework for the educational adequacy assessments of each school building.

Next Generation Learning Approaches: During the Long Range Facilities Planning Committee's visioning process, research on next generation learning approaches provided a framework for assessing the adequacy of Lincoln County's school facilities to meet future educational needs. Topics included:

- → Statistics on the social and learning characteristics of "Generation Z" students, referencing Gallup Poll and U.S. Census data as well as other sources.
- The concept of personalized learning, and how school environments can best support individual learning needs, interests, and approaches.
- → Social and emotional learning (SEL) refers to the process through which individuals learn and apply a set of social, emotional, behavioral, and character skills required to succeed in schooling, the workplace, relationships, and citizenship. Research from the Collaborative for Academic, Social and Emotional Learning (CASEL) was referenced, as well as a study from the Harvard Graduate School of Education entitled Navigating Social and Emotional Learning from the Inside Out (2017).

1 INTRODUCTION

SCHOOL CAPACITY ANALYSES

Classroom capacity calculations were developed based on class size goals identified by the District. Utilization factors were applied to middle and high school facilities, reflecting the percentage of the day that a classroom is occupied by students.³ In preparing this report, the following guidelines were used:

Elementary Schools

- → 25 students per classrooms for grades K-5.
- \rightarrow 15 students per classroom for SPED classrooms.

Middle Schools

- \rightarrow 28 students per classroom for grades 6-8.
- → 35 students per classroom for P.E., music and performing arts classes.
- → 15 students per classroom for SPED classrooms.
- → Classroom utilization rate of 85%.
- Teaching stations include up to two (2) P.E. spaces: Main and Aux Gyms. Supplemental P.E. areas (e.g. weight room) were not counted for capacity purposes.

High Schools

- → 30 students per classroom for grades 9-12.
- → 35 students per classroom for P.E., music and performing arts classes
- → 15 students per classroom for SPED classrooms.
- \rightarrow Classroom utilization rate of 85%.
- → Teaching stations include two (2) P.E. spaces: Main and Aux Gyms. Supplemental P.E. areas (e.g. weight room) were not counted for capacity purposes.

Lincoln County School District contracted with FLO Analytics to conduct district-wide enrollment projections over the next 10 years. These projections were then compared to each school's available capacity to determine the ability of the District's current school facilities to meet long-term enrollment fluctuations.

COMMITTEE WORK

Lincoln County School District created a Long Range Facilities Planning Committee to work with BRIC Architecture in creating the framework for developing and crafting a Long Range Facilities Plan. The committee met a total of (5) times:

- → February 20, 2020
- → April 16, 2020
- → May 28, 2020
- → June 8, 2020
- → June 25, 2020

³ Middle and high school classrooms are typically vacant for one (1) period per day during prep period.

1 INTRODUCTION

Originally the committee planned to meet (4) times, but due to the unforeseen conditions associated with the Coronavirus pandemic, all meetings after February were moved to digital platforms, and a fifth session was added to accommodate schedules and provide adequate time for the work to be accomplished.

The kickoff meeting established expectations and goals for the committee as well as establishment of Guiding Principles.

The following meetings discussed facility needs, the results of the educational adequacy assessment work, capacity analysis and enrollment projections.

A Capital Improvement Plan (CIP) was developed to prioritize facilities projects based on the needs noted during the assessments (both building condition and educational adequacy) as well as additional district needs discussed at the Committee's kick-off meeting. Committee members were given an opportunity to participate in a survey to prioritize these needs (Tier I, II or III) to better identify which projects would be considered for the next District bond. Additionally, items in lower tiers are documented for long term District-wide planning.



Collaboration with Local Government Planning Agencies

Lincoln County School District (LCSD) serves students from across the county, which encompasses a 55-mile strip of the central Oregon coast beginning at Cascade Head, south to Cape Perpetua. The county's 48,820 residents cluster around the coastal communities of Lincoln City, Depoe Bay, Newport, Waldport and Yachats, and around inland communities of Toledo, Siletz, and Eddyville. Lincoln County School District views local municipal and county planning agencies as key stakeholders in the facilities planning process. Per the recently updated Oregon Department of Education's guidelines for Long Range Facilities Plans (May 2019), collaboration with local government agencies is required when a school district's plan includes new construction on undeveloped land. In cases where a district's plan does not include new construction, collaboration with local agencies is highly recommended but not required.

Based on enrollment projections, it is unlikely that Lincoln County School District will construct a new school based on capacity needs; however, the District has considered potentially constructing one or more replacement facilities in the future due to the age and condition of select school buildings, particularly in the City of Depoe Bay.

Meetings have taken place with the City Manager and Planner on a possible new school in Lincoln City as part of a potential future bond. Similar conversations have transpired with planners in Newport regarding possible locations for a new Newport High School campus, and with the City of Depoe Bay regarding locations for a new elementary school.

In addition, Superintendent Dr. Karen Gray is a member of both the City of Newport Vision 2040 Committee as well as their Education Sub Committee, and has established a relationship with Parks and Recreation Department. She is a former member of the Road's End Villages Committee for Urban Renewal with Lincoln City. Dr. Gray meets often with Lincoln County Commissioners about topics ranging from long range economic development to child care.

Historic Registry Status of District-owned Buildings

Lincoln County School District does not own any facilities that are on the National Historic Register. However, one building has a been filed as "eligible/ contributing":

Lincoln County School District Building

National Register N/A Location: 459 SW Coast Highway, Newport, OR Primary Construction Date: 1930 Eligibility Evaluation: Eligible/contributing Primary Style: Art Deco

2 DISTRICT OVERVIEW

Lincoln County School District serves students from all areas in the county, which occupies a 55-mile strip of the central Oregon coast, and East-West distances average 20 miles from the Pacific Ocean to inland areas. The county's total area is about 1,000 square miles. Residents of the county cluster around the coastal communities of Lincoln City, Depoe Bay, Newport, Waldport and Yachats, and around the inland communities of Toledo, Siletz and Eddyville.

The District's guiding philosophy of "every child, every day, future ready" is intended for all who are touched by this District.

School District Facts

- → 5,435 students in Grades K-12 (which includes 11 schools and 3 public charter schools)
- → 600 Employees

Elementary Schools, Grades K-2

→ Yaquina View Elementary

Elementary Schools, Grades K-5

- → Crestview Heights
- → Oceanlake Elementary
- → Sam Case Elementary School
- → Taft Elementary
- → Toledo Elementary

Middle Schools, Grades 6-8

→ Newport Middle School

High Schools, Grades 7-12

- → Taft 7-12
- → Toledo Jr/Sr High School
- → Waldport Middle/High School

High Schools, Grades 9-12

→ Newport High School

Charter Schools

- → Career Tech High
- → Eddyville
- → Siletz Valley

Other Buildings

- → Arcadia Elementary School (currently not open)
- → Early Childhood Center
- → Lincoln County District Office
- → Teaching and Learning Center
- → Toledo Maintenance Contractor's Building
- → Toledo Maintenance (East Shop)

Bond History


In 2011, Lincoln County School District passed a \$63,000,000 bond (including \$15,000,000 of QSCB bonds) to fund school facility improvements which included the following:

- → District-wide HVAC, Plumbing, Electrical and Energy Upgrades
- → District-wide Field, Grounds and Paving Improvements
- → District-wide Interior Upgrades
- → Removal of Modular Classrooms
- → Classroom Additions at Oceanlake,Sam Case and Toledo Elementary Schools, Toledo Jr/Sr High School and Newport High School
- → Waldport High school

District Owned Facilities

Yaquina View Elementary School	44,221 SF
Crestview Heights	77,480 SF
Oceanlake Elementary School	54,865 SF
Sam Case Elementary School	51,567 SF
Taft Elementary School	66,407 SF
Toledo Elementary School	63,694 SF
Newport Elementary School	79, 408 SF
Newport High School East Campus	86,400 SF
Newport High School West Campus	57,000 SF
Taft 7-12 School	154,560 SF
Toledo Jr/Sr High School	75,090 SF
Waldport Middle/High School	56,418 SF
Arcadia Elementary School	32,330 SF
Early Childhood Center	5,900 SF
Lincoln County District Office	7,820 SF
Teaching and Learning Center	21,500 SF
Toledo Maintenance Contractor's Building	3,343 SF
Toledo Maintenance (East Shop)	9,485 SF

2 DISTRICT OVERVIEW





3 VISION FOR LINCOLN COUNTY SCHOOL FACILITIES

Guiding Principles for Lincoln County School Facilities

Developed by the Lincoln County Long Range Facilities Planning Committee, the following Guiding Principles shall serve as a foundation for the Lincoln County School District's educational facilities planning endeavors.

- → Become a driver in the economic development and growth of the community.
- → Help create a community where people want to live, work and thrive.
- → Build schools that inspire, motivate and draw people to preserve the importance of our schools as hubs for our community.
- → Establish a united school district and community.
- → Provide opportunities for all students to read and think at highest level.
- → Offer CTE programs and curriculum that adapt to changing needs in the real world.






District-Wide


Enrollment and Capacity Analysis

Elementary Schools: Elementary school enrollment across the district is projected to be stable, and even decline slightly over the next 10 years. Five of six schools at the elementary level exhibit some level of decline by the end of the forecast period. Oceanlake is the only elementary school expected to experience an increase in enrollment by 2029–30. Based on the functional capacity of the District's elementary school buildings and projected enrollment, it is not anticipated than any elementary school will be over-capacity at any point over the next 10 years. Sam Case Elementary was slightly over-capacity in 2019-20; however, enrollment projections show that the school will be just under capacity by fall 2020 and that enrollment will continue to slowly decline through 2030.

Middle Schools: While total district-wide middle school enrollment is projected to peak around 2024 before declining, overall growth is driven by only one middle school (Taft MS). Declining enrollment is projected at Toledo Jr. High School, Waldport Middle School, and Newport Middle School over the next 10 years. Based on the functional capacity of the District's middle school buildings and projected enrollment, it is not anticipated than any middle school will be over-capacity at any point over the next 10 years.

High Schools: Total high school enrollment counts is expected to peak in 2024–25. Three out of the four high schools are expected to experience increased enrollment; only Toledo Senior HS is expected to see a decline. Based on the functional capacity of the District's high school buildings and projected enrollment, it is not anticipated than any high school will be over-capacity at any point over the next 10 years.





4 DISTRICT-WIDE ENROLLMENT AND CAPACITY ANALYSIS

School Capacity and Enrollment Forecasts (Medium Growth Series)

School Capacity and Enrollment Forecasts (Medium Growth Series)

Area	School	Total Capacity	2019-2020	2020-2021	2024-2025	2029-2030
	Toledo Elementary School	495	413	410	400	394
East	Toledo Junior High School		110	111	84	91
	Toledo Senior High School	574	206	209	204	181
East Total		1,069	729	730	688	666
	Oceanlake Elementary School	440	369	390	370	395
Newste	Taft Elementary School	645	524	527	549	522
North	Taft Middle School	1.010	290	295	276	300
	Taft High School	1,012	498	506	594	576
North Total		2,097	1,681	1,718	1,789	1,793
	Crestview Heights School	620	334	313	294	290
South	Waldport Middle School	207	96	114	83	88
	Waldport High School	327	193	203	259	210
South Total		947	623	630	636	588
	Sam Case Elementary School	505	480	450	431	418
NA7	Yaquina View Elementary School	515	445	450	411	439
West	Newport Middle School	598	523	545	461	429
	Newport High School	1,024	640	655	795	674
West Total		2,642	2,088	2,100	2,098	1,960
Total (Does not inclu	de Charter School Enrollment)	6,755	5,121	5,178	5,211	5,007



Crestview Heights

2750 S Crestview Drive, Waldport, Oregon 97394


Year Built 1997 | Area 72,480 SF Student Capacity 420 Students | 2019-20 Enrollment 334 Students % of Capacity 80% | Projected Enrollment Change by 2029-30 -44 Students



Capacity Analysis

Teaching Stations	Qty	Max. Class Size (if used as teaching station)	Utilization Rate	Capacity
General Classrooms	15	25	100%	375
SPED Classrooms	3	15	100%	45
Vacant Classrooms	0	25	100%	0
Total Capacity	18			420

Description of Classroom-sized Teaching Spaces Used for Other Purposes	Qty	Location
Middle School Classrooms	3	Room 13, 16, 19
Middle School Art Room	1	Room 15/17
Middle School Music Room	1	Room 18
Reading Lab	1	Room 11
Art Room	1	Room 21
Pre-K Classroom	1	Room 23
Total Potential Classrooms	8	



Crestview Heights School Enrollment Projection 2019 - 2030

FACILITY CONDITION INDEX (FCI)

FCI Formula: Cost to Repair / Cost to Replace

	18%	
GOOD FAIR	POOR	CRITICAL
0-5% 5-10%	10-60%	>60%

The FCI score presented above is generated from the Oregon Department of Education School Facility Assessment form, based on recorded observations during the onsite assessments conducted by another architectural firm. The number does not reflect any seismic deficiencies that might be present.

DESCRIPTION

Located in Waldport, **Crestview Heights** is a Title I school serving grades PK-6 in the south area of the district. A portion of Crestview Heights' facility is shared by the adjacent Waldport MS/HS.

CAPACITY

Crestview Heights includes 26 classrooms; however, only 18 classrooms are currently used for general instruction of elementary students. Consequently, the school's functional capacity is 420 students. Five (5) classrooms are used by the adjacent middle school, one (1) classroom is used for a pre-k program, one (1) classroom is used exclusively for art, and one (1) classroom is used as a Title I reading room. Crestview Heights is currently at 80% capacity. No portable classrooms are onsite. A gradual decline in enrollment is projected in the attendance area over the next 10 years; the school is expected to lose approximately 44 students by the 2029-30 school year.

KEY FACILITY CONDITION IMPROVEMENT NEEDS

- → Repair foundation cracking.
- → Replace asphalt shingle roofing.
- → Replace single ply roofing.
- → Refinish wood flooring.
- → Replace copper plumbing lines.
- → Replace diesel boiler with electric.
- → Replace power supply for electric boiler.
- \rightarrow Replace hot water supply/return lines.
- → Replace sprinkler system.
- → Lighting upgrades.
- → Replace voice/data system.

- → Expand existing camera system.
- → Sealcoat roadways.
- → Replace sanitary sewer system pump.
- → Replace fuel tank.
- \rightarrow Replace site lighting.
- \rightarrow Playground upgrades and equipment replacement.
- → Possible classroom addition.

- The facility is 1:1 Chromebooks for most students; kindergarteners use iPads. Classrooms have projectors and document cameras.
- → The school lacks a dedicated makerspace but does have an art room. A former project room was converted back to a general classroom.
- → Classrooms are not adequately sized but have exterior windows to provide daylighting. The size of classrooms limits flexible learning within the classroom. The library can be used for larger groups but is not always available. The building does not have extended learning areas.
- → Both the library and cafeteria are adequately sized and are well utilized.
- The gymnasium is adequate in size but lacks sufficient storage.
- Traffic congestion is minimal at this school and there are good sight lines within the building. This school has a secure entry vestibule. Bus and parent vehicular circulation are separate.
- → Areas dedicated to SPED programs are adequate, but extra space is desired.
- → Expanded administrative space, particularly conference room space, is needed.

Oceanlake Elementary School


2420 NE 22nd Street, Lincoln City, Oregon 97367

Year Built 1951, 2012 | Area 54,865 SF Student Capacity 415 Students | 2019-20 Enrollment 369 Students % of Capacity 89% | Projected Enrollment Change by 2029-30 +26 Students



Capacity Analysis

Teaching Stations	Qty	Max. Class Size (if used as teaching station)	Utilization Rate	Capacity
General Classrooms	16	25	100%	400
SPED Classrooms	1	15	100%	15
Vacant Classrooms	0	25	100%	0
Total Capacity	17			415
Description of Classroom-sized Teaching Spaces Used for Other Purposes	Qty	Location		
Title I/ELD Room	1	Room 1		
Total Potential Classrooms	1			



FACILITY CONDITION INDEX (FCI)

FCI Formula: Cost to Repair / Cost to Replace

	20.1%	
GOOD FAIR	POOR	CRITICAL
0-5% 5-10%	10-60%	>60%
= = = = =		

The FCI score presented above is generated from the Oregon Department of Education School Facility Assessment form, based on recorded observations during the onsite assessments conducted by another architectural firm. The number does not reflect any seismic deficiencies that might be present.

DESCRIPTION

Located in Lincoln City, **Oceanlake Elementary School** serves grades K-2 in the north area of the district.

CAPACITY

Oceanlake Elementary School has 17 active teaching stations and capacity is at 89%. One additional classroom is used for Title I / ELD instruction. There are no modulars onsite. Enrollment is projected to slowly increase over the next 10 years, adding approximately 26 students by the 2029-2030 school year.

KEY FACILITY CONDITION IMPROVEMENT NEEDS

- → Roofing replacement/revise construction.
- → Select exterior door replacement.
- → Replace select interior walls (masonry).
- → Add plastic laminate wainscoting.
- → Abate/replace select resilient flooring.
- → Replace resilient stair treads.
- → Replace all glue-up ceiling tiles.
- → Replace copper plumbing lines.
- → Replace existing sewer lines.
- → Replace damaged rain water drainage lines.
- → Replace hot water supply/return lines.
- → Install sprinkler system and water supply/pump.
- → Upgrade domestic service to site.
- → Replace voice/data system.
- → Replace closed circuit surveillance system.
- \rightarrow Replace fire alarm panels.
- → Kitchen/equipment upgrades.

- → Partial sealcoat of roadways.
- → Add parking lot lighting.
- → Replace domestic lines/system.
- → Upgrade playground.
- → Infill basement near stage.

- → The facility is 1:1 Chromebooks and classrooms have projectors and document cameras.
- The configuration of this school does not provide extended learning or flexible space.
- → Classrooms are not consistent in the size or amenities. Windows are present but many windows are small.
- → The school has a dedicated Makerspace and classrooms are also utilized for "messy" activities. The school also has a music classroom.
- → The gym is generously sized with an adjacent stage. However, the school lacks a covered play area.
- → The library is adequately sized.
- → The cafeteria area is adequate in size, but students eat in their classrooms due to the lack of acoustic treatments in the space. The servery area is often congested.
- → The school has a secure entry vestibule and the main office has good visibility of parking areas.
- There are multiple spaces provided for SPED programs throughout the school; however not all of them are ADA-accessible.
- The school is lacking administrative and meeting spaces, as well as available space for community partners.

Sam Case **Elementary School**

459 NE 12th Street, Newport, Oregon 97365


Year Built 1958, 2012 | Area 51,567 SF Student Capacity 455 Students | 2019-20 Enrollment 480 Students % of Capacity 105% | Projected Enrollment Change by 2029-30 -62 Students



Capacity Analysis

Teaching Stations	Qty	Max. Class Size (if used as teaching station)	Utilization Rate	Capacity
General Classrooms	17	25	100%	425
SPED Classrooms	2	15	100%	30
Vacant Classrooms	0	25	100%	0
Total Capacity	19			455

Description of Classroom-sized Teaching Spaces Used for Other Purposes	Qty	Location	
ELD	1	Room 33	
Art	1	Room 1	
Total Potential Classrooms	2		



Sam Case Elementary School Enrollment Projection 2019 - 2030

FACILITY CONDITION INDEX (FCI)

FCI Formula: Cost to Repair / Cost to Replace

		9.7%	
GOOD	FAIR	POOR	CRITICAL
0-5%	5-10%	10-60%	>60%

The FCI score presented above is generated from the Oregon Department of Education School Facility Assessment form, based on recorded observations during the onsite assessments conducted by another architectural firm. The number does not reflect any seismic deficiencies that might be present.

DESCRIPTION

Located in Newport, **Sam Case Elementary School** is a Title I school serving grades 3-6 in the west area of the district.

CAPACITY

Sam Case Elementary School is at 105% capacity based on enrollment for the 2019-2020 school year. The school has a total of 19 active teaching stations. An additional two (2) classrooms are used for art and ELD instruction. The site does not have any modular classrooms. Enrollment is expected to decline over the next 10 years, with a decrease of approximately 62 students projected by the 2029-30 school year.

KEY FACILITY CONDITION IMPROVEMENT NEEDS

- → Partial flooring abatement and replacement (carpet and resilient tile).
- → Install plastic laminate wainscoting.
- → Replace failing piping fittings.
- \rightarrow Replace air handling units with in-room unit ventilator.
- → Install sprinkler system/water system and pump; fire sprinkler line.
- → Replace voice/data system.
- → Replace fire panel.
- → Kitchen/equipment upgrades.
- → Replace existing cabinetry (countertops and cabinets).
- → Seal coat roadways.
- → Install retaining wall/site improvements.
- → Playground improvements.
- → Relocation of main office (remodel and/or addition).
- → Possible school addition.

- → The facility is 1:1 Chromebooks.
- → Although there are spaces throughout the school supporting a variety of group sizes, the school does not have extended learning areas. Hallways are used for this purpose, causing noise transmission. Classrooms are adequately sized and have exterior windows. Furnishings are older in style.
- There is one classroom currently designated as a makerspace; other "messy" activities occur in the classrooms.
- → The gymnasium and cafeteria are adequately sized. P.E. classes are scheduled throughout the day. The cafeteria is used for lunch only; breakfast is served in classrooms.
- Traffic congestion is a challenge at drop-off and pickup times, and there are concerns with students who cross the playground to be picked up by cars along the street.
- The main office is not adjacent to the main entry nor is there a secure entry vestibule.
- → SPED areas have been recently remodeled.
- → The school lacks conference/meeting spaces; available spaces do not have furniture sized for adults.

Taft Elementary School

4040 SE High School Drive, Lincoln City, Oregon 97367


Year Built 1951, 2013 | Area 66,407 SF Student Capacity 595 Students | 2019-20 Enrollment 524 Students % of Capacity 88% | Projected Enrollment Change by 2029-30 -2 Students



Capacity Analysis

Teaching Stations	Qty	Max. Class Size (if used as teaching station)	Utilization Rate	Capacity
General Classrooms	22	25	100%	550
SPED Classrooms (Classroom-sized Only)	3	15	100%	45
Vacant Classrooms	0	25	100%	0
Total Capacity	25			595

Description of Classroom-sized Teaching Spaces Used for Other Purposes	Qty	Location	
Help Center	1	Room 21	
Early Intervention Center	1	Room 15	
Total Potential Classrooms	2		



Taft Elementary School Enrollment Projection 2019 - 2030

FACILITY CONDITION INDEX (FCI)

FCI Formula: Cost to Repair / Cost to Replace

	17%	
GOOD FAIR	POOR	CRITICAL
0-5% 5-10%	10-60%	>60%

The FCI score presented above is generated from the Oregon Department of Education School Facility Assessment form, based on recorded observations during the onsite assessments conducted by another architectural firm. The number does not reflect any seismic deficiencies that might be present.

DESCRIPTION

Located in Lincoln City, **Taft Elementary School** serves grades 3-6 in the north area of the district.

CAPACITY

Taft Elementary School has a total of 25 classrooms used for general instruction and two (2) classrooms used for other purposes (e.g. HELP Center and Early Intervention). There are no modular classrooms. Functional capacity is currently at 88%. Enrollment is expected to fluctuate over the next 10 years, with a net gain of two (2) students by the 2029-30 school year.

KEY FACILITY CONDITION IMPROVEMENT NEEDS

- → Turf field replacement.
- → Replace exterior siding at kitchen.
- → Replace built-up roofing.
- → Install wainscoting.
- → Abate and replace hard surface flooring.
- → Ceiling replacement.
- → Casework replacement.
- → Replace copper piping and main meter.
- → Plumbing fixture replacement.
- → Mechanical upgrades.
- → Replace voice/data system.
- → Partial sprinkler upgrades.
- → Partial fire alarm replacement.
- → Kitchen/equipment upgrades.
- → Seal coat roadways.
- → Construct covered play area.
- → Playground Upgrades.

- → The facility is 1:1 Chromebooks and classrooms have projectors and document cameras.
- → Due to the building's design there are no extended learning or flexible areas for small group work. There are a number of classrooms that lack exterior windows. The building's configuration prohibits keeping grade levels together.
- → There are no dedicated STEM spaces; the art room is now a general classroom and band is offered in the cafeteria. Classrooms have carpeting which is not conducive to messy activities.
- → Both the library and cafeteria are adequately sized. There are issues with congestion at the servery area, due to its configuration. The library is centrally located.
- The gymnasium is amply sized and has an attached stage.
- The school has a secure entry vestibule. The building configuration makes supervision challenging at times. There are separate bus and parent drop off lanes.
- There is a lack of support space for SPED programs, including staff offices. The SLC classrooms are adjacent to one another and connected by a door.
- The school is lacking administrative and meeting spaces, as well as available space for community partners.

Toledo Elementary School


600 SE Sturdevant Road, Toledo, Oregon 97391

Year Built 1987, 2012 | Area 63,694 SF Student Capacity 495 Students | 2019-20 Enrollment 413 Students % of Capacity 83% | Projected Enrollment Change by 2029-30 -19 Students



Capacity Analysis

Teaching Stations	Qty	Max. Class Size (if used as teaching station)	Utilization Rate	Capacity
General Classrooms	18	25	100%	450
SPED Classrooms (2 SLCs, 1 Resource Room)	3	15	100%	45
Vacant Classrooms	0	25	100%	0
Total Capacity	21			495
Description of Classroom-sized Teaching Spaces Used for Other Purposes	Qty	Location		
N/A	-	-		
Total Potential Classrooms	0			



Toledo Elementary School Enrollment Projection 2019 - 2030

FACILITY CONDITION INDEX (FCI)

FCI Formula: Cost to Repair / Cost to Replace

		8.2%	
GOOD	FAIR	POOR	CRITICAL
0-5%	5-10%	10-60%	>60%
The CO	1	a new second shows is seen and a farmer that One seen Demonstrate shows a	ation Cabool Facility Assessment forms based on

The FCI score presented above is generated from the Oregon Department of Education School Facility Assessment form, based on recorded observations during the onsite assessments conducted by another architectural firm. The number does not reflect any seismic deficiencies that might be present.

DESCRIPTION

Toledo Elementary School serves students in grades K-6 on the east side of the District.

CAPACITY

Toledo has 21 teaching stations. There are no modular classrooms present. The building is at 83% capacity, based on the enrollment for the 2019-2020 school year. Slowly declining enrollment is projected over the next 10 years, with approximately 19 fewer students anticipated by the 2029-30 school year.

KEY FACILITY CONDITION IMPROVEMENT NEEDS

- → Replace aluminum window systems.
- → Replace select interior doors.
- → Replace all carpeting.
- Replace select resilient flooring.
- → Replace gymnasium floor.
- → Install plastic laminate wainscoting.
- Replace copper plumbing lines (older section of school).
- → Replace boiler and select air handlers.
- → Partial voice/data system replacement.
- → Partial intercom replacement.
- → Partial kitchen/equipment upgrades.
- → Restroom upgrades.
- → Seal coat roadways and parking lots.
- \rightarrow Playground addition and upgrades.
- → Partial site lighting replacement.
- → Turf Field Replacements.

- → The facility is 1:1 Chromebooks and classrooms have Smartboards and document cameras.
- → The school lacks a dedicated Makerspace or art room. However, classrooms are amply-sized and can support "messy" and project-based activities. There is a room near the gymnasium used for drama; it has a stage.
- → Classrooms have exterior windows and amenities such as cabinetry and bookshelves. There are spaces outside the classrooms that are used for extended learning and small group work. Larger groups can use the cafeteria, gymnasium or library.
- → Both the library and cafeteria are adequately-sized and are well-utilized.
- → The gymnasium is large and there are locker rooms present. The school also has a covered play area.
- → Traffic congestion occurs at pick-up and drop-off. There are congestion issues even with separate bus and parent lanes. This school does not have a secure entry vestibule, and there are a few areas withing the building that are difficult to supervise.
- → Areas dedicated to SPED programs are adequate with needed amenities such as toilet rooms.
- → Administrative spaces, particularly conference room spaces, are needed. The Assistant Principal's office is located near the library.

Yaquina View Elementary School


351 SE Harney Street, Newport, Oregon 97365

Year Built 1960 | Area 44,221 SF Student Capacity 490 Students | 2019-20 Enrollment 445 Students % of Capacity 91% | Projected Enrollment Change by 2029-30 -6 Students



Capacity Analysis

Teaching Stations	Qty	Max. Class Size (if used as teaching station)	Utilization Rate	Capacity
General Classrooms	19	25	100%	475
SPED Classrooms	1	15	100%	15
Vacant Classrooms	0	25	100%	0
Total Capacity	20			490
Description of Classroom-sized Teaching Spaces Used for Other Purposes	Qty	Location		
ESL	1	Room 21		
Total Potential Classrooms	1			



FACILITY CONDITION INDEX (FCI)

FCI Formula: Cost to Repair / Cost to Replace

		10.7%	
GOOD	FAIR	POOR	CRITICAL
0-5%	5-10%	10-60%	>60%
There	lacara	presented above is concreted from the Oregon Department of Educ	ation Cohool Facility Account form based on

The FCI score presented above is generated from the Oregon Department of Education School Facility Assessment form, based on recorded observations during the onsite assessments conducted by another architectural firm. The number does not reflect any seismic deficiencies that might be present.

DESCRIPTION

Yaquina View Elementary School is located in Newport, serving K-2 students in the west area of the district.

CAPACITY

Yaquina View has a total of 20 teaching stations used for general instruction. An additional classroom is used exclusively for ESL instruction. The school facility lacks a dedicated cafeteria; students eat all meals within the classrooms. The school is currently at 91% capacity; a slight decrease in enrollment of six (6) students is projected by the 2029-30 school year.

KEY FACILITY CONDITION IMPROVEMENT NEEDS

- → Replace aluminum windows.
- → Replace built-up roofing.
- → Add plastic laminate wainscoting.
- Abate and replace resilient tile flooring.
- \rightarrow Replace remaining copper plumbing lines.
- → Replace air handler and upgrade controls.
- → Install sprinkler system/water system and pump.
- → Replace voice/data system.
- → Partial camera replacement.
- → Partial kitchen/equipment upgrades.
- → Partial site roadway improvements (seal coat).
- \rightarrow Replace select site lighting.
- → Upgrade playground.
- → Turf Field Replacement.
- → Potential Gymnasium and Classroom Addition.
- \rightarrow Relocation of main office.

- → The facility has Chromebooks and iPads for student use, but it is not a 1:1 distribution.
- There are not spaces for small group or flexible instruction. Classrooms are adequately-sized and have exterior windows. Some furnishings are too big for the students' age/size.
- The existing stage is used for STEM, but it has acoustical deficiencies and is not accessible.
- → The library is adequately-sized.
- → The gymnasium is adequately-sized and used all day, including for recess during inclement weather. The space was designed as a cafeteria, so floor space is compromised with existing tables.
- → The kitchen is undersized and there is no dedicated cafeteria; meals are served in classrooms.
- → Traffic congestion is a challenge at drop-off and pickup times(only one entry/exit to this site). The office is not adjacent to the main entry and the school lacks a secure entry vestibule. The layout of the building puts the office far away from select classrooms.
- → Some SPED areas are undersized, and there are no available spaces to add other programs/resources.
- This school lacks space for administrative needs. There is no space for adults to meet with appropriately sized furnishings.

Newport Middle School


825 NE 7th Street, Newport, Oregon 97365

Year Built 1997 | Area 79,408 SF Student Capacity 526 Students | 2019-20 Enrollment 523 Students % of Capacity 99% | Projected Enrollment Change by 2029-30 -94 Students



Capacity Analysis

Teaching Stations	Qty	Max. Class Size (if used as teaching station)	Utilization Rate	Capacity
General Classrooms	13	28	85%	309.4
Science Labs	3	28	85%	71.4
Art Classrooms	1	28	85%	23.8
Music Classrooms	1	35	85%	29.8
CTE/Elective Classrooms	1	28	85%	23.8
P.E. Teaching Spaces	1	35	85%	29.8
SPED Classrooms	3	15	85%	38.3
Vacant Classrooms	0	28	85%	0.0
Total Capacity	23			526
Description of Classroom-sized Teaching Spaces Used for Other Purposes	Qty	Location		
Multi-Purpose Room	1	Room 3125		
Library Classroom	1	Room 3131		
Future Bound (Alt Middle School Program)	1	Room 1106		
Total Potential Classrooms	3			



Newport Middle School Enrollment Projection 2019 - 2030

FACILITY CONDITION INDEX (FCI)

FCI Formula: Cost to Repair / Cost to Replace

	16%	
GOOD FAIR	POOR	CRITICAL
0-5% 5-10%	10-60%	>60%

The FCI score presented above is generated from the Oregon Department of Education School Facility Assessment form, based on recorded observations during the onsite assessments conducted by another architectural firm. The number does not reflect any seismic deficiencies that might be present.

DESCRIPTION

Newport Middle School serves grades 6-8. The school is located adjacent to Newport High School. A residential neighborhood sits to one side of the site; the rest of the site is surrounded by heavy vegetation.

CAPACITY

Newport Middle School has 23 teaching stations used for general instruction and three (3) classrooms used for other purposes, with a total functional capacity of 526 students. The school is currently at 99% capacity; however, enrollment over the next 10 years is projected to decrease by approximately 94 students, easing overcrowding at this facility.

KEY FACILITY CONDITION IMPROVEMENT NEEDS

- → Structural/foundation repairs.
- → Roofing replacements/replace any dry rot.
- → Replace/repair exterior stucco walls.
- → Select exterior door replacement.
- → Select flooring replacement.
- → Refinish wood sports floor.
- → Replace copper plumbing lines.
- → Replace boilers.
- → Air handler replacement.
- \rightarrow Replace hot water supply/return lines.
- → Replace voice/data system.
- → Closed circuit surveillance improvements/ replacement.
- \rightarrow Replace fire alarm panels.
- → Kitchen/equipment upgrades.

- → Seal coat roadways and parking lots.
- → Replace generator and fuel tank.
- → Replace all site lighting.
- → Playground upgrades (swings).
- → Stair tread and handrail upgrades.

- → The facility is 1:1 Chromebooks and classrooms have projectors and Smartboards.
- There are spaces throughout the school for a variety of group sizes, but spaces around the classrooms are undersized to be utilized for flexible learning. Classrooms are adequately-sized and have exterior windows for daylighting.
- → There are several STEM programs at this campus, including robotics, video production, habitat restoration and skateboarding. Science classrooms and the art room are utilized for other "messier" activities.
- → Both the library and cafeteria are adequately-sized and well-utilized.
- There is only one gymnasium space at this facility, which is used all day long and its availability is impacted by inclement weather.
- Traffic congestion is a challenge at drop-off and pickup times. The school does not have a secure entry vestibule and there are "blind spots" in the building as a result of its layout.
- → Some SPED areas are undersized.
- Areas of the building have been reconfigured or reduced in size to accommodate changing needs for administrative and meeting spaces.

Newport High School

311 & 312 NE Eads Street, Newport, Oregon 97365


Year Built 1950, 2012 | Area 57,000 SF (West); 86,400 SF (East) Student Capacity 948 Students | 2019-20 Enrollment 640 Students % of Capacity 68% | Projected Enrollment Change by 2029-30 +34 Students



Capacity Analysis

Teaching Stations	Qty	Max. Class Size (if used as teaching station)	Utilization Rate	Capacity
General Classrooms	23	30	85%	586.5
Science Labs	2	30	85%	51.0
Art Classrooms	2	30	85%	51.0
Music Classrooms	2	35	85%	59.5
CTE/Elective Classrooms	1	30	85%	25.5
P.E. Teaching Spaces	2	35	85%	59.5
SPED Classrooms	9	15	85%	114.8
Vacant Classrooms	0	30	85%	0.0
Total Capacity	41			948

Description of Classroom-sized Teaching Spaces Used for Other Purposes	Qty	Location
Classroom Used for Early Childhood	2	Room W18, W20
Classroom Used for Staff Room	1	Room E4
Total Potential Classrooms	3	



Newport High School Enrollment Projection 2019 - 2030

FACILITY CONDITION INDEX (FCI)

FCI Formula: Cost to Repair / Cost to Replace

GOOD FAIR	POOR	West Campus CRITICAL
	13.1%	East Campus
GOOD FAIR	POOR	CRITICAL
0-5% 5-10%	10-60%	>60%

The FCI score presented above is generated from the Oregon Department of Education School Facility Assessment form, based on recorded observations during the onsite assessments conducted by another architectural firm. The number does not reflect any seismic deficiencies that might be present.

DESCRIPTION

Newport High School serves students in grades 9-12 on the District's west side. Newport High School's campus occupies two (2) buildings positioned on opposite sides of the street. Each campus has a separate administration area in addition to a variety of classroom types.

CAPACITY

Newport High School contains 41 teaching stations (including both campuses). Campus-wide, the school is at 68% capacity. Enrollment is expected to increase and then decrease, with a net gain of 34 students by 2029-30 school year.

KEY FACILITY CONDITION IMPROVEMENT NEEDS

- → Foundation repairs.
- \rightarrow Roofing replacement (built-up and asphalt shingle).
- → Exterior siding replacement.
- → Select interior door replacement.
- → Replace flooring in restrooms.
- → Select abatement and flooring replacement.
- → Interior finish upgrades.
- → Replace glue-up ceiling tiles.
- → Replace all copper and galvanized plumbing lines.
- → Replace boilers and air handlers.
- → Valve replacement on incoming lines.
- → Voice/data system upgrades/partial replacement.
- → Remodel kitchen.
- → Sealcoat roadways.

- → Upgrade site lighting.
- → Replace grandstands.
- → Turf field replacement.

- → The facility is 1:1 Chromebooks and classrooms have projectors although some are outdated.
- → There are spaces throughout the school for a variety of group sizes. Classrooms are adequately sized and have exterior windows (except for science).
- There are spaces at this campus for STEM/STEAM programs; existing computer labs are being utilized for this (since the school is 1:1); the Art Room is amply sized.
- → The library is adequately sized and well utilized.
- → There are several spaces that are utilized for P.E., but since they are fully scheduled, there is not availability for other programs to uses these spaces.
- The cafeteria is adequate in size only because students can go off-campus for lunch.
- The library is well utilized by students and by adults for meetings and events.
- There are a number for spaces dedicated for SPED programs; select spaces are scheduled to be remodeled.
- → This campus is made of two buildings located across the street from one another. Vehicular circulation is challenging. Both students and staff use both campuses all day long; only the East campus has a secure entry vestibule.
- Administrative areas are located at both campuses.
 Some offices have been displaced due to relocation of the health room.

Taft 7-12 School

3780 SE Spyglass Ridge Drive, Lincoln City, Oregon 97367

Year Built 1997 | Area 154,560 SF


Student Capacity 1,012 Students | 2019-20 Enrollment 788 Students % of Capacity 78% | Projected Enrollment Change by 2029-30 +88 Students



Capacity Analysis

Teaching Stations	Qty	Max. Class Size (if used as teaching station)	Utilization Rate	Capacity
General Classrooms	25	30	85%	637.5
Science Labs	4	30	85%	102.0
Art Classrooms	0	30	85%	0.0
Music Classrooms	2	35	85%	59.5
CTE/Elective Classrooms	4	30	85%	102.0
P.E. Teaching Spaces	2	35	85%	59.5
SPED Classrooms	4	15	85%	51.0
Vacant Classrooms	0	30	85%	0.0
Total Capacity	41			1,012

Description of Classroom-sized Teaching Spaces Used for Other Purposes	Qty	Location		
N/A	-	-		
Total Potential Classrooms	0			



FACILITY CONDITION INDEX (FCI)

FCI Formula: Cost to Repair / Cost to Replace

	15.5%	
GOOD FAIR	POOR	CRITICAL
0-5% 5-10%	10-60%	>60%
T / F O/		

The FCI score presented above is generated from the Oregon Department of Education School Facility Assessment form, based on recorded observations during the onsite assessments conducted by another architectural firm. The number does not reflect any seismic deficiencies that might be present.

DESCRIPTION

Located in Lincoln City, **Taft 7-12 School** serves students in grades 7-12 on the District's north side. Students reside in Lincoln City, Depoe Bay and the Rose Lodge Area.

CAPACITY

Taft 7-12 is currently at 78% capacity, with a total of 41 teaching stations, and no modular classrooms. Enrollment is projected to increase gradually over the next 10 years, adding approximately 88 students by the 2029-30 school year.

KEY FACILITY CONDITION IMPROVEMENT NEEDS

- → Considering construction of west wing.
- → Turf field replacement.
- → Replace aluminum windows.
- → Select door replacement.
- → Replace built-up roofing.
- → Replace carpeting.
- → Refinish wood floors.
- → Replace stair finishes.
- → Replace copper plumbing lines.
- → Replace boiler.
- → HVAC controls upgrades.
- → Partial AHU replacement.
- → Partial hot water supply/return replacement.
- → Voice/data system upgrades.
- → Provide additional cameras.
- → Partial kitchen/equipment upgrades.
- → Seal coat roadways.

- → Replace diesel tank.
- → Replace generator.

- → The facility is 1:1 Chromebooks and classrooms have projectors and document cameras.
- → Classrooms are adequately sized and have exterior windows. Furnishings are a variety of styles and ages and do not provide maximum flexibility.
- There are some extended learning spaces present; large groups use the library or the gymnasium.
- There are several STEM programs at this campus, but a shop for industrial arts is highly desired. There are several CTE programs at this site – child development, culinary arts and forestry, as well as welding and design commercial arts.
- The library is adequate in size, even though it was reduced in size to provide resource rooms for SPED programs.
- \rightarrow There are multiple spaces provided for P.E. activities.
- The cafeteria serves both the middle and high school students, but it is undersized to accommodate all middle school students in one lunch. High school students are permitted to leave campus for lunch.
- The school has a secure entry vestibule with good visibility to parking areas. There are separate parking area for students, staff and visitors and a dedicated bus lane.
- → SPED classrooms are undersized but have amenities such as an accessible toilet room.
- Administrative spaces are at capacity. Some administrative spaces are being used by other programs.

Toledo Jr/Sr High School

1800 NE Sturdevant Road, Toledo, Oregon 97391


Year Built 1955, 2012 | Area 75,090 SF Student Capacity 574 Students | 2019-20 Enrollment 316 Students % of Capacity 55% | Projected Enrollment Change by 2029-30 -44 Students



Capacity Analysis

Teaching Stations	Qty	Max. Class Size (if used as teaching station)	Utilization Rate	Capacity
General Classrooms	14	30	85%	357.0
Science Labs	3	30	85%	76.5
Art Classrooms	0	30	85%	0.0
Music Classrooms	1	35	85%	29.8
CTE/Elective Classrooms	1	30	85%	25.5
P.E. Teaching Spaces	2	35	85%	59.5
SPED Classrooms	2	15	85%	25.5
Vacant Classrooms	0	30	85%	0.0
Total Capacity	23			574

Description of Classroom-sized Teaching Spaces Used for Other Purposes	Qty	Location		
N/A	-	-		
Total Potential Classrooms	0			



Toledo Junior/Senior High School Enrollment Projection 2019 - 2030

FACILITY CONDITION INDEX (FCI)

FCI Formula: Cost to Repair / Cost to Replace

			12.7%	
GOOD	FAIR		POOR	CRITICAL
0-5%	5-10%		10-60%	>60%
The CC	The FCI seems and shows in semanated from the Owners Demonstrated of Education Cabool Facility Assessment forms based on			

The FCI score presented above is generated from the Oregon Department of Education School Facility Assessment form, based on recorded observations during the onsite assessments conducted by another architectural firm. The number does not reflect any seismic deficiencies that might be present.

DESCRIPTION

Toledo Jr/Sr High School serves students in grades 7-12 on the east side of the District.

CAPACITY

Toledo Jr/Sr High School is at 55% capacity. There are a total of 23 classrooms. Enrollment is projected to decline over the next 10 years by 44 students.

KEY FACILITY CONDITION IMPROVEMENT NEEDS

- → Select structural upgrades (wood floor systems).
- → Partial window replacement (aluminum/steel window systems).
- → Replace built-up roofing.
- → Replace interior wainscoting.
- → Replace select interior doors.
- → Replace all carpeting.
- → Replace select resilient flooring.
- → Replace stair treads.
- → Replace domestic water distribution system and select plumbing fixtures.
- \rightarrow Replace boilers and air handlers.
- → Replace all hot water supply/return lines.
- → Replace all steam unit ventilators.
- → Convert from steam to hot water system.
- → Replace voice/data system.
- → Partial replacement of clock/intercom system.
- Partial replacement of closed circuit surveillance system.
- → Seal coat roadways and parking lots.
- → Partial site lighting replacement.

→ Turf Field Replacements.

- → The facility is 1:1 Chromebooks and classrooms have projectors. Some are equipped with Smartboards.
- → There are spaces throughout the school to support a variety of group sizes, but the school's layout does not include extended learning or flexible learning spaces for small groups. Hallways are often used for this purpose.
- → CTE programs such as robotics and video production are offered at the school site, but spaces are undersized. Project-based learning occurs in classrooms due to lack of dedicated STEAM spaces.
- Classrooms are adequate in size and have exterior windows; furnishings are a mix of styles and ages. A high amount of fixed casework in classrooms limits flexibility.
- → The cafeteria and kitchen are adequately sized. High school students are permitted to leave campus for lunch but tend to stay onsite. Hallways and outdoor spaces (weather permitting) are used by students for lunch.
- → There are multiple spaces for P.E. instruction; all are fully scheduled and not often available for other uses during the school day.
- The library is adequate but use of this space has reportedly declined in recent years.
- → Traffic congestion is minimal at this site; the building has a secure entry vestibule.
- → The school has dedicated space for SPED programs, but these spaces lack the needed amenities. Students with specialized needs attend schools in Newport.
- This school lacks adequate administrate spaces and conference rooms. Other spaces have been converted into meeting rooms.

Waldport Middle/High School

3000 S Crestline Drive, Waldport, Oregon 97394


Year Built 2013 | Area 56,418 SF Student Capacity 455 Students | 2019-20 Enrollment 289 Students % of Capacity 64% | Projected Enrollment Change by 2029-30 +9 Students



Capacity Analysis

Teaching Stations	Qty	Max. Class Size (if used as teaching station)	Utilization Rate	Capacity
General Classrooms	12	30	85%	306.0
Science Labs	2	30	85%	51.0
Art Classrooms	0	30	85%	0.0
Music Classrooms	0	35	85%	0.0
CTE/Elective Classrooms (Room 241)	1	30	85%	25.5
P.E. Teaching Spaces	2	35	85%	59.5
SPED Classrooms	1	15	85%	12.8
Vacant Classrooms	0	30	85%	0.0
Total Capacity	18			455

Description of Classroom-sized Teaching Spaces Used for Other Purposes	Qty	Location	
N/A	-	-	
Total Potential Classrooms	0		



Waldport Middle & High School Enrollment Projection 2019 - 2030

5 FACILITY PROFILE SHEETS

FACILITY CONDITION INDEX (FCI)

FCI Formula: Cost to Repair / Cost to Replace

5.2%		
GOOD FAIR	POOR	CRITICAL
0-5% 5-10%	10-60%	>60%
The FCI score presented ab	ave is generated from the Oregon Department of	Feducation School Facility Accossment form based on

The FCI score presented above is generated from the Oregon Department of Education School Facility Assessment form, based on recorded observations during the onsite assessments conducted by another architectural firm. The number does not reflect any seismic deficiencies that might be present.

DESCRIPTION

Waldport Middle/High School serves grades 7-12 on the south side of the district.

CAPACITY

Waldport is at 64% capacity. This school has a total of 18 teaching stations. Enrollment is expected to increase and then decrease, with a net gain of nine (9) students by the 2029-30 school year.

KEY FACILITY CONDITION IMPROVEMENT NEEDS

- → Replace boiler.
- → Replace hot water supply/return lines.
- → Replace voice/data system.
- → Partial clock/intercom system replacement.
- → Partial closed circuit surveillance system replacement.
- → Seal coat roadways, parking lots.
- → Replace sanitary sewer pump station.
- → Replace fuel tank/fuel distribution.
- → Turf Field Replacements.
- → Potential classroom Addition.

EDUCATIONAL ADEQUACY

- → The facility is 1:1 Chromebooks and classrooms have document cameras and Smartboards.
- There are limited spaces throughout the school for a variety of group sizes. Larger spaces serve multiple functions and don't offer flexibility.
- There are two CTE programs at this school, including forestry and natural resources. The school also has a woods and metal shop and an art classroom. There is a stage at this school, but it lacks proper acoustics and sight lines.
- → Several classrooms are not adequately sized. Additionally, some classes are held at Crestview Heights Elementary. There are no extended learning areas within the building. Most classrooms have tables and chairs; only a few utilize desks.
- Both the library and cafeteria are adequately sized. The cafeteria/multipurpose room houses several functions in additional to meals. High school students are allowed to leave campus for lunch.
- → Gymnasium space is mostly reserved for use by the upper grades; the middle school students use the gymnasium at the elementary school for some programs. The multipurpose room is used for wrestling.
- → The school lacks a secure entry vestibule.
- Space for SPED programs is limited. Several spaces previously designed for SPED are now housing other programs.
- → This school lacks adequate space for administrative purposes; there is one conference room.

Arcadia Elementary School

1811 NE Arcadia Drive, Toledo, Oregon 97391

Year Built 1963 | Area 32,330 SF Current Use Closed

FACILITY CONDITION INDEX (FCI)

FCI Formula: Cost to Repair / Cost to Replace

			74.2%
GOOD	FAIR	POOR	CRITICAL
0-5%	5-10%	10-60%	>60%

The FCI score presented above is generated from the Oregon Department of Education School Facility Assessment form, based on recorded observations during the onsite assessments conducted by another architectural firm. The number does not reflect any seismic deficiencies that might be present.

DESCRIPTION

Arcadia Elementary School is located in Toledo, Oregon. The school site was closed in 2005 due to budgetary reasons.

- → Exterior siding replacement.
- → Window replacement.
- → Roof replacement.
- \rightarrow Replace all exterior doors.
- \rightarrow Replace HVAC (furnace and air handlers).
- → Install sprinklers.

- → Replace lighting.
- → Replace voice/data system.
- → Replace clock/intercom.
- \rightarrow Replace cameras.
- → Replace access control.
- → Replace all plumbing fixtures and piping.
- → Replace interior wall finishes.
- → Replace gymnasium flooring.
- \rightarrow Replace carpet and hard surface flooring.
- → Restroom upgrades.
- \rightarrow Kitchen and kitchen equipment upgrades.
- → Site Improvements (parking lots, roadways, sidewalks, landscaping, water supply).

Early Childhood Center

420 NE 12th Street, Newport, Oregon 97365

Year Built Unknown | Area 5,900 SF Current Use Early Childhood

FACILITY CONDITION INDEX (FCI)

FCI Formula: Cost to Repair / Cost to Replace

		45.8%	
GOOD FAIR	POOR		CRITICAL
0-5% 5-10%	10-60%		>60%

The FCI score presented above is generated from the Oregon Department of Education School Facility Assessment form, based on recorded observations during the onsite assessments conducted by another architectural firm. The number does not reflect any seismic deficiencies that might be present.

DESCRIPTION

The **Early Childhood Center** facility is owned by the Lincoln County School District but leased to the Linn Benton Lincoln Educational Service District (ESD). Educational services are provided for children form birth to kindergarten age.

- → Repair cracks in slab.
- → Replace dry rot at roof framing and replace built-up roofing.
- → Window replacement.
- → Siding replacement.

- → Replace all flooring in restrooms.
- → Repaint interior walls.
- → Repair air handler unit and in-room ventilator units.
- → Replace all copper piping.
- → Install sprinklers.
- → Install heating control system.
- → Replace voice/data system.
- → Replace clock/intercom.
- → Replace access control.
- → Site Improvements (parking lots, roadways, sidewalks, landscaping, water supply).
- → Playground upgrades.

5 FACILITY PROFILE SHEETS

Lincoln County District Office

459 SW Coast Highway, Newport, Oregon 97365

Year Built 1937 | Area 7,820 SF Current Use District Offices

FACILITY CONDITION INDEX (FCI)



FCI Formula: Cost to Repair / Cost to Replace

	32.1%	
GOOD FAIR	POOR	CRITICAL
0-5% 5-10%	10-60%	>60%

The FCI score presented above is generated from the Oregon Department of Education School Facility Assessment form, based on recorded observations during the onsite assessments conducted by another architectural firm. The number does not reflect any seismic deficiencies that might be present.

DESCRIPTION

The Lincoln County District Offices house

administrative services, including offices and meeting spaces.

- \rightarrow Repairs issues with slab and basement walls.
- → Repair roof decking and replace roofing system.
- → Patch/repair and re-paint exterior walls.
- → Replace roof access hatches.
- \rightarrow Replace stair treads.
- → Replace glue-up ceiling tile assemblies.
- → Replace select plumbing fixtures and valves.
- \rightarrow Replace air handlers and furnace.
- → Install heating controls.
- → Demolish existing parking garage.
- → Install District VOIP hub.

Teaching and Learning Center

1212 NE Fogarty Street, Newport, Oregon 97365

Year Built Unknown | Area 21,500 SF Current Use Administrative/Community

FACILITY CONDITION INDEX (FCI)

FCI Formula: Cost to Repair / Cost to Replace

7.2%		
GOOD FAIR	POOR	CRITICAL
0-5% 5-10%	10-60%	>60%

The FCI score presented above is generated from the Oregon Department of Education School Facility Assessment form, based on recorded observations during the onsite assessments conducted by another architectural firm. The number does not reflect any seismic deficiencies that might be present.

DESCRIPTION

The **Teaching and Learning Center** is located in the former pool building in Newport. These facilities will provide opportunities for school administrators and teachers to meet and explore curriculum alignment. The building will devote areas to Special Needs and Talented and Gifted (TAG) Programs, a liaison for homeless students and spaces for local groups and organizations to meet and contribute to the community.

- → Install fire sprinkler system and pump.
- → Replace voice/data system.
- → Replace clock/intercom.
- → Replace access control.
- → Select Site Improvements (parking lots).

Toledo Maintenance Contractor's Building

353 NE Burgess Road, Toledo, Oregon 97391

Year Built Unknown | Area 3,343 SF Current Use Support Services

FACILITY CONDITION INDEX (FCI)

FCI Formula: Cost to Repair / Cost to Replace

	29.4%	
GOOD FAIR	POOR	CRITICAL
0-5% 5-10%	10-60%	>60%

The FCI score presented above is generated from the Oregon Department of Education School Facility Assessment form, based on recorded observations during the onsite assessments conducted by another architectural firm. The number does not reflect any seismic deficiencies that might be present.

DESCRIPTION

This site houses Sodexo Custodial and First Student Bus.

- \rightarrow Replace all carpet flooring.
- → Replace select plumbing fixtures/valves.
- → Install fire sprinkler system and pump.
- → Replace voice/data system.
- → Select Site Improvements (parking lots).

Toledo Maintenance (East Shop)

294 NE Burgess Road, Toledo, Oregon 97391

Year Built Unknown | Area 9,485 SF Current Use Shop

FACILITY CONDITION INDEX (FCI)

FCI Formula: Cost to Repair / Cost to Replace



The FCI score presented above is generated from the Oregon Department of Education School Facility Assessment form, based on recorded observations during the onsite assessments conducted by another architectural firm. The number does not reflect any seismic deficiencies that might be present.

DESCRIPTION

This shop facility is located in Toledo.

- → Replace all carpet flooring.
- → Install fire sprinkler system and pump; install fire line.
- → Replace voice/data system.
- → Select Site Improvements (parking lots, paving).
- → Replacement of East Grounds Building.

6 CAPITAL IMPROVEMENT PLAN

Lincoln County School District's Capital Improvement Plan (CIP) addresses the District's facility needs over the next 10 years. Tier I items have been identified as those improvements that need to be identified on the next bond measure (0-5 yeat time frame). Tier II items should be addressed in 5-10 year time frame, and items identified as Tier III are considered in a 10 years or longer time frame.

CAPITAL IMPROVEMENTS - Tier I

- → Structural Repairs at Select Schools
- \rightarrow Drop-off Lane Improvements to Support Traffic Flow
- → Select Field Turf Replacements
- → Technology/Communications Systems Upgrades
- → Safety and Security Upgrades
- \rightarrow Creation of Extended Learning Areas in Schools
- → Creation/Expansion of CTE Spaces
- → Roof Replacements at Select Schools
- → Plumbing Upgrades at all Schools
- → Classroom Furniture Replacement



CAPITAL IMPROVEMENTS - Tier II

- → Kitchen Upgrades
- → Mechanical (HVAC) Upgrades at Most Schools
- → Spaces/Features to Support STEAM Activities
- → Restroom Upgrades (including ADA Upgrades)
- Playground Improvements at Toledo Elementary School
- → Add Covered Play Structures at Taft, Oceanlake and Sam Case Elementary Schools
- → Playground Upgrades at Select Schools
- → Fire Alarm/Sprinkler Upgrades at Select Schools
- → Construct Gymnasium at Yaquina View Elementary School

CAPITAL IMPROVEMENTS - Tier III

The Long Range Facilities Planning committee identified the following items as potential "Tier II" projects to be considered once the bond-funded Tier I projects are complete, or if other sources of funding become available for Tier I items. Tier III items would be considered after Tier I and Tier III items are completed or funded by other resources. This list provides a starting reference for future long-range facilities planning considerations.

- → Site Improvements
- → Door Replacements at Select Schools
- → Electrical/Lighting Upgrades at Select Schools
- → Fuel Tank Replacements at Select Schools
- → Interior Finish Upgrades (cabinetry, walls, ceilings)
- → Flooring Replacements
- → Window Replacements
- → Sanitary Sewer Repairs/Upgrades at Select Schools
- → Provide Additional Gym Space at Select Secondary Schools
- → Expansion of Administrative Spaces
- → Provide Dedicated Spaces for Community Partners

Alternatives to New Construction

Based on enrollment projections, it is very unlikely that Lincoln County schools will reach or exceed capacity within the next 10 years. However, if conditions were to change, there are several approaches that would allow the District to increase their schools' functional capacity without new construction.

Increase Class Sizes: The capacity numbers presented above are based on the District's class size goals of 25 students for elementary classes and 28 students for middle school classes and 30 students for high school classes. If the District decides to increase class size goals in the future, building capacity would be adjusted accordingly. The consolidation of more students into fewer spaces could potentially free up one or more additional classrooms for other instructional uses.

Increase Classroom Utilization Rates at Secondary

Level: When calculating student capacity at the middle and high school level, a utilization factor is applied to each classroom reflecting that the room will be vacant for one period per day for teacher prep. A utilization factor of 85% was applied to middle and high schools. If teachers were to prep in a centralized teacher planning room rather than their classrooms, it would be possible to increase the utilization rate of classrooms accordingly, resulting in greater student capacity. This model discourages "ownership" of a classroom by a single teacher and is more akin to a college set-up where teachers may teach in multiple rooms throughout the day. While effective from a utilization standpoint, such a practice requires a culture shift within school operations that can be challenging to implement. **Makerspace / STEM Lab on Wheels:** Some school districts have developed "mobile makerspaces" that can be moved from classroom to classroom. This works best when classrooms have the following features:

- → Hard-surfaced flooring.
- → Sink.
- → Large enough to accommodate student movement and activity.
- → Flexible furnishings that allow easy reconfiguration of spaces.

Although a mobile makerspace lacks many of the advantages of a dedicated makerspace, such an approach can serve as a non-construction alternative to providing students with opportunities for hands-on, project-based learning.



District-owned Sites Undeveloped Land

Lincoln County School District owns undeveloped land that was acquired for a potential future elementary school site.

HOLLY FARM

54 acres (30 usable)

Undeveloped land



Potential School Sites

In addition, there are several other sites the District has identified as potential school site, including (2) options for a K-6 school at Depoe Bay and a shared site with Oregon Coast Community College for a new Newport High School facility.

NEW HIGH SCHOOL SITE NEAR OCCC

25-50 acres

Undeveloped land







6 CAPITAL IMPROVEMENT PLAN

Potential School Sites (continued)

DEPOE BAY - OPTION 1

6 acres

Undeveloped land

DEPOE BAY - OPTION 2

6 acres

Undeveloped land





School Name	Crestview Heights Elementa	ry School	Build	ing ID	Unknown	
Address	2750 S Crestline Dr, Waldpo	rt, 97394	Date	of Assessment	March 13, 2020	
Principal Name	Libba Sager		Asse	sor Name	Andrew Werth	
Ratings		1 = Poor	2 = Fair	3 = Satisfacto	· .	5 = Excellent
ntegration of Tech	nology				X	
either a Mimeo or I	1 student/device ratio (Chromebo Promethean board, projector, and sess. There is no computer lab in t	d document camer				
Support of STEAM	and Project-based Learning		X			
tore equipment ar	assrooms limits the ability for tead nd materials needed for science u naker-space or wet lab. There use es.	nits and more han	ds-on activities.	All classrooms have	ve sinks and tile flooring	ng. There is an Art
Group Sizes	Flexible Instruction / Varied		X		•	
Group Sizes The small size of cla varied group sizes: K-12 campus and co	Flexible Instruction / Varied assrooms limits varied arrangeme the library is larger and there is th purtyard are occasionally used for nerally, extended learning areas a	ne multipurpose ro r extended learnin	truction. Beyond to com/cafeteria, bu g. There is seatin	t these spaces are	e not always available	for class use. The
Group Sizes The small size of cla varied group sizes: K-12 campus and co weather is nice. Ge Environment Cond	assrooms limits varied arrangeme the library is larger and there is th purtyard are occasionally used for nerally, extended learning areas a	ne multipurpose ro r extended learnin	truction. Beyond to com/cafeteria, bu g. There is seatin	t these spaces are	e not always available	for class use. The
Group Sizes The small size of cla varied group sizes: <-12 campus and co veather is nice. Ge Environment Cond Acoustics, Therma The acoustics are a vindows and fans a	assrooms limits varied arrangeme the library is larger and there is th purtyard are occasionally used for nerally, extended learning areas a itions for Learning	ne multipurpose ro r extended learnin are not provided b l cooling, which in heating is accepta	truction. Beyond com/cafeteria, bu g. There is seatin y design. the summer can able and can be ac	t these spaces are g and tables in th X get very hot if the ljusted remotely.	e not always available e courtyard which are sun is out, in those si	for class use. The used when the used when the
Group Sizes The small size of cla varied group sizes: K-12 campus and co weather is nice. Ge Environment Cond (Acoustics, Therma The acoustics are a windows and fans a fluorescent fixtures	assrooms limits varied arrangeme the library is larger and there is th ourtyard are occasionally used for nerally, extended learning areas a itions for Learning Il Conditions, Lighting) cceptable. There is no mechanica are used to help with cooling. The s, but some teachers have lamps a	ne multipurpose ro r extended learnin are not provided b l cooling, which in heating is accepta	truction. Beyond com/cafeteria, bu g. There is seatin y design. the summer can able and can be ac	t these spaces are g and tables in th X get very hot if the ljusted remotely.	e not always available e courtyard which are sun is out, in those si	for class use. The used when the used when the
Group Sizes The small size of cla varied group sizes: K-12 campus and co weather is nice. Ge Environment Cond Acoustics, Therma The acoustics are a windows and fans a luorescent fixtures General Classroom Crestview Heights I uses some spaces i the spaces non-uni	assrooms limits varied arrangeme the library is larger and there is th ourtyard are occasionally used for nerally, extended learning areas a itions for Learning Il Conditions, Lighting) cceptable. There is no mechanica are used to help with cooling. The s, but some teachers have lamps a	ne multipurpose ro r extended learnin are not provided b l cooling, which in heating is accepta and use half of the g originally housed ing for middle sch	truction. Beyond com/cafeteria, bu g. There is seatin y design. the summer can able and can be ac ir fluorescent ligh d a K-8 program. T ool classrooms, a	t these spaces are g and tables in th X get very hot if the ljusted remotely. ting. X he neighboring W 't, and music. The	e not always available e courtyard which are e sun is out, in those si Classroom lighting is /aldport Middle Schoo e elementary classroor	for class use. The used when the tuations acceptable for ol/High School stil ns are small and
Group Sizes The small size of cla varied group sizes: (-12 campus and co veather is nice. Ge invironment Cond Acoustics, Therma The acoustics are a vindows and fans a luorescent fixtures General Classroom Crestview Heights I uses some spaces i he spaces non-uni one wall of window	assrooms limits varied arrangeme the library is larger and there is th ourtyard are occasionally used for nerally, extended learning areas a itions for Learning al Conditions, Lighting) cceptable. There is no mechanica are used to help with cooling. The s, but some teachers have lamps a Features ES serves grades K-6. The building n the southwest wing of the build form. All classrooms have sinks, w	ne multipurpose ro r extended learnin are not provided b l cooling, which in heating is accepta and use half of the g originally housed ing for middle sch	truction. Beyond com/cafeteria, bu g. There is seatin y design. the summer can able and can be ac ir fluorescent ligh d a K-8 program. T ool classrooms, a	t these spaces are g and tables in th X get very hot if the ljusted remotely. ting. X he neighboring W 't, and music. The	e not always available e courtyard which are e sun is out, in those si Classroom lighting is /aldport Middle Schoo e elementary classroor	for class use. The used when the tuations acceptable for ol/High School stil ns are small and
Group Sizes The small size of cla varied group sizes: K-12 campus and co weather is nice. Ge Environment Cond (Acoustics, Therma The acoustics are a windows and fans a fluorescent fixtures General Classroom Crestview Heights I uses some spaces is the spaces non-uni one wall of window Special Education I Room 1 is the Struct support and self-re	assrooms limits varied arrangeme the library is larger and there is th purtyard are occasionally used for nerally, extended learning areas a itions for Learning al Conditions, Lighting) cceptable. There is no mechanica are used to help with cooling. The s, but some teachers have lamps a Features ES serves grades K-6. The building n the southwest wing of the build form. All classrooms have sinks, w rs for natural lighting.	ne multipurpose ro r extended learnin are not provided b l cooling, which in heating is accepta and use half of the g originally housed ing for middle sch vater fountains, til	truction. Beyond to com/cafeteria, builded. Roce the setting of the setting of the setting of the summer can able and can be addir fluorescent light of a K-8 program. To col classrooms, are floors, cabinets, and the subdivided. Roce the subdivided. Roce the subdivided.	t these spaces are g and tables in th X get very hot if the ljusted remotely. ting. X he neighboring W rt, and music. The inside/outside do X um 1c is the Socia	e not always available e courtyard which are sun is out, in those si Classroom lighting is /aldport Middle Schoo e elementary classroor pors, fluorescent lighti	for class use. The used when the tuations acceptable for ol/High School stil ns are small and ing, and at least social-emotional

A large gym is provided that serves the school's needs, though there is only a small closet for gym storage which is insufficient.

School Inform	ation					
School Name	Crestview Heights Elementar	y School	Build	ding ID Un	known	
Address	2750 S Crestline Dr, Waldport	:, 97394	Date	of Assessment Ma	arch 13, 2020	
Principal Name	Libba Sager		Asse	ssor Name An	drew Werth	
Ratings		1 = Poor	2 = Fair	3 = Satisfactory	4 = Good	5 = Excellent
Commons / Cafete	ria and Servery				X	
	s four (4) lunches per day. The mul	ti-purpose/cafet	eria and kitchen	are adequate for the sc	hool's poods. Th	
	m uses the multi-purpose/cafeteri oms and provides an after-school		programming. Th	ne kitchen also serves b		
1 0	oms and provides an after-school		programming. Th	ne kitchen also serves b		
eaten in the classro Library Media Cent	oms and provides an after-school	meal for the 21st	programming. Th t Century After Sc	ne kitchen also serves b hool program.	preakfast for all st ${f X}$	tudents which is

The layout of the building generally allows for a good level of visual supervision. Administration and/or staff has good sight lines when standing at the intersection of the hallways. There is a secure entry vestibule at the school and there is exterior site fencing for the school grounds. Bus and parent drop-off lanes are separate and the site circulation system operates well.

Х

Administrative Spaces to Support School Operations / Community Programs

More office and conference room space are needed. There is a lot of competition for use of the conference room. There is a larger foyer at the front of the building where additional offices could be built. The 21st Century After School program uses the multi-purpose/cafeteria, library, and gym after-hours. The program houses its offices currently on the multipurpose room stage, so dedicated office spaces are needed.

Overall Rating:	0	6	12	16	0
Total Score:					34/55

Principal Name S Ratings Integration of Technology appropriate for the young ab is present as the school Support of STEAM and Pr Deceanlake has a makerspace open space). Teachers also room is present; the space garten area for student gas Spaces to Support Flexible Group Sizes The school consists of door modate varied activities. A additions being added over as others.	is excellent for a K-3 scho er age groups. All classro ol is entirely mobile. Wirel oject-based Learning ace that is available for ha o conduct such activities i e is sufficient to meet curr ardening.	1 = Poor bol Third graders ha oms are equipped w less access is very go ands-on STEAM activ in their classrooms. rent needs - no issue hout extended learn be gymnasium for an	Assess 2 = Fair ve a 1:1 student/de vith document cam- bood - no issues repo vities (formerly roo Classrooms all have es or complaints. Si and areas near class assembly. There is	eras and ceiling-r prted. ms 50, 51 and 53 e hardsurfaced flo x raised flower bo X srooms. However	er grades are slightly nounted data projec - walls were remove boring and sinks. A d eds are provided out	tors. No compute X ed to create an edicated music side of the kinder esent to accom- ut due to multiple
Ratings ntegration of Technology appropriate for the young ab is present as the school Support of STEAM and Pr Decanlake has a makerspace popen space). Teachers also room is present; the space garten area for student gar Spaces to Support Flexible Group Sizes The school consists of dour modate varied activities. A additions being added over as others.	is excellent for a K-3 scho er age groups. All classroo ol is entirely mobile. Wirel oject-based Learning ace that is available for ha o conduct such activities i e is sufficient to meet curr ardening. e Instruction / Varied uble-loaded corridors with All students can fit into th	bol Third graders ha oms are equipped w less access is very go ands-on STEAM activ in their classrooms. rent needs - no issue hout extended learn the gymnasium for an	2 = Fair ve a 1:1 student/de vith document cam- bod - no issues repo vities (formerly roo Classrooms all have es or complaints. Si aning areas near class a assembly. There is	3 = Satisfactory evice ratio. Young eras and ceiling-ro orted. ms 50, 51 and 53 e hardsurfaced flo x raised flower ba X srooms. However	4 = Good er grades are slightly mounted data projection - walls were remove poring and sinks. A deds are provided out r, a makerspace is prosection of the stress and layout stress and la	X y less, but this is stors. No compute X ed to create an edicated music side of the kinder esent to accom- ut due to multiple
ntegration of Technology ntegration of technology appropriate for the young ab is present as the school Support of STEAM and Pr Deceanlake has a makerspa- open space). Teachers also room is present; the space garten area for student ga Spaces to Support Flexible Group Sizes The school consists of dou modate varied activities. A additions being added over as others.	is excellent for a K-3 scho er age groups. All classroo ol is entirely mobile. Wirel oject-based Learning ace that is available for ha o conduct such activities i e is sufficient to meet curr ardening. e Instruction / Varied uble-loaded corridors with All students can fit into th	bol Third graders ha oms are equipped w less access is very go ands-on STEAM activ in their classrooms. rent needs - no issue hout extended learn the gymnasium for an	ve a 1:1 student/de vith document cam- pod - no issues repo vities (formerly roo Classrooms all have es or complaints. Si aning areas near class	evice ratio. Young eras and ceiling-r orted. ms 50, 51 and 53 e hardsurfaced flo x raised flower be X srooms. However	er grades are slightly nounted data projec - walls were remove boring and sinks. A d eds are provided out	X y less, but this is stors. No compute X ed to create an edicated music side of the kinder esent to accom- ut due to multiple
ntegration of technology appropriate for the young ab is present as the school support of STEAM and Pre Oceanlake has a makerspa- open space). Teachers also oom is present; the space garten area for student ga spaces to Support Flexible Group Sizes The school consists of door nodate varied activities. A additions being added over as others.	is excellent for a K-3 scho er age groups. All classroo ol is entirely mobile. Wirel oject-based Learning ace that is available for ha o conduct such activities i e is sufficient to meet curr ardening. e Instruction / Varied uble-loaded corridors with All students can fit into th	hout extended learn	vith document campod - no issues reported vities (formerly roo Classrooms all have es or complaints. Si hing areas near class assembly. There is	eras and ceiling-roorted. ms 50, 51 and 53 e hardsurfaced flo x raised flower bo X srooms. However	nounted data projec - walls were remove ooring and sinks. A d eds are provided out	y less, but this is tors. No compute X ed to create an edicated music side of the kinder esent to accom- ut due to multiple
appropriate for the young ab is present as the school support of STEAM and Pro- Deceanlake has a makerspa- open space). Teachers also oom is present; the space com is present; the space spaces to Support Flexible Group Sizes The school consists of dou nodate varied activities. A additions being added over is others.	er age groups. All classroo of is entirely mobile. Wire roject-based Learning ace that is available for ha o conduct such activities i e is sufficient to meet curr ardening. e Instruction / Varied uble-loaded corridors with All students can fit into th	hout extended learn	vith document campod - no issues reported vities (formerly roo Classrooms all have es or complaints. Si hing areas near class assembly. There is	eras and ceiling-roorted. ms 50, 51 and 53 e hardsurfaced flo x raised flower bo X srooms. However	nounted data projec - walls were remove ooring and sinks. A d eds are provided out	tors. No compute X ed to create an edicated music side of the kinder esent to accom- ut due to multiple
Oceanlake has a makerspa open space). Teachers also oom is present; the space garten area for student ga opaces to Support Flexible Group Sizes The school consists of dou nodate varied activities. A additions being added over as others.	ace that is available for ha o conduct such activities i e is sufficient to meet curr ardening. e Instruction / Varied uble-loaded corridors with All students can fit into th	in their classrooms. rent needs - no issue hout extended learn ne gymnasium for an	Classrooms all have es or complaints. Si ning areas near clas assembly. There is	e hardsurfaced flo x raised flower bo X srooms. However	poring and sinks. A d eds are provided out , a makerspace is pro sroom sizes and layou	ed to create an edicated music side of the kinder esent to accom- ut due to multiple
open space). Teachers also oom is present; the space paces to Support Flexible Froup Sizes The school consists of dou nodate varied activities. A idditions being added over so others.	o conduct such activities i e is sufficient to meet curr ardening. e Instruction / Varied uble-loaded corridors with All students can fit into th	in their classrooms. rent needs - no issue hout extended learn ne gymnasium for an	Classrooms all have es or complaints. Si ning areas near clas assembly. There is	e hardsurfaced flo x raised flower bo X srooms. However	poring and sinks. A d eds are provided out , a makerspace is pro sroom sizes and layou	edicated music side of the kinder esent to accom- ut due to multiple
he school consists of dou nodate varied activities. dditions being added ove s others.	uble-loaded corridors with All students can fit into th	ne gymnasium for an	assembly. There is	srooms. However	sroom sizes and layou	ut due to multiple
nodate varied activities. Idditions being added ove Is others.	All students can fit into th	ne gymnasium for an	assembly. There is		sroom sizes and layou	ut due to multiple
Invironment Conditions			I small and cannot a		configuration for col	laboration as eas
eportedly substandard th	led at different times, the proughout many areas of y a small amount of nature	the facility, especial				
General Classroom Featu	res				X	
access to natural daylight equipped than others. For	faced flooring with an are ng / windows. There is a example, some classroor l other classrooms lack th	degree of variation I ms have shared "Jac	between classroom k and Jill" offices be	n wings, with som	e classrooms larger	and/or better
pecial Education Progra	m Resources				X	
e-escalation space wher ot ADA accessible (no ele tudents to board before	mbined to create a Struct e students can practice se evator access). This area u other students. A SPED re reate a resource room + 1	elf-regulation skills. used to serve as a sta esource room is loca	There is also a sens aff lounge. SPED bu ted near the gym.∃	ory room located ses use the main This space was fo	d upstairs (above the bus lane, but arrive rmerly a general pur	cafeteria), which first allowing SPE
paces to Support P.E. Cu	rriculum				X	

not provided, limiting options for outdoor recess.

School Inform	ation					
School Name	Oceanlake Elementary S	chool	Build	ding ID Lir	nc_sch01A	
Address	2420 NE 22nd St, Lincolr	City, OR 97367	Date	e of Assessment M	arch 17, 2020	
Principal Name	Sandy Mummey		Asse	essor Name Eli	sa Warner	
Ratings		1 = Poor	2 = Fair	3 = Satisfactory	4 = Good	5 = Excellent
Commons / Cafete	ria and Servery			X		

The cafeteria is a former gymnasium with hard surfaces, high ceilings, and no acoustical panels. It is reportedly very noisy when occupied. The cafeteria can fit six (6) class sections at a time; however, students currently eat lunch in their classrooms. This decision was made to avoid the noise and chaos of the cafeteria environment. The configuration of the servery leads to bottlenecks.

Library Media Center

The library media center meets the school's needs. The size was reduced to create a staff development room; however, the smaller space is still reportedly sufficient.

Safe and Secure Learning Environment

The school has a main entry with a vestibule where visitors are buzzed in. The main entry along with two other entry points near parent and bus lanes are open (and staffed) during drop-off / pick-up times. Drop-off/pick-up system works well. The main office has good visibility of the main parking lot but staff use a camera to view the building's main entry. The school lacks exterior cameras, but more are scheduled to be added in the near future. Exterior doors do not have sensors; as such, there is no way to know if a door is propped or not completely shut. This has been a particular issue with the exterior door near the library that leads to the playground; bark chips frequently accumulate around the door frame and prevent the door from latching completely. There are a lot of exterior doors in this facility, as every classroom has a door leading outside. The principal reports that it is the school's policy that the exterior classroom doors may only be used for exiting, not for building entry.

Administrative Spaces to Support School
Operations / Community Programs

Administrative spaces are at capacity with every extra room, space and/or closet used to provide misc. workstations. The school recently sectioned off the library to create a staff development room; this has proven to be very beneficial to staff collaboration and morale. Storage is a bit lacking due to using closets as office space, etc., but generally adequate (encourages teachers to be selective in what they retain). No community room or parent resource center is present; this is greatly needed. There is a lack of private meeting space; the principal gives up her office to accommodate certain meetings (e.g. DHS). As a rural district, the school has many community partners, such as LBL, Homeless Advocate Program, etc. The school does not have workstations or dedicated meeting rooms available for itinerant staff and/or community partners. A small health room is present, but the District nurse does not have a dedicated workstation or office.

Overall Rating:	0	0	15	16	10
Total Score:					41/55

Х

Х

School Name	Sam Case Elementary Schoo	bl	Build	ling ID	Linc_sch02A	
Address	459 NE 12th Street Newport	t, Oregon 97365	Date	of Assessment	March 12, 2020	
Principal Name	Shelley Moore		Asse	ssor Name	Thea Wayburn	
Ratings		1 = Poor	2 = Fair	3 = Satisfacto	ory 4 = Good	5 = Excellent
Integration of Tech	nology				X	
This facility is 1:1 Ch	hromebook. Devices remain at so	chool for students.				
Support of STEAM	and Project-based Learning				X	
ed back to a traditic he classrooms (clas	ne classroom at this site designat onal classroom. The existing stag ssrooms have hard surface floorin	e is now a small inst		0		
Spaces to Support I Group Sizes	Flexible Instruction / Varied			X		
or library; smaller g	roups utilize outdoor space, the p	play porch and hallw	avs. Classroom	doors have glazi	ng tor paccivo cuporvic	tion There are n
Environment Condi	d learning spaces. Hallways do be			-		
Environment Condi Acoustics, Therma Classrooms have ex	d learning spaces. Hallways do be	ecome crowded whe	n used as flexib	le learning space		
Environment Condi Acoustics, Therma	d learning spaces. Hallways do be itions for Learning Il Conditions, Lighting) aterior windows. There are challe	ecome crowded whe	n used as flexib	le learning space		
Environment Condi Acoustics, Therma Classrooms have ex new. General Classroom There were no issue	d learning spaces. Hallways do be itions for Learning Il Conditions, Lighting) aterior windows. There are challe	ecome crowded whe	trol from hallwa	le learning space X ays. There are the X fact that walls are	ermal issues at this faci	ility. Lighting is
Environment Condi Acoustics, Therma Classrooms have ex new. General Classroom There were no issue rooms. The age and	d learning spaces. Hallways do be itions for Learning Il Conditions, Lighting) tterior windows. There are challe Features es expressed with the physical siz	ecome crowded whe	trol from hallwa	le learning space X ays. There are the X fact that walls are	ermal issues at this faci	ility. Lighting is
Environment Condi Acoustics, Therma Classrooms have ex new. General Classroom There were no issue ooms. The age and Special Education P This school site hou	d learning spaces. Hallways do be itions for Learning Il Conditions, Lighting) Iterior windows. There are challe Features es expressed with the physical siz I style of existing furnishings mak	ecome crowded whe	trol from hallwa except for the ompletely flexib	le learning space X ays. There are the X fact that walls are ble with group size	ermal issues at this fact e not operable to creat es and configurations.	ility. Lighting is te larger class-
Environment Condi Acoustics, Therma Classrooms have ex new. General Classroom There were no issue ooms. The age and Special Education P This school site hou	d learning spaces. Hallways do be itions for Learning al Conditions, Lighting) tterior windows. There are challed Features es expressed with the physical siz d style of existing furnishings make Program Resources uses one Resource classroom (roo sible toilet room, several break roo	ecome crowded whe	trol from hallwa except for the ompletely flexib	le learning space X ays. There are the X fact that walls are ble with group size	ermal issues at this fact e not operable to creat es and configurations.	ility. Lighting is te larger class-
invironment Condi Acoustics, Therma Classrooms have ex lew. General Classroom There were no issue ooms. The age and opecial Education P This school site hou loes have an access opaces to Support I PE is offered every to umber of students	d learning spaces. Hallways do be itions for Learning al Conditions, Lighting) tterior windows. There are challed Features es expressed with the physical siz d style of existing furnishings make Program Resources uses one Resource classroom (roo sible toilet room, several break roo	ecome crowded whe enges with noise con e of the classrooms, es it difficult to be co oms and one SLC (poms and a sensory rotation). Classes a here is not time in th	n used as flexib trol from hallwa except for the ompletely flexib Classroom (roor room.	Ite learning space X ays. There are the X fact that walls are ole with group size m 17). The SLC Cl ong every day to a	ermal issues at this fact e not operable to creat es and configurations. assroom was recently X accommodate this. Du	ility. Lighting is te larger class- X remodeled and

	tion					
School Name	Sam Case Elementary Sch	nool	Build	ding ID	Linc_sch02A	
Address	459 NE 12th Street Newp	ort, Oregon 97365	Date	e of Assessment	March 12, 2020	
Principal Name	Shelley Moore		Asse	essor Name	Thea Wayburn	
Ratings		1 = Poor	2 = Fair	3 = Satisfactor	y 4 = Good	5 = Excellent
Library Media Cente	er				X	
,	I day long for a number of act s, but furniture is not sized fo		gram called Dig	ital Citizen, library	skills and research. C	Community use of
			21			
pick up in two location picked up by parked and it is hard to supe also cross the playgr	with pick up and drop off as ons. One is at the front of the cars along the street in which ervise students getting into pa ound. Per the floor plan, the	e school (it was noted s n students must cross t arked cars not adjacent	where this occu speed bumps ar he playground to the school (e being installed at to access. The play even with a crossin	this front location). ground is unlocked d g guard present). Stu	Students are also luring this period udents who walk
pick up in two locati picked up by parked and it is hard to supe also cross the playgr entry vestibule.	with pick up and drop off as ons. One is at the front of the cars along the street in which ervise students getting into pa ound. Per the floor plan, the res to Support School	e school (it was noted s n students must cross t arked cars not adjacent	where this occu speed bumps ar he playground to the school (e being installed at to access. The play even with a crossin	this front location). ground is unlocked d g guard present). Stu	Students are also luring this period udents who walk
pick up in two locatic picked up by parked and it is hard to supe also cross the playgr entry vestibule. Administrative Spac Operations / Comm Currently a program	with pick up and drop off as ons. One is at the front of the cars along the street in which ervise students getting into pa ound. Per the floor plan, the res to Support School	e school (it was noted s n students must cross t arked cars not adjacent main office is not adjac n office and shares sto	where this occupeed bumps ar he playground to the school (cent to the main rage space. The	e being installed at to access. The play even with a crossin n entrance (it is acr X ere are not enough	: this front location). /ground is unlocked d ng guard present). Str oss the hallway); the	Students are also luring this period udents who walk re is no secure

Total Score:

39/55

School Name	Taft Elementary School		Build	ing ID	Unknown	
Address	4040 High School Dr, Linco	oln City 97367	Date	of Assessment	March 16, 2020	
Principal Name	Becca Bostwick		Asse	ssor Name	Elisa Warner	
Ratings		1 = Poor	2 = Fair	3 = Satisfactory	4 = Good	5 = Excellent
ntegration of Tech	inology					X
ty is very good. So	1 student/device ratio (Chrome me interactive white boards are akers. A data projector is provid	e present but are no	longer utilized. C			
Support of STEAM	and Project-based Learning		X			
coustics) with inst separate music ro eneral instruction	udent during the school day (gra rument lockers around the peri bom is provided (for general mu ; it currently serves as a 5th gra	imeter. Students hav usic instruction); how	e to practice in se vever, the space is	ections rather than a undersized. The fo	all together; this lim rmer art classroom	its instruction.
Spaces to Support Group Sizes	Flexible Instruction / Varied		X			
ome classrooms h	ave a narrow, rectangular shap	e that limits classroo	m arrangements.	Extended learning	areas are not provid	ded by design.
	itions for Learning Il Conditions, Lighting)		X			
ng in some classro been mold concern	v, dark interior classrooms are p oms creates odor issues. Some is in the past associated with th some noise transference associ	students eat breakfa e ESL room (Room 5	ast within their cla 6); however, air q	assrooms. Thermal outputs the state of the second sec	conditions are accep reveal any issues. Ac	table. There have
ng in some classro been mold concern	oms creates odor issues. Some is in the past associated with th some noise transference associ	students eat breakfa e ESL room (Room 5	ast within their cla 6); however, air q	assrooms. Thermal outputs the state of the second sec	conditions are accep reveal any issues. Ac	table. There have
ng in some classro been mold concern ally good. There is s General Classroom Faft ES serves grade time, a center bree dows. The school p building did not sup keeping grade level	oms creates odor issues. Some is in the past associated with th some noise transference associ	students eat breakfa e ESL room (Room 5 ated with the modul lly constructed as a l idditional interior cla different scheduling has five (5) sections of ave old carpeting tha	ast within their cla 6); however, air q ar wall separating nigh school. The b ssrooms. Unfortu model for 6th gra of each grade leve it requires replace	assrooms. Thermal of uality tests did not the Title I room fro <u>X</u> uuilding was later ac unately, all of the ini- ders (more similar el; however, the layo ement. Each classro	conditions are accept reveal any issues. Accommodation the staff room. In the staff room. In the staff room of the staff room of the section	ry use. At that on thave win- unfortunately, the oes not support ns 57, 59 and 61 ar
ng in some classro been mold concern ally good. There is s General Classroom Taft ES serves grade time, a center bree dows. The school p building did not sup teeping grade level bositioned near the	oms creates odor issues. Some is in the past associated with th some noise transference associ Features es 3-6. The building was origina zeway was enclosed to create a reviously tried to implement a oport this. The school typically l Is together. Many classrooms ha	students eat breakfa e ESL room (Room 5 ated with the modul lly constructed as a l idditional interior cla different scheduling has five (5) sections of ave old carpeting tha	ast within their cla 6); however, air q ar wall separating nigh school. The b ssrooms. Unfortu model for 6th gra of each grade leve it requires replace	assrooms. Thermal of uality tests did not the Title I room fro <u>X</u> uuilding was later ac unately, all of the ini- ders (more similar el; however, the layo ement. Each classro	conditions are accept reveal any issues. Accommodation the staff room. In the staff room. In the staff room of the staff room of the section	ry use. At that on thave win- unfortunately, the oes not support ns 57, 59 and 61 at
ng in some classro been mold concern ally good. There is s General Classroom Faft ES serves grade time, a center bree dows. The school p building did not sup excepting grade level toositioned near the Special Education f Rooms 20 and 22 a er supervises both cannot always be g	oms creates odor issues. Some is in the past associated with the some noise transference associant Features es 3-6. The building was origina zeway was enclosed to create a reviously tried to implement a oport this. The school typically la to together. Many classrooms has e cafeteria; the location is very of	students eat breakfa e ESL room (Room 5 ated with the modul lly constructed as a l idditional interior cla different scheduling has five (5) sections of ave old carpeting tha distracting midday as SLC) classrooms. The n multiple aids on bo small "den" room use	ast within their cla 6); however, air q ar wall separating high school. The b ssrooms. Unfortu model for 6th gra of each grade leve at requires replace s classes queue in classes queue in class	assrooms. Thermal uality tests did not the Title I room fro uilding was later ac unately, all of the inf ders (more similar f el; however, the layo ement. Each classro to the hallway wait <u>X</u> t with a connecting figuration is challer tional support, self-	conditions are accept reveal any issues. Accommendation of the staff room. lapted for elementation of the building door a middle school); out of the building door has a sink. Room ing to be served lume door. Currently, one nging, as students woregulation, etc. Ada	ry use. At that o not have win- unfortunately, the oes not support ns 57, 59 and 61 ar ch.

_

Administrative Spaces to Support School

EDUCATIONAL ADEQUACY ASSESSMENT (PAGE 2 OF 2)

School Inform	ation					
School Name	Taft Elementary School		Building ID		Unknown	
Address	4040 High School Dr, Lincoln Cit		Date	e of Assessment	March 16, 2020	
Principal Name	Becca Bostwick		Asse	essor Name	Elisa Warner	
Ratings		1 = Poor	2 = Fair	3 = Satisfactory	4 = Good	5 = Excellent
Commons / Cafete	ria and Servery				X	
•	s three (3) lunches. The cafete s lining up even outside of the			0 0		
Library Media Cent	ter				X	
The library is spacio	ous; it was the former cafeteria	a. It is centrally locate	ed and inviting to	students. The space	is equipped with a	data projector.
Sofe and Secure Le						
Sale and Secure Le	arning Environment				X	

Operations / Community Programs
There are reportedly insufficient workstations and/or offices to support staffing needs. The health room is currently positioned within an office buried within the main office (difficult for students to access, no waiting area). The school lacks a designated conference room. The principal frequently has to give up her office to others when a private meeting area is needed. Community partners include HELP Center in Room 21, Early Intervention Program in Room 15 (classroom-sized space). The after-school program uses the cafeteria after-hours as well as storage areas on the 2nd floor area above the cafeteria.

Х

Overall Rating:	8	6	12	10
Total Score:				36/55

School Name	Toledo Elementary Schoo	I	Building ID	Unknown	
Address	600 SE Sturdevant Road,	Toledo, OR 97391	Date of Assessmer	nt March 13, 2020	
Principal Name	Liz Postlewait		Assessor Name	Andrew Werth	
Ratings		1 = Poor	2 = Fair 3 = Satisfa	actory 4 = Good	5 = Excellen
ntegration of Tech	inology			X	
arts in classrooms	1 student/device ratio (Chrome , the school does not have a co ers that students can access.				
upport of STEAM	and Project-based Learning			X	
pproaches and dif	cious and each pair of classroo ferentiation at the classroom le ım is used for drama and conta	evel. All classrooms ha	ve a sink and all but two class	rooms have vinyl tile floor	ring. A larger roo
Group Sizes	Flexible Instruction / Varied			X	
roup Sizes lassrooms are spa pproaches and dif er, multipurpose c	Flexible Instruction / Varied cious and each pair of classroo ferentiation at the classroom le afeteria, and a music room/dra ugh its location near the entrar	evel. Other shared gati ma room. There is also	hering areas for larger group i o a patio near the front entra	earning and allows for a va in the school are the gymr nce that is occasionally use	nasium, media ce
roup Sizes ilassrooms are spa pproaches and dif er, multipurpose c earning space, tho nvironment Cond	cious and each pair of classroo ferentiation at the classroom le afeteria, and a music room/dra	evel. Other shared gati ma room. There is also	hering areas for larger group i o a patio near the front entra	earning and allows for a va in the school are the gymr nce that is occasionally use	nasium, media ce
roup Sizes lassrooms are spa pproaches and dif er, multipurpose c earning space, tho nvironment Cond Acoustics, Therma	cious and each pair of classroo ferentiation at the classroom le afeteria, and a music room/dra ugh its location near the entrar itions for Learning	evel. Other shared gatl ma room. There is also nce can be distracting	hering areas for larger group i o a patio near the front entrai and the concrete furniture an	earning and allows for a va in the school are the gymr nce that is occasionally us Id surface less inviting.	nasium, media ce ed as an outdoor
Group Sizes Classrooms are spa approaches and dif er, multipurpose c earning space, tho Environment Cond Acoustics, Therma	cious and each pair of classroo ferentiation at the classroom le afeteria, and a music room/dra ugh its location near the entrar itions for Learning al Conditions, Lighting) e no issues with the acoustics, h	evel. Other shared gatl ma room. There is also nce can be distracting	hering areas for larger group i o a patio near the front entrai and the concrete furniture an	earning and allows for a va in the school are the gymr nce that is occasionally us Id surface less inviting.	nasium, media ce ed as an outdoor
iroup Sizes classrooms are spa pproaches and dif er, multipurpose c earning space, tho nvironment Cond Acoustics, Therma currently, there are seneral Classroom oledo ES serves gr pace that is used f ink. All but two cla	cious and each pair of classroo ferentiation at the classroom le afeteria, and a music room/dra ugh its location near the entrar itions for Learning al Conditions, Lighting) e no issues with the acoustics, h	evel. Other shared gat ima room. There is also nee can be distracting neating/cooling or ligh ginally a middle school a variety of teaching ap	hering areas for larger group i o a patio near the front entra and the concrete furniture an ting. Classrooms have many v . Classrooms are spacious and pproaches and differentiation	earning and allows for a va in the school are the gymr nce that is occasionally us id surface less inviting. X vindows and two different X d each pair of classrooms s at the classroom level. Al	asium, media ce ed as an outdoor sets of lighting. hare a "bump-ou I classrooms hav
roup Sizes lassrooms are spa pproaches and dif er, multipurpose c earning space, tho nvironment Cond Acoustics, Therma urrently, there are eneral Classroom bledo ES serves gr bace that is used f nk. All but two cla nd desks or tables	cious and each pair of classroo ferentiation at the classroom le afeteria, and a music room/dra ugh its location near the entrar itions for Learning al Conditions, Lighting) e no issues with the acoustics, h Features rades K-6. The building was orig or flex learning and allows for a assrooms have vinyl tile flooring	evel. Other shared gat ima room. There is also nee can be distracting neating/cooling or ligh ginally a middle school a variety of teaching ap	hering areas for larger group i o a patio near the front entra and the concrete furniture an ting. Classrooms have many v . Classrooms are spacious and pproaches and differentiation	earning and allows for a va in the school are the gymr nce that is occasionally us id surface less inviting. X vindows and two different X d each pair of classrooms s at the classroom level. Al	asium, media ce ed as an outdoor sets of lighting. hare a "bump-ou I classrooms hav
roup Sizes lassrooms are spa pproaches and dif er, multipurpose c earning space, tho nvironment Cond Acoustics, Therma urrently, there are ieneral Classroom oledo ES serves gr pace that is used f nk. All but two cla nd desks or tables pecial Education 1 ooms 107 and 108 pom and a break r	cious and each pair of classroo ferentiation at the classroom le afeteria, and a music room/dra ugh its location near the entrar itions for Learning al Conditions, Lighting) e no issues with the acoustics, h Features rades K-6. The building was orig or flex learning and allows for a assrooms have vinyl tile flooring based on teacher preference.	evel. Other shared gat ma room. There is also nee can be distracting meating/cooling or ligh ginally a middle school a variety of teaching ap g and the other two cla enter (SLC) which are s ort. The SLCs are well	hering areas for larger group i o a patio near the front entran and the concrete furniture an ting. Classrooms have many v . Classrooms are spacious and pproaches and differentiation assrooms have carpet. All class self-contained classrooms that located near the bus access.	earning and allows for a va in the school are the gymr nce that is occasionally us id surface less inviting. X vindows and two different X d each pair of classrooms s at the classroom level. Al scrooms have built in cabir X tshare a door way, each w The Resource Room (Roor	asium, media ce ed as an outdoor sets of lighting. hare a "bump-ou l classrooms hav nets, bookshelve

High School uses the gym for basketball and one of the locker rooms. Toledo ES uses the other locker room for storage. There is also a covered-play area outside and fields, including high school softball and baseball fields on the property. The elementary school field turns muddy in the rainy season, so a synthetic turf field would be helpful.

School Informa	ation					
School Name	Toledo Elementary School		Build	ling ID	Unknown	
Address	600 SE Sturdevant Road, Toledo	, OR 97391	Date	of Assessment	March 13, 2020	
Principal Name	Liz Postlewait		Asse	ssor Name	Andrew Werth	
Ratings		1 = Poor	2 = Fair	3 = Satisfactor	y 4 = Good	5 = Excellent
Commons / Cafeter	ria and Servery				X	

The school operates seven (7) lunches per day by grade level. The multi-purpose/cafeteria and kitchen are spacious and adequate for the school's needs. The kitchen provides breakfast to each classroom by cart and provides a meal for the after-school program. The school does experience "traffic jams" outside of the cafeteria between lunch periods as one grade leaves and crosses the hall as the other grade is entering. The 21st Century After School program uses the multi-purpose/cafeteria for its programming.

	Library Media Center				X	
--	----------------------	--	--	--	---	--

The Library/Media Center is a single large space that is more centrally located within the building. The furnishings include tables and book shelves that have limited flexibility. The space functions well for a single class, but does not support a range of activities and group sizes and is not used by students outside of class time. The Library/Media Center has a document camera, projector, laptop, speakers, and a couple of computers that students can access.

Safe and Secure Learning Environment

The school does not have a fully secure entry vestibule. The front doors are kept locked and visitors have to use the doorbell to be buzzed in or use a badge to gain access. The second set of doors has manual locks. While the shared classroom "bump-out" spaces create certain opportunities for flexible instruction, they also pose some challenges in terms of direct visual supervision with the adjacent classrooms and create a potential place for students to hide. Although the bus and parent drop-off lanes are separate, there are challenges on the school site with vehicle congestion prior to pick up. Cars lining up prior to pick up create issues for initial bus access, though once the pickup process gets going the flow is efficient. There are also some issues with how vehicle circulation is mapped out on the site, blind spots, and crosswalks that are not clear or painted. There is exterior site fencing around the playground, covered-play area, and around the baseball and softball fields.

Administrative Spaces to Support School Operations / Community Programs	X	
eperater, contract, contract,		

The original office space was set up well, but not designed to have an Assistant Principal. The Assistant Principal's office is now located in the Media Center Room 112A. With the Principal on leave, the Principal's office is being used for a conference room, since there is not one. Office and conference room spaces are needed. Community programs include the 21st Century After School program that uses the multi-purpose/cafeteria and Young 4H, Lego Club, and Archery that use the gym and classrooms.

Overall Rating:	0	2	3	32	5
Total Score:					42/55

Х

School Name	Yaquina View Elementary	School	Building ID	Linc_	_sch08	
Address	351 SE Harney Street New	port, Oregon 97365	Date of Asse	essment Marc	ch 12, 2020	
Principal Name	Kristin Becker		Assessor Na	me Thea	Wayburn	
Ratings		1 = Poor	2 = Fair 3 =	Satisfactory	4 = Good	5 = Excellent
ntegration of Tech	inology			X		
	omebooks for student use, but top running the reader board is		Kindergarten stud	lents have iPads (6-7). There is w	ireless in the
Support of STEAM	and Project-based Learning	X				
There are raised ga	s used as a STEM space but it ha rden beds onsite but no space o uiry based learning. Classrooms	or outdoor learning area.	Teachers don't hav		•	
Spaces to Support Group Sizes	Flexible Instruction / Varied	X				
nstruction. As this	s within the existing school layo is a K-2 grade configuration, it s ago but needed for general in	would be challenging to al				
Environment Cond	itions for Learning		X			
	al Conditions, Lighting)					
General classroom nstruction. There a paces. There are o nas not had upgrac		m and the existing stage; ditions throughout this fa spaces have light switches	oms (one in Hall D a the space "echos" a cility, with rooms b	and sound is easil being too hot or to	ly transmitted b oo cold. Lighti	etween the two ng is original and
General classroom nstruction. There a paces. There are o nas not had upgrac stage and the swite	al Conditions, Lighting) s have exterior windows with th are noise issues between the gy challenges with the thermal con les; it is not dimmable. Several ches for the Library are in an adj	m and the existing stage; ditions throughout this fa spaces have light switches	oms (one in Hall D a the space "echos" a cility, with rooms b	and sound is easil being too hot or to	ly transmitted b oo cold. Lighti	etween the two ng is original and
General classrooms nstruction. There a paces. There are o las not had upgrac tage and the switc General Classroom he furniture for ki ized for when this vaits and supervisi	al Conditions, Lighting) s have exterior windows with th are noise issues between the gy challenges with the thermal con les; it is not dimmable. Several ches for the Library are in an adj	m and the existing stage; i ditions throughout this fa spaces have light switches acent hallway. priate; furniture in other o . Since classrooms do not	oms (one in Hall D a the space "echos" a cility, with rooms b s in other rooms. T X Classrooms is too b have individual res	and sound is easil being too hot or to he switches for th gig for the size of t strooms, this has	ly transmitted b oo cold. Lighti he gymnasium l he students (mo become challen	etween the two ng is original and ights are on the sot furniture was ging with long
General classrooms nstruction. There a spaces. There are o has not had upgrad stage and the switc General Classroom The furniture for ki sized for when this waits and supervisi walls.	al Conditions, Lighting) is have exterior windows with the are noise issues between the gy challenges with the thermal con les; it is not dimmable. Several thes for the Library are in an adj in Features in dergarten classrooms is appro site was an elementary school)	m and the existing stage; i ditions throughout this fa spaces have light switches acent hallway. priate; furniture in other o . Since classrooms do not	oms (one in Hall D a the space "echos" a cility, with rooms b s in other rooms. T X Classrooms is too b have individual res	and sound is easil being too hot or to he switches for th gig for the size of t strooms, this has	ly transmitted b oo cold. Lighti he gymnasium l he students (mo become challen	etween the two ng is original and ights are on the sot furniture was ging with long
General classrooms nstruction. There a paces. There are on tage and that upgrace tage and the switce General Classroom The furniture for ki ized for when this vaits and supervisivalls. Special Education of There is one Resound supplies needed eting needs. Speciel	al Conditions, Lighting) is have exterior windows with the are noise issues between the gy challenges with the thermal con les; it is not dimmable. Several thes for the Library are in an adj in Features indergarten classrooms is appro site was an elementary school) ion, given the age of the student	m and the existing stage; i ditions throughout this fa spaces have light switches acent hallway. priate; furniture in other of Since classrooms do not ts. Hallways have places for SLC (room 16) Although ace, and one restroom wh y. There is a room for the to rotate on space availab	oms (one in Hall D a the space "echos" a cility, with rooms b s in other rooms. T X classrooms is too b have individual res or display but stud X this is a larger class ich has to serve ap Counselor (room 4 ility. There is a des	and sound is easil being too hot or to he switches for th ig for the size of to strooms, this has ents often tear w sroom, it is not la proximately 20 st 3) but it is not lar sire for outside co	ly transmitted b oo cold. Lighti he gymnasium l the students (me become challen hat is being disp rge enough for f tudents, some w ge enough for so ounselors to cor	etween the two ng is original and ights are on the ost furniture was ging with long olayed off the the equipment vith additional toi mall groups The ne to this site but
General classrooms nstruction. There a paces. There are on tage and that upgrace tage and the switce General Classroom The furniture for kinized for when this vaits and supervision valls. Special Education of There is one Resound supplies needed eting needs. Specie Psychologist current here is no room. Comparison	al Conditions, Lighting) is have exterior windows with the are noise issues between the gy challenges with the thermal con- les; it is not dimmable. Several thes for the Library are in an adj a Features Indergarten classrooms is appro- site was an elementary school) on, given the age of the student Program Resources rce room and one classroom for the language occurs in the Library ntly uses room 18 but often has Currently room 19 is used as over	m and the existing stage; i ditions throughout this fa spaces have light switches acent hallway. priate; furniture in other of Since classrooms do not ts. Hallways have places for SLC (room 16) Although ace, and one restroom wh y. There is a room for the to rotate on space availab	oms (one in Hall D a the space "echos" a cility, with rooms b s in other rooms. T X classrooms is too b have individual res or display but stud X this is a larger class ich has to serve ap Counselor (room 4 ility. There is a des	and sound is easil being too hot or to he switches for th ig for the size of to strooms, this has ents often tear w sroom, it is not la proximately 20 st 3) but it is not lar sire for outside co	ly transmitted b oo cold. Lighti he gymnasium l the students (me become challen hat is being disp rge enough for f tudents, some w ge enough for so ounselors to cor	etween the two ng is original and ights are on the ost furniture was ging with long olayed off the the equipment vith additional toi mall groups The ne to this site but
General classrooms instruction. There a spaces. There are of the source of the switch General Classroom The furniture for ki- sized for when this waits and supervisi- walls. General Education of there is one Resou- and supplies needed eting needs. Speed Psychologist curren- here is no room. Con- General Support the gymnasium is a walls, which causes	al Conditions, Lighting) is have exterior windows with the are noise issues between the gy challenges with the thermal con- les; it is not dimmable. Several thes for the Library are in an adj in Features Indergarten classrooms is appro- site was an elementary school) ion, given the age of the student Program Resources rece room and one classroom for icd. There are no sinks in this spa- th language occurs in the Librar- thy uses room 18 but often has Currently room 19 is used as over P.E. Curriculum adequately sized. However, sind is challenges with floor space and event of inclement weather). T	m and the existing stage; i ditions throughout this fa spaces have light switches acent hallway. priate; furniture in other of Since classrooms do not ts. Hallways have places for SLC (room 16) Although ace, and one restroom wh y. There is a room for the to rotate on space availab erflow for SPED and SLC, b et it was originally designed d safety concerns. Studer	oms (one in Hall D a the space "echos" a cility, with rooms b s in other rooms. T X Classrooms is too b have individual res or display but stud X this is a larger class ich has to serve ap Counselor (room 4 ility. There is a des ut this room will no X ed as a cafeteria/gy nts take PE twice a	and sound is easil being too hot or to he switches for to g for the size of to strooms, this has ents often tear w sroom, it is not lan proximately 20 st (3) but it is not lan sire for outside co to be available for mnasium, there a week and the spa	ly transmitted b oo cold. Lighti he gymnasium l the students (me become challen hat is being disp rge enough for s ounselors to cor r this use for the are tables locate ace is used all da	etween the two ng is original and ights are on the ost furniture was ging with long olayed off the the equipment vith additional toi mall groups The ne to this site but e next school year and against the ay except for

Х

School Informa	tion		
School Name	Yaquina View Elementary School	Building ID	Linc_sch08
Address	351 SE Harney Street Newport, Oregon 97365	Date of Assessment	March 12, 2020
Principal Name	Kristin Becker	Assessor Name	Thea Wayburn

Ratings	1 = Poor	2 = Fair	3 = Satisfactory	4 = Good	5 = Excellent
Library Media Center		X			

The library is used for story time and book check-out. Students also can color, play or read in the library. The furniture is set up as an instructional space; there are no soft seating areas. Staff meetings are housed in the Library. The physical space was reduced to accommodate other needs; currently it can house 1 class at a time.

Safe and Secure Learning Environment

Classrooms are located on either side of long hallways; hallway intersections often become congested. Supervision is challenging. The office is not located adjacent to the general classrooms nor does it have a welcome area for parents. It was noted it is easier to access some classrooms by going outside than to walk down hallways. There is not a secure entry vestibule. The building is not all one level; hallways (i.e. Hallway B) is ramped, and students often run on the ramped hallways. Drop off and pick up also pose challenges. The proximity of the school site to traffic lights causes congestion. Parents are allowed to walk students to classrooms. There are safety concerns with walkers and the unloading of buses and cars at the same time. In the afternoons buses arrive very early just to line up and access school site; parent pick-up is parallel to buses, as well as street side and beyond. Approximately 25% of parents collect their students from the classroom. There is only one entry/exit to this site.

Administrative Spaces to Support School Operations / Community Programs	X			
		/	 T I : I	

It is highly desired to have a space at this site dedicated for adult usage/meetings with appropriate furniture. There is a general lack of space for parent volunteers, itinerants, etc. It is desired to house a bi-lingual Pre-K/K program at this site but there is no space. The Health room was relocated near the front office; the Assistant Principal is now in an office in the Library (which reduced the floor area of the Library).

Overall Rating:	4	12	3	0	0
Total Score:					19/55

School Name	Newport Middle School		Buildi	ing ID	unknown	
Address	825 NE 7th Street Newport,	Oregon 97365	Date	of Assessment	March 12, 2020	
Principal Name	Aaron Belloni		Asses	sor Name	Thea Wayburn	
Ratings		1 = Poor	2 = Fair	3 = Satisfacto	ory 4 = Good	5 = Excellent
Integration of Tech	nnology				X	
	hromebook. The majority of the rojectors and several have Smart					
Support of STEAM	and Project-based Learning					X
lized for project-ba	er of programs offered at this cam used learning. This campus also o ctivities occur in general classroo	ffers a Habitat Restor	ation class, whi	ch is conducted	outside and a Skatebo	parding class held a
Spaces to Support Group Sizes	Flexible Instruction / Varied		X			
	of spaces to accommodate many not a entire grade level. The Com					
diedicated extedne						
				X		
Environment Conc (Acoustics, Therma Classrooms have en to be colder. Light	ed learning areas. litions for Learning al Conditions, Lighting) xterior windows. Noise is an issue ing is mostly fluorescent fixtures	e at this school. Ther	e are challenge	\mathbf{X} s with the therm	al conditions; the low	er level areas tend
Environment Conc (Acoustics, Therma Classrooms have e	ed learning areas. litions for Learning al Conditions, Lighting) xterior windows. Noise is an issue ing is mostly fluorescent fixtures splay.	e at this school. Ther	e are challenge	\mathbf{X} s with the therm	al conditions; the low	er level areas tend
Environment Cond (Acoustics, Therma Classrooms have e to be colder. Light ample areas for dis General Classroom The classrooms are	ed learning areas. litions for Learning al Conditions, Lighting) xterior windows. Noise is an issue ing is mostly fluorescent fixtures splay.	e at this school. Ther and not dimmable. S Dole to move the furnit	e are challenge some classes su	X s with the therm ch as Leadership X create different i	al conditions; the low are conducted in hall nstructional configura	er level areas tend ways. There are
Environment Cond (Acoustics, Therma Classrooms have e to be colder. Light ample areas for dis General Classroom The classrooms are rooms are set up w	ed learning areas. litions for Learning al Conditions, Lighting) xterior windows. Noise is an issue ing is mostly fluorescent fixtures splay. n Features e adequately sized and staff are al	e at this school. Ther and not dimmable. S Dole to move the furnit	e are challenge some classes su	X s with the therm ch as Leadership X create different i	al conditions; the low are conducted in hall nstructional configura	er level areas tend ways. There are
Environment Cond (Acoustics, Therma Classrooms have en to be colder. Light ample areas for dis General Classroom The classrooms are rooms are set up w Special Education There are two SLC	ed learning areas. litions for Learning al Conditions, Lighting) xterior windows. Noise is an issue ing is mostly fluorescent fixtures splay. n Features e adequately sized and staff are al vith a small commons area but it i Program Resources classrooms and one Resource class n 3118 has an exterior door and resource class	e at this school. Ther and not dimmable. S ole to move the furnit s undersized and space ssroom (rooms 3118,	e are challenge some classes su ture around to o ce is tight, espe	X s with the therm ch as Leadership X create different i cially with stude X . Room 3116 has	aal conditions; the low o are conducted in hall nstructional configura nt circulation.	er level areas tend ways. There are ations. Some class into a break room
Environment Conc (Acoustics, Therma Classrooms have en to be colder. Light ample areas for dis General Classroom The classrooms are rooms are set up w Special Education There are two SLC for SLC. Classroom too small for their	ed learning areas. litions for Learning al Conditions, Lighting) xterior windows. Noise is an issue ing is mostly fluorescent fixtures splay. n Features e adequately sized and staff are al vith a small commons area but it i Program Resources classrooms and one Resource class n 3118 has an exterior door and re- current use.	e at this school. Ther and not dimmable. S ole to move the furnit s undersized and space ssroom (rooms 3118,	e are challenge some classes su ture around to o ce is tight, espe	X s with the therm ch as Leadership X create different i cially with stude X . Room 3116 has	aal conditions; the low o are conducted in hall nstructional configura nt circulation.	er level areas tend ways. There are ations. Some class into a break room
Environment Cond (Acoustics, Therma Classrooms have en- to be colder. Light ample areas for dis General Classroom The classrooms are rooms are set up w Special Education There are two SLC for SLC. Classroom too small for their Spaces to Support There is one gymna	ed learning areas. litions for Learning al Conditions, Lighting) xterior windows. Noise is an issue ing is mostly fluorescent fixtures splay. n Features e adequately sized and staff are al vith a small commons area but it i Program Resources classrooms and one Resource class n 3118 has an exterior door and re- current use.	e at this school. Ther and not dimmable. S ole to move the furnit s undersized and space ssroom (rooms 3118, estroom facilities. Th	e are challenge some classes su ture around to o ce is tight, espe 3121 and 3122) ere are sinks in X riods a day, whi	X s with the therm ch as Leadership X create different i cially with stude X . Room 3116 has the classroom.	aal conditions; the low o are conducted in hall nstructional configura nt circulation.	er level areas tend ways. There are ations. Some class into a break room oom space itself is weather. The cov-

School Informa						
School Name	Newport Middle School		Buil	ding ID	unknown	
Address	825 NE 7th Street Newpor	rt, Oregon 97365	Date	e of Assessment	March 12, 2020	
Principal Name	Aaron Belloni		Asse	essor Name	Thea Wayburn	
Ratings		1 = Poor	2 = Fair	3 = Satisfacto	ry 4 = Good	5 = Excellent
Library Media Cent	er			Х		
,	ated by Study Hall 5 of the 7 pe e Library itself is adequately size	<i>,</i> .	,			
Safe and Secur <u>e Lea</u>	arning Environment		X			
There are challenge There is a separate ing. Additionally all	arning Environment s with traffic/congestion. Ther bus loop but the SPED buses us Newport schools use the same g for supervision. There is not	se the same drive as p e buses, which is time	t the bottom of parents. Parents consuming. Th	s and buses exit th e building layout d	e site from different s	des of the build-
There are challenge There is a separate ing. Additionally all making it challengin	s with traffic/congestion. Ther bus loop but the SPED buses us Newport schools use the same g for supervision. There is not ces to Support School	se the same drive as p e buses, which is time	t the bottom of parents. Parents consuming. Th	s and buses exit th e building layout d	e site from different s	des of the build-
There are challenge There is a separate ing. Additionally all making it challengin Administrative Spa Operations / Comm There are several cl former site of an alt reconfigured for cha	s with traffic/congestion. Ther bus loop but the SPED buses us Newport schools use the same g for supervision. There is not ces to Support School	se the same drive as p e buses, which is time a secure entry vestib Room 3125 is now a r n graders. One of the a small conference r	t the bottom of parents. Parents e consuming. The ule at the main X nulti-purpose ro e computer labs oom and was re	s and buses exit th e building layout d entrance. nom and Room 110 (room 3131) is uno duced in size to cre	e site from different s oes have some "blind 06 (former Home EC Ro occupied. Several space eate a needed office.	des of the build- spots" which bom) was the ses were also The school lacks
There are challenge There is a separate ing. Additionally all making it challengin Administrative Spa Operations / Comm There are several cl former site of an alt reconfigured for cha	s with traffic/congestion. Ther bus loop but the SPED buses us Newport schools use the same g for supervision. There is not ces to Support School hunity Programs assrooms that are not in use. If ernative school for 7th and 8th anging needs. Room 1140 was	se the same drive as p e buses, which is time a secure entry vestib Room 3125 is now a r n graders. One of the a small conference r	t the bottom of parents. Parents e consuming. The ule at the main X nulti-purpose ro e computer labs oom and was re	s and buses exit th e building layout d entrance. nom and Room 110 (room 3131) is uno duced in size to cre	e site from different s oes have some "blind 06 (former Home EC Ro occupied. Several space eate a needed office.	des of the build- spots" which bom) was the ses were also The school lacks

School Informa	ition					
School Name	Waldport High/Middle School		Buil	ding ID	Unknown	
Address	3000 S Crestline Dr, Waldport, O	R 97394	Date	e of Assessment	March 13, 2020	
Principal Name	Amy Skirvin		Asse	essor Name	Andrew Werth	
Ratings	1	L = Poor	2 = Fair	3 = Satisfactory	y 4 = Good	5 = Excellent
Integration of Tech	nology				X	

The school has a 1:1 student/device ratio (Chromebooks). There are occasional Wi-Fi connectivity issues, but good overall. Most classrooms have a smart board and document camera. There is a computer lab located off of the Media Center.

Х

Support of STEAM and Project-based Learning

Generally, the design of the building is good for supporting STEAM and project-based learning. There are two full CTE programs. The Natural Resources program has an outdoor learning lab, there is also a full-size wood and metals shop with a classroom attached, and the Forestry classes use the woods on campus. The lack of Science Lab storage creates challenges for supporting a greater variety of activities. The High School Art Department has a large flexible space and the Middle School Art classroom is located in the elementary school building. The Multipurpose/Cafeteria stage has challenging acoustics and sight lines and not enough seating for larger events, requiring the choir to perform in the gym, which is not ideal. The Middle School hallway has some smaller classrooms that are more challenging to support a variety of learning approaches. Approximately 60-70% of the spaces work for supporting STEAM and PBL programs.

Spaces to Support Flexible Instruction / Varied X

Overall, the building is limited in spaces to support varied group sizes and extended learning areas are not provided by design. There are issues with the use of classrooms and support spaces already being maximized, limiting flexibility. The Commons area is a large open space but does not support a variety of group sizes well. The Multipurpose Room functions as the cafeteria, the wrestling room, and for drama creating issues with activity overlap and scheduling. The Library is a good size, but is limited in furnishings to support varied group sizes.

Х

Х

Environment Conditions for Learning (Acoustics, Thermal Conditions, Lighting)

Overall, lighting is good in the classrooms. The quality of heating and cooling is inconsistent, varying from space to space. Room 244 at the High School is described as always being cold. The Multipurpose/Cafeteria has poor acoustics.

General Classroom Features			X		
Waldport High/Middle School serves grades 7-12. ES building for middle school classrooms, art, and student class. All classrooms have sinks and tile fl	d music. The Middle S	chool hallway has se	ome smaller classro	oms that are cram	
Special Education Program Resources		X			
Special Education spaces are limited. Room 204 h are now being used for the college and career pro					

Spaces to Support P.E. Curriculum

There are two gyms on this combined Elementary, Middle and High School campus. Waldport High/Middle School has a gym and weight room and the Middle School program uses the Elementary School gym for some programs. An additional gym is needed to support after-school athletics and the Middle School program. The Multipurpose Cafeteria is used for the wrestling program with mats hanging from the ceiling.

School Informa	ation					
School Name	Waldport High/Middle School		Buildi	Building ID L		
Address	3000 S Crestline Dr, W	aldport, 97394	Date	of Assessment	March 13, 2020	
Principal Name	Amy Skirvin		Asses	sor Name	Andrew Werth	
Ratings		1 = Poor	2 = Fair	3 = Satisfacto	ry 4 = Good	5 = Excellent
Commons / Cafet	eria and Servery			X		

The school operates two (2) lunches per day, one for the Middle School and one for the High School. High School students are allowed off campus for lunch. Food is prepared at the Elementary School kitchen and carted to the High/Middle School warming kitchen for service. There is plenty of space in the Multipurpose/Cafeteria for seating. The kitchen also serves breakfast for all students in the Multipurpose/Cafeteria. The Multipurpose/Cafeteria is also used for the wrestling room and drama program.

Library Media Center X X

The Library is a good size, but is limited in furnishings to support varied group sizes. A classroom located off of the Library was being used and there still is an attached computer lab, but now with no computers. There is a lack of wall space to hang things.

Safe and Secure Learning Environment

The "L-shaped" layout of the building allows for a good level of visual supervision by staff down the halls. Several site issues were fixed last year including painting and barricades to help with circulation and improved site lighting. Currently there is a single outdoor security camera and more are needed. There is the process of students walking from the High/Middle School through the courtyard to access the Elementary School, which creates a lock-out situation, so the school has asked the District to add fencing for safety. The school does not have a secure entry vestibule.

Administrative Spaces to Support School X Operations / Community Programs

Additional office and conference room space is needed. There is a single conference room that is over scheduled and no dedicated In-School Suspension space. The reception area/office space lacks a place for privacy for counting money or space for separating students. The Staff Room #203 lacks a real staff lounge and currently functions as storage, the mail room and the workroom. There is no space for Professional Development so they jump from classroom to classroom. The Principal's Office lacks wall space for hanging schedules or other material, with wall space taken up by (3) windows and cabinets.

Overall Rating:	0	4	18	12	0
Total Score:					34/55

Х

School Information	on					
School Name	Newport High School		Building	ID	Linc_sch09	
Address	322 NE Eads Street Newport, Or	egon 97365	Date of A	Assessment	March 12, 2020	
Principal Name	Reyna Mattson		Assesso	r Name	Thea Wayburn	
Ratings	:	1 = Poor 2	= Fair	3 = Satisfactor	y 4 = Good	5 = Excellent
Integration of Technol	ogy				X	
This facility is 1:1 Chro	mebook. Chromebooks can trave	I home with students	. Outdated pr	rojectors is the	biggest technology	challenge.
Support of STEAM and	l Project-based Learning				X	
Spaces (as the school h	than dedicated science classroom as gone 1:1). Music spaces were amply sized and houses up to 40	remodeled in the last				
Spaces to Support Flex Group Sizes	kible Instruction / Varied			X		
the cafeteria can house both buildings for grou	spaces that are utilized for group e a single grade level. The wrestlin ups. There are lounge areas on the permitting) are also used for "mess	ng room is also utilize west campus but are	d for larger gr	oups. There ar	re also a number of	areas throughout
Environment Conditio (Acoustics, Thermal Co				X		
	ith the exception of science rooms ooms have newer lighting but it is					
General Classroom Fe	atures			Х		
There were no issues e creative with what is a	expressed with the physical size of vailable.	the classrooms. Furr	iishings are a	mix of styles ar	nd ages, and staff ha	s found ways to be
Special Education Pros	gram Resources				X	
-	esource Classrooms (rooms E14 an s are being remodeled in 2020.	nd E22); one has an o	ffice. There a	re also a numbo	er of spaces (rooms	W29-W35) dedicat-
Spaces to Support P.E.	Curriculum				X	
	spaces used for PE. There is a lanken by 9th graders. Other progra					
Commons / Cafeteria	and Servery			X		
	dequately sized only because this The facilities (kitchen and cafeteria		0	s are allowed g	o off-site for lunch.	Currently there is

Х

School Informa	ation			
School Name	Newport High School	Building ID	Linc_sch09	
Address	322 NE Eads Street Newport, Oregon 97365	Date of Assessment	March 12, 2020	
Principal Name	Reyna Mattson	Assessor Name	Thea Wayburn	
Ratings	1 = Poor	2 = Fair 3 = Satisfacto	ory 4 = Good	5 = Excellent

Library Media Center

It was noted this library has a high percentage of book circulation and the space is well utilized. There is a librarian on staff. Students use this space for reading, groups, clubs and research (partnership with OSU). The library is adequately sized and can hold approximately 60 people seated, more if standing. The space is equipped with dimmable lighting and a projector. This space is also used for events such as Parents' Night.

Х

Safe and Secure Learning Environment

This facility has two sites, located across the street from one another. Students travel back and forth between the buildings all day long. Teachers also provide instruction at both sites. The East campus has an entry vestibule; the West campus does not. Vehicular and bus traffic is complicated as the street between the sites is closed and parking area access is often restricted or not clear how to access. Lastly, buses serve all schools in Newport, meaning students picked up first are on buses for an extended period of time. The layout of the building however has created "blind spots" that don't allow for passive supervision, which would occur in hallways (based on building layout).

Administrative Spaces to Support School Operations / Community Programs	X			
There are adequate spaces, but they are located in two b relocation of the Health Room closer to the main office/r conference room). The Health Room is now located adjac There is a health center located onsite for use by student	ception area has displaced the ent to the Principal's office, whi	location of the Assistar	nt Principal (currently	

Overall Rating:	1	2	12	16	5	
Total Score:					36/55	

School Name	Taft High School (Grades 7-1	2)	Building I	D	Linc_sch10A	
Address	3780 SE Spy Glass Ridge Dr, I	incoln City, OR 97367	Date of A	ssessment	March 16, 2020	
Principal Name	Nick Lupo	ck Lupo Assessor Name		Name	Elisa Warner	
Ratings		1 = Poor 2	2 = Fair 3	B = Satisfactory	y 4 = Good	5 = Excellent
ntegration of Tech	nology					X
	s with a 1:1 student/device ratio. ers. Internet access for staff and					
upport of STEAM	and Project-based Learning				X	
eneral instruction resent. A range of rounds). There is a	nd an additional two science labs (as there is only one music teach CTE programs are offered, includ also a design commercial arts pro	er). Drama classes are off ing child development (t	fered as well as through on-site	an extracurric child care prog	ular drama club. An a gram), culinary arts, a	auditorium is not
paces to Support l iroup Sizes	Flexible Instruction / Varied		X			
s large enough to a	d learning area located on the 2n ccommodate the entire student f furnishings that support different	oody. Classroom furnishi				
s large enough to a Center has flexible f Environment Condi	ccommodate the entire student f furnishings that support different	oody. Classroom furnishi				
s large enough to a Center has flexible f Environment Condi Acoustics, Therma Most classrooms ha Thermal conditions	ccommodate the entire student l furnishings that support different itions for Learning	oody. Classroom furnishi configurations. natural daylight, with th	ings are not flex	ible and do no	t support collaboration \underline{X} along the middle sch	on. Library Media
s large enough to a Center has flexible f Environment Condi Acoustics, Therma Most classrooms ha	ccommodate the entire student I furnishings that support different itions for Learning I Conditions, Lighting) ave windows to provide access to are reportedly inconsistent acros	oody. Classroom furnishi configurations. natural daylight, with th	ings are not flex	ible and do no	t support collaboration \underline{X} along the middle sch	on. Library Media
s large enough to a Center has flexible f Environment Condi Acoustics, Therma Most classrooms ha Thermal conditions concerns. General Classroom Classroom features lexible. General cla	ccommodate the entire student I furnishings that support different itions for Learning I Conditions, Lighting) ave windows to provide access to are reportedly inconsistent acros	body. Classroom furnishi configurations. natural daylight, with th ss different areas of the b taught in those spaces. No principal reports that the	e exception of building. Acoust	ible and do no one classroom tics are reporte X furniture is da ace the carpet of	t support collaboration X along the middle sch edly fine. No indoor a ted (20+ years) and n	on. Library Medi lool hallway. lir quality issues o lot particularly
s large enough to a Center has flexible f Environment Condi Acoustics, Therma Most classrooms ha Thermal conditions concerns. General Classroom Classroom features lexible. General cla uture. Some classro	ccommodate the entire student I furnishings that support different itions for Learning I Conditions, Lighting) ave windows to provide access to are reportedly inconsistent across Features do not always align with what is ssrooms have aging carpet. The p	body. Classroom furnishi configurations. natural daylight, with th ss different areas of the b taught in those spaces. No principal reports that the	e exception of building. Acoust	ible and do no one classroom tics are reporte X furniture is da ace the carpet of	t support collaboration X along the middle sch edly fine. No indoor a ted (20+ years) and n	on. Library Medi lool hallway. lir quality issues o lot particularly
s large enough to a center has flexible f Acoustics, Therma Aost classrooms ha hermal conditions oncerns. General Classroom classroom features lexible. General cla uture. Some classro pecial Education F he school has two DA accessible rest	ccommodate the entire student furnishings that support different furnishings that support different itions for Learning I Conditions, Lighting) ave windows to provide access to are reportedly inconsistent across Features do not always align with what is ssrooms have aging carpet. The p ooms have sinks, whereas others	body. Classroom furnishi configurations. natural daylight, with th ss different areas of the b taught in those spaces. Norincipal reports that the do not. Nearly all classrooms center (SLC) classrooms e rooms were created by	ngs are not flex e exception of 6 building. Acoust Most classroom e plan is to repla coms have wind that are report	ible and do no one classroom tics are reporte X furniture is da ace the carpet v dows. X edly undersize	t support collaboration X along the middle sch edly fine. No indoor a ted (20+ years) and n with hardsurfaced flo	on. Library Medi
is large enough to a center has flexible f Acoustics, Therma Most classrooms ha hermal conditions oncerns. General Classroom classroom features exible. General cla uture. Some classro pecial Education F he school has two DA accessible rest	ccommodate the entire student I furnishings that support different itions for Learning I Conditions, Lighting) ave windows to provide access to are reportedly inconsistent across Features do not always align with what is ssrooms have aging carpet. The p ooms have sinks, whereas others Program Resources (2) adjacent Structured Learning rooms are provided Two resource is slightly smaller than a tradition	body. Classroom furnishi configurations. natural daylight, with th ss different areas of the b taught in those spaces. Norincipal reports that the do not. Nearly all classrooms center (SLC) classrooms e rooms were created by	ngs are not flex e exception of 6 building. Acoust Most classroom e plan is to repla coms have wind that are report	ible and do no one classroom tics are reporte X furniture is da ace the carpet v dows. X edly undersize	t support collaboration X along the middle sch edly fine. No indoor a ted (20+ years) and n with hardsurfaced flo	on. Library Medi
I large enough to a enter has flexible f Acoustics, Therma Association for the flexible hermal conditions oncerns. General Classroom lassroom features exible. General cla uture. Some classro pecial Education P he school has two DA accessible rest n the 2nd level; it i paces to Support	ccommodate the entire student I furnishings that support different itions for Learning I Conditions, Lighting) ave windows to provide access to are reportedly inconsistent across Features do not always align with what is ssrooms have aging carpet. The p ooms have sinks, whereas others Program Resources (2) adjacent Structured Learning rooms are provided Two resource is slightly smaller than a tradition	oody. Classroom furnishi configurations. natural daylight, with th ss different areas of the b taught in those spaces. Norincipal reports that the do not. Nearly all classro Center (SLC) classrooms e rooms were created by al classroom.	ings are not flex e exception of a building. Acoust Most classroom e plan is to repla boms have wind that are report y reducing the s	ible and do no one classroom tics are reporte X furniture is da ace the carpet v dows. X edly undersize size of the libra	t support collaboration X along the middle sch edly fine. No indoor a ted (20+ years) and n with hardsurfaced flo d and lacking a dedic ry. A third resource r	on. Library Medi lool hallway. lir quality issues not particularly boring in the nea lated washer/dry oom is provided

Ine school operates separate lunches for MS and HS students. The categoria is too small to accommodate the number of MS students in one lunch; however, the high school lunch is manageable due to the open campus policy. The servery is generally adequate, although lines can be long at times. There is a small stage at one end of the commons.

School Informa	ation			
School Name	Taft High School (Grades 7-12)	Building ID	Linc_sch10A	
Address	3780 SE Spy Glass Ridge Dr, Lincoln City, OR 97367	Date of Assessment	March 16, 2020	
Principal Name	Nick Lupo	Assessor Name	Elisa Warner	
Ratings	1 = Poor 2	2 = Fair 3 = Satisfacto	ory 4 = Good	5 = Excellent
Library Media Cent	er			X
	iting space with ample daylighting. The space is easily rec			
Secure entry vestib Front parking lot fro	arning Environment ule is present; visitors are buzzed in. Main office can view om office; receptionist cannot. Bus lanes are separate from	building approach via came	X era, but not directly. Prir	•
Secure entry vestib front parking lot frc visitors and student	arning Environment ule is present; visitors are buzzed in. Main office can view om office; receptionist cannot. Bus lanes are separate from cs. ces to Support School	building approach via came	X era, but not directly. Prir	•
Secure entry vestib front parking lot fro visitors and student Administrative Spa Operations / Comm Administrative space a school-based hea	arning Environment ule is present; visitors are buzzed in. Main office can view om office; receptionist cannot. Bus lanes are separate from cs. ces to Support School	y building approach via came m parent drop-off. Separate X . Some admin areas are occu	X era, but not directly. Prin parking areas are provin pied by special program s. A preschool program	ded for staff,
Secure entry vestib front parking lot fro visitors and student Administrative Spa Operations / Comm Administrative space a school-based hea	arning Environment ule is present; visitors are buzzed in. Main office can view office; receptionist cannot. Bus lanes are separate from rs. ces to Support School hunity Programs re is reportedly at capacity. One meeting room is present. Ith center is provided within the building, where students	y building approach via came m parent drop-off. Separate X . Some admin areas are occu	X era, but not directly. Prin parking areas are provin pied by special program s. A preschool program	ded for staff,

	ation					
School Name	Toledo Junior/Senior High	School	Build	ing ID	Linc_sch11	
Address	1800 NE Sturdevant Road	Toledo, Oregon 97391	Date	of Assessment	March 18, 2020	
Principal Name	Richard Ceder		Asse	ssor Name	Thea Wayburn	
Ratings		1 = Poor	2 = Fair	3 = Satisfacto	ry 4 = Good	5 = Excellent
Integration of Tech	nology				X	
This facility is 1:1 Ch have Smart Boards.	nromebook. Chromebooks car	n travel home with high s	chool studen	ts only. Classroon	ns are equipped with p	projectors; some
Support of STEAM	and Project-based Learning			X		
al space. Robotics a	a is currently where CTE progr and Video Production are offer Iding does not have dedicated	ed but the spaces they o	ccupy are not	adequately sized	. Project based learning	ng occurs within
Spaces to Support I Group Sizes	Flexible Instruction / Varied			X		
modate a group of a	of spaces that are utilized for approximately 100. There is al ty; classrooms doors have to r	so a Commons space use	d for large ev	ents and for the L	eadership class. Hallv	
Environment Condi Acoustics, Therma	tions for Learning I Conditions, Lighting)			X		
	exterior windows (either from	an exterior wall or for c	lassrooms sit	usted around cou	rtvards) There is som	a typical paica
rooms that tend to	s, but more so between certai be "warmer" than others due	n classrooms. Mechanica	al systems are	e noisy and make	presentations difficult	. They are class-
	s, but more so between certai be "warmer" than others due	n classrooms. Mechanica	al systems are	e noisy and make	presentations difficult	. They are class-
rooms that tend to ole features. General Classroom There were no issue creative with what i of furnishings so it o	s, but more so between certai be "warmer" than others due Features es expressed with the physical s available. Classrooms are se can be used as an instructional	n classrooms. Mechanica to the existing mechanica size of the classrooms. F t up in a more traditional	al systems are al system. Lig urnishings ar I layout; most	e noisy and make thting appears to l X e a mix of styles a furniture is not n	presentations difficult be newer but does not nd ages, and staff has nobile. The courtyard	. They are class- thave any dimma found ways to be area lacks any so
rooms that tend to ble features. General Classroom There were no issue creative with what i of furnishings so it c as outside agencies	s, but more so between certai be "warmer" than others due Features es expressed with the physical s available. Classrooms are se can be used as an instructional	n classrooms. Mechanica to the existing mechanica size of the classrooms. F t up in a more traditional	al systems are al system. Lig urnishings ar I layout; most	e noisy and make thting appears to l X e a mix of styles a furniture is not n	presentations difficult be newer but does not nd ages, and staff has nobile. The courtyard	. They are class- thave any dimma found ways to be area lacks any so
rooms that tend to ble features. General Classroom There were no issue creative with what i of furnishings so it c as outside agencies Special Education P This campus two cla learning kitchens.	s, but more so between certai be "warmer" than others due Features es expressed with the physical s available. Classrooms are se can be used as an instructional rogram Resources assroom spaces used for SLC (co tudents with higher/greater n	n classrooms. Mechanica to the existing mechanica size of the classrooms. F t up in a more traditional space. There is plenty o one for 7-9; the other for	al systems ard al system. Lig urnishings ar I layout; most f space/place X 10-12). Neith	e noisy and make thing appears to l X e a mix of styles a furniture is not n s to display stude er space is equipp	presentations difficult be newer but does not nd ages, and staff has nobile. The courtyard ent work throughout th ped with accessible res	. They are class- thave any dimma found ways to be area lacks any so ne school, as well strooms or
rooms that tend to ble features. General Classroom There were no issue creative with what i of furnishings so it o as outside agencies Special Education P This campus two cla learning kitchens. S services at this site.	s, but more so between certai be "warmer" than others due Features es expressed with the physical s available. Classrooms are se can be used as an instructional Program Resources assroom spaces used for SLC (c Students with higher/greater n	n classrooms. Mechanica to the existing mechanica size of the classrooms. F t up in a more traditional space. There is plenty o one for 7-9; the other for	al systems ard al system. Lig urnishings ar I layout; most f space/place X 10-12). Neith	e noisy and make thing appears to l X e a mix of styles a furniture is not n s to display stude er space is equipp	presentations difficult be newer but does not nd ages, and staff has nobile. The courtyard ent work throughout th ped with accessible res	. They are class- thave any dimma found ways to be area lacks any so ne school, as well strooms or
rooms that tend to ble features. General Classroom There were no issue creative with what i of furnishings so it o as outside agencies Special Education P This campus two cla learning kitchens. S services at this site. Spaces to Support I There are a number grams like wrestling is taught in the gym	s, but more so between certai be "warmer" than others due Features es expressed with the physical s available. Classrooms are se can be used as an instructional Program Resources assroom spaces used for SLC (c Students with higher/greater n	n classrooms. Mechanica to the existing mechanica size of the classrooms. F t up in a more traditional space. There is plenty o one for 7-9; the other for eeds go to Newport. The e is a large gymnasium an has become challenging their is no dedicated class	al systems are al system. Lig urnishings ar I layout; most f space/place X 10-12). Neith ere is not eno d a weight ro . Some team sroom for this	e noisy and make shting appears to l X e a mix of styles a furniture is not m s to display stude ler space is equipp ugh of a student p X om. The gymnasi s practice before s	presentations difficult be newer but does not and ages, and staff has nobile. The courtyard ent work throughout th bed with accessible res population to warrant um is large and well us school starts to find gy	. They are class- thave any dimma found ways to be area lacks any so he school, as well strooms or providing these sed; adding pro- ym time. Health

_

School Informa	ation			
School Name	Toledo Junior/Senior High School	Building ID	Linc_sch11	
Address	1800 NE Sturdevant Road Toledo, Oregon 97391	Date of Assessment	March 18, 2020	
Principal Name	Richard Ceder	Assessor Name	Thea Wayburn	
Ratings	1 = Poor	2 = Fair 3 = Satisfacto	ory 4 = Good	5 = Excellent
Library Media Cent	er	X		
Buses serve all the s walk to school. Bus	arning Environment schools in this area, so often students have to wait for es and vehicular traffic are well separated (separate b cential congestion. This school has some level change	us loop) and congestion is mini	mal. There are multipl	e exits off site
There is an entry ve	-	,	0	
Administrative Spa Operations / Comm	ces to Support School nunity Programs	X		
There is a school ba In general there is a	of programs housed at this site. There is an early lea sed health center onsite (own space, is not utilizing cl lack of office and conference space onsite. In additic onger needed) have been converted into conference	assrooms). A health program fo m, there is a lack of adequate ac	or the homeless occupi coustics in exisitng offic	es one classroom ce areas. Existing

area. There are several small rooms that could be converted into small classrooms if the student population grows.

Overall Rating:	0	4	21	8	0	
Total Score:					33/55	

Meeting Notes

Project:	Lincoln County SD Long Range Facilities Plan		
Date:	February 20, 2020		
Project Number:	19016		
Subject:	Meeting #1		
Attendees:	Dr. Karen Gray, Superintendent		
	Rich Belloni, Facilities Director		
	Ron Beck, School Board Member (zone 3)		
	Tim Kaufman, Facilities Manager		
	Chris Carlson, Community Member		
	Dan Hess, BRIC Architecture Inc.		
	Thea Wayburn, BRIC Architecture Inc.		

This was the kick-off meeting for the Long Range Facilities Plan for the Lincoln County School District. The purpose of this meeting is to help the District plan the path for a potential future bond. The meeting was started with introductions of all present. A handout of the PowerPoint presentation was distributed.

1. The meeting schedule was then reviewed. There will be a total of (4) meetings as part of this process. Each meeting will have different topics/goals:

- February- work to date and Guiding Principles Exercise
- March Update on educational adequacy interviews and presentation on Next Generation Learning
 - The Educational Adequacy interviews are a different type of assessment that looks at and documents how teaching and learning is conducted at schools, not the physical conditions of finishes and systems.
- April Review of Educational Adequacy Report and Capacity Analysis and Prioritization Exercise
- May Presentation of Capital Improvement Plan

Dr. Gray noted that there will be a Board Meeting on June 9th that BRIC should attend to present to the School Board.

2. An explanation of what a Long Range Facilities Plan was presented to the group.

3. A brief discussion was held about the Lincoln County School District's Bond History, with an emphasis on the work that was completed in the 2011 bond. This bond was a \$68 million dollar bond that touched all the buildings in some capacity; an additional \$15 million was made available from QSCB (qualified school construction bond).

4. The Facilities Assessments have been conducted by another architectural firm and were sent to BRIC Architecture for review. There are common themes with repair and replacement needs for components

Building Relationships | Inspiring Communities PAGE 1 OF 3

such as roofing, HVAC, lighting, controls. The question is then asked to each group member: **"What facility issues do you think are the most critical?"** Responses are as follows:

Rich –

- See attached list. It is noted the District has property to construct new facilities to replace those in the poorest condition as well as re-think grade configurations if needed.
- Egress and Fire/Life Safety
- Most buildings are on DDC controls (not Arcadia)

Tim –

- Roofing
- Buildings coming to the end of their useful life
- It was asked about lead testing occurred 2 years ago and a lot of existing piping, etc. was replaced
- All F.A. is Siemens

Chris –

- Building materials/exterior and the coastal environment; need to be "built like a boat"
- Earthquake resiliency

It was also stated that "local" presence for design and construction services is important, provided local companies have the capacity to perform the work.

5. The last portion of the meeting was a Guiding Principles exercise. BRIC Architecture posed 3 questions to the group and recorded their responses for each.

What is important to you about this community?

- Housing can't keep qualified people here; lack of housing/cost of existing housing
- Livability housing, parking; schools should give people a reason to STAY
- Economic Development the School District should be a driver in the economic development plans
- Easy going low pressure lifestyle
- Wealth gap causes kids to learn differently
- Regulatory obstacles to growth
- A positive economic future
- Addressing the large percentage of homelessness (this includes students who don't live with a parent)

What is the most important outcome of this process?

- People want to stay here
- A community that helps you grow
- People to live, work and thrive here
- A good way to communicate this message

Building Relationships | Inspiring Communities

PAGE 2 OF 3

• A robust plan for CTE curriculum and ability to adapt to changing needs

How will we know if we have been successful?

- WOW! Schools are inspiring
- All kids can read and think at a high level
- When Lincoln County graduates apply for jobs in our towns
- Have a county-wide understanding that all schools are part of one District, one Community
- Families stay here for generations
- When the 2026 bond is passed, people are already asking what the next bond will do

These meeting notes are a record. If there are any errors and/or omissions in the foregoing notes, please advise our office immediately; otherwise these notes will be considered correct and complete as written.

Submitted by

Thea Wayburn BRIC Architecture, Inc.

Attachments:

- PPT Presentation by BRIC Architecture, February 20, 2020
- Long Term Plan list, distributed by Rich Belloni

Meeting Notes

Project:	Lincoln County SD Long Range Facilities Plan		
Date:	April 16, 2020		
Project Number:	19016		
Subject:	Meeting #2		
Attendees:	Dr. Karen Gray, Superintendent		
	Rich Belloni, Facilities Director		
	Ron Beck, School Board Member (zone 3)		
	Tim Kaufman, Facilities Manager		
	Chris Carlson, Community Member		
	Dan Hess, BRIC Architecture Inc.		
	Thea Wayburn, BRIC Architecture Inc.		

This was the second meeting for the Long Range Facilities Plan for the Lincoln County School District. The purpose of these meetings are to help the District plan the path for a potential future bond. The PowerPoint presentation was emailed to all present as this meeting was conducted remotely.

1. The schedule was reviewed briefly. Due to the current circumstances, this meeting is only the second one as its original date of March 12th was cancelled. It was noted that the remaining meeting dates will be discussed at the end of this meeting.

2. Thea reviews the Facilities Assessment findings, both from the discussion had at the kick-off meeting and what was captured in the Facilities Assessment reports conducted by GLAS Architects. Thea notes that the information from both are in alignment. Key findings include roofing, turf replacement, systems replacement and/or upgrades, finish upgrades (i.e. flooring, wainscoting). It is noted that this information will be used at a future meeting to prioritize needs for each school and District-wide as part of the Capital Improvements Plan.

3. Dan reviews the Guiding Principles. These were crafted by BRIC Architecture as a result of the group discussion/exercise at the kick-off meeting. These Guiding Principles are part of the attached Power Point presentation. The group felt these statements did a good job of capturing the discussion. Dr. Gray noted that she would like to add to these statements that their schools are the hub of the community. Below are the updated Guiding Principles:

- Become a driver in the economic development and growth of the community.
- Help create a community where people want to live, work, and thrive.
- Build schools that inspire, motivate, and draw people to; preserve the importance of our schools as hubs for our community.
- Establish a united school district and community.
- Provide opportunities for all students to read and think at the highest level.
- Offer CTE programs and curriculum that adapt to changing needs in the real world.

Building Relationships | Inspiring Communities

4. An update and overview of the Educational Adequacy interviews was presented by Thea. As previously noted, the purpose of the educational adequacy interview is to review and document the spaces at each school site and document any challenges or needs as it relates to teaching and learning. This is a different type of building assessment in which we are not looking at finishes or systems but how the buildings are being used. Due to unforeseen circumstances, these interviews were changed to phone interviews with each School Principal (as opposed to face-to face meetings), all of whom provided thorough responses and engaging conversation. There are several categories of questions and responses are grouped by category. An overview of common themes is in the attached PowerPoint. A more detailed presentation for each school site will be part of the next meeting. Dr. Gray would like curriculum directors to be present (if possible) at this meeting.

5. Dan shares a presentation on the Next Generation Learner. Current students are very different in how they learn and what their expectations area. After the presentation, Dan asks for comments or thoughts from the group:

- There is a slide that shows very traditional desks in rows it is noted that most classrooms in Lincoln County schools look like this. However as new educational systems are developed, how should classrooms look?
- Social-Emotional Learning is a topic already discussed in this District, and it is even more so important given the current circumstances of distance learning for all students.
- Kids are very adaptable and can learn anywhere and at any time. Schools are just one place learning happens. Even during the summer, students are still learning even if they are not attending school.
- There is a clear message in the District that middle and high school students are not engaged; attendance levels support this. How can students be engaged? How can project based and CTE learning help this?
- Workplaces are already finding ways to retain younger generations of employees, could it be translated into school environments?
- School is one place in the day of a student, less of a facility and more of a facilitator
- How do we created "low administration" buildings so that teachers and administrative staff are not spending time dealing with space management or traffic issues? Buildings should be streamlines, easy to maintain and not overly showy.
- Teachers and teaching has changed need to think modular, collaborative, and highly technical; teacher development needs to be supported.

6. Dan reviews the upcoming schedule (dates still TBD). It was decided the following meetings will only be 1 hour long.

- Meeting 3 will discuss Educational Adequacy and Capacity and information/data on enrollment.
- Meeting 4 will be prioritization exercise of what things are most important/critical by school and District-wide and what items would be considered for future bonds.
- Meeting 5 will be a presentation of the draft Capital Improvement Plan.
- August: Board presentation; this was originally scheduled for June, but it would be ideal to have time for all the data collection to occur. It was also noted that an August presentation is more inline with the School Board retreat.

Building Relationships | Inspiring Communities PAGE 2 OF 3

These meeting notes are a record. If there are any errors and/or omissions in the foregoing notes, please advise our office immediately; otherwise these notes will be considered correct and complete as written.

Submitted by

Thea Wayburn BRIC Architecture, Inc.

Attachments:

• PPT Presentation by BRIC Architecture, April 16, 2020

Building Relationships | Inspiring Communities PAGE 3 OF 3

Meeting Notes

Project:	Lincoln County SD Long Range Facilities Plan	
Date:	May 28, 2020	
Project Number:	19016	
Subject:	Meeting #3	
Attendees:	Dr. Karen Gray, Superintendent	
	Rich Belloni, Facilities Director	
	Ron Beck, School Board Member (zone 3)	
	Tim Kaufman, Facilities Manager	
	Chris Carlson, Community Member	
	Rhea Warren, Assistant to the Superintendent	
	Vince Dye, Operations Administrator	
	Katie Barrett, Elementary School Teaching and Learning Administrator	
	Dan Hess, BRIC Architecture Inc.	
	Thea Wayburn, BRIC Architecture Inc.	

This was the third meeting for the Long Range Facilities Plan for the Lincoln County School District. The purpose of these meetings are to help the District plan the path for a potential future bond. The PowerPoint presentation was emailed to all present one week prior to this meeting. This meeting was conducted remotely.

1. The schedule was reviewed. There were some suggestions made to the proposed schedule:

- The fourth meeting needs to be moved from June 11th at 4pm to June 8th (the time was set after the meeting; it will be held from 11am- noon).
- The fifth meeting will be held on June 25th, but it is suggested that this meeting needs to be a 90 minute meeting. It will be scheduled from 3:30pm to 5:00pm.
- There will be no meeting in July to review the Draft Capital Improvements Plan; however, a draft will be sent a week ahead of the August 11th Board meeting for review and comment.
- BRIC Architecture will present the Capital Improvements Plan to the School Board on August 11th at 6:30pm.

2. The focus of this meeting is to review the Educational Adequacy Assessments. At the previous meeting, a description of the process and general common themes were presented. The presentation for this meeting provides a detailed slide for each school plus the rating given to each as part of the assessment report. As there were individuals not present at the last meeting, Thea spends some time reviewing the assessment process and the general themes again. A description of how the information is ranked and what the scores mean were provided. Thea mentions that many of the schools scored in a consistent range and that all schools are finding ways to deliver instruction today in more traditional facilities.

Building Relationships | Inspiring Communities PAGE 1 OF 3

In an effort to be mindful of time and since all those present received the presentation ahead of time, Dr. Gray suggests that the presentation focus on Crestview Heights, Yaquina View, Newport Middle and Taft High.

Thea reviews the detailed slides for each of these schools. It is noted that there is an error on the slide for Yaquina View as there is no separate cafeteria. Thea will revise the slide information. It is of note that Yaquina View had the lowest score; one possible reason is that it is currently being used as a K-2 school when its original design was for a more traditional elementary school grade configuration. Additional CTE programs were identified at Taft High and will be added to that slide.

The committee asks to review one more school – Taft Elementary. It is noted that the score seems high for this school considering it is a facility with the greatest need. Thea will review the assessment form and the notes from the interview and make any changes if necessary.

4. A brief overview of capacity analysis and enrollment forecasting is presented by Thea. These will be discussed in greater detail at the next meeting. The company who has conducted the enrollment forecasting – FLO Analytics – will also be presenting at the next meeting.

5. Dr. Gray asks Vince and Katie to share their thoughts on education and how classrooms need to be/should be designed:

- Vince mentions that the district will be 1:1 for grades 1-12 and 2:1 for kindergarten this year. His wish would be for all classrooms to have voice amplification systems to help reduce teacher stress and help improve student concentration. It is desired to provide technology so that the teacher is not "stuck" at the front of the classroom – provide wireless technology connections for teachers. Large flat panel monitors in each classrooms would be ideal. It is also desired that teachers have the ability to control the 1:1 devices.
- Vince also states that student information services will be changing in the next two years and classrooms will need to be set up AND teachers will need instruction on how to use.
- Katie states that as long as classrooms are large enough they have the potential to work for varied group size and instruction. Furnishings are key to this flexible environment as well. At the elementary school level, spaces for intervention need to be provided within or next to classrooms. It is also important for younger students to have the ability to leave their classrooms for other activities, especially lunch. Some of the school sites do not allow for this (i.e. no separate gym and cafeteria).
- Dr. Gray also states the importance of furniture and that this is challenge district-wide, with a wide variety of furniture types and styles present in their schools, and a large portion of it more traditional and not as flexible.

Building Relationships | Inspiring Communities

PAGE 2 OF 3

These meeting notes are a record. If there are any errors and/or omissions in the foregoing notes, please advise our office immediately; otherwise these notes will be considered correct and complete as written.

Submitted by

Thea Wayburn BRIC Architecture, Inc.

Attachments:

• PPT Presentation by BRIC Architecture, May 28, 2020

Meeting Notes

Project:	Lincoln County SD Long Range Facilities Plan			
Date:	June 8, 2020			
Project Number:	19016			
Subject:	Meeting #4			
Attendees:	Dr. Karen Gray, Superintendent			
	Rich Belloni, Facilities Director			
	Ron Beck, School Board Member (zone 3)			
	Tim Kaufman, Facilities Manager			
	Chris Carlson, Community Member			
	Rhea Warren, Assistant to the Superintendent			
	Alex Brasch, FLO Analytics			
	Ben Maloney, FLO Analytics			
	Dan Hess, BRIC Architecture Inc.			
	Thea Wayburn, BRIC Architecture Inc.			

This was the fourth meeting for the Long Range Facilities Plan for the Lincoln County School District. The purpose of these meetings are to help the District plan the path for a potential future bond. The PowerPoint presentation was emailed to all present prior to this meeting. This meeting was conducted remotely.

1. The agenda was briefly reviewed. Introductions were made. Alex Brasch and Ben Maloney of FLO Analytics were part of this meeting to present the enrollment forecasting. FLO Analytics was hired by the District to conduct this scope of work as part of the Long Range Planning process. They work with many school districts to provide forecasting for bond planning purposes and they can also assist in making recommendations for boundary changes as one way of balancing enrollment.

The updated schedule was also reviewed.

2. Alex and Ben began their presentation on enrollment forecasting. This is an overview of the report that they completed and submitted to the District on May 29th, 2020.

The first slide is a chart documenting historic fall membership enrollment, provided by the Oregon Department of Education. It is noted that the student does not consider any building planning, just changes in enrollment over a period of time. Historical data is provided as well as forecasting from the current school year (2019-2020) until 2029. Generally, information for the first 5 years is more accurate than the next 5 years out (there can be inaccuracies). The enrollment data that is provided to FLO Analytics for their reports is not taking into consideration circumstances such as the current Coronavirus pandemic. This chart is color coded, with numbers in red for each school showing the highest enrollment and blue indicating the lowest. This information also includes charter schools in the District

Building Relationships | Inspiring Communities

PAGE 1 OF 3

Dr. Gray raises the question about Siletz Valley School, the enrollment numbers do not seem correct; it is noted that this school did convert to a K-12 model and that might reflect the increase in number. It is also noted that students from Toledo attend Siletz for a few months then return to Toledo, and the state's numbers may not reflect all these changes.

The next slide shares information regarding District birth rates and forecasting for kindergarten enrollment. It is asked if there could be an increase in kindergarten students as a result of the Coronavirus pandemic. At this time there is not enough information to know if this will affect enrollment numbers; it is also possible it could result in a decline due to the economy during this pandemic, or if families move away in order to find work.

Total building attendance is presented, and the graph to describe this has 3 different colored lines, representing low, average, and high attendance scenarios. In all 3 there is an increase until 2024, then there is a decline. The next graph shows forecasts by grade level.

Dr Gray asks the group when does the next bond sunset? It is thought 2023 or 2024, but after some discussion it is determined it is 2026 at the latest (as the last bond was passed in 2011). It was financed to be paid off one year early. Dr. Gray notes that all the work being done as part of the long range planning is to prepare for the next bond, and the committee will need to pay close attention to the enrollment projections between 2024-2026 (the time in which a bond measure may occur). Determining if space is needed at facilities to handle enrollment or if buildings need repair or replacement due to their age and condition will need to be carefully considered. Class size can also affect this; lower class sizes can translate into more classroom space and more teachers (and more budget needed).

The final slides present attendance and enrollment forecasting for all schools. It is noted a lot of discussion is around Taft and Lincoln City area schools, and that the District has already purchased property there to accommodate growth.

Dr. Gray thanks FLO Analytics for the work they have provided to the District.

3. Thea presents capacity analysis for each school (not including charter schools). Capacity is calculated with a goal class size and an optimization rate (how long the space is used during the day). For elementary schools, this is 100%; for secondary schools, the bell schedule is taken into consideration and a factor of 85% is used.

Room usage was provided or confirmed by principals at each school site. Since there are several sites that are combined middle school and high schools, the graphs in the presentation used the high class size of 30 for high schools (in some cases not every general classroom was provided with a grade level, and in some cases it was noted rooms were shuffling around). Thea notes that the middle school goal class size was also checked as part of the analysis, and these numbers are reflected on the slides for these school sites.

Thea also notes that there are some school sites where there are classrooms or classroom size spaces being used for other functions, such as staff rooms, reading rooms or libraries. If these classrooms were needed for capacity, their current use would be displaced. In these circumstances, the question to add

Building Relationships | Inspiring Communities PAGE 2 OF 3

instructional spaces or "core" spaces would need to take place. Dan also notes that this process of analyzing capacity may not always reflect how the building is being used. These are all factors that need to be considered.

The capacity for each school was calculated and can be compared to the enrollment forecasting provided by FLO Analytics to show where schools may be at or over capacity in the next 10 years. In most cases, school sites have more capacity than what will be needed for enrollment. The schools in which this is not exactly the case are at Crestview Heights and Waldport. The capacity analysis for Crestview Heights is significantly higher than its current and projected enrollment needs; however, there are (5) classrooms at this site dedicated to middle school use for Waldport. On the enrollment project chart for Waldport, there are a number of years where it appears the capacity at Waldport cannot support enrollment. However, if the classrooms at Crestview Heights are added to this number, the school can support the enrollment. This is a unique situation that will need to be clearly explained, considering funds were provided for these sites in the previous bond.

These meeting notes are a record. If there are any errors and/or omissions in the foregoing notes, please advise our office immediately; otherwise these notes will be considered correct and complete as written.

Submitted by

Thea Wayburn BRIC Architecture, Inc.

Attachments:

• PPT Presentation by BRIC Architecture, June 8, 2020

Building Relationships | Inspiring Communities

PAGE 3 OF 3

Meeting Notes

Project:	Lincoln County SD Long Range Facilities Plan			
Date:	June 25, 2020			
Project Number:	19016			
Subject:	Meeting #5			
Attendees:	Dr. Karen Gray, Superintendent Rich Belloni, Facilities Director			
	Ron Beck, School Board Member (zone 3)			
	Tim Kaufman, Facilities Manager			
	Chris Carlson, Community Member			
	Dan Hess, BRIC Architecture Inc.			
	Elisa Warner, BRIC Architecture Inc.			
	Thea Wayburn, BRIC Architecture Inc.			

This was the fifth meeting for the Long Range Facilities Plan for the Lincoln County School District. The purpose of these meetings are to help the District plan the path for a potential future bond. The PowerPoint presentation was emailed to all present prior to this meeting. This meeting was conducted remotely.

1. Dan Hess introduced Elisa Warner from BRIC who has joined the group for this meeting. Elisa is an educational planner who assisted with the educational adequacy interviews/assessments and will be helping tally the results of the survey that will be used later in the meeting as part of the prioritization exercise. Introductions were made by those in attendance.

The agenda and the schedule were reviewed. Dr. Gray would like to change BRIC's presentation to the School Board until September in the hopes the meeting can be conducted in person. The August 11th meeting will now be a Zoom meeting to review the draft report. Thea will coordinate with Rhea on a time for this meeting on August 11th.

2. A recap of the process to date is presented. Thea then shares several slides that provide a list of capital improvements, based on the assessments conducted by GLAS Architects and the information discussed at the kick-off meeting for the Long Range Facilities Planning process. A third slide captures items that resulted from the educational adequacy assessments. These lists were used to create the survey that the committee members will take as part of the prioritization exercise.

It is asked if seismic work noted at Crestview is an error on the slide. Thea will check (update – during the meeting Thea is able to check and the error is on the assessment form, not an error on the slide).

3. Thea presents a slide on capacity analysis. At the June 8th meeting, capacity analysis was presented to the committee; it was calculated by assuming all classroom size spaces, regardless of their current use, could be considered for instructional space. This generated the Total Building Capacity. At the previous

Building Relationships | Inspiring Communities PAGE 1 OF 5

meeting, there was some discussion around the capacity analyses for Crestview Heights and Waldport versus the enrollment projections (as there are classrooms in the Crestview Heights building that are dedicated to Waldport).

Thea states that BRIC wanted to test a second method for studying the capacity analysis. In this method, it is assumed only spaces used as classrooms are to be accounted for in the school's capacity. Programs currently occupying classroom sized spaces are not accounted for as these programs would be displaced if converted into classrooms. This is called Functional Capacity.

The chart on this slide shows both numbers – Total Building Capacity and Functional Capacity – versus the enrollment projections generated by FLO Analytics. Both methods of providing of capacity analysis show there are no capacity issues in the District moving forward with the 2020-2021 school year (however, there were some capacity issues at Sam Case in 2019-2020 and Newport appears to be over capacity for 2020-2021, then drops in enrollment).

Dr. Gray notes that as the committee looks toward a future bond, consideration needs to be made on proposing new facilities based on the age of existing facilities and/or lack of modernity versus the need for new buildings due to capacity issues.

4. Dan reviews the prioritization exercise. This will be conducted as a survey (survey link sent to all committee members prior to meeting). Each of the items listed in the slides for capital improvements and educational adequacy are reflected in this survey. Each item can be voted as a Tier I, Tier II or Tier III item, with Tier I items being the most important/critical. There is also a place on the survey to write-in any recommendations not reflected in the list. For example, new construction (as identified at the kick-off meeting) is not on the list but can be written in if it is important. Additionally, if a school is replaced, then the capital improvements identified by the assessments are no longer needed. This is why new construction was excluded on the list. Each committee member will take the survey individually.

PAGE 2 OF 5

After time was provided during the meeting to take the survey and for BRIC to review the results, Elisa shares her screen to show how voting occurred. Below is a chart that shows each recommendation and how each was voted upon:

Recommendation	Tier I	Tier II	Tier III
Structural Repairs at Select Schools	3	1	
Drop-off Lane Improvements to Support	3	1	
Traffic Flow			
Select Field Turf Replacements	2	2	
Technology/Communications Systems	2	2	
Upgrades			
Safety and Security Upgrades	2	2	
Creation of Extended Learning Areas in	2	2	
Schools			
Creation/Expansion of CTE Spaces	2	2	
Roof Replacements at Most Schools	2	2	
Plumbing Upgrades at all Schools	2	2	
Cafeteria Improvements at Select Schools	2	2	
Kitchen Upgrades	1	3	
Mechanical (HVAC) Upgrades at Most Schools	1	3	
Spaces/Features to Support STEAM Activities	1	3	
Classroom Furniture Replacement	2	1	1
Restroom Upgrades	1	3	
Provide Additional Gym Space at Select	1	3	
Secondary Schools			
Playground/Covered Play Upgrades at Select	1	2	1
Schools			
Fire Alarm/Sprinkler Upgrades at Select	1	2	1
Schools			
Site Improvements		4	
Door Replacements at Select Schools	1	2	1
Electrical/Lighting Upgrades at Select Schools	1	2	1
Fuel Tank Replacements at Select Schools	2		2
Interior Finish Upgrades (cabinetry, walls,		3	1
ceilings)			
Flooring Replacements		3	1
Window Replacements		3	1
Sanitary Sewer Repairs/Upgrades at Select		3	1
Schools			
Expansion of Administrative Spaces	1		3
Provide Dedicated Spaces for Community		1	3
Partners			

Building Relationships | Inspiring Communities PAGE 3 OF 5

_

There was also (1) write-in comment to replace Newport High School, Taft Elementary School and Oceanlake Elementary School.

The following is the comments/discussion that followed:

- Dan commented that it appears there were not too many discrepancies in how committee members voted.
- Dan comments that turf field replacement was 3rd on the list of Tier I recommendations is this something of importance to the community. It is stated than a number of fields were replaced as part of the previous bond with bond funding, and since turf fields have a life expectancy, this upcoming bond will need to provide funding for their replacements. Fields are heavily used.
- Dr. Gray states that as priorities are being established, it is important to identify what will sell in the bond safety/security, technology, HVAC, fields.
- Dan asks the group if improvements to traffic flow is of importance to the District; it is stated it is an issue at several sites, but 2 of these sites (Taft and Oceanlake) are also identified to be replaced, so the traffic issues would be addressed at these sites.
- Dr. Gray thinks that furniture replacement should be a higher priority. Some was replaced in previous bond but a lot of what is in the District is older.
- There were some split voting on both gymnasiums and cafeteria (expanding or adding) and it is thought this might need to move up to deal with site lacking both of these spaces, or the implications the Coronavirus will have on schools and the need for space.
- The recommendation for fuel tanks was also split on its voting; however, if alternate sources are put in place, there will be no need to replace fuel tanks.
- The highest priority educational item appears to be related to expansion/adding extended learning to schools, followed by CTE expansion.
- There is a discussion around technology there needs to be more equity in what is provided in every classroom, and the funding to do this needs to be part of the bond. There is a challenge currently as what is being provided is inconsistent and technology standards need to be created to streamline the process.
- Will pricing be part of the report? Dan states there is not enough detail to provide accurate pricing; pricing exercises could be part of the Pre-Bond Planning process (pricing would also be more accurate the closer a District is to a bond measure).
- Dr. Gray would like to see Tier III items removed from any lists so that the committee can really focus on the Tier I and Tier II items. Tier III will be a separate list. Thea notes it will be important to have these captured/documented as these items may need to move up in priority as the District gets closer to a bond measure. In addition, funding for any of these items (from any Tier) could be provided outside of bond funding. They could then be removed from their list.

5. BRIC will send a draft report out by the end of July/August 1st, so committee members have time to review ahead of the August 11th meeting. The items in each of Tiers I and II can be reviewed in greater detail as well.

These meeting notes are a record. If there are any errors and/or omissions in the foregoing notes, please advise our office immediately; otherwise these notes will be considered correct and complete as written.

Building Relationships | Inspiring Communities

Submitted by

Thea Wayburn BRIC Architecture, Inc.


Attachments:

• PPT Presentation by BRIC Architecture, June 25, 2020

Building Relationships | Inspiring Communities PAGE 5 OF 5

This page left blank intentionally for printing purposes.

This page left blank intentionally for printing purposes.





Building Relationships | Inspiring Community

1233 NW Northrup Street, Suite 100 Portland, Oregon 97209

503 595 4900

f @bric.arch 🔰 🖸 @bric_arch

© 2020 BRIC Architecture All rights reserved