

Project:
 BID FINAL - West Chicago SD33 -
 Turner Elementary
 West Chicago, IL 60185

From:
 TriMark Marlinn LLC
 Mike Ingargiola
 6100 W. 73rd Street, Suite 1
 Bedford Park, IL 60638
 708-496-1700

Job Reference Number: 190502-FINAL

West Chicago SD33 Sourcewell Account#: 66787
 TriMark USA Sourcewell Contract#: 063022-SES

Item	Qty	Description	Sell	Sell Total
1	1 ea	WORK TABLE, STAINLESS STEEL TOP Titan Stainless Model No. 92SLU-36-14 Work Table, 92"W x 36"D x 36"H, 14/300 stainless steel top, legs, undershelf & adjustable bullet feet, NSF	\$9,672.48	\$9,672.48
	1 ea	C-2020 Sink Bowl, fabricated, 20"W x 20" front-to-back x 14" deep bowl, 16/201 stainless steel construction		
	1 ea	LDB Lever Drain Bracket		
	1 ea	Component Hardware D53-7215 Encore® Twist Handle Waste Outlet, with overflow assembly and crumb cup strainer, 3-1/2" sink opening, 20 gpm max flow rate, 4-1/2" self-centering stainless steel face flange, stainless steel twist handle, nickel plated cast bronze body, 2" NPT		
	1 ea	3DS-2020-HD Three Drawer Assembly, with heavy duty slides		
	8 ft	SD Sound Deadening (priced per linear foot)		
	1 ea	30STCD-36 Table Cabinet, 30"W x 36"D, 16/300 stainless steel flat top, cabinet base with hinged doors, middle shelf, stainless steel legs & adjustable bullet feet, 18/430 stainless steel body, NSF		
	1 ea	ETL (4) GFCI Receptacles wired to Junction Box as per Drawing.*****Buy out equipment including sneeze guards is provided by others and installed by Titan Stainless; in the Factory. If dis-assembly is required for transport re-assembly will be provided by Others ***		
	3 ea	DL Drawer/Door Locks		
2	1 ea	DECK MOUNT FAUCET	\$175.57	\$175.57

Item	Qty	Description	Sell	Sell Total
		T&S Brass Model No. B-0221-CR Faucet, cerama cartridges, deck mixing faucet, 12" swing nozzle, quarter-turn Cerama cartridges with check valves, lever handles, low lead, ADA Compliant (replaces B-0221-CR-SC)		
	1 kt	B-0425-KIT Inlet Kit with 24" supply hoses, Nipples, Washer and Locknuts that provide 1/2" NPT male outlet and 3/8" female compression inlet. Certified to ASME A112.18.1/CSA B125.1, NSF 61-Section 9 and NSF 372. Inlet kit recommended for installation		
3-ALT-1	1 ea	PASS-THRU REFRIGERATOR  Traulsen Model No. RHT132NPUT-FHG Spec-Line Refrigerator, Pass-thru, one-section, self-contained refrigeration, variable speed compressor, stainless steel exterior & interior, standard depth, narrow full-height glass door on one side only with EZ-Clean Gaskets, (3) adjustable wire shelves per section, microprocessor controls, 6" adjustable stainless steel legs, R-290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 7.6 amps, cETLus, ETL-Sanitation, ENERGY STAR® 1 ea 6-year parts & labor and 7 year compressor, standard. Visit www.traulsen.com for details 1 ea Remote application available. Please see Remote Models document for more details 1 ea 115v/60/1-ph, cord with NEMA 5-15P, standard 1 ea Non-control side full height solid door, control side full height glass door 1 ea Thermometer side door: hinged on right, standard 1 ea Rear door hinged on left 5 ea Additional coated shelf on pins (max 9) 1 st Casters, 6" high (set of 4) Quoted as an alternate to True STA1RPT-1G-1S-HC EXCEPTIONS: - 83.25 (h) x 26.38 (w) x 37.94 (d) - 6-year parts & labor warranty - Stainless steel exterior & interior	\$9,131.60	\$9,131.60
4-ALT-1	1 ea	PASS-THRU HEATED CABINET	\$7,199.18	\$7,199.18

Item	Qty	Description	Sell	Sell Total
		<p>Traulsen Model No. RHF132WP-FHS Spec-Line Heated Cabinet, Pass-thru, one-section, stainless steel exterior and interior, standard depth cabinet, full-height doors, with EZ-Clean Gaskets, (3) clear coated adjustable shelves per section, microprocessor controls, 6' adjustable stainless steel legs, cETLus, ETL-Sanitation, ENERGY STAR®</p> <p>1 ea 6-year parts & labor, standard. Visit www.traulsen.com for details 1 ea 208-230/115v/60/1-ph, cord with NEMA L14-20P 1 ea Front full height glass door(s) in lieu of full height solid door, per door - F 1 ea Rear full height solid door(s) standard 1 ea Thermometer side door: hinged on right, standard 1 ea Rear door hinged on left 5 ea Additional coated shelf 1 st Casters, 6" high (set of 4)</p> <p>Quoted as an alternate to True STA1HPT-1G-1S</p> <p>EXCEPTIONS: - 83.25 (h) x 29.88 (w) x 37.94 (d) - 6-year parts & labor warranty - Stainless steel exterior & interior</p>		
5		SPARE NO.		
6		SPARE NO.		
7		SPARE NO.		
8	11 ft	<p>WALL CAP Titan Stainless Model No. WC Packed 1 ft Wall Cap, 18/430 stainless steel construction (priced per linear foot)</p>	\$60.13	\$661.43
9	1 ea	<p>PLASTIC SHELVING UNIT Cambro Model No. EXU215484V5480 Camshelving® Elements XTRA Stationary Starter Unit, 21"W x 54"L x 84"H, 5-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (5) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts with leveling feet installed, pre-assembled post connectors & wedges, (10) Universal Traverses &(5) bags of 4 dovetails (10 left, 10 right), 800 lbs. capacity per shelf /2,400 lbs. max capacity, speckled gray, Made in USA, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.) PLEASE NOTE: Casters are not available for shelving with 84" posts.</p>	\$479.52	\$479.52
				
10	1 ea	CONVECTION STEAMER, ELECTRIC	\$24,606.81	\$24,606.81

Item	Qty	Description	Sell	Sell Total
		<p>Groen Model No. (2)HY-5EF HyperSteam™ Convection Steamer, electric, double-stacked, stand mount, (5) 12" x 20" x 2-1/2" pans per compartment capacity, stainless steel construction, dual water connection, cUL, UL, NSF, Made in USA</p> <p>1 ea (1) year parts & labor, (5) year cavity warranty, standard 1 ea FREIGHT 15-20 day lead time 1 ea Start-up Program, included at customer's request, water quality test and water treatment recommendation included, free start-up adds additional 1 year parts & labor warranty (See start-up request form document) 1 ea (2) 208v/60/3-ph, (2) 15.5kw, (2) 44.0 amps, std. 1 ea Please verify proper operating voltage prior to submitting an order for this equipment 1 ea 153119 PureSteem™ Water Treatment System, removes scale, chlorine & sediment, (for autofill units only) (Note: One system required per cavity) 1 ea 144475 Single Water Connection 1 ea Door hinged on left, std. 1 ea Please verify proper operating voltage prior to submitting an order for this equipment</p>		
11	1 ea	<p>CONVECTION OVEN, ELECTRIC Southbend (Middleby) Model No. PCE15S/SD-V-PRO Platinum PRO Convection Oven, Electric, 15 kW, Standard Depth, Standard controls, Dependent doors, Ventless</p> 	\$14,656.99	\$14,656.99
		<p>1 ea Custom IL FOODSERVICE ENERGY REBATE 1 ea Extended Warranty, not to exceed 60 months from date of installation (for K-12 schools only) 1 ea 208v/60/1-ph, 36.1 amps, direct 1 ea 6" Casters in lieu of legs 6 ea Extra oven racks (ea)</p>		
12	1 ea	<p>DISHTABLE, SOILED "L" SHAPED Titan Stainless Model No. 97X43SDT-L-CS-14 Soiled Dishtable, corner design, 97" end to corner, 43" corner to machine, L-shaped, left to right operation, backsplash, 20" x 20" x 8"D pre-rinse sink 14/300 stainless steel top, stainless steel H-frame legs, NSF</p> <p>1 ea SB Scrap Basket, small, 19-1/2"W x 19-1/2"D x 6"H, 16/300 stainless steel construction 1 ea PRUD Provisions for Roll Up Door 4 ft PTLD Pass-thru Window Ledge (priced per foot)</p>	\$5,591.96	\$5,591.96

Item	Qty	Description	Sell	Sell Total
	4 ft	WF Window Frame, up to 60"H		
	12 ft	SD Sound Deadening (priced per linear foot)		
13	1 ea	HOSE REEL ASSEMBLY T&S Brass Model No. B-7132-U01XS11 Hose reel system with B-7132-01 hose reel, B-0512 mixing control valve, (2) CVH1-2 inlet check valves and ORK-SK VB installation kit (replaces B-1459-7132-01)	\$1,907.71	\$1,907.71
14	2 ea	WALL / SPLASH MOUNT FAUCET T&S Brass Model No. B-0290 Sink Mixing Faucet, wall mount, 8" adjustable centers, 12" Big-Flo swing nozzle with plain end outlet, 4-arm kitchen handles with color coded indexes, 00LL street elbows with 3/4" female NPT inlets, ADA Compliant	\$353.66	\$707.32
	8 ea	B-0427 Supply Nipple, 3/4" x 2-1/2"	\$31.43	<Optional>
	2 ea	Order in quantities of (2) per faucet Supply nipples recommended for installation		<Optional> <Optional>
15	1 ea	DISHWASHER, DOOR TYPE, VENTLESS Hobart Model No. AM16VLT-ADV-2 Ventless Dishwashing Machine, tall chamber (27") door type, energy recovery, automatic soil removal (ASR), drain water energy recovery (DWER), high temp sanitizing, 208-240/60/3 (field convertible to single phase), internal condensing system, 38 racks/hour, straight-thru or corner installation, user-friendly smart touchscreen controls, Wi-Fi connectivity with SmartConnect app, Complete Delime™ with Delime Notification, Auto Dispensing, and Booster Guard™, Sense-A-Temp™ booster, electric tank heat, X-shaped wash arms, scrap screen and basket, door actuated start, door lock, stainless steel tank, tank shelf, chamber, trim panels, frame & feet, pumped drain air gap, drain water tempering, cULus, NSF, ENERGY STAR®. Factory Startup - Free for installations within 100 miles (accessible by public roadway) of a Hobart Service Office during normal business hours with appropriate notice; Installation beyond 100 miles or those not accessible by public roadway will be quoted by Service.	\$29,398.84	\$29,398.84
	1 ea	Custom IL FOODSERVICE ENERGY REBATE		
	1 ea	Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height. If delivery is to a facility without a standard height dock, additional shipping charges will apply depending on the service requested. consult Factory.		
	1 ea	Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA		
	1 ea	NOTE: For water of 3-grains of hardness or more, Hobart suggests adding a water softener. PLEASE NOTE: (1) only EV979911 water filter to be supplied by		



Item	Qty	Description	Sell	Sell Total
others.				
16	1 ea	CLEAN DISHTABLE Titan Stainless Model No. 88CDT-R-14 Clean Dishtable, striaght design, 88"W, left to right operation, 14/300 stainless steel top, stainless steel H-frame legs, NSF	\$4,787.60	\$4,787.60
	3 ea	C-1824 Sink Bowl, fabricated, 18"W x 24" front-to-back x 14" deep bowl, 16/201 stainless steel construction		
	3 ea	RS Rack Slide, 16/300 stainless steel construction		
	3 ea	LDB Lever Drain Bracket		
	3 ea	Component Hardware D53-7215 Encore® Twist Handle Waste Outlet, with overflow assembly and crumb cup strainer, 3-1/2" sink opening, 20 gpm max flow rate, 4-1/2" self-centering stainless steel face flange, stainless steel twist handle, nickel plated cast bronze body, 2" NPT		
	3 ea	OFH Overflow Hole		
	8 ft	SD Sound Deadening (priced per linear foot)		
17	1 ea	TRAY DRYING / STORAGE RACK Cambro Model No. CPMU244875DRPKG Camshelving® Premium Series Mobile Drying Rack Cart, 24"W x 48"L x 75-1/4"H, holds (84) trays, includes: drying racks for (3) levels, (6) mobile traverses, (2) pre-assembled mobile post kits, (4) premium swivel casters with total locking brake, max. weight bearing 900 lbs., speckled gray, NSF listed components, Made in USA	\$842.40	\$842.40
				
18- ALT-1	1 ea	REACH-IN REFRIGERATOR Traulsen Model No. CLBM-49R-FS-LR Centerline™ Refrigerator, reach-in, two-section, 45.88 cu. ft., self- contained bottom mount refrigeration, (1) left hinged/(1) right hinged full-height solid doors, electronic control with LED display, (3) epoxy coated shelves per section, stainless steel exterior & interior, galvanized steel top, back & bottom, (4) casters, R290 Hydrocarbon refrigerant, 1/3 HP, 115v/60/1-ph, 3.6 amps, NEMA 5- 15P, cETLus, ETL-Sanitation, ENERGY STAR®.	\$5,067.03	\$5,067.03
				
	1 ea	Custom IL FOODSERVICE ENERGY REBATE		
	1 ea	6-year parts & labor and 7 year compressor, standard. Visit www.traulsen.com for details		
	10 ea	CLBMACC-1SHLF2 (1) Shelf, epoxy coated, on pins Quoted as an alternate to True T49-HC		
		EXCEPTIONS: - 82 (h) x 53.75 (w) x 33.5 (d) - 6-year parts & labor warranty - Stainless steel exterior & interior		

Item	Qty	Description	Sell	Sell Total
19	1 ea	HAND SINK T&S Brass Model No. B-1146-02A-CR-4W-S Hand Sink, stainless steel, with side splash shields and 4" wall mount mixing faucet with chrome plated brass body, 4 3/8" rigid gooseneck, 2.2 GPM aerator, ceramic cartridges with check valves, lever handles, 1/2" NPT male inlets and chrome plated excutcheon. Certified to ASME A112.18.1/CSA B125.1, ASME A112.18.2/CSA B125.2, ASME A112.19.3/CSA B45.4, NSF 61-Section 9 and NSF 372. Meets ADA ANSI/ICC A117.1 requirements	\$368.41	\$368.41
				
20	2 ea	PLASTIC SHELVING UNIT Cambro Model No. EXMU184878V5480 Camshelving® Elements XTRA Mobile Unit, 18"W x 48"L x 78-1/4"H, 5-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (5) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (10) Universal Traverses & (5) bags of 4 dovetails (10 left, 10 right), (4) premium swivel casters with total locking brake, 900 lbs. max capacity, speckled gray, Made in USA, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	\$535.68	\$1,071.36
				
	2 ea	Lifetime warranty against corrosion and rust		
21	1 ea	WORK TABLE, CABINET BASE OPEN FRONT Titan Stainless Model No. 114STC-36-14 Table Cabinet, 114"W x 36"D, 14/300 stainless steel flat top, open front, middle shelf, stainless steel legs & adjustable bullet feet, 18/430 stainless steel body, NSF	\$7,937.78	\$7,937.78
	2 ea	LTC Table Cut, large (16" x 16" or more)		
	1 ea	CPB Control Bracket Panel, for drop in		
	1 ea	ETL (2) Drop In Units, (4) GFCI Receptacles & (2) Sneeze Guards wired to Junction Box as per Drawing.*****Buy out equipment including sneeze guards is provided by others and installed by Titan Stainless; in the Factory. If dis-assembly is required for transport re-assembly will be provided by Others ***	\$4,232.25	<Optional>
	10 ft	PTLD Pass-thru Window Ledge (priced per foot)		
	10 ft	WF Window Frame, up to 60"H		
	1 ea	PRUD Provisions for Roll Up Door		
22-ALT	1 ea	HOT FOOD WELL UNIT, DROP-IN, ELECTRIC Hatco Model No. HWBI-3M Drop-In Modular/Ganged Heated Well, with manifold drains, (3) full size pan capacity, insulated, top mounted, remote thermostat with separate power switch, stainless steel & Aluminized construction (standard watt), CE, cULus, UL EPH Classified, Made in USA	\$2,795.65	\$2,795.65
				
	1 ea	NOTE: Sale of this product must comply with Hatco's Minimum		

Item	Qty	Description	Sell	Sell Total
		Resale Price Policy; consult order acknowledgement for details		
	1 ea	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350		
	1 ea	One year on-site parts & labor warranty, plus one additional year parts only warranty on the metal sheathed elements		
	1 ea	208v/60/1, 3615w, 17.4 amps		
	1 ea	Single remote control configuration		
	1 ea	MUST SPECIFY manifold drain location below		
	1 ea	BEZELGASKET-3 Rubber Gasket, for (3) pan size drop-in food wells, factory installed, eliminates the need for silicone or other sealants (available at time of purchase only)		
	1 ea	23-5/8" bezel depth, standard		
23	1 ea	SNEEZE GUARD, STATIONARY Premier Metal & Glass Model No. TM2R TM2R-F - 1" OD FUSION SELF SERVICE FOOD SHIELD WITH TOP SHELF AND REAR SUPPORTS; 3/8" CLEAR TEMPERED GLASS WITH POLISHED EDGES AND RADIUS CORNERS; BOTH END PANELS INCLUDED (FIXED); SURFACE MOUNTING OPTION; HATCO GRNM NARROW HEAT LAMP AND ULTRASLIM LED LIGHT IN COMPLEMENTARY COLORED HOUSING; BRUSHED STAINLESS FINISH; APPROX 55" CL LENGTH; APPROX 148 LBS EA (2 END SUPPORTS)	\$4,698.12	\$4,698.12
	1 ea	CRATING		
	1 ea	FREIGHT		
24- ALT-2	1 ea	COLD FOOD WELL UNIT, DROP-IN, REFRIGERATED Delfield Model No. 8132-EFP LiquiTec® Drop-In Cool Food Unit, 2-pan size, 4" or 6" deep pans flush with counter top, insulated pan, stainless steel inner liner & top, galvanized outer liner, self-contained Eutectic fluid refrigerated system, R290 Hydrocarbon refrigerant, 1/5 hp, (30-3/4" x 25" cutout required), cUL, UL, NSF	\$6,850.53	\$6,850.53
	1 ea	0460000N 1 year parts & labor warranty, standard		
	1 ea	W00003N 1 year compressor warranty, standard		
	1 ea	115v/60/1-ph, 2.4 amps, NEMA 5-15P, standard		
	2 ea	MUFFIN Muffin Fan Shipped Loose For Counter Ventilation (Low Temp Industries 312400 Axial Fan, Exhaust, 115 Volt, 50/60HZ)		
25	1 ea	SNEEZE GUARD, STATIONARY Premier Metal & Glass Model No. TM2R TM2R-F - 1" OD FUSION SELF SERVICE FOOD SHIELD WITH TOP SHELF AND REAR SUPPORTS; 3/8" CLEAR TEMPERED GLASS WITH POLISHED EDGES AND RADIUS	\$3,273.69	\$3,273.69

Item	Qty	Description	Sell	Sell Total
		CORNERS; BOTH END PANELS INCLUDED (FIXED); SURFACE MOUNTING OPTION; ULTRASLIM LED LIGHT IN COMPLEMENTARY COLORED HOUSING; BRUSHED STAINLESS FINISH; APPROX 38" CL LENGTH; APPROX 124 LBS EA (2 END SUPPORTS)		
	1 ea	CRATING		
	1 ea	FREIGHT		

26 **SPARE NO.**

27- ALT-1	1 ea	REACH-IN REFRIGERATOR	\$3,779.99	\$3,779.99
--------------	------	------------------------------	------------	------------



Traulsen Model No. CLBM-23R-FS-R
Centerline™ Refrigerator, reach-in, one-section, 20.5 cu. ft., self-contained bottom mount refrigeration, (1) right hinged full-height solid door (field reversible), electronic control with LED display, (3) epoxy coated shelves per section, stainless steel exterior & interior, galvanized steel top, back & bottom, (4) casters, R290 Hydrocarbon refrigerant, 1/3 HP, 115v/60/1-ph, 3.4 amps, NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®

- 1 ea Custom IL FOODSERVICE ENERGY REBATE
- 1 ea 6-year parts & labor and 7 year compressor, standard. Visit www.traulsen.com for details
- 5 ea CLBMACC-1SHLF1 (1) Shelf, epoxy coated, on pins
Quoted as an alternate to T-23-HC

EXCEPTIONS:
 - 82 (h) x 33.5 (d)
 - 6-year parts & labor warranty
 - Stainless steel exterior & interior

28- ALT-1	1 ea	REACH-IN FREEZER	\$4,507.35	\$4,507.35
--------------	------	-------------------------	------------	------------



Traulsen Model No. CLBM-23F-FS-R
Centerline™ Freezer, reach-in, one-section, 19.89 cu. ft., self-contained bottom mount refrigeration, (1) right hinged full-height solid door (field reversible), electronic control with LED display, (3) epoxy coated shelves per section, stainless steel exterior & interior, galvanized steel top, back & bottom, (4) casters, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 7.0 amps, NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®

- 1 ea Custom IL FOODSERVICE ENERGY REBATE
- 1 ea 6-year parts & labor and 7 year compressor, standard. Visit www.traulsen.com for details
- 5 ea CLBMACC-1SHLF1 (1) Shelf, epoxy coated, on pins

Item	Qty	Description	Sell	Sell Total
Quoted as an alternate to True T-23F-HC				
EXCEPTIONS:				
- 82 (h) x 33.5 (d)				
- 6-year parts & labor warranty				
- Stainless steel exterior & interior				
29	1 ea	MILK COOLER EXISTING EQUIPMENT Model No. TO BE RELOCATED		<Existing>
30	1 ea	PLASTIC SHELVING UNIT Cambro Model No. EXU244884V5480 Camshelving® Elements XTRA Stationary Starter Unit, 24"W x 48"L x 84"H, 5-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (5) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts with leveling feet installed, pre-assembled post connectors & wedges, (10) Universal Traverses &(5) bags of 4 dovetails (10 left, 10 right), 800 lbs. capacity per shelf /2,400 lbs. max capacity, speckled gray, Made in USA, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.) PLEASE NOTE: Casters are not available for shelving with 84" posts.	\$449.28	\$449.28
				
31	4 ea	DUNNAGE RACK Cambro Model No. DRS480480 S-Series Dunnage Rack, slotted top, 3000 lb. load capacity, 21"D x 48"W x 12"H, polypropylene, one-piece, seamless double wall construction, includes (1) Camlink®, 4" square legs, speckled gray, NSF, Made in USA	\$181.44	\$725.76
				
32-ALT	1	CUSTOM Delfield Model No. 000-40014MSQ1 SHELLEY CUSTOM FABRICATION KCSC-60-BP 60" REFRIGERATED COLD PAN SERVING COUNTER, R290 32 INCHES HIGH, BASE COLOR IS VERIFY, 60" S/S V-TRAY SLIDE 10" WIDE WITH 3 RIBS, LOCATED ON CUSTOMER SIDE, MOUNTED 30" HIGH, 60" S/S V-TRAY SLIDE 10" WIDE WITH 3 RIBS, LOCATED ON OPERATOR SIDE, MOUNTED 30" HIGH, LINE-UP INTERLOCK, DOUBLE DOOR DRY STORAGE COMPARTMENT 9" HEIGHT, (2) DOOR/DRAWER LOCK(S), FLEXISHIELD FACTORY INSTALLED TO BASE	\$15,635.14	\$15,635.14
	1 ea	W00007AN 7 year compressor warranty, standard		
	1	0550000N WARRANTY,2YR,S/L, NO CHARGE		
	1	000-CCA14MSQ1 SHELLEY CUSTOM FABRICATION SINGLE TIER DISPLAY, FIXED SNEEZE GUARD FRONT, DUAL SERVICE 57.378 INCHES LONG X 28.82 INCHES WIDE X 15 INCHES HIGH WITH GLASS SHELF, WITH LED LIGHT ON FIRST TIER		
33		SPARE NO.		

Item	Qty	Description	Sell	Sell Total
34-ALT	1	CUSTOM Delfield Model No. 000-40014MSQ3 SHELLEY CUSTOM FABRICATION KCS-36 , 36" CASHIER'S COUNTER 32 INCHES HIGH, BASE COLOR IS VERIFY, DRAWER ON RIGHT END, 36" S/S V-TRAY SLIDE 12" WIDE WITH 3 RIBS LOCATED ON OPERATOR SIDE 30" HIGH, 36" S/S V-TRAY SLIDE 12" WIDE WITH 3 RIBS LOCATED ON CUSTOMER SIDE 30" HIGH, LINE-UP INTERLOCK, CASH DRAWER INSERT, Q2 PIGGYBACK ELECTRICAL PER UNIT	\$6,612.48	\$6,612.48
35	1 ea	POINT OF SALE SYSTEM BY OWNER Model No. NIKEC		<By Owner>
TR100	1 ea	SERVICE TriMark Model No. INSTALLATION 1. EQUIPMENT Installation Services Included in Scope a. Unload and install all equipment per plan, any special unload requirements or difficult access points, not originally noted, will be an additional cost b. welding included c. Build all shelving and hang all wall shelves d. Silicone equipment per health code requirement e. Place packing materials in customer provided dumpster 2. Additional inclusions, exclusions and instructions a. Trimark does not do any interlocking of chef's counters b. ALL WORK TO BE DONE DURING NORMAL WORKING HOURS. Off- hour and weekend work hours are not included in our pricing. c. Trimark does not provide any coring, x-raying, or conduit runs. d. All work is priced for a 1st floor installation unless otherwise indicated. e. Access to an elevator is required for installation work above the 1st floor. f. No solid surface setting, seaming, or drilling into solid surface tops. g. An onsite dumpster must be available for TriMark's use. h. Once the equipment is set in place, any request to move it back to the designated area or relocate it elsewhere will be subject to a change order. 3. Installation Warranty a. A one-year workmanship warranty is included in all installations. Additional Mobilizations and Change Orders 1. Scope of Work and Mobilizations: a. The installation services provided under this contract are based on the agreed-upon project schedule, phases, scope of work and		

Item	Qty	Description	Sell	Sell Total
		<p>mobilizations as outlined in our proposal. Any deviations from this schedule, changes in the sequence of phases or scope of work may necessitate additional mobilizations or expansion in the scope of work.</p> <p>2. Notification:</p> <p>a. If the construction schedule is delayed or altered for any reason other than delays caused by TriMark and results in the need for additional mobilizations, or if the scope of installation work is expanded, TriMark shall be entitled to request additional fees. Notification will be provided to the Client through the Change Order process and a detailed estimate of the additional costs associated with the additional mobilizations or expansion of the scope of work will be provided.</p> <p>b. The Client must approve the Change Order before TriMark undertakes any additional work. The approval of the Change Order will constitute an agreement as to the revised scope of work and associated costs.</p> <p>3. Additional Costs:</p> <p>a. The Client agrees to compensate TriMark in the amount agreed on the Change Order. These costs will be calculated based on TriMark's standard rates for mobilization or installation services plus any other supplies or travel-related expenses incurred.</p> <p>b. Installation Change Orders shall be invoiced on the final invoice for installation services, unless otherwise agreed upon in the Change Order.</p>		
			Installation:	\$8,900.00
				\$8,900.00
TR101	1 ea	<p>SERVICE</p> <p>TriMark Model No. FIELD PROJECT MANAGEMENT</p> <p>4. Includes</p> <p>a. Onsite MEP reviews (2 onsite reviews)</p> <p>b. Onsite dimension check and documentation</p> <p>c. Onsite coordination of equipment receiving</p> <p>d. Onsite punch list review and documentation</p> <p>e. Travel to site</p>		
			Installation:	\$750.00
			Merchandise	\$183,241.98
			Freight	
			Total	\$183,241.98

West Chicago SD33 Sourcewell Account#: 66787
 TriMark USA Sourcewell Contract#: 063022-SES

PRICE ADJUSTMENTS

Prices may not reflect applicable tariffs, duties, import fees, taxes, or other governmental charges. TriMark reserves the right to correct or adjust quoted prices at any time due to tariffs, market fluctuations, supply chain disruptions, third-party supplier cost changes, general contractor delays, or any other factors outside of TriMark’s control. TriMark will use commercially reasonable efforts to hold pricing for (7) seven calendar days from the date of the quote; however, all pricing remains subject to correction or adjustment as set forth above, including during the seven-day hold period.

TRIMARK RETURN POLICY

All returns must be unused, undamaged and in their original packaging. All returns are subject to inspection. If a returned item is not in its original packaging, the customer will be responsible for the repackaging cost. If a returned item is damaged or cannot be sold as new, partial or no credit will be provided based on the condition of the item(s).

Please contact your TriMark representative to initiate a return.

Custom fabricated and made-to-order items are non-cancellable and non-returnable unless the return is due to TriMark’s mistake. This includes any product that has custom configurations or accessories.

Stock Supplies and Equipment can be returned within 30 days of delivery for a refund of the selling price and any taxes paid. Return freight charges are the responsibility of the customer.

Non-Stock, non-custom Supplies and Equipment may be returned to the OEM subject to their return policy for a refund of the selling price plus any taxes paid. The customer is responsible for return freight charges and a minimum 30% restocking fee.

TRIMARK TERMS AND CONDITIONS OF SALE

This Quote shall be subject to TriMark’s Terms of Sale (<http://www.trimarkusa.com/SiteMedia/SiteResources/Terms/TriMark-Terms-and-Conditions-of-Sale.pdf>), which are incorporated herein by reference and shall govern.

The parties specifically agree that no signature shall be required in order for this Quote or its applicable terms and conditions to be deemed legally binding and enforceable on Customer where the intent to be so bound can be inferred (including by acceptance or retention of products or services), notwithstanding contrary requirements under any law.

Acceptance: _____ Date: _____

Printed Name: _____

Project Grand Total: \$183,241.98