



2750
2700
SSC-7

Account Name	Badger High School	Created Date	9/27/2022
Quote Number	00143187	Expiration Date	10/27/2022
Contact Name	Stacey Wame	Prepared By	Deanna Oberneufemann
Title	Dean of Students/Activities Director	Title	Display & Scoring Consultant
Phone	218-528-3201	Phone	(618) 664-03606
Fax	(218) 528-3366	Fax	(618) 659-1821
Email Address	swame@badger.k12.mn.us	Email Address	deanna@nevco.com

Quantity	Model/Part #	Product Description	Dimensions L x H x W/D	Total Price
1.00	2750-RL	Basketball/Volleyball/Wrestling LED Scoreboard with Amber/Red Digits	8'x5'11"x8"	USD 4,924.00
1.00	2700-RL	Basketball/Volleyball/Wrestling LED Scoreboard with Amber/Red Digits	8'x3'x8"	USD 3,236.00
1.00	SSC-7-SS Set	Slim Shot Clock LED Display (Set of 2) - Black with Red Digits	20" x20"x 2"	USD 2,415.00
1.00	MPCW-7	Controller MPCW-7 (Wired or Wireless)	0.9'x0.8'x4"	USD 1,240.00
4.00	MPCW-7 Indoor Rec	Receiver MPCW-7 (Wireless) for indoor scoreboards		USD 2,300.00
1.00	MPCW Case	MPC/ MPCW Control Carrying Case	1.7'x1.1'x8"	USD 90.00
Ttl Shipping Wt (lbs)		345	Subtotal	USD 14,205.00
County		Roseau	Freight	USD 414.00
			Total	USD 14,619.00

Due to supply chain issues resulting from the pandemic, freight pricing and anticipated schedule for delivery along with performance of services are subject to change.

Customers who purchased items in this quote also purchased the following:

Slim Shot Clocks



- Three shot clock sizes, all with a 2" depth, to meet your venue's needs
- Bright, long lasting, energy-efficient LED's reduce power consumption and operating expense
- New durable Lexan face and lightweight aluminum cabinet design can withstand heavy impact
- Integrates with Nevco accessories, such as End of Period lights, and Locker Room Clocks
- Daisy chaining capability allows for single or double sided mounting



2750
SSC-7

Account Name	Badger High School	Created Date	9/27/2022
Quote Number	00143188	Expiration Date	10/27/2022
Contact Name	Stacey Warne	Prepared By	Deanna Obemuefemann
Title	Dean of Students/Activities Director	Title	Display & Scoring Consultant
Phone	218-528-3201	Phone	(618) 664-03606
Fax	(218) 528-3366	Fax	(618) 659-1821
Email Address	swarne@badger.k12.mn.us	Email Address	deanna@nevco.com

Quantity	Model/Part #	Product Description	Dimensions L x H x W/D	Total Price
1.00	2750-RL	Basketball/Volleyball/Wrestling LED Scoreboard with Amber/Red Digits	8'x5'11"x8"	USD 4,924.00
1.00	SSC-7-SS Set	Slim Shot Clock LED Display (Set of 2) - Black with Red Digits	20" x20"x 2"	USD 2,415.00
1.00	MPCW-7	Controller MPCW-7 (Wired or Wireless)	0.9'x0.8'x4"	USD 1,240.00
3.00	MPCW-7 Indoor Rec	Receiver MPCW-7 (Wireless) for indoor scoreboards		USD 1,725.00
1.00	MPCW Case	MPC/ MPCW Control Carrying Case	1.7'x1.1'x8"	USD 90.00
Ttl Shipping Wt (lbs)		240	Subtotal	USD 10,394.00
County		Roseau	Freight	USD 288.00
			Total	USD 10,682.00

Due to supply chain issues resulting from the pandemic, freight pricing and anticipated schedule for delivery along with performance of services are subject to change.

Additional Notes

5 year warranty on scoreboard and controllers
Installation not included on quote.
16-18 week production time.

Customers who purchased items in this quote also purchased the following:

Slim Shot Clocks



- Three shot clock sizes, all with a 2" depth, to meet your venue's needs
- Bright, long lasting, energy-efficient LED's reduce power consumption and operating expense
- New durable Lexan face and lightweight aluminum cabinet design can withstand heavy impact
- Integrates with Nevco accessories, such as End of Period lights, and Locker Room Clocks
- Daisy chaining capability allows for single or double sided mounting

Quote Number

00143188

Visit Our Website

www.nevco.com



BASKETBALL

SCOREBOARDS

MODEL 2750

Size: 8' x 6' x 8" (2.44 x 1.83 x .20 meters)

Approximate hanging weight: 107 lbs. (49 kg)

Digit Size: 13"/9" **Digit Color:** High Intensity Red & Amber or White



CUSTOMIZE "HOME" AND "GUESTS" BY UPGRADING TO ELECTRONIC TEAM NAMES.
MODEL ABOVE SHOWN WITH ALL WHITE DIGITS UPGRADE.

Advanced timing features ideal for Basketball/Volleyball/Wrestling Facilities.

- Energy-efficient LEDs reduce power consumption and operating expense.
- Ability to retrofit team name caption plates.
- Bright, long lasting LED lamp banks when ordered with rear-lit team names.
- Large, 4" Bonus, Double Bonus and Possession Indicator digits included.
- Durable and lightweight cabinet design.
- Universal—syncs with Nevco accessories.
- Extended advertising opportunities.
- Lighted time colon and decimal; automatically adjusts to 1/10th of a second.
- Built-in Power Factor Correction.
- Includes basketball, volleyball and wrestling caption plates.
- Soccer available with MPCX₂ and MPC7 series controls.
- Advantage Timer feature included with wrestling captions.

NEVCO
 MAXIMIZE YOUR IMPACT™

BUILD YOUR OWN DISPLAY AND SCORING SYSTEM ONLINE AT:
WWW.NEVCO.COM

U.S. & CANADA: 800-851-4040 INTERNATIONAL: 618-664-0360
 FAX: 618-664-0398 E-MAIL: INFO@NEVCO.COM

INTEGRATED DISPLAY AND SCORING SOLUTIONS



Model 2750 (Indoor) Basketball/Volleyball/Wrestling Scoreboard

SCOREBOARD/CONTROL OPERATING FEATURES

MODEL 2750	MPC WIRED	MPCW WIRELESS	MPCX ₂ WIRELESS
TIMING 13" High Intensity Red LED Digits Or all White Digits Upgrade	Bi-directional UP or DOWN count. Any number can be set between 0:00-99:59. 1/10th seconds display during final minute.	Bi-directional UP or DOWN count. Any number can be set between 0:00-99:59. 1/10th seconds display during final minute.	Bi-directional UP or DOWN count. Any number can be set between 0:00-99:59. 1/10th seconds display during final minute.
TEAM SCORES 13" High Intensity Amber LED Digits Or all White Digits Upgrade	Displays 0-199	Displays 0-199	Displays 0-199
PERIOD 9" High Intensity Amber LED Digits Or all White Digits Upgrade	Displays 0-9	Displays 0-9	Displays 0-9
NEXT POSSESSION (BASKETBALL) SERVE (VOLLEYBALL) ADVANTAGE (WRESTLING) High Intensity Amber LED Digits Or all White Digits Upgrade	Displays arrow for each team.	Displays arrow for each team.	Displays arrow for each team.
BONUS/DOUBLE BONUS High Intensity Red LED Digits Or all White Digits Upgrade	Displays the letter "B" for each team (BASKETBALL)	Displays the letter "B" for each team (BASKETBALL)	Displays the letter "B" for each team (BASKETBALL)
PLAYER/FOUL (BASKETBALL) GAME (VOLLEYBALL) WEIGHT (WRESTLING) 9" High Intensity Red LED Digits Or all White Digits Upgrade	BASKETBALL displays 0-99 for player number and 0-9 for personal fouls. VOLLEYBALL displays game number. WRESTLING can be used as advantage timer or display weight.	BASKETBALL displays 0-99 for player number and 0-9 for personal fouls. VOLLEYBALL displays game number. WRESTLING can be used as advantage timer or display weight.	BASKETBALL displays 0-99 for player number and 0-9 for personal fouls. VOLLEYBALL displays game number. WRESTLING can be used to display weight.
TEAM/FOULS (BASKETBALL) WON (VOLLEYBALL) MATCH (WRESTLING) 9" High Intensity Amber LED Digits Or all White Digits Upgrade	Displays 0-19 for each team.	Displays 0-19 for each team.	Displays 0-19 for each team.
TIME OF DAY	In place of displaying game time on the scoreboard, the "time out" time may be displayed or the "time of day". "Time of day" can still display after control turned off.	In place of displaying game time on the scoreboard, the "time out" time may be displayed or the "time of day". "Time of day" can still display after control turned off.	"Time of day" can display after control turned off.
HORN Two located in scoreboard	Sounds automatically at 0:00 for a minimum of two (2) seconds. May omit automatic horn. Can sound manually at any time.	Sounds automatically at 0:00 for a minimum of two (2) seconds. May omit automatic horn. Can sound manually at any time.	Sounds automatically at 0:00 for a minimum of two (2) seconds. May omit automatic horn. Can sound manually at any time.
JUNCTION BOXES	Two (2) 4"x2 1/8" with covers, furnished per scoreboard for installation.	N/A	N/A
CONTROL CABLE	One (1) length required of 2-WIRE (coaxial type) 3/4" diameter. Order length required.	N/A	N/A
SEGMENT TIMING	Supported.	Supported.	Requires MPCX ₂ segment timer control.

In addition to the standard 15 colors, Nevco can match any PMS color. Please contact your local Display and Scoring Consultant for pricing information.



AGENCY APPROVAL: UL/CUL listed, FCC, CE, INDUSTRY CANADA.

SCOREBOARD: Size 8'L x 6'H x 8"D (2.44 x 1.83 x .20 meters), constructed of aluminum. Hanging weight approximately 107 lbs. (49 kg).

CAPTIONS: HOME, GUESTS, FOULS, PLAYER, WON, GAME, MATCH, WEIGHT and PERIOD, white 6" high. (HOME and GUESTS are omitted when ordered with ETNs.)

LED UNITS: Seven-bar segmented digits with protective aluminum cover.

POWER WITHOUT ETNS: 120 VAC, .80 Amps, 50/60 Hz. / 240 VAC, .40 Amps, 50/60 Hz. Requires earth ground.

POWER WITH ETNS: 120 VAC, .90 Amps, 50/60 Hz. / 240 VAC, .45 Amps, 50/60 Hz. Requires earth ground.

BUILT-IN LIGHTNING PROTECTION: All models feature optical isolation circuitry providing additional protection against lightning strikes.

GUARANTEE: TO VIEW OR RECEIVE THE MOST RECENT COPY OF OUR GUARANTEE, PLEASE VISIT: NEVCO.COM/WARRANTY-LIMITATION

U.S. SERVICE: 1-800-851-4040

INTERNATIONAL SERVICE: 1-618-664-0360

CANADA SERVICE: 1-800-461-8550



BUILD YOUR OWN DISPLAY AND SCORING SYSTEM ONLINE AT:
WWW.NEVCO.COM

U.S. & CANADA: 800-851-4040 INTERNATIONAL: 618-664-0360
FAX: 618-664-0398 E-MAIL: INFO@NEVCO.COM



BASKETBALL

SCOREBOARDS

MODEL 2700

Size: 8' x 3' x 8" (2.44 x .91 x .20 meters)

Approximate hanging weight: 62 lbs. (28 kg)

Digit Size: 13"/9" **Digit Color:** High Intensity Red & Amber or White



CUSTOMIZE "HOME" AND "GUESTS" BY UPGRADING TO ELECTRONIC TEAM NAMES.
MODEL ABOVE SHOWN WITH ALL WHITE DIGITS UPGRADE

Advanced timing features ideal for Basketball/ Volleyball/Wrestling Facilities.

- Energy-efficient LEDs reduce power consumption and operating expense.
- Ability to retrofit team name caption plates.
- Bright, long lasting LED lamp banks when ordered with rear-lit team names.
- Large, 4" Bonus, Double Bonus and Possession Indicator digits included.
- Durable and lightweight cabinet design.
- Universal—syncs with Nevco accessories.
- Extended advertising opportunities.
- Lighted time colon and decimal; automatically adjusts to 1/10th of a second.
- Built-in Power Factor Correction.



BUILD YOUR OWN DISPLAY AND SCORING SYSTEM ONLINE AT:
WWW.NEVCO.COM

U.S. & CANADA: 800-851-4040 INTERNATIONAL: 618-664-0360
FAX: 618-664-0398 E-MAIL: INFO@NEVCO.COM

INTEGRATED DISPLAY AND SCORING SOLUTIONS



Model 2700 (Indoor) Basketball/Volleyball/Wrestling Scoreboard

SCOREBOARD/CONTROL OPERATING FEATURES

MODEL 2700	MPC WIRED	MPCW WIRELESS	MPCX ₂ WIRELESS
TIMING 13" High Intensity Red LED Digits Or all White Digits Upgrade	Bi-directional UP or DOWN count. Any number can be set between 0:00-99:59. 1/10th seconds display during final minute.	Bi-directional UP or DOWN count. Any number can be set between 0:00-99:59. 1/10th seconds display during final minute.	Bi-directional UP or DOWN count. Any number can be set between 0:00-99:59. 1/10th seconds display during final minute.
TEAM SCORES 13" High Intensity Amber LED Digits Or all White Digits Upgrade	Displays 0-199	Displays 0-199	Displays 0-199
PERIOD 9" High Intensity Amber LED Digits Or all White Digits Upgrade	Displays 0-9	Displays 0-9	Displays 0-9
NEXT POSSESSION SERVE ADVANTAGE High Intensity Amber LED Digits Or all White Digits Upgrade	Displays arrow for each team.	Displays arrow for each team.	Displays arrow for each team.
BONUS/DOUBLE BONUS High Intensity Red LED Digits Or all White Digits Upgrade	Displays the letter "B" for each team	Displays the letter "B" for each team	Displays the letter "B" for each team
TIME OF DAY	In place of displaying game time on the scoreboard, the "time out" time may be displayed or the "time of day". "Time of day" can still display after control turned off.	In place of displaying game time on the scoreboard, the "time out" time may be displayed or the "time of day". "Time of day" can still display after control turned off.	"Time of day" can display after control turned off.
HORN Two located in scoreboard	Sounds automatically at 0:00 for a minimum of two (2) seconds. May omit automatic horn. Can sound manually at any time.	Sounds automatically at 0:00 for a minimum of two (2) seconds. May omit automatic horn. Can sound manually at any time.	Sounds automatically at 0:00 for a minimum of two (2) seconds. May omit automatic horn. Can sound manually at any time.
JUNCTION BOX	Two (2) 4"x2 1/8" w/ covers, furnished per scoreboard for installation.	N/A	N/A
CONTROL CABLE	One (1) length required of 2-WIRE (coaxial type) 1/4" diameter. Order length required.	N/A	N/A
SEGMENT TIMING	Supported.	Supported.	Requires MPCX ₂ segment timer control.

In addition to the standard 15 colors, Nevco can match any PMS color. Please contact your local Display and Scoring Consultant for pricing information.

#103 Cardinal Red	#73 Maroon	#182 Team Orange	#99 Golden Yellow	#142 Kelly Green	#74 Forest Green	#120 Teal Blue	#72 Electronic Blue	#140 Royal Blue	#121 Midnight Blue	#141 Navy Blue	#104 Medium Purple	#70 Desert Tan	#95 Silver Gray	#76 Print Black
-------------------------	---------------	------------------------	-------------------------	------------------------	------------------------	----------------------	---------------------------	-----------------------	--------------------------	----------------------	--------------------------	----------------------	-----------------------	-----------------------

AGENCY APPROVAL: UL/CUL listed, FCC, CE, INDUSTRY CANADA.

SCOREBOARD: Size 8'L x 3'H x 8"D (2.44 x .91 x .20 meters), constructed of aluminum. Hanging weight approximately 62 lbs. (28 kg).

CAPTIONS: HOME, GUESTS, PERIOD, white 6" high. (HOME and GUESTS are omitted when ordered with ETNs.)

LED UNITS: Seven-bar segmented digits with protective aluminum cover.

POWER WITHOUT ETNS: 120 VAC, .60 Amps, 50/60 Hz. / 240 VAC, .30 Amps, 50/60 Hz. Requires earth ground.

POWER WITH ETNS: 120 VAC, .70 Amps, 50/60 Hz. / 240 VAC, .35 Amps, 50/60 Hz. Requires earth ground.

BUILT-IN LIGHTNING PROTECTION: All models feature optical isolation circuitry providing additional protection against lightning strikes.

GUARANTEE: TO VIEW OR RECEIVE THE MOST RECENT COPY OF OUR GUARANTEE, PLEASE VISIT: NEVCO.COM/WARRANTY-LIMITATION

U.S. SERVICE: 1-800-851-4040

INTERNATIONAL SERVICE: 1-618-664-0360

CANADA SERVICE: 1-800-461-8550



BUILD YOUR OWN DISPLAY AND SCORING SYSTEM ONLINE AT:
WWW.NEVCO.COM

U.S. & CANADA: 800-851-4040 INTERNATIONAL: 618-664-0360
FAX: 618-664-0398 E-MAIL: INFO@NEVCO.COM



BASKETBALL

ACCESSORIES

MODEL SSC-7

Shot Clock Size: 20" L x 20" H x 2" D

Approximate hanging weight: 30lbs (includes Indoor Accessory Driver (IAD) box and horns)

Digit Color: Super Bright Red or White **Digit Size:** 13"

DESIGN FLEXIBILITY



MODEL ABOVE SHOWN WITH ALL WHITE DIGITS UPGRADE.

SINGLE SIDED



Can be mounted to backboard and flush with walls

DOUBLE SIDED



Ideal for fans and coaching staff

3-SIDED



Optimal viewing angles for players, coaches, and officials

Advanced timing features ideal for Basketball.

- Integrates with Nevco End of Period Lights through the IAD box (included with shot clock).
- Bright, long lasting, energy-efficient LEDs reduce power consumption and operating expense.
- Horn is encased in an external box that can be attached above or below the clock, ensuring sound clarity.
- Durable Lexan, yet lightweight, cabinet design can withstand heavy impact from basketball.
- Shot clock connects through cat5 cable to the IAD box, which is easy to conceal and protected from game elements.
- Integrates with Nevco accessories, such as End of Period lights and Locker Room Clocks.
- Daisy chaining capability allows for single or double sided mounting.

 **NEVCO**
MAXIMIZE YOUR IMPACT™

BUILD YOUR OWN DISPLAY AND SCORING SYSTEM ONLINE AT:
WWW.NEVCO.COM

U.S. & CANADA: 800-851-4040 INTERNATIONAL: 618-664-0360
FAX: 618-664-0398 E-MAIL: INFO@NEVCO.COM

INTEGRATED DISPLAY AND SCORING SOLUTIONS

Model SSC-7 (Indoor) Basketball Shot Clock



SSC-7 Shot Clock Details

AGENCY APPROVAL	FCC, CE, INDUSTRY CANADA, Power Supply is UL/CUL listed
SHOT CLOCKS	Size: 20"L x 20"H x 2"D Hanging Weight: 30lbs each (including IAD box & horns) Constructed of aluminum
LED UNITS	Seven-bar segmented digits with protective aluminum
POWER	12vDC low voltage power input from Included 120 VAC 0.5A Power Supply
BUILT-IN LIGHTNING PROTECTION	All models feature optical isolation circuitry providing additional protection against lightning strikes.

SHOT CLOCK / CONTROL OPERATING FEATURES

MODEL SSC-7 (SHOT CLOCK)	MPC WIRED (CONTROL)	MPCW WIRELESS (CONTROL)	MPCX ₂ WIRELESS (CONTROL)
TIMING 13" Super Bright Red LED Digits Or all White Digits Upgrade	<ul style="list-style-type: none"> Any shot time can be set between 0-69 seconds. Handheld switch provides instant reset to programmed shot time, out of bounds time and prevents timer from counting. 	<ul style="list-style-type: none"> Any shot time can be set between 0-69 seconds. Handheld switch provides instant reset to programmed shot time, out of bounds time and holds prevents from counting. 	<ul style="list-style-type: none"> Any shot time can be set between 0-69 seconds. Handheld switch provides instant reset to programmed shot time, out of bounds time and prevents timer from counting.
HORN	<ul style="list-style-type: none"> Encased in external box that can be attached above or below the clock. Sounds automatically at 00. Shot clock violation has unique sound. End of game time syncs with scoreboard sound. 	<ul style="list-style-type: none"> Encased in external box that can be attached above or below the clock. Sounds automatically at 00. Shot clock violation has unique sound. End of game time syncs with scoreboard sound. 	<ul style="list-style-type: none"> Encased in external box that can be attached above or below the clock. Sounds automatically at 00. Shot clock violation has unique sound. End of game time syncs with scoreboard sound.
SYSTEM OPERATION	<ul style="list-style-type: none"> Control can operate scoreboard and shot clocks at the same time. When using shot clocks and scoreboard horns as a system, they sound at the same time. 	<ul style="list-style-type: none"> Control can operate scoreboard and shot clocks at the same time. When using shot clocks and scoreboard horns as a system, they sound at the same time. 	<ul style="list-style-type: none"> Control can operate scoreboard and shot clocks at the same time. When using shot clocks and scoreboard horns as a system, they sound at the same time.
INDEPENDENT OPERATION	Control operates shot clocks as an independent system.	Control operates shot clocks as an independent system.	Control operates shot clocks as an independent system.
CONTROL CABLE	<ul style="list-style-type: none"> Two (2) lengths of 2-WIRE (coaxial type) 3/4" diameter required. Order the lengths required. 	N/A	N/A
SEGMENT TIMING	Supported	Supported	Requires MPCX ₂ segment timer control.

GUARANTEE: TO VIEW OR RECEIVE THE MOST RECENT COPY OF OUR GUARANTEE, PLEASE VISIT: WWW.NEVCO.COM/
U.S. SERVICE: 1-800-851-4040. **INTERNATIONAL SERVICE:** 1-618-664-0360. **CANADA SERVICE:** 1-800-461-8550.



BUILD YOUR OWN DISPLAY AND SCORING SYSTEM ONLINE AT:

WWW.NEVCO.COM

U.S. & CANADA: 800-851-4040 INTERNATIONAL: 618-664-0360

FAX: 618-664-0398 E-MAIL: INFO@NEVCO.COM

WIRELESS-WIRED SCORING CONSOLE

ACCESSORIES

MODEL MPCW-7

Size: 11" x 9.5" x 4.125" (.28 x .24 x .10 m)

Approximate weight: 3.35 lbs. (1.5 kg)

Display: Bright LED **Keypad:** Split and raised 40 key keyboard



Advanced universal wireless control featuring:

- One control can be used for up to 40 wireless scoreboards
- High Impact Black Plastic.
- Improved UV resistance.
- Sealed Keypad prevents liquids being spilled into the control.
- Durable rubber replaces the plastic push buttons.
- Backward compatible with most older scoreboards.
- Custom designed overlay featuring sport specific graphics.
- ETN entry can be done on any overlay through the option menu. (Many competitors require a separate PC for ETN entry)
- Rechargeable Battery option.
- Handheld switches included as required.
- Internal Antenna.
- High Brightness, illuminated LED display.

Easy to Read, sport specific Overlays



Advanced Software features:

New Game, Horn Tone / Volume, Time Out time,
Time of Day, Segment Timer & more.

Combine your scoreboard with a Nevco monochrome or full-color message center to create a complete scoring and display system. Team/Sponsor signs also available.



MAXIMIZE YOUR IMPACT®

BUILD YOUR OWN DISPLAY AND SCORING SYSTEM ONLINE AT:

WWW.NEVCO.COM

U.S. & CANADA: 800-851-4040 INTERNATIONAL: 618-664-0360

FAX: 618-664-0398 E-MAIL: INFO@NEVCO.COM

INTEGRATED DISPLAY AND SCORING SOLUTIONS


Model MPCW-7 Operating Features

Alphanumeric LED display.

Operator keyboards.

Optional hand-held remote switch
(will operate from either receptacle).
Required for specific accessories.

Changeable sport-specific overlay.



Power adapter.


Two control cable outputs for wired applications capable of operating wired and wireless simultaneously.

Recessed power switch.

Remote hand-held main time switch
(accurate to 1/50th of a second).
Horn switch included.

MPCW Receiver

Informational tag.



Output jack to
scoreboards.

OPTIONAL CARRYING CASE AVAILABLE:

The CC-3 double wall carrying case is lightweight and durable, made of high density polyethylene. Size 18 1/2" x 14 1/2" x 6". Black textured finish resists dents and scuffs. Case features trouble-free mechanical latches and hinges. Padded case interior is large enough for Nevco MPCW control, hand-held switch, and 25' of scoreboard control cable.



CERTIFICATIONS: FCC, CE, INDUSTRY CANADA.

MPCW-7 CONTROL: Microprocessor-based operator's control. Construction of black high impact break-resistant plastic, size 11" x 9 1/2" x 4 1/8" (.28 x .24 x .10 m). Includes: remote hand-held time switch accurate to 1/50th of a second, horn button included on time switch and keyboard overlay. Control features: bright LED display, lithium cell battery backup to maintain scoreboard memory and time of day, self test mode, power on-off switch, alternate time control, internal beeper acknowledging each entry, profile capabilities and multiple scoreboard operation. Capable of operating wireless or wired scoreboard systems.

TIMERS: For scoreboards with timers, additional features: time of day display, multiple time out timers with warning, interval horn, up-count auto stop with horn. 1/10th seconds are displayed during the last minute.

RANGE: Maximum range of 1,000 feet from control to receiver. (Clear Line of Sight)

DIMMER: Activated from control for scoreboard.

POWER: WALL OUTLET POWER ADAPTER: One required for each control and each receiver. Input: 100-240 Volts, .4 Amps, 50/60 Hz. Output: 9 volts, 2 Amps. Maximum 9 Volt output power 18 Watts.

OPERATES MODELS: All Nevco scoreboards except UltraScore, UltraWrestling, SEG-14, SEG-18, 9650, 9651 and 9652.

GUARANTEE: TO VIEW OR RECEIVE THE MOST RECENT COPY OF OUR GUARANTEE, PLEASE VISIT: NEVCO.COM/WARRANTY-LIMITATION

U.S. SERVICE: 1-800-851-4040

INTERNATIONAL SERVICE: 1-618-664-0360

CANADA SERVICE: 1-800-461-8550



MAXIMIZE YOUR IMPACT

BUILD YOUR OWN DISPLAY AND SCORING SYSTEM ONLINE AT:
WWW.NEVCO.COM

U.S. & CANADA: 800-851-4040 INTERNATIONAL: 618-664-0360

FAX: 618-664-0398 E-MAIL: INFO@NEVCO.COM