Construction & Geotechnical Material Testing, Inc.

60 Martin Lane, Elk Grove Village, Illinois 60007
Telephone (630) 595-1111 ♦ Fax (630) 595-1110

February 8, 2022

CGMT Project No.: 22E0124

Ms. Athi Toufexis, AIA, ALEP, LEED-AP
StudioGC Architecture + Interiors
223 W. Jackson Boulevard, Suite 1200
Chicago, Illinois 60606

RE: Limited Environmental Screening and Soil Laboratory Testing
Paving Improvements Replacement
3925 W. Lunt Avenue – Lincolnwood, Illinois 60712

Dear Ms. Toufexis:

Construction & Geotechnical Material Testing, Inc. (CGMT) is pleased to provide you the test results for the limited environmental screening for on-site soil at the project site for contamination of soil with other clean construction or demolition debris (CCDD) in accordance with Section 22.51(f)(2)(B) of the Environmental Protection Act [415 ILCS 5/22.51(f)(2)(B)].

CGMT understands that the spoils from your proposed excavation activities during the construction at the above referenced project in Lincolnwood, Illinois will be hauled off site. To evaluate the soils, CGMT performed a limited soil sampling and testing analysis.

In general, the material sampled consisted of brown and/or gray silty clay loam soils. Due to the similar soils encountered to the approximate depth of 5 feet below ground surface, CGMT collected one (1) independent grab sample. The attached location map depicts the approximate locations of the samples.

CGMT obtained the soil sample of on-site materials readily accessible to a hand auger. The soil sample was sealed in containers and returned to our laboratory subcontractor to perform laboratory testing. The sample was tested for the following parameters:

- VOCs
- SVOCs
- PCB's
- Pesticides
- RCRA Metals
- Cyanide; and
- pH

Based on the test results, in general, the soil sample exhibited an absence of detections for most target analytes and detect values below the threshold values for each of the items listed above when compared to Maximum Allowable Concentrations of Chemical Constituents in Uncontaminated Soil Used as Fill Material at Regular Fill Operations within a populated area and at pH range of 6.25 to 9.0. Based on review of the above mentioned target list, the soils appear acceptable for disposal.

It should be noted that CGMT acquired the sample from readily accessible areas. If, during construction, soils that are stained and/or exhibit odors are encountered, removal operations should be immediately suspended and additional sampling and testing should be performed prior to resuming removal operations. Please note that CCDD/UFSO facilities screen each load with a PID, which will determine the final acceptance of individual loads, regardless of the analytical results.

We look forward to our work with you on this project and future projects.

Respectfully Submitted,

CONSTRUCTION AND GEOTECHNICAL MATERIAL TESTING, INC.

Pratik K. Patel, P.E.
Vice President

Attachments: Location Maps
IEPA Form LPC-663
Laboratory Test Results



GENERAL LOCATION PLAN

- Approximate Sample Location
- Acceptable CCDD Material

N

CGMT Project No. 22E0124
Paving Improvements Replacement
3925 W. Lunt Avenue, Lincolnwood, Cook County, Illinois 60712

Illinois Environmental Protection Agency

1021 North Grand Avenue East • P.O. Box 19276 • Springfield • Illinois • 62794-9276 • (217) 782-3397

Uncontaminated Soil Certification
by Licensed Professional Engineer or Licensed Professional Geologist
for Use of Uncontaminated Soil as Fill in a CCDD or Uncontaminated Soil Fill Operation LPC-663

Revised in accordance with 35 Ill. Adm. Code 1100, as
amended by PCB R2012-009 (eff. Aug. 27, 2012)

This certification form is to be used by professional engineers and professional geologists to certify, pursuant to 35 Ill. Adm. Code 1100.205(a)(1)(B), that soil (i) is uncontaminated soil and (ii) is within a pH range of 6.26 to 9.0. If you have questions about this form, please telephone the Bureau of Land Permit Section at 217/524-3300.

This form may be completed online, saved locally, printed and signed, and submitted to prospective clean construction or demolition debris (CCDD) fill operations or uncontaminated soil fill operations.

I. Source Location Information

(Describe the location of the source of the uncontaminated soil)

Project Name: Paving Improvements Replacement Office Phone Number, if available: _____

Physical Site Location (address, including number and street):
3925 W. Lunt Avenue

City: Lincolnwood State: IL Zip Code: 60712

County: Cook Township: Niles

Lat/Long of approximate center of site in decimal degrees (DD.ddddd) to five decimal places (e.g., 40.67890, -90.12345):

Latitude: 42.00768 (Decimal Degrees) Longitude: -87.72762 (-Decimal Degrees)

Identify how the lat/long data were determined:

○ GPS ⊘ Map Interpolation ○ Photo Interpolation ○ Survey ○ Other

Google Earth

IEPA Site Number(s), if assigned: BOL: _____ BOW: _____ BOA: _____

Approximate Start Date (mm/dd/yyyy): _____ Approximate End Date (mm/dd/yyyy): _____

Estimated Volume of debris (cu. Yd.): _____

II. Owner/Operator Information for Source Site

Site Owner

Name: Lincolnwood School District 74
Street Address: 6950 N. East Prairie Road
PO Box: _____
City: Lincolnwood State: IL
Zip Code: 60712 Phone: _____
Contact: _____
Email, if available: _____

Site Operator

Name: _____
Street Address: _____
PO Box: _____
City: _____ State: _____
Zip Code: _____ Phone: _____
Contact: _____
Email, if available: _____

This Agency is authorized to require this information under Section 4 and Title X of the Environmental Protection Act (415 ILCS 5/4, 5/39). Failure to disclose this information may result in: a civil penalty of not to exceed $50,000 for the violation and an additional civil penalty of not to exceed $10,000 for each day during which the violation continues (415 ILCS 5/42). This form has been approved by the Forms Management Center.

Project Name: Paving Improvements Replacement Latitude: 42.00768 Longitude: - 87.72762

Uncontaminated Soil Certification

III. Basis for Certification and Attachments

For each item listed below, reference the attachments to this form that provide the required information.

a. A Description of the soil sample points and how they were determined to be sufficient in number and appropriately located 35 Ill. Adm. Code 1100.610(a)]:

CGMT performed a limited exploration to evaluate on-site condition and potential PIPs. Due to the similar soils, brown and/or gray silty clay loam and anticipated quantity of excavation, one (1) soil sample was collected for the indicator contaminants associated with the identified PIPs. An attached location map indicates the approximate location of the sample.

b. Analytical soil testing results to show that soil chemical constituents comply with the maximum allowable concentrations established pursuant to 35 Ill. Adm. Code Part 1100, Subpart F and that the soil pH is within the range of 6.25 to 9.0,including the documentation of chain of custody control, a copy of the lab analysis; the accreditation status of the laboratory performing the analysis; and certification by an authorized agent of the laboratory that the analysis has been performed in accordance with the Agency's rules for the accreditation of environmental and the scope of the accreditation [35 Ill. Adm. Code 1100.201 (g), 1100.205(a), 1100.610]:

See attached cover sheet for testing and analysis process.

IV. Certification Statement, Signature and Seal of Licensed Professional Engineer or Licensed Professional Geologist

I, Pratik K. Patel, P.E. (name of licensed professional engineer or geologist) certify under penalty of law that the information submitted, including but not limited to, all attachments and other information, is to the best of my knowledge and belief, true, accurate and complete. In accordance with the Environmental Protection Act [415 ILCS 5/22.51 or 22.51a] and 35 Ill. Adm. Code 1100.205(a), I certify that the soil from this site is uncontaminated soil. I also certify that the soil pH is within the range of 6.25 to 9.0. In addition, I certify that the soil has not been removed from the site as part of a cleanup or removal of contaminants. All necessary documentation is attached.

Any person who knowingly makes a false, fictitious, or fraudulent material statement, orally or in writing, to the Illinois EPA commits a Class 4 felony. A second or subsequent offense after conviction is a Class 3 felony. (415 ILCS 5/44(h))

Company Name: Construction & Geotechnical Material Testing, Inc.

Street Address: 60 Martin Lane

City: Elk Grove Village State: IL Zip Code: 60007

Phone: 630.595.1111

Pratik K. Patel, P.E.
Printed Name:

Licensed Professional Engineer or
Licensed Professional Geologist Signature:

Feb 8, 2022
Date:



P.E or L.P.G. Seal:

First Environmental Laboratories, Inc.
IL ELAP / NELAC Accreditation # 100292
1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

February 08, 2022

Ms. Lenny Haken
CGMT, INC.
60 Martin Lane
Elk Grove Village, IL 60007

Project ID: PO# 22E0124, Studio GC Lincolnwood, IL
First Environmental File ID: 22-0616
Date Received: January 31, 2022

Dear Ms. Lenny Haken:

The above referenced project was analyzed as directed on the enclosed chain of custody record.

All Quality Control criteria as outlined in the methods and current IL ELAP/NELAP have been met unless otherwise noted. QA/QC documentation and raw data will remain on file for future reference. Our accreditation number is 100292 and our current certificate is number:

1002922021-7: effective 06/25/2021 through 02/28/2022.

I thank you for the opportunity to be of service to you and look forward to working with you again in the future. Should you have any questions regarding any of the enclosed analytical data or need additional information, please contact me at (630) 778-1200.

Sincerely,

Neal E Cleghorn

Neal Cleghorn
Project Manager

First Environmental Laboratories, Inc.
IL ELAP / NELAC Accreditation # 100292
1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Case Narrative

CGMT, INC.

Lab File ID: **22-0616**

Project ID: **PO# 22E0124, Studio GC Lincolnwood, IL**

Date Received: **January 31, 2022**

All quality control criteria, as outlined in the methods, have been met except as noted below or on the following analytical report.

The results in this report apply to the samples in the following table:

Laboratory Sample ID	Client Sample Identifier	Date/Time Collected
22-0616-001	SGCL #1	01/28/22 11:00

Sample Batch Comments:

Sample acceptance criteria were met.

First Environmental Laboratories, Inc.
IL ELAP / NELAC Accreditation # 100292
1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Case Narrative

CGMT, INC.

Lab File ID: **22-0616**

Project ID: **PO# 22E0124, Studio GC Lincolnwood, IL**

Date Received: **January 31, 2022**

All quality control criteria, as outlined in the methods, have been met except as noted below or on the following analytical report.

The following is a definition of flags that may be used in this report:

Flag	Description	Flag	Description
A	Method holding time is 15 minutes from collection. Lab analysis was performed as soon as possible.		
B	Analyte was found in the method blank.	L	LCS recovery outside control limits.
<	Analyte not detected at or above the reporting limit.	M	MS recovery outside control limits; LCS acceptable.
C	Sample received in an improper container for this test.	P	Chemical preservation pH adjusted in lab.
D	Surrogates diluted out; recovery not available.	Q	Result was determined by a GC/MS database search.
E	Estimated result; concentration exceeds calibration range.	S	Analysis was subcontracted to another laboratory.
G	Surrogate recovery outside control limits.	T	Result is less than three times the MDL value.
H	Analysis or extraction holding time exceeded.	W	Reporting limit elevated due to sample matrix.
I	ICVS % rec outside 95-105% but within 90-110%		
J	Estimated result; concentration is less than routine RL but greater than MDL.	N	Analyte is not part of our NELAC accreditation or accreditation may not be available for this parameter.
RL	Routine Reporting Limit (Lowest amount that can be detected when routine weights/volumes are used without dilution.)	ND	Analyte was not detected using a library search routine; No calibration standard was analyzed.

First Environmental Laboratories, Inc.
IL ELAP / NELAC Accreditation # 100292
1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: CGMT, INC.
Project ID: PO# 22E0124, Studio GC Lincolnwood, IL
Sample ID: SGCL #1
Sample No: 22-0616-001

Date Collected: 01/28/22
Time Collected: 11:00
Date Received: 01/31/22
Date Reported: 02/08/22

Results are reported on a dry weight basis.

Analyte	Result	R.L.	Units	Flags
Solids, Total	**Method: 2540G 2011**			
Analysis Date: 02/02/22				
Total Solids	82.92		%	
Volatile Organic Compounds	**Method: 5035A/8260B**			
Analysis Date: 02/03/22				
Acetone	< 200	200	ug/kg	
Benzene	< 5.0	5.0	ug/kg	
Bromodichloromethane	< 5.0	5.0	ug/kg	
Bromoform	< 5.0	5.0	ug/kg	
Bromomethane	< 10.0	10.0	ug/kg	
2-Butanone (MEK)	< 100	100	ug/kg	
Carbon disulfide	< 5.0	5.0	ug/kg	
Carbon tetrachloride	< 5.0	5.0	ug/kg	
Chlorobenzene	< 5.0	5.0	ug/kg	
Chlorodibromomethane	< 5.0	5.0	ug/kg	
Chloroethane	< 10.0	10.0	ug/kg	
Chloroform	< 5.0	5.0	ug/kg	
Chloromethane	< 10.0	10.0	ug/kg	
1,1-Dichloroethane	< 5.0	5.0	ug/kg	
1,2-Dichloroethane	< 5.0	5.0	ug/kg	
1,1-Dichloroethene	< 5.0	5.0	ug/kg	
cis-1,2-Dichloroethene	< 5.0	5.0	ug/kg	
trans-1,2-Dichloroethene	< 5.0	5.0	ug/kg	
1,2-Dichloropropane	< 5.0	5.0	ug/kg	
cis-1,3-Dichloropropene	< 4.0	4.0	ug/kg	
trans-1,3-Dichloropropene	< 4.0	4.0	ug/kg	
Ethylbenzene	< 5.0	5.0	ug/kg	
2-Hexanone	< 10.0	10.0	ug/kg	
Methyl-tert-butylether (MTBE)	< 5.0	5.0	ug/kg	
4-Methyl-2-pentanone (MIBK)	< 10.0	10.0	ug/kg	
Methylene chloride	< 20.0	20.0	ug/kg	
Styrene	< 5.0	5.0	ug/kg	
1,1,2,2-Tetrachloroethane	< 5.0	5.0	ug/kg	
Tetrachloroethene	< 5.0	5.0	ug/kg	
Toluene	< 5.0	5.0	ug/kg	
1,1,1-Trichloroethane	< 5.0	5.0	ug/kg	
1,1,2-Trichloroethane	< 5.0	5.0	ug/kg	
Trichloroethene	< 5.0	5.0	ug/kg	

First Environmental Laboratories, Inc.
IL ELAP / NELAC Accreditation # 100292
1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: CGMT, INC.
Project ID: PO# 22E0124, Studio GC Lincolnwood, IL
Sample ID: SGCL #1
Sample No: 22-0616-001

Date Collected: 01/28/22
Time Collected: 11:00
Date Received: 01/31/22
Date Reported: 02/08/22

Results are reported on a dry weight basis.

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds **Method: 5035A/8260B**				
Analysis Date: 02/03/22				
Vinyl acetate	< 10.0	10.0	ug/kg	
Vinyl chloride	< 10.0	10.0	ug/kg	
Xylene, Total	< 5.0	5.0	ug/kg	
Semi-Volatile Compounds **Method: 8270C**		**Preparation Method 3540C**		
Analysis Date: 02/03/22		Preparation Date: 02/02/22		
Acenaphthene	< 330	330	ug/kg	
Acenaphthylene	< 330	330	ug/kg	
Anthracene	< 330	330	ug/kg	
Benzidine	< 330	330	ug/kg	
Benzo(a)anthracene	< 330	330	ug/kg	
Benzo(a)pyrene	< 90	90	ug/kg	
Benzo(b)fluoranthene	< 330	330	ug/kg	
Benzo(k)fluoranthene	< 330	330	ug/kg	
Benzo(ghi)perylene	< 330	330	ug/kg	
Benzoic acid	< 330	330	ug/kg	
Benzyl alcohol	< 330	330	ug/kg	
bis(2-Chloroethoxy)methane	< 330	330	ug/kg	
bis(2-Chloroethyl)ether	< 330	330	ug/kg	
bis(2-Chloroisopropyl)ether	< 330	330	ug/kg	
bis(2-Ethylhexyl)phthalate	< 330	330	ug/kg	
4-Bromophenyl phenyl ether	< 330	330	ug/kg	
Butyl benzyl phthalate	< 330	330	ug/kg	
Carbazole	< 330	330	ug/kg	
4-Chloroaniline	< 330	330	ug/kg	
4-Chloro-3-methylphenol	< 330	330	ug/kg	
2-Chloronaphthalene	< 330	330	ug/kg	
2-Chlorophenol	< 330	330	ug/kg	
4-Chlorophenyl phenyl ether	< 330	330	ug/kg	
Chrysene	< 330	330	ug/kg	
Dibenzo(a,h)anthracene	< 90	90	ug/kg	
Dibenzofuran	< 330	330	ug/kg	
1,2-Dichlorobenzene	< 330	330	ug/kg	
1,3-Dichlorobenzene	< 330	330	ug/kg	
1,4-Dichlorobenzene	< 330	330	ug/kg	
3,3'-Dichlorobenzidine	< 660	660	ug/kg	
2,4-Dichlorophenol	< 330	330	ug/kg	

First Environmental Laboratories, Inc.
IL ELAP / NELAC Accreditation # 100292
1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: CGMT, INC.
Project ID: PO# 22E0124, Studio GC Lincolnwood, IL
Sample ID: SGCL #1
Sample No: 22-0616-001

Date Collected: 01/28/22
Time Collected: 11:00
Date Received: 01/31/22
Date Reported: 02/08/22

Results are reported on a dry weight basis.

Analyte	Result	R.L.	Units	Flags
Semi-Volatile Compounds **Method: 8270C** Analysis Date: 02/03/22		**Preparation Method 3540C** Preparation Date: 02/02/22		
Diethyl phthalate	< 330	330	ug/kg	
2,4-Dimethylphenol	< 330	330	ug/kg	
Dimethyl phthalate	< 330	330	ug/kg	
Di-n-butyl phthalate	< 330	330	ug/kg	
4,6-Dinitro-2-methylphenol	< 1,600	1600	ug/kg	
2,4-Dinitrophenol	< 1,600	1600	ug/kg	
2,4-Dinitrotoluene	< 250	250	ug/kg	
2,6-Dinitrotoluene	< 260	260	ug/kg	
Di-n-octylphthalate	< 330	330	ug/kg	
Fluoranthene	< 330	330	ug/kg	
Fluorene	< 330	330	ug/kg	
Hexachlorobenzene	< 330	330	ug/kg	
Hexachlorobutadiene	< 330	330	ug/kg	
Hexachlorocyclopentadiene	< 330	330	ug/kg	
Hexachloroethane	< 330	330	ug/kg	
Indeno(1,2,3-cd)pyrene	< 330	330	ug/kg	
Isophorone	< 330	330	ug/kg	
2-Methylnaphthalene	< 330	330	ug/kg	
2-Methylphenol	< 330	330	ug/kg	
3 & 4-Methylphenol	< 330	330	ug/kg	
Naphthalene	< 330	330	ug/kg	
2-Nitroaniline	< 1,600	1600	ug/kg	
3-Nitroaniline	< 1,600	1600	ug/kg	
4-Nitroaniline	< 1,600	1600	ug/kg	
Nitrobenzene	< 260	260	ug/kg	
2-Nitrophenol	< 1,600	1600	ug/kg	
4-Nitrophenol	< 1,600	1600	ug/kg	
n-Nitrosodi-n-propylamine	< 90	90	ug/kg	
n-Nitrosodimethylamine	< 330	330	ug/kg	
n-Nitrosodiphenylamine	< 330	330	ug/kg	
Pentachlorophenol	< 330	330	ug/kg	
Phenanthrene	< 330	330	ug/kg	
Phenol	< 330	330	ug/kg	
Pyrene	< 330	330	ug/kg	
Pyridine	< 330	330	ug/kg	
1,2,4-Trichlorobenzene	< 330	330	ug/kg	

First Environmental Laboratories, Inc.
IL ELAP / NELAC Accreditation # 100292
1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: CGMT, INC.
Project ID: PO# 22E0124, Studio GC Lincolnwood, IL
Sample ID: SGCL #1
Sample No: 22-0616-001

Date Collected: 01/28/22
Time Collected: 11:00
Date Received: 01/31/22
Date Reported: 02/08/22

Results are reported on a dry weight basis.

Analyte	Result	R.L.	Units	Flags
Semi-Volatile Compounds **Method: 8270C**		**Preparation Method 3540C**		
Analysis Date: 02/03/22		Preparation Date: 02/02/22		
2,4,5-Trichlorophenol	< 330	330	ug/kg	
2,4,6-Trichlorophenol	< 330	330	ug/kg	
Pesticides/PCBs **Method: 8081A/8082**		**Preparation Method 3540C**		
Analysis Date: 02/04/22		Preparation Date: 02/01/22		
Aldrin	< 8.0	8.0	ug/kg	
Aroclor 1016	< 80.0	80.0	ug/kg	
Aroclor 1221	< 80.0	80.0	ug/kg	
Aroclor 1232	< 80.0	80.0	ug/kg	
Aroclor 1242	< 80.0	80.0	ug/kg	
Aroclor 1248	< 80.0	80.0	ug/kg	
Aroclor 1254	< 160	160	ug/kg	
Aroclor 1260	< 160	160	ug/kg	
alpha-BHC	< 2.0	2.0	ug/kg	
beta-BHC	< 8.0	8.0	ug/kg	
delta-BHC	< 8.0	8.0	ug/kg	
gamma-BHC (Lindane)	< 8.0	8.0	ug/kg	
alpha-Chlordane	< 80.0	80.0	ug/kg	
gamma-Chlordane	< 80.0	80.0	ug/kg	
4,4'-DDD	< 16.0	16.0	ug/kg	
4,4'-DDE	< 16.0	16.0	ug/kg	
4,4'-DDT	< 16.0	16.0	ug/kg	
Dieldrin	< 16.0	16.0	ug/kg	
Endosulfan I	< 8.0	8.0	ug/kg	
Endosulfan II	< 16.0	16.0	ug/kg	
Endosulfan sulfate	< 16.0	16.0	ug/kg	
Endrin	< 16.0	16.0	ug/kg	
Endrin aldehyde	< 16.0	16.0	ug/kg	
Endrin ketone	< 16.0	16.0	ug/kg	
Heptachlor	< 8.0	8.0	ug/kg	
Heptachlor epoxide	< 8.0	8.0	ug/kg	
Methoxychlor	< 80.0	80.0	ug/kg	
Toxaphene	< 160	160	ug/kg	
Total Metals **Method: 6010C**		**Preparation Method 3050B**		
Analysis Date: 02/03/22		Preparation Date: 02/03/22		
Arsenic	5.2	1.0	mg/kg	

First Environmental Laboratories, Inc.
IL ELAP / NELAC Accreditation # 100292
1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: CGMT, INC.
Project ID: PO# 22E0124, Studio GC Lincolnwood, IL
Sample ID: SGCL #1
Sample No: 22-0616-001

Date Collected: 01/28/22
Time Collected: 11:00
Date Received: 01/31/22
Date Reported: 02/08/22

Results are reported on a dry weight basis.

Analyte	Result	R.L.	Units	Flags
Total Metals **Method: 6010C**		**Preparation Method 3050B**		
Analysis Date: 02/03/22		Preparation Date: 02/03/22		
Barium	54.8	0.5	mg/kg	
Cadmium	0.7	0.5	mg/kg	
Chromium	17.3	0.5	mg/kg	
Lead	12.6	0.5	mg/kg	
Selenium	< 1.0	1.0	mg/kg	
Silver	< 0.2	0.2	mg/kg	
Total Mercury **Method: 7471B**				
Analysis Date: 02/03/22				
Mercury	< 0.05	0.05	mg/kg	
pH @ 25°C, 1:2 **Method: 9045D**				
Analysis Date: 02/03/22 14:40				
pH @ 25°C, 1:2	8.03		Units	
Cyanide, Total **Method: 9010B/9014**				
Analysis Date: 02/07/22				
Cyanide, Total	< 0.10	0.10	mg/kg	

CHAIN OF CUSTODY RECORD

Page___ of ___ pgs

First Environmental Laboratories, Inc.

First Environmental Laboratories
1600 Shore Road, Suite D
Naperville, Illinois 60563
Phone: (630) 778-1200 • Fax: (630) 778-1233
E-mail: firstinfo@firstenv.com • www.firstenv.com
IEPA Certification #100292

Company Name: CGMT, INC.
Street Address: 60 MARTIN LANE
City: ELK GROVE VILLAGE State: IL Zip: 60007
Phone: (630) 595-1111 e-mail:
Send Report To: BLAKE SLOAN / PRATIK PATEL / LENNY HACKETT
Sampled By: RS

Project I.D.: STUDIO 6C LINCOLNWOOD, IL
P.O. #: 22E0124

22-0616-001

Date/Time Taken	Sample Description	Matrix	Parameter(s) VOCs	SVOCs	PESTICIDES	PCBs	CYANIDE	RCRA METALS	PM	Hold – Do Not Analyze	Comments	Lab I.D.
1/28/22 @ 11:00am	SGCL #1	S	X	X	X	X	X	X	X			~~22-0616-001~~ 87

FOR LAB USE ONLY:

Cooler Temperature: 0.1-6°C Yes__ No.__ _____°C
Received within 6 hrs. of collection:_____
Ice Present: Yes__ No__

LAB COURIER USE ONLY:

Sample Refrigerated: Yes X No__
Refrigerator Temperature: 4 °C

Program: ☐ TACO/SRP ☐ CCDD ☐ NPDES ☐ LUST ☐ SDWA

***Matrix Code Key:** **S**-Soil **SL**-Sludge **DW**-Drinking Water **WW**-Wastewater **GW**-Groundwater **WIPE**-Wipe **O**-Other

Notes and Special Instructions: * (5 DAYS) *

Relinquished By: _____ Date/Time 1/31/22 13:00 Received By: _____ Date/Time 1/31/22 13:00

Relinquished By: _____ Date/Time _____ Received By: _____ Date/Time _____

Rev. 6/19