

Manor Independent School District
Board of Trustees Board Meeting Agenda Item
October 22, 2024

CONSENT ITEM SHEET

RE: Consider and possible action regarding contract for Large Equipment RFP for Food and Nutrition Services to be paid for with department excess fund balance.

Supporting Documents:

- 1. TDA Approved Fund Balance Plan*
- 2. Equipment Proposal*
- 3. Equipment Specifications*

District Goals*:

FACILITIES & MAINTENANCE- By 2026, Manor ISD will proactively provide facilities to ensure 100% of scholars will have safe, well-maintained, environmentally sustainable, and community accessible facilities.

Bottom of Form

Background Information:

This RFP includes equipment upgrades and replacement including installation for large equipment for Manor ISD kitchens.

Fiscal Implications:

The total cost of the project will be \$591,077.45. This will be paid for with Food and Nutrition Services excess fund balance.

Administrative Recommendation:

The Administration recommends that the Board approve a contract with Mission Restaurant Supply for large kitchen equipment and installation.

Proposed Motion Language:

“I move that the Board approve the contract for the District-wide large equipment and installation upgrade under an interlocal, The Interlocal Purchasing System, and delegate authority to Superintendent or designee to negotiate and/or execute an agreement.”

Mr. Joe Mendez

Contact Person

Dr. Robert Sormani

Approved by Superintendent

Excess Net Cash Resources Plan

Federal regulations (7 CFR 210.19(a)(1)) require state agencies to monitor the level of net cash resources in a district's food service fund. These regulations specifically require that the level of net cash resources not exceed three months' average expenditures, as reported in the food service fund.

Net cash resources are defined as:

All monies, as determined in accordance with the State agency's established accounting system, that are available to or have accrued to a school food authority's nonprofit school food service at any given time, less cash payable. Such monies may include, but are not limited to, cash on hand, cash receivable, earnings on investments, cash on deposit and the value of stocks, bonds or other negotiable securities. (7 CFR 210.2)

Net Cash Resources Calculation	
<p>Current Assets Codes:</p> <p>1100 Cash and cash equivalents 1120 Current investments 1240 Due from other government (may also be called receivables from other government) 1300 Inventories 1410 Prepayments</p> <p>* Net cash resources do not include food inventories (including USDA Foods), equipment, or other non-cash resources.</p>	<p>Current Liabilities Codes:</p> <p>2110 Accounts payable 2120 Short term debt payable—current 2150 Payroll deductions and withholding payable 2160 Accrued wages and benefit payable 2170 Due to other funds 2180 Due to other governments 2190 Due to student groups 2200 Accrued expenditures 2300 Unearned revenues</p>

Action Steps:

1. At fiscal year-end, use the above assets and liabilities codes to complete the following:
 - Current Assets (Excluding Inventories) – Current Liabilities = Net Cash Resources
 - (Total Expenditures / number of operating months) x 3 months = Three-Month Average Expenditures
2. Respond with a detailed current spending plan to reduce the resources in excess. Use the spending plan template on the next page as follows:
 - Provide an itemized list of allowable expenses used to reduce the excess cash resources—for example, expenses used to improve the quality of meals or the purchase/replacement of food service equipment.
 - Provide a detailed explanation of how the listed expenses will be used for the support of the food service program and are necessary, reasonable, allocable, and allowable under federal and state rules and regulations
3. Email the spending plan to School.Operations@TexasAgriculture.gov.

For more information, see the *Administrator's Reference Manual (ARM), Section 16, Financial System*.

Contracting Entity (CE): Manor ISD

Date: 12/19/2023

School Year: 2023-2024

Completion Date:

Net Cash Resources Current Assets (Excluding Inventories) - Current Liabilities	\$ 3,636,959.00
Three-Month Average Expenditures (Total Expenditures / operating months) x 3 months	-\$ 1,718,952.25
Excess Net Cash Resources (Excess Fund Balance)	\$ 1,918,006.75

Description of allowable expenditure(s) proposed to decrease excess net cash resources:


Description of activity	Unit(s)	Estimated Cost	Time frame
Steamers	10	280,000.00	1 Year
Ovens	25	300,000.00	1 Year
Serving Line	1	180,000.00	6 Months
Milk Coolers	8	40,000.00	1 Month
Reach in Coolers	4	28,000.00	1 Month
Ranges	6	30,000.00	6 Months
Garbage Disposals	6	18,000.00	6 Months
Warmers	8	104,000.00	6 Months
Box Truck	1	62,000.00	1 Month
Dish Machines	15	450,000.00	1 Year
Food Processors	20	122,000.00	1 Month
Smallwares		105,000.00	1.5 Years
Equipment Repair/Services		200,000.00	1.5 Years
TOTAL Must be greater than or equal to the Excess Net Cash Resources amount		\$ 1,919,000.00	

Please provide a short narrative explaining the following:

- **How the above expenses benefit the School Nutrition Program(s) and comply with financial regulations.**
- **The processes that will be in place to prevent excess net cash resources from reoccurring in the future at all sites.**

The equipment and services listed above are necessary for Manor ISD to replace existing equipment that is outdated, no longer functioning and not repairable, add new equipment due to increases in enrollment/meal participation, and continue to increase scratch cooking district wide.

Manor ISD will prevent excess net cash resources in the future by procuring better quality food including a lot of Texas grown fruits and vegetables, increasing staff at sites and in the central office, increasing staff wages and hours and provide additional training.



Signature of Representative Authorized in TX-UNPS

12/20/23

Date

Printed Name of Representative Authorized in TX-UNPS

TDA Approval


Date 03/27/2024





Project:
 Manor ISD - Large Equip RFP 25-003RFP - 09/23/2024


From:
 Mission Restaurant Supply - AU
 Francisco Herrera
 6509 North Lamar Blvd.
 Austin, TX 78752-4009
 5123891705

Job Reference Number: 24202

RFP # 25-003RFP
 LARGE KITCHEN EQUIPMENT AND INSTALLATION




Item	Qty	Description	Sell	Sell Total
PIONEER CROSSING ES				
2	1 ea	DISHWASHER, CONVEYOR TYPE  Hobart Model No. CL44-BAS+BUILDUP Conveyor Dishwasher, single tank, (202) racks/hour, insulated hinged doors, .45 gallon/rack, Complete Delime with Booster Guard, Touch Screen Controls with diagnostics, troubleshooting, and SmartConnect App, capless wash arms, NSF Pot & Pan mode, cULus, NSF, ENERGY STAR®, Free factory startup for installations within a 100 mile radius of a Hobart service office; installation beyond 100 miles will be charged at the quoted rate by the local Hobart service office	\$24,317.00	\$24,317.00
	1 ea	Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height. If delivery is to a facility without a standard height dock, additional shipping charges will apply depending on the service requested. consult Factory.		
	1 ea	Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA		
	1 ea	CL44BAS-HTE15K Electric tank heat 15kW	\$2,659.00	\$2,659.00
	1 ea	CL44BAS-ERH0NO Remote Booster / Chemical Sanitizing		
	1 ea	CL44BAS-ELE0AX 208v/60/3-ph Single point connection standard (field convertible to dual point)		
	1 ea	CL44BAS-HGTSTD Standard Height 19.5"H x 22"W opening, fits full-sized sheet pan, horizontal		
	1 ea	CL44BAS-DIR0LR Left to right operation		
	1 ea	NOTE: For water of 3-grains of hardness or more, Hobart suggests adding a water softener.		
	1 ea	CL44EN-BASFETSTD Standard feet		
			ITEM TOTAL:	\$26,976.00
3	1 ea	CLEAN DISHTABLE	\$1,337.00	\$1,337.00

Item	Qty	Description	Sell	Sell Total
		IMC/Teddy Model No. SCDT-84 Dishtable, clean, straight design, left to right operation, 84"W x 30"D x 34"H, 14 gauge stainless steel top with 16 gauge stainless steel channeling, 8" backsplash & stainless steel legs & gussets		
	7 ft	SSU Undershelf, stainless steel (priced per foot)	\$171.00	\$1,197.00
			ITEM TOTAL:	\$2,534.00
4	1 ea	PRE-RINSE FAUCET ASSEMBLY T&S Brass Model No. 5PR-8W00 Equip Pre-Rinse Unit, 8" centers, wall mount base, 6" wall bracket, quarter-turn ceramic cartridges, low lead	\$245.00	\$245.00
				
	1 kt	B-0230-K Installation Kit, (2) 1/2" NPT nipples, lock nuts & washers, (2) short "EII" 1/2" NPT female x male	\$33.00	\$33.00
			ITEM TOTAL:	\$278.00
5	1 ea	SOILED DISHTABLE IMC/Teddy Model No. SSDT-84 Dishtable, soiled, with pre-rinse sink, straight, left-to-right, 84"W, 14 gauge stainless steel top with 16 gauge stainless steel channeling, 8"H backsplash & stainless steel legs & gussets	\$2,312.00	\$2,312.00
				
	1 ea	WDCR Weld in Disposal Collar	\$290.00	\$290.00
	1 ea	SB Scrap Basket	\$328.00	\$328.00
			ITEM TOTAL:	\$2,930.00
6	1 ea	DISPOSER InSinkErator Model No. SS-200-7-MRS SS-200™ Complete Disposer Package, sink mount system, 6-5/8" diameter inlet, with #7 collar adaptor for sink installation, 2 HP motor, stainless steel construction, includes syphon breaker, solenoid valve, flow control valve, removable splash baffle, stainless steel sink stopper, manual reverse switch, adjustable leg kit	\$2,599.00	\$2,599.00
				
	1 ea	(1) year parts & labor warranty from date of installation (standard)		
	1 ea	Standard height disposer body		
	1 ea	Specify voltage		
	1 ea	SYPHON 45DEG Syphon breaker upgrade, chrome, 45° fittings (replace with 13412)	\$252.00	\$252.00
			ITEM TOTAL:	\$2,851.00
15	1 ea	PASS-THRU HEATED CABINET	\$12,132.00	\$12,132.00


Item	Qty	Description	Sell	Sell Total
		Traulsen Model No. AHF132NP-FHS/HHS-X Spec-Line Heated Cabinet, Pass-thru, narrow one-section, stainless steel exterior, aluminum interior, standard depth cabinet, full-height door front, half-height doors rear with EZ-Clean Gaskets, (3) clear coated adjustable shelves per section, microprocessor controls, 6' adjustable stainless steel legs, cETLus, ETL-Sanitation		
	1 ea	6-year parts & labor, standard. Visit www.traulsen.com for details		
	1 ea	208/115v/60/1-ph, 7.7 amps, standard		
	1 ea	Front full height solid door(s) standard		
	2 ea	Half height solid door(s) in lieu of full height solid door, per door - Rear	\$116.00	\$232.00
	1 ea	Thermometer side door: hinged on left		
	1 ea	Rear door hinged on right, standard		
	26 ea	#1 Tray slide for (1) 18"x26" or (2) 14"x18" pans - per pair	\$61.00	\$1,586.00
	3 ea	Credit for standard coated shelf, deduct	\$-92.79	\$-278.37
			ITEM TOTAL:	\$13,671.63
46	1 ea	HOBART SERVICE-INSTALLATION Hobart Service-Installation Model No. HOBART SERVICE-INSTALLATION Hobart Service-Installation	\$11,203.00	\$11,203.00
			ITEM TOTAL:	\$11,203.00

LAGOS ES


7	1 ea	DISHWASHER, CONVEYOR TYPE Hobart Model No. CL44-BAS+BUILDUP Conveyor Dishwasher, single tank, (202) racks/hour, insulated hinged doors, .45 gallon/rack, Complete Delime with Booster Guard, Touch Screen Controls with diagnostics, troubleshooting, and SmartConnect App, capless wash arms, NSF Pot & Pan mode, cULus, NSF, ENERGY STAR®, Free factory startup for installations within a 100 mile radius of a Hobart service office; installation beyond 100 miles will be charged at the quoted rate by the local Hobart service office	\$24,318.00	\$24,318.00
	1 ea	Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height. If delivery is to a facility without a standard height dock, additional shipping charges will apply depending on the service requested. consult Factory.		
	1 ea	Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA		
	1 ea	CL44BAS-HTE15K Electric tank heat 15kW	\$2,659.00	\$2,659.00
	1 ea	CL44BAS-ERH0NO Remote Booster / Chemical Sanitizing		
	1 ea	CL44BAS-ELE0AX 208v/60/3-ph Single point connection standard (field convertible to dual point)		

Item	Qty	Description	Sell	Sell Total
	1 ea	CL44BAS-HGTSTD Standard Height 19.5"H x 22"W opening, fits full-sized sheet pan, horizontal		
	1 ea	CL44BAS-DIR0RL Right to left operation		
	1 ea	NOTE: For water of 3-grains of hardness or more, Hobart suggests adding a water softener.		
	1 ea	CL44EN-BASFETSTD Standard feet		
			ITEM TOTAL:	\$26,977.00
8	1 ea	CLEAN DISHTABLE IMC/Teddy Model No. SCDT-84 Dishtable, clean, straight design, right to left operation, 84"W x 30"D x 34"H, 14 gauge stainless steel top with 16 gauge stainless steel channeling, 8" backsplash & stainless steel legs & gussets	\$1,337.00	\$1,337.00
				
	7 ft	SSU Undershelf, stainless steel (priced per foot)	\$171.00	\$1,197.00
			ITEM TOTAL:	\$2,534.00
9	1 ea	PRE-RINSE FAUCET ASSEMBLY T&S Brass Model No. 5PR-8W00 Equip Pre-Rinse Unit, 8" centers, wall mount base, 6" wall bracket, quarter-turn ceramic cartridges, low lead	\$245.00	\$245.00
				
	1 kt	B-0230-K Installation Kit, (2) 1/2" NPT nipples, lock nuts & washers, (2) short "EII" 1/2" NPT female x male	\$33.00	\$33.00
			ITEM TOTAL:	\$278.00
10	1 ea	SOILED DISHTABLE IMC/Teddy Model No. SSDT-84 Dishtable, soiled, with pre-rinse sink, straight, right-to-left, 84"W, 14 gauge stainless steel top with 16 gauge stainless steel channeling, 8"H backsplash & stainless steel legs & gussets	\$2,312.00	\$2,312.00
				
	1 ea	WDCR Weld in Disposal Collar	\$290.00	\$290.00
	1 ea	SB Scrap Basket	\$328.00	\$328.00
			ITEM TOTAL:	\$2,930.00
11	1 ea	DISPOSER InSinkErator Model No. SS-200-7-MRS SS-200™ Complete Disposer Package, sink mount system, 6-5/8" diameter inlet, with #7 collar adaptor for sink installation, 2 HP motor, stainless steel construction, includes syphon breaker, solenoid valve, flow control valve, removable splash baffle, stainless steel sink stopper, manual reverse switch, adjustable leg kit	\$2,599.00	\$2,599.00
				
	1 ea	(1) year parts & labor warranty from date of installation (standard)		

Item	Qty	Description	Sell	Sell Total
	1 ea	Standard height disposer body		
	1 ea	Specify voltage		
	1 ea	SYPHON 45DEG Syphon breaker upgrade, chrome, 45° fittings (replace with 13412)	\$252.00	\$252.00
			ITEM TOTAL:	\$2,851.00
47	1 ea	HOBART SERVICE-INSTALLATION Hobart Service-Installation Model No. HOBART SERVICE- INSTALLATION Hobart Service-Installation	\$10,203.00	\$10,203.00
			ITEM TOTAL:	\$10,203.00
SHADOWGLEN ES				
12	1 ea	DISHWASHER, CONVEYOR TYPE Hobart Model No. CL44-BAS+BUILDUP Conveyor Dishwasher, single tank, (202) racks/hour, insulated hinged doors, .45 gallon/rack, Complete Delime with Booster Guard, Touch Screen Controls with diagnostics, troubleshooting, and SmartConnect App, capless wash arms, NSF Pot & Pan mode, cULus, NSF, ENERGY STAR®, Free factory startup for installations within a 100 mile radius of a Hobart service office; installation beyond 100 miles will be charged at the quoted rate by the local Hobart service office	\$24,318.00	\$24,318.00
	1 ea	Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height. If delivery is to a facility without a standard height dock, additional shipping charges will apply depending on the service requested. consult Factory.		
	1 ea	Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA		
	1 ea	CL44BAS-HTE15K Electric tank heat 15kW	\$2,659.00	\$2,659.00
	1 ea	CL44BAS-ERH0NO Remote Booster / Chemical Sanitizing		
	1 ea	CL44BAS-ELE0AX 208v/60/3-ph Single point connection standard (field convertible to dual point)		
	1 ea	CL44BAS-HGTSTD Standard Height 19.5"H x 22"W opening, fits full- sized sheet pan, horizontal		
	1 ea	CL44BAS-DIR0RL Right to left operation		
	1 ea	NOTE: For water of 3-grains of hardness or more, Hobart suggests adding a water softener.		
	1 ea	CL44EN-BASFETSTD Standard feet		
			ITEM TOTAL:	\$26,977.00
13	1 ea	PRE-RINSE FAUCET ASSEMBLY	\$245.00	\$245.00

Item	Qty	Description	Sell	Sell Total
		T&S Brass Model No. 5PR-8W00 Equip Pre-Rinse Unit, 8" centers, wall mount base, 6" wall bracket, quarter-turn ceramic cartridges, low lead		
	1 kt	B-0230-K Installation Kit, (2) 1/2" NPT nipples, lock nuts & washers, (2) short "EII" 1/2" NPT female x male	\$33.00	\$33.00
			ITEM TOTAL:	\$278.00
14	1 ea	DISPOSER InSinkErator Model No. SS-200-7-MRS SS-200™ Complete Disposer Package, sink mount system, 6-5/8" diameter inlet, with #7 collar adaptor for sink installation, 2 HP motor, stainless steel construction, includes syphon breaker, solenoid valve, flow control valve, removable splash baffle, stainless steel sink stopper, manual reverse switch, adjustable leg kit	\$2,599.00	\$2,599.00
	1 ea	(1) year parts & labor warranty from date of installation (standard)		
	1 ea	Standard height disposer body		
	1 ea	Specify voltage		
	1 ea	SYPHON 45DEG Syphon breaker upgrade, chrome, 45° fittings (replace with 13412)	\$252.00	\$252.00
			ITEM TOTAL:	\$2,851.00
48	1 ea	HOBART SERVICE-INSTALLATION Hobart Service-Installation Model No. HOBART SERVICE- INSTALLATION Hobart Service-Installation	\$10,203.00	\$10,203.00
			ITEM TOTAL:	\$10,203.00
BLAKE MANOR ES				
16	1 ea	PASS-THRU REFRIGERATOR Traulsen Model No. AHT132WPUT-HHS Spec-Line Refrigerator, Pass-thru, one-section, self-contained refrigeration, StayClear™ Condenser, variable speed compressor, stainless steel exterior, aluminum interior, standard depth, wide half-height solid doors, both sides with EZ-Clean Gaskets, (3) adjustable wire shelves per section, microprocessor controls, 6" adjustable stainless steel legs, R-290 Hydrocarbon refrigerant, 1/2 HP, cETLus, ETL-Sanitation, ENERGY STAR®	\$13,289.00	\$13,289.00
	1 ea	6-year parts & labor and 7 year compressor, standard. Visit www.traulsen.com for details		
	1 ea	115v/60/1-ph, 7.2 amps, cord with NEMA 5-15P, standard		
	1 ea	Half height solid door, standard		
	1 ea	Half height solid door, standard		
	1 ea	Thermometer side door: hinged on right, standard		



Item	Qty	Description	Sell	Sell Total
	1 ea	Rear door hinged on left		
	13 ea	Universal tray slides for (1) 18"x26" or (2) 14"x18" or (2) 12" x 20" pans -per pair	\$101.00	\$1,313.00
	3 ea	Credit for standard coated shelf, deduct	\$-92.79	\$-278.37
			ITEM TOTAL:	\$14,323.63
17	1 ea	PASS-THRU REFRIGERATOR Traulsen Model No. AHT132WPUT-HHS Spec-Line Refrigerator, Pass-thru, one-section, self-contained refrigeration, StayClear™ Condenser, variable speed compressor, stainless steel exterior, aluminum interior, standard depth, wide half-height solid doors, both sides with EZ-Clean Gaskets, (3) adjustable wire shelves per section, microprocessor controls, 6" adjustable stainless steel legs, R-290 Hydrocarbon refrigerant, 1/2 HP, cETLus, ETL-Sanitation, ENERGY STAR®	\$13,289.00	\$13,289.00
	1 ea	6-year parts & labor and 7 year compressor, standard. Visit www.traulsen.com for details		
	1 ea	115v/60/1-ph, 7.2 amps, cord with NEMA 5-15P, standard		
	1 ea	Half height solid door, standard		
	1 ea	Half height solid door, standard		
	1 ea	Thermometer side door: hinged on left		
	1 ea	Rear door hinged on left		
	13 ea	Universal tray slides for (1) 18"x26" or (2) 14"x18" or (2) 12" x 20" pans -per pair	\$101.00	\$1,313.00
	3 ea	Credit for standard coated shelf, deduct	\$-92.79	\$-278.37
			ITEM TOTAL:	\$14,323.63
18	1 ea	PASS-THRU HEATED CABINET Traulsen Model No. AHF132WP-HHS Spec-Line Heated Cabinet, Pass-thru, one-section, stainless steel exterior, aluminum interior, standard depth cabinet, half-height doors, with EZ-Clean Gaskets, (3) clear coated adjustable shelves per section, microprocessor controls, 6' adjustable stainless steel legs, cETLus, ETL-Sanitation	\$11,494.00	\$11,494.00
	1 ea	6-year parts & labor, standard. Visit www.traulsen.com for details		
	1 ea	208/115v/60/1-ph, 7.7 amps, standard		
	1 ea	Thermometer side door: hinged on right, standard		
	1 ea	Rear door hinged on right, standard		
	12 ea	Universal tray slide - per pair	\$101.00	\$1,212.00
	3 ea	Credit for standard coated shelf, deduct	\$-92.79	\$-278.37
			ITEM TOTAL:	\$12,427.63
19	1 ea	PASS-THRU HEATED CABINET	\$11,494.00	\$11,494.00


Item	Qty	Description	Sell	Sell Total
		Traulsen Model No. AHF132WP-HHS Spec-Line Heated Cabinet, Pass-thru, one-section, stainless steel exterior, aluminum interior, standard depth cabinet, half-height doors, with EZ-Clean Gaskets, (3) clear coated adjustable shelves per section, microprocessor controls, 6' adjustable stainless steel legs, cETLus, ETL-Sanitation		
	1 ea	6-year parts & labor, standard. Visit www.traulsen.com for details		
	1 ea	208/115v/60/1-ph, 7.7 amps, standard		
	1 ea	Thermometer side door: hinged on left		
	1 ea	Rear door hinged on left		
	12 ea	Universal tray slide - per pair	\$101.00	\$1,212.00
	3 ea	Credit for standard coated shelf, deduct	\$-92.79	\$-278.37
			ITEM TOTAL:	\$12,427.63
20	1 ea	HEATED HOLDING PROOFING CABINET, MOBILE Vulcan Model No. VP18 Proofing Heated Cabinet, mobile, non-insulated, (18) 18" x 26" x 1" sheet pans or (36) 12" x 20" x 2-1/2" steam table pans, fan & air tunnel, includes (10) pair of adjustable tray slides 3" OC, 1/2 gallon water pan, switch can be set to proof or set for heated holding up to 190° F, glass door, stainless steel construction, includes drip trough & removable drip pan, 5" casters; 2 swivel, 2 rigid with locks, 120v/50/60/1-ph, 2.0kW, cord with NEMA 5-20P, cULus, UL EPH	\$2,488.00	\$2,488.00
			ITEM TOTAL:	\$2,488.00
49	5 ea	REMOVAL OF EXISTING EQUIPMENT Mission Restaurant Supply Model No. EERR Existing Equipment Removal MRS will disconnect, remove, haul away, and properly dispose of existing equipment.	\$164.00	\$820.00
			ITEM TOTAL:	\$820.00
50	1 ea	DELIVERY - UNCRATE AND SET EQUIPMENT Mission Restaurant Supply Model No. EDUS Equipment Delivery, Uncrate and Set in Place MRS will deliver, uncrate, and set the quoted equipment. Cold equipment will be assembled, set, and started if correct power is available. Hot equipment will be assembled and set in place only. All gas and electrical final connections BY OTHERS. Any existing equipment will need to be removed PRIOR to our delivery.	\$1,455.00	\$1,455.00

Item	Qty	Description	Sell	Sell Total
			ITEM TOTAL:	\$1,455.00
BLUEBONNET TRAIL ES				
1	1 ea	ULTRAWASH SINK Aerowerks Model No. CUSTOM See factory quote	\$35,993.00	\$35,993.00
	1 ea	FREIGHT ESTIMATED FREIGHT	\$2,766.00	\$2,766.00
			ITEM TOTAL:	\$38,759.00
21	1 ea	CONVECTION OVEN, ELECTRIC Vulcan Model No. VC44ED Convection Oven, electric, double-deck, standard depth, solid state controls, temperature range 150° to 500°F, 60 minute timer with audible alarm per oven, oven cool switch for rapid cool down, independently operated stainless steel doors with double pane windows, porcelain enamel on steel oven interiors, (5) nickel plated racks per oven, stainless steel front, top, sides & 8"H legs, (2) 1/2 HP two speed oven blower-motors, 12 kW each section, NSF, cUL, UL, ENERGY STAR®	\$10,403.00	\$10,403.00
	1 ea	1 year limited parts & labor warranty, standard		
	1 ea	(2) 208v/60/3-ph, 70 amps total, standard		
	1 st	Casters, set of (4) in lieu of standard legs	\$153.00	\$153.00
			ITEM TOTAL:	\$10,556.00
22	2 ea	MILK COOLER Traulsen Model No. RMC34D4 Spec-Line Forced-Air Double Access Milk Cooler, sliding door, holds (8) 13"x13" crates or (4) 13"x19" milk crates, stainless steel interior and exterior, reinforced floor, sliding caster rails, (2) heavy-duty stainless steel dunnage racks, top-mount refrigeration system, digital control, E-Z clean gaskets, floor drain, 4" factory mounted adjustable casters, R-290 refrigerant, 1/5 hp, cETLus, ETL	\$6,082.00	\$12,164.00
	2 ea	6-year parts & labor and 7 year compressor, standard. Visit www.traulsen.com for details		
	2 ea	115v/60/1-ph, 7.2 amps, NEMA 5-15P		
			ITEM TOTAL:	\$12,164.00
23	1 ea	DISPOSER InSinkErator Model No. SS-100 SS-100™ Disposer, basic unit only, 1 HP motor, stainless steel construction, includes mounting gasket	\$1,487.00	\$1,487.00
	1 ea	Specify voltage		
	1 ea	#5 MOUNT #5 sink flange mounting assembly, for 3-1/2" to 4" opening (12506)	\$194.00	\$194.00

Item	Qty	Description	Sell	Sell Total
	1 ea	LEG KIT Adjustable support legs, (set of 2) for 1/2 HP thru 2 HP disposers (11757C) Bluebonnet Trail Elementary-11316 Farmhaven Rd Austin, TX 78754	\$150.00	\$150.00
			ITEM TOTAL:	\$1,831.00
45	1 ea	HOBART SERVICE-INSTALLATION Hobart Service-Installation Model No. HOBART SERVICE-INSTALLATION Hobart Service-Installation	\$9,009.00	\$9,009.00
			ITEM TOTAL:	\$9,009.00
PRESIDENTIAL MEADOWS ES				
24	1 ea	DISHWASHER, DOOR TYPE, VENTLESS Hobart Model No. AM16VLT-BAS-4 Ventless Dishwashing Machine, tall chamber (27"), door type, energy recovery, high temp sanitizing, 480/60/3, internal condensing system, 40 racks/hour, straight-thru or corner installation, user-friendly smart touchscreen controls, Wi-Fi connectivity with SmartConnect app, Delime Notification with Cycle, Sense-A-Temp™ booster, electric tank heat, X-shaped wash arms, scrap screen and basket, door actuated start, door lock, stainless steel tank, tank shelf, chamber, trim panels, frame & feet, cULus, NSF, ENERGY STAR®. Factory Startup - Free for installations within 100 miles of a Hobart Service Office during normal business hours with appropriate notice; installation beyond 100 miles will be quoted by Service. 1 ea Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height. If delivery is to a facility without a standard height dock, additional shipping charges will apply depending on the service requested. consult Factory. 1 ea Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA 1 ea NOTE: For water of 3-grains of hardness or more, Hobart suggests adding a water softener.	\$23,215.00	\$23,215.00
			ITEM TOTAL:	\$23,215.00
25	1 ea	DISPOSER InSinkErator Model No. SS-200-7-MRS SS-200™ Complete Disposer Package, sink mount system, 6-5/8" diameter inlet, with #7 collar adaptor for sink installation, 2 HP motor, stainless steel construction, includes syphon breaker, solenoid valve, flow control valve, removable splash baffle, stainless steel sink stopper, manual reverse switch, adjustable leg kit 1 ea (1) year parts & labor warranty from date of installation (standard) 1 ea Standard height disposer body	\$2,599.00	\$2,599.00



Item	Qty	Description	Sell	Sell Total
	1 ea	Specify voltage		
	1 ea	SYPHON STD Syphon breaker standard, 1/2" (11477)		
			ITEM TOTAL:	\$2,599.00
26	1 ea	PRE-RINSE FAUCET ASSEMBLY T&S Brass Model No. 5PR-8W00 Equip Pre-Rinse Unit, 8" centers, wall mount base, 6" wall bracket, quarter-turn ceramic cartridges, low lead	\$245.00	\$245.00
				
	1 kt	B-0230-K Installation Kit, (2) 1/2" NPT nipples, lock nuts & washers, (2) short "EII" 1/2" NPT female x male	\$33.00	\$33.00
			ITEM TOTAL:	\$278.00
51	1 ea	HOBART SERVICE-INSTALLATION Hobart Service-Installation Model No. HOBART SERVICE- INSTALLATION Hobart Service-Installation	\$6,166.00	\$6,166.00
			ITEM TOTAL:	\$6,166.00
NEW TECH MS				
27	1 ea	DISPOSER InSinkErator Model No. SS-100 SS-100™ Disposer, basic unit only, 1 HP motor, stainless steel construction, includes mounting gasket	\$1,487.00	\$1,487.00
				
	1 ea	Specify voltage		
	1 ea	#5 MOUNT #5 sink flange mounting assembly, for 3-1/2" to 4" opening (12506)	\$194.00	\$194.00
	1 ea	LEG KIT Adjustable support legs, (set of 2) for 1/2 HP thru 2 HP disposers (11757C)	\$150.00	\$150.00
			ITEM TOTAL:	\$1,831.00
52	1 ea	HOBART SERVICE-INSTALLATION Hobart Service-Installation Model No. HOBART SERVICE- INSTALLATION Hobart Service-Installation	\$2,850.00	\$2,850.00
			ITEM TOTAL:	\$2,850.00
DECKER ES				
28	1 ea	DISHWASHER, CONVEYOR TYPE	\$24,318.00	\$24,318.00

Item	Qty	Description	Sell	Sell Total
		Hobart Model No. CL44-BAS+BUILDUP Conveyor Dishwasher, single tank, (202) racks/hour, insulated hinged doors, .45 gallon/rack, Complete Delime with Booster Guard, Touch Screen Controls with diagnostics, troubleshooting, and SmartConnect App, capless wash arms, NSF Pot & Pan mode, cULus, NSF, ENERGY STAR®, Free factory startup for installations within a 100 mile radius of a Hobart service office; installation beyond 100 miles will be charged at the quoted rate by the local Hobart service office		
	1 ea	Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height. If delivery is to a facility without a standard height dock, additional shipping charges will apply depending on the service requested. consult Factory.		
	1 ea	Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA		
	1 ea	CL44BAS-HTE15K Electric tank heat 15kW	\$2,659.00	\$2,659.00
	1 ea	CL44BAS-ELEOCD 480v/60/3-ph Single point connection standard (field convertible to dual point)		
	1 ea	CL44BAS-HGTSTD Standard Height 19.5"H x 22"W opening, fits full-sized sheet pan, horizontal		
	1 ea	CL44BAS-ERH18K With 18 kW Booster (default)	\$4,512.00	\$4,512.00
	1 ea	CL44BAS-DIR0RL Right to left operation		
	1 ea	NOTE: For water of 3-grains of hardness or more, Hobart suggests adding a water softener.		
	2 ea	VNTHD/E-ADJ E-series vent hood domestic (adjustable)	\$1,111.00	\$2,222.00
	1 ea	TBLLIM-CL Table limit switch for CL & CLEN series	\$456.00	\$456.00
	1 ea	CL44EN-BASFETSTD Standard feet		
			ITEM TOTAL:	\$34,167.00
29	2 ea	MILK COOLER Traulsen Model No. RMC34S4 Spec-Line Forced-Air Single Access Milk Cooler, sliding door, holds (8) 13"x13" crates or (4) 13"x19" milk crates, stainless steel interior and exterior, reinforced floor, sliding caster rails , (2) heavy-duty stainless steel dunnage racks, top-mount refrigeration system, digital control, E-Z clean gaskets, floor drain, 4" factory mounted adjustable casters, R-290 refrigerant, 1/5 hp, cETLus, ETL	\$4,103.00	\$8,206.00
	2 ea	6-year parts & labor and 7 year compressor, standard. Visit www.traulsen.com for details		
	2 ea	115v/60/1-ph, 7.2 amps, NEMA 5-15P		
			ITEM TOTAL:	\$8,206.00
53	1 ea	HOBART SERVICE-INSTALLATION Hobart Service-Installation Model No. HOBART SERVICE-INSTALLATION Hobart Service-Installation	\$8,599.00	\$8,599.00

Item	Qty	Description	Sell	Sell Total
			ITEM TOTAL:	\$8,599.00
DECKER MS				
30	1 ea	DISHWASHER, DOOR TYPE, VENTLESS Hobart Model No. AM16VLT-BAS-2 Ventless Dishwashing Machine, tall chamber (27"), door type, energy recovery, high temp sanitizing, 208-240/60/3 (field convertible to single phase), internal condensing system, 40 racks/hour, straight-thru or corner installation, user-friendly smart touchscreen controls, Wi-Fi connectivity with SmartConnect app, Delime Notification with Cycle, Sense-A-Temp™ booster, electric tank heat, X-shaped wash arms, scrap screen and basket, door actuated start, door lock, stainless steel tank, tank shelf, chamber, trim panels, frame & feet, cULus, NSF, ENERGY STAR®. Factory Startup - Free for installations within 100 miles of a Hobart Service Office during normal business hours with appropriate notice; installation beyond 100 miles will be quoted by Service.	\$21,977.00	\$21,977.00
	1 ea	Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height. If delivery is to a facility without a standard height dock, additional shipping charges will apply depending on the service requested. consult Factory.		
	1 ea	Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA		
	1 ea	NOTE: For water of 3-grains of hardness or more, Hobart suggests adding a water softener.		
			ITEM TOTAL:	\$21,977.00
31	1 ea	DISPOSER InSinkErator Model No. SS-300-7-MRS SS-300™ Complete Disposer Package, sink mount system, 6-5/8" diameter inlet, with #7 collar adaptor for sink installation, 3 HP motor, stainless steel construction, includes syphon breaker, solenoid valve, flow control valve, removable splash baffle, stainless steel sink stopper, manual reverse switch	\$3,342.00	\$3,342.00
	1 ea	(1) year parts & labor warranty from date of installation (standard)		
	1 ea	Standard height disposer body		
	1 ea	208v/60/3-ph, 6.0 amps		
	1 ea	SYPHON STD Syphon breaker standard, 1/2" (11477)		
			ITEM TOTAL:	\$3,342.00
32	1 ea	PASS-THRU REFRIGERATOR Traulsen Model No. AHT232WPUT-HHS Spec-Line Refrigerator, Pass-thru, two-section, self-contained refrigeration, StayClear™ Condenser, variable speed compressor, stainless steel exterior, aluminum interior, standard depth, wide half-height solid doors, both sides with EZ-Clean Gaskets, (3) adjustable wire shelves per section, microprocessor controls, 6"	\$19,877.00	\$19,877.00

Item	Qty	Description	Sell	Sell Total
		adjustable stainless steel legs, R-290 Hydrocarbon refrigerant, 1/2 HP, cETLus, ETL-Sanitation, ENERGY STAR®		
	1 ea	6-year parts & labor and 7 year compressor, standard. Visit www.traulsen.com for details		
	1 ea	115v/60/1-ph, 8.6 amps, cord with NEMA 5-15P, standard		
	1 ea	Half height solid door, standard		
	1 ea	Half height solid door, standard		
	1 ea	Half height solid door, standard		
	1 ea	Half height solid door, standard		
	1 ea	Thermometer side: Both doors hinged on left		
	1 ea	Rear: Both doors hinged on right		
	26 ea	Universal tray slide - per pair	\$101.00	\$2,626.00
	6 ea	Credit for standard coated shelf, deduct	\$-92.79	\$-556.74
			ITEM TOTAL:	\$21,946.26

33	1 ea	PRE-RINSE FAUCET ASSEMBLY T&S Brass Model No. 5PR-8W00 Equip Pre-Rinse Unit, 8" centers, wall mount base, 6" wall bracket, quarter-turn ceramic cartridges, low lead	\$245.00	\$245.00
	1 kt	B-0230-K Installation Kit, (2) 1/2" NPT nipples, lock nuts & washers, (2) short "EII" 1/2" NPT female x male	\$33.00	\$33.00
			ITEM TOTAL:	\$278.00






55	1 ea	HOBART SERVICE-INSTALLATION Hobart Service-Installation Model No. HOBART SERVICE-INSTALLATION Hobart Service-Installation	\$8,170.00	\$8,170.00
			ITEM TOTAL:	\$8,170.00

OAK MEADOWS ES



34	1 ea	DISHWASHER, DOOR TYPE, VENTLESS Hobart Model No. AM16VLT-BAS-4 Ventless Dishwashing Machine, tall chamber (27"), door type, energy recovery, high temp sanitizing, 480/60/3, internal condensing system, 40 racks/hour, straight-thru or corner installation, user-friendly smart touchscreen controls, Wi-Fi connectivity with SmartConnect app, Delime Notification with Cycle, Sense-A-Temp™ booster, electric tank heat, X-shaped wash arms, scrap screen and basket, door actuated start, door lock, stainless steel tank, tank shelf, chamber, trim panels, frame & feet, cULus, NSF, ENERGY STAR®. Factory Startup - Free for installations within 100 miles of a Hobart Service Office during normal business hours with appropriate notice; installation beyond 100 miles will be quoted by Service.	\$23,215.00	\$23,215.00
----	------	--	-------------	-------------



Item	Qty	Description	Sell	Sell Total
	1 ea	Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height. If delivery is to a facility without a standard height dock, additional shipping charges will apply depending on the service requested. consult Factory.		
	1 ea	Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA		
	1 ea	NOTE: For water of 3-grains of hardness or more, Hobart suggests adding a water softener.		
			ITEM TOTAL:	\$23,215.00
35	1 ea	DISPOSER InSinkErator Model No. SS-100 SS-100™ Disposer, basic unit only, 1 HP motor, stainless steel construction, includes mounting gasket	\$1,487.00	\$1,487.00
				
	1 ea	Specify voltage		
	1 ea	#7 COLLAR SINK #7 collar adapter, weld in sink, provides 6-5/8" opening (12505)	\$194.00	\$194.00
	1 ea	LEG KIT Adjustable support legs, (set of 2) for 1/2 HP thru 2 HP disposers (11757C)	\$150.00	\$150.00
			ITEM TOTAL:	\$1,831.00
36	1 ea	PRE-RINSE FAUCET ASSEMBLY T&S Brass Model No. 5PR-8W00 Equip Pre-Rinse Unit, 8" centers, wall mount base, 6" wall bracket, quarter-turn ceramic cartridges, low lead	\$245.00	\$245.00
				
	1 kt	B-0230-K Installation Kit, (2) 1/2" NPT nipples, lock nuts & washers, (2) short "EII" 1/2" NPT female x male	\$33.00	\$33.00
			ITEM TOTAL:	\$278.00
56	1 ea	HOBART SERVICE-INSTALLATION Hobart Service-Installation Model No. HOBART SERVICE-INSTALLATION Hobart Service-Installation	\$6,166.00	\$6,166.00
			ITEM TOTAL:	\$6,166.00
MANOR HS				
37	1 ea	DISHWASHER, DOOR TYPE, VENTLESS Hobart Model No. AM16VLT-BAS-2 Ventless Dishwashing Machine, tall chamber (27"), door type, energy recovery, high temp sanitizing, 208-240/60/3 (field convertible to single phase), internal condensing system, 40 racks/hour, straight-thru or corner installation, user-friendly smart touchscreen controls, Wi-Fi connectivity with SmartConnect app,	\$21,977.00	\$21,977.00
				

Item	Qty	Description	Sell	Sell Total
		Delime Notification with Cycle, Sense-A-Temp™ booster, electric tank heat, X-shaped wash arms, scrap screen and basket, door actuated start, door lock, stainless steel tank, tank shelf, chamber, trim panels, frame & feet, cULus, NSF, ENERGY STAR®. Factory Startup - Free for installations within 100 miles of a Hobart Service Office during normal business hours with appropriate notice; installation beyond 100 miles will be quoted by Service.		
	1 ea	Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height. If delivery is to a facility without a standard height dock, additional shipping charges will apply depending on the service requested. consult Factory.		
	1 ea	Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA		
	1 ea	NOTE: For water of 3-grains of hardness or more, Hobart suggests adding a water softener.		
			ITEM TOTAL:	\$21,977.00
38	1 ea	DISPOSER InSinkErator Model No. SS-200-7-MRS SS-200™ Complete Disposer Package, sink mount system, 6-5/8" diameter inlet, with #7 collar adaptor for sink installation, 2 HP motor, stainless steel construction, includes syphon breaker, solenoid valve, flow control valve, removable splash baffle, stainless steel sink stopper, manual reverse switch, adjustable leg kit	\$2,599.00	\$2,599.00
	1 ea	(1) year parts & labor warranty from date of installation (standard)		
	1 ea	Standard height disposer body		
	1 ea	Specify voltage		
	1 ea	SYPHON STD Syphon breaker standard, 1/2" (11477)		
			ITEM TOTAL:	\$2,599.00
39	1 ea	PRE-RINSE FAUCET ASSEMBLY T&S Brass Model No. 5PR-8W00 Equip Pre-Rinse Unit, 8" centers, wall mount base, 6" wall bracket, quarter-turn ceramic cartridges, low lead	\$245.00	\$245.00
	1 kt	B-0230-K Installation Kit, (2) 1/2" NPT nipples, lock nuts & washers, (2) short "EII" 1/2" NPT female x male	\$33.00	\$33.00
			ITEM TOTAL:	\$278.00
57	1 ea	HOBART SERVICE-INSTALLATION Hobart Service-Installation Model No. HOBART SERVICE-INSTALLATION Hobart Service-Installation	\$6,166.00	\$6,166.00
			ITEM TOTAL:	\$6,166.00

Item	Qty	Description	Sell	Sell Total
MANOR MS				
40	1 ea	DISHWASHER, DOOR TYPE, VENTLESS Hobart Model No. AM16VLT-BAS-2 Ventless Dishwashing Machine, tall chamber (27"), door type, energy recovery, high temp sanitizing, 208-240/60/3 (field convertible to single phase), internal condensing system, 40 racks/hour, straight-thru or corner installation, user-friendly smart touchscreen controls, Wi-Fi connectivity with SmartConnect app, Delime Notification with Cycle, Sense-A-Temp™ booster, electric tank heat, X-shaped wash arms, scrap screen and basket, door actuated start, door lock, stainless steel tank, tank shelf, chamber, trim panels, frame & feet, cULus, NSF, ENERGY STAR®. Factory Startup - Free for installations within 100 miles of a Hobart Service Office during normal business hours with appropriate notice; installation beyond 100 miles will be quoted by Service.	\$21,977.00	\$21,977.00
	1 ea	Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height. If delivery is to a facility without a standard height dock, additional shipping charges will apply depending on the service requested. consult Factory.		
	1 ea	Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA		
	1 ea	NOTE: For water of 3-grains of hardness or more, Hobart suggests adding a water softener.		
			ITEM TOTAL:	\$21,977.00
41	1 ea	DISPOSER InSinkErator Model No. SS-200-7-MRS SS-200™ Complete Disposer Package, sink mount system, 6-5/8" diameter inlet, with #7 collar adaptor for sink installation, 2 HP motor, stainless steel construction, includes syphon breaker, solenoid valve, flow control valve, removable splash baffle, stainless steel sink stopper, manual reverse switch, adjustable leg kit	\$2,599.00	\$2,599.00
	1 ea	(1) year parts & labor warranty from date of installation (standard)		
	1 ea	Standard height disposer body		
	1 ea	Specify voltage		
	1 ea	SYPHON STD Syphon breaker standard, 1/2" (11477)		
			ITEM TOTAL:	\$2,599.00
42	1 ea	PRE-RINSE FAUCET ASSEMBLY T&S Brass Model No. 5PR-8W00 Equip Pre-Rinse Unit, 8" centers, wall mount base, 6" wall bracket, quarter-turn ceramic cartridges, low lead	\$245.00	\$245.00
	1 kt	B-0230-K Installation Kit, (2) 1/2" NPT nipples, lock nuts &	\$33.00	\$33.00

Item	Qty	Description	Sell	Sell Total
		washers, (2) short "EII" 1/2" NPT female x male		
			ITEM TOTAL:	\$278.00
58	1 ea	HOBART SERVICE-INSTALLATION Hobart Service-Installation Model No. HOBART SERVICE-INSTALLATION Hobart Service-Installation	\$6,166.00	\$6,166.00
			ITEM TOTAL:	\$6,166.00
MANOR SENIOR HS				
43	1 ea	DISHWASHER, POT/PAN/UTENSIL, DOOR TYPE Hobart Model No. PW10ER-1 Advansys™ Ventless Pot/Pan/Utensil Washer with Energy Recovery, front loading with split door design, 208/240v/60/3-ph, (10) pan capacity, over/under rotating arms, 2/4/6 minute adjustable timer, up to (13) racks/hour, includes: (1) flat grid, (1) tray rack & (1) flat bottom rack, pre-rinse spray hose, sanitizing with Sense-A-Temp™ 70° booster rise, internal condensing system, Complete Delime™ with Delime Notification, Auto Dispensing, and Booster Guard™, stainless steel construction, cULus, BISSC Certified, NSF, ENERGY STAR®, Free factory startup for installations within a 100 mile radius of a Hobart service office; installation beyond 100 miles will be charged at the quoted rate by the local Hobart service office	\$23,180.00	\$23,180.00
				
	1 ea	Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height. If delivery is to a facility without a standard height dock, additional shipping charges will apply depending on the service requested. consult Factory.		
	1 ea	Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA		
	1 ea	PUMPDRN-AIRGAP Pumped Drain Air Gap Kit	\$142.00	\$142.00
			ITEM TOTAL:	\$23,322.00
60	1 ea	HOBART SERVICE-INSTALLATION Hobart Service-Installation Model No. HOBART SERVICE-INSTALLATION Hobart Service-Installation	\$4,870.00	\$4,870.00
			ITEM TOTAL:	\$4,870.00
44	18 ea	KNIFE SHARPENER Dexter Russell Model No. EDGE-21 Traditional™ (7931) Electric Knife Sharpener by Edlund, with removable ABS guide, sharpens plain & scalloped edge knives, stainless steel housing, NSF Certified, Made in USA	\$578.00	\$10,404.00
				
			ITEM TOTAL:	\$10,404.00
ADDE	1 ea	WORK TABLE/SINK/DISHTABLES CUSTOM	\$33,835.00	\$33,835.00

Item	Qty	Description	Sell	Sell Total
NDUM 1		IMC/Teddy Model No. WORK TABLE/SINK/DISHTABLES CUSTOM For EPI internal purposes only. See Factory Quote for accurate pricing. ***custom Dish tables for addendum***		
			ITEM TOTAL:	\$33,835.00
61	1 ea	FREIGHT Custom Model No. FREIGHT ESTIMATED T&S BRASS FREIGHT	\$-148.96	\$-148.96
			ITEM TOTAL:	\$-148.96
61	1 ea	FREIGHT Custom Model No. FREIGHT ESTIMATED IMC TEDDY FREIGHT	\$4,531.00	\$4,531.00
			ITEM TOTAL:	\$4,531.00
			Total	\$591,077.45

Acceptance: _____ Date: _____

Printed Name: _____

Project Grand Total: \$591,077.45



REVISED MANOR ISD 2024 LARGE EQUIPMENT RFP 25-003RFP

****Removed Duplicate dish machine, disposer, dishtable specifications for Shadowglen Elementary****

****There was a conveyor and a door type option, we will proceed with the conveyor option only****

****Important Submittal Information****

Provide Proposal for Preferred Specification or Approved Equal.

Although the District does not restrict, by use of a brand name, the preferred specification does have certain features, which seem desirable based on existing equipment, specific monitoring capability, maintenance familiarity with repair, and stocking of parts for existing manufacture brands. Vendors bidding/proposing other than items listed will submit those items as alternates to the specified item explaining on the bid/proposal price sheet where it does not meet specifications. Complete specification, literature describing alternate products and requested sample information MUST be attached to the bid/proposal price sheet on each item bid/proposed. The district reserves the right to make final decisions as to comparable items. Be very certain that items bid/proposed and delivered are EQUAL to items listed. Materials which are not equal will be returned to the supplier, transportation charges collect.

USA MADE PREFERRED

Preferred Manufactures: Aerowerks, Dexter, Hobart, IMC Teddy, Insinkerator, T&S Brass, Traulsen, Vulcan

Site Visit: Required, proposals without site visits recorded will not be accepted.

Site Visit Period : 9/4/24-9/13/24, vendor must schedule visit with Ryan Cengel, FSD, ryan.cengel@manorisd.net

Please submit proposals to: Ryan Cengel, FSD, ryan.cengel@manorisd.net

Quote Deadline: 9/23/24.

Shipping Address: Awarded vendor to receive all equipment at their warehouse

Installation Address: Multiple sites, see campus list below

Install Deadline: contingent on equipment lead times.

SCOPE OF WORK: bidding vendors are to include all costs of these items within their proposal.

- Vendor is responsible to verify all quantities, measurements, direction of operation, hinging, voltages, and utility requirements based on specifications per campus
- Vendor is responsible for verifying all drawings are applicable per campus where drawings are necessary.
- Vendor to disassemble, remove, and dispose of existing equipment and dispose of properly according to city and county ordinances off campus property.
- Vendor to accept delivery, receive, uncrate, assemble, deliver, and set in place all equipment as per campus location specified.
- Vendor is responsible for all final connections including, but not limited to, leveling, sealing, electrical, plumbing, ventilation, fabrication of any kind for specified equipment.
- Vendor to schedule equipment start up on installations to verify in good working condition as designed by manufacturer.
- Vendor is responsible to clean and remove all trash and debris from removal and installation sites.
- Vendor must coordinate installation and communicate with School District and all other sub-contractors as required.
- Vendor must provide folder & spreadsheet containing manufacturer manual & warranty information for each piece of equipment per site.

**** Any electrical/plumbing/ventilation/fabrication upgrades will be the responsibility of Manor
ISD.** Awarded Vendor must advise where upgrades are needed per site.**

CAMPUS LIST: Each line item will list the applicable campus

Bluebonnet Trail Elementary-11316 Farmhaven Rd Austin, TX 78754
Pioneer Crossing Elementary-11300 Samsung Blvd, Austin, TX 78754
Lagos Elementary-11817 Murchison St, Manor, TX 78653
Shadow Glen Elementary-1200 Shadowglen Trace, Manor, TX 78653
Blake Manor Elementary-18010 Blake Manor Rd, Manor, TX 78653
Presidential Meadows Elementary- 13252 George Bush St, Manor, TX 78653
New Tech Middle School-12116 Joyce Turner, Manor, TX 78653
Decker Elementary School-8500 Decker Ln, Austin, TX 78724
Decker Middle School-8104 Decker Ln, Austin, TX 78724
Oak Meadows Elementary-5600 Decker Ln, Austin, TX 78724
Manor Middle School-12900 Gregg Manor Rd, Manor, TX 78653
Manor High School-12700 Gregg Manor Rd, Manor, TX 78653
Manor Senior High School- 14832 N FM 973, Manor, TX 78653

EQUIPMENT LIST/EQUIPMENT SPECIFICATIONS

ITEM #1

Ultra Wash Hand Sink

Bluebonnet Trail Elementary-11316 Farmhaven Rd Austin, TX 78754

Aerowerks: Custom Ultra Wash System

1 ea Ultrawash system, c/w ultrawash motor, ultrawash labels, auto fill, 18" soiled end drainboard, standard controls, 54" wash sink, 18" rinse sink, 18" sanitizer sink, three drains with overflow (for wash, rinse, and sanitizer sinks), 18" clean end drain board w/ s/s undershelf, (5) sheet pan racks, utensil basket, overhead rack shelves and backsplash

ITEM #2

DISHWASHER, CONVEYOR

Pioneer Crossing Elementary-11300 Samsung Blvd, Austin, TX 78754

Hobart Model CL44EN-BAS+BUILDUP

Conveyor Dishwasher, single tank, (202) racks/hour, insulated hinged doors, .62 gallon/rack, stainless steel enclosure panels, microprocessor controls with low temperature & dirty water indicators, NSF Pot & Pan mode, programable de-lime notification, ENERGY STAR®, Free factory startup for installations within a 100 mile radius of a Hobart service office; installation beyond 100 miles will be charged at the quoted rate by the local Hobart service office

1 ea Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height. If delivery is to a facility without a standard height dock, additional shipping charges will apply depending on the service requested. consult Factory.

1 ea Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA

1 ea Model CL44EN-BASHT15K Electric tank heat 15kW

1 ea Model CL44EN-BASERH0NO Without internal booster

1 ea Single Point (1) service connection standard (Field convertible options available)

- 1 ea Model CL44EN-BASELE0AX 208v/60/3-ph
- 1 ea Model CL44EN-BASHGTSTD Standard height
- 1 ea Model CL44EN-BASDIR0LR Left to right operation
- 1 ea Model CL44EN-BASFETSTD Standard feet
- 1 ea NOTE: For water of 3-grains of hardness or more, Hobart suggests adding a water softener.

ITEM #3

CLEAN DISHTABLE

Pioneer Crossing Elementary-11300 Samsung Blvd, Austin, TX 78754

IMC/Teddy Model SCDT-84

- 1ea Dishtable, clean, straight design, left to right operation, 84"W x 30"D x 34"H, 14 gauge stainless steel top with 16 gauge stainless steel channeling, 8" backsplash & stainless steel legs & gussets
- 7 ft Model SSU Undershef, stainless steel.

ITEM #4

PRE-RINSE FAUCET ASSEMBLY

Pioneer Crossing Elementary-11300 Samsung Blvd, Austin, TX 78754

T&S Brass Model 5PR-8W00

- 1ea Equip Pre-Rinse Unit, 8" centers, wall mount base, 6" wall bracket, quarter-turn ceramic cartridges, low lead
- Model B-0230-K Installation Kit, (2) 1/2" NPT nipples, lock nuts & washers, (2) short "EII" 1/2" NPT female x male

ITEM #5

SOILED DISHTABLE

Pioneer Crossing Elementary-11300 Samsung Blvd, Austin, TX 78754

IMC/Teddy Model SSDT-84

Dishtable, soiled, with pre-rinse sink, straight, left to right, 84"W, 14 gauge stainless steel top with 16 gauge stainless steel channeling, 8"H backsplash & stainless steel legs & gussets

- 1 ea Model WDCR Weld in Disposal Collar
- 1 ea Model SB Scrap Basket

ITEM #6

DISPOSER

Pioneer Crossing Elementary-11300 Samsung Blvd, Austin, TX 78754

InSinkErator Model SS-200-7-MRS

SS-200™ Complete Disposer Package, sink mount system, 6-5/8" diameter inlet, with #7 collar adaptor for sink installation, 2 HP motor, stainless steel construction, includes syphon breaker, solenoid valve, flow control valve, removable splash baffle, stainless steel sink stopper, manual reverse switch, adjustable leg kit

- 1 ea (1) year parts & labor warranty from date of installation (standard)
- 1 ea Standard height disposer body
- 1 ea Specify voltage
- 1 ea Model SYPHON 45DEG Syphon breaker upgrade, chrome, 45° fittings (replace with 13412)

****Pioneer Crossing ES****
****11316 Farmhaven Rd, Austin, TX 78754****

ITEM #7

DISHWASHER, CONVEYOR TYPE

Lagos Elementary-11817 Murchison St, Manor, TX 78653

Hobart Model CL44EN-BAS+BUILDUP

Conveyor Dishwasher, single tank, (202) racks/hour, insulated hinged doors, .62 gallon/rack, stainless steel enclosure panels, microprocessor controls with low temperature & dirty water indicators, NSF Pot & Pan mode, programable de-lime notification, ENERGY STAR®, Free factory startup for installations within a 100 mile radius of a Hobart service office; installation beyond 100 miles will be charged at the quoted rate by the local Hobart service office

- 1 ea Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height. If delivery is to a facility without a standard height dock, additional shipping charges will apply depending on the service requested. consult Factory.
- 1 ea Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA
- 1 ea Model CL44EN-BASHTE15K Electric tank heat 15kW
- 1 ea Model CL44EN-BASERH0NO Without internal booster
- 1 ea Single Point (1) service connection standard (Field convertible options available)
- 1 ea Model CL44EN-BASELE0AX 208v/60/3-ph
- 1 ea Model CL44EN-BASHGTSTD Standard height
- 1 ea Model CL44EN-BASDIR0RL Right to left operation
- 1 ea Model CL44EN-BASFETSTD Standard feet
- 1 ea NOTE: For water of 3-grains of hardness or more, Hobart suggests adding a water softener.

ITEM #8

CLEAN DISHTABLE

Lagos Elementary-11817 Murchison St, Manor, TX 78653

IMC/Teddy Model SCDT-84

- 1ea Dishtable, clean, straight design, right to left operation, 84"W x 30"D x 34"H, 14 gauge stainless steel top with 16 gauge stainless steel channeling, 8" backsplash & stainless steel legs & gussets
7 ft Model SSU Undershelf, stainless steel (priced per foot)

ITEM #9

PRE-RINSE FAUCET ASSEMBLY

Lagos Elementary-11817 Murchison St, Manor, TX 78653

T&S Brass Model 5PR-8W00

- 1ea Equip Pre-Rinse Unit, 8" centers, wall mount base, 6" wall bracket, quarter-turn ceramic cartridges, low lead
- 1 kt Model B-0230-K Installation Kit, (2) 1/2" NPT nipples, lock nuts & washers, (2) short "EII" 1/2" NPT female x male

ITEM #10

SOILED DISHTABLE

Lagos Elementary-11817 Murchison St, Manor, TX 78653

IMC/Teddy Model SSDT-84

Dishtable, soiled, with pre-rinse sink, straight, right-to-left, 84"W, 14 gauge stainless steel top with 16 gauge stainless steel channeling, 8"H backsplash & stainless steel legs & gussets

- 1 ea Model WDCR Weld in Disposal Collar
- 1 ea Model SB Scrap Basket

ITEM #11
DISPOSER

Lagos Elementary-11817 Murchison St, Manor, TX 78653

InSinkErator Model SS-200-7-MRS

SS-200™ Complete Disposer Package, sink mount system, 6-5/8" diameter inlet, with #7 collar adaptor for sink installation, 2 HP motor, stainless steel construction, includes syphon breaker, solenoid valve, flow control valve, removable splash baffle, stainless steel sink stopper, manual reverse switch, adjustable leg kit

- 1 ea (1) year parts & labor warranty from date of installation (standard)
- 1 ea Standard height disposer body
- 1 ea Specify voltage
- 1 ea Model SYPHON 45DEG Syphon breaker upgrade, chrome, 45° fittings (replace with 13412)

ITEM #12
DISHWASHER, CONVEYOR TYPE

Shadow Glen Elementary-1200 Shadowglen Trace, Manor, TX 78653

Hobart Model CL44EN-BAS+BUILDUP

Conveyor Dishwasher, single tank, (202) racks/hour, insulated hinged doors, .62 gallon/rack, stainless steel enclosure panels, microprocessor controls with low temperature & dirty water indicators, NSF Pot & Pan mode, programable de-lime notification, ENERGY STAR®, Free factory startup for installations within a 100 mile radius of a Hobart service office; installation beyond 100 miles will be charged at the quoted rate by the local Hobart service office

- 1 ea Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height. If delivery is to a facility without a standard height dock, additional shipping charges will apply depending on the service requested. consult Factory.
- 1 ea Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA
- 1 ea Model CL44EN-BASHTE15K Electric tank heat 15kW
- 1 ea Model CL44EN-BASERH0NO Without internal booster
- 1 ea Single Point (1) service connection standard (Field convertible options available)
- 1 ea Model CL44EN-BASELE0AX 208v/60/3-ph
- 1 ea Model CL44EN-BASHGTSTD Standard height
- 1 ea Model CL44EN-BASDIR0RL Right to left operation
- 1 ea Model CL44EN-BASFETSTD Standard feet
- 1 ea NOTE: For water of 3-grains of hardness or more, Hobart suggests adding a water softener.

ITEM #13
PRE-RINSE FAUCET ASSEMBLY

Shadow Glen Elementary-1200 Shadowglen Trace, Manor, TX 78653

T&S Brass Model 5PR-8W00

Equip Pre-Rinse Unit, 8" centers, wall mount base, 6" wall bracket, quarter-turn ceramic cartridges, low lead
1ea Model B-0230-K Installation Kit, (2) 1/2" NPT nipples, lock nuts & washers, (2) short "EII" 1/2" NPT female x male

ITEM #14

DISPOSER

Shadow Glen Elementary-1200 Shadowglen Trace, Manor, TX 78653

InSinkErator Model SS-200-7-MRS

SS-200™ Complete Disposer Package, sink mount system, 6-5/8" diameter inlet, with #7 collar adaptor for sink installation, 2 HP motor, stainless steel construction, includes syphon breaker, solenoid valve, flow control valve, removable splash baffle, stainless steel sink stopper, manual reverse switch, adjustable leg kit

1 ea (1) year parts & labor warranty from date of installation (standard)
1 ea Standard height disposer body
1 ea Specify voltage
1 ea Model SYPHON 45DEG Syphon breaker upgrade, chrome, 45° fittings (replace with 13412)

ITEM #15

PASS-THRU HEATED CABINET

Pioneer Crossing Elementary-11300 Samsung Blvd, Austin, TX 78754

Traulsen Model AHF132NP-FHS/HHS-X

Spec-Line Heated Cabinet, Pass-thru, narrow one-section, stainless steel exterior, aluminum interior, standard depth cabinet, full-height door front, half-height doors rear with EZ-Clean Gaskets, (3) clear coated adjustable shelves per section, microprocessor controls, 6' adjustable stainless steel legs, cETLus, ETL-Sanitation

1 ea 6-year parts & labor, standard. Visit www.traulsen.com for details
1 ea 208/115v/60/1-ph, 7.7 amps, standard
1 ea Front full height solid door(s) standard
2 ea Half height solid door(s) in lieu of full height solid door, per door - Rear
1 ea Thermometer side door: hinged on left
1 ea Rear door hinged on right, standard
26 ea #1 Tray slide for (1) 18"x26" or (2) 14"x18" pans - per pair
3 ea Credit for standard coated shelf, deduct

ITEM #16

PASS-THRU REFRIGERATOR

Blake Manor Elementary-18010 Blake Manor Rd, Manor, TX 78653

Traulsen Model AHT132WPUT-HHS

Spec-Line Refrigerator, Pass-thru, one-section, self-contained refrigeration, StayClear™ Condenser, variable speed compressor, stainless steel exterior, aluminum interior, standard depth, wide half-height solid doors, both sides with EZ-Clean Gaskets, (3) adjustable wire shelves per section, microprocessor controls, 6" adjustable stainless steel legs, R-290 Hydrocarbon refrigerant, 1/2 HP, cETLus, ETL-Sanitation, ENERGY STAR®

1 ea 6-year parts & labor and 7 year compressor, standard. Visit www.traulsen.com for details
1 ea 115v/60/1-ph, 7.2 amps, cord with NEMA 5-15P, standard
1 ea Half height solid door, standard

- 1 ea Half height solid door, standard
- 1 ea Thermometer side door: hinged on right, standard
- 1 ea Rear door hinged on left
- 13 ea Universal tray slides for (1) 18"x26" or (2) 14"x18" or (2) 12" x 20" pans -per pair
- 3 ea Credit for standard coated shelf, deduct

ITEM #17

PASS-THRU REFRIGERATOR

Blake Manor Elementary-18010 Blake Manor Rd, Manor, TX 78653

Traulsen Model AHT132WPUT-HHS

Spec-Line Refrigerator, Pass-thru, one-section, self-contained refrigeration, StayClear™ Condenser, variable speed compressor, stainless steel exterior, aluminum interior, standard depth, wide half-height solid doors, both sides with EZ-Clean Gaskets, (3) adjustable wire shelves per section, microprocessor controls, 6" adjustable stainless steel legs, R-290 Hydrocarbon refrigerant, 1/2 HP, cETLus, ETL-Sanitation, ENERGY STAR®

- 1 ea 6-year parts & labor and 7 year compressor, standard. Visit www.traulsen.com for details
- 1 ea 115v/60/1-ph, 7.2 amps, cord with NEMA 5-15P, standard
- 1 ea Half height solid door, standard
- 1 ea Half height solid door, standard
- 1 ea Thermometer side door: hinged on left
- 1 ea Rear door hinged on left
- 13 ea Universal tray slides for (1) 18"x26" or (2) 14"x18" or (2) 12" x 20" pans -per pair
- 3 ea Credit for standard coated shelf, deduct

ITEM #18

PASS-THRU HEATED CABINET

Blake Manor Elementary-18010 Blake Manor Rd, Manor, TX 78653

Traulsen Model AHF132WP-HHS

Spec-Line Heated Cabinet, Pass-thru, one-section, stainless steel exterior, aluminum interior, standard depth cabinet, half-height doors, with EZ-Clean Gaskets, (3) clear coated adjustable shelves per section, microprocessor controls, 6' adjustable stainless steel legs, cETLus, ETL-Sanitation

- 1 ea 6-year parts & labor, standard. Visit www.traulsen.com for details
- 1 ea 208/115v/60/1-ph, 7.7 amps, standard
- 1 ea Thermometer side door: hinged on right, standard
- 1 ea Rear door hinged on right, standard
- 12 ea Universal tray slide - per pair
- 3 ea Credit for standard coated shelf, deduct

ITEM #19

PASS-THRU HEATED CABINET

Blake Manor Elementary-18010 Blake Manor Rd, Manor, TX 78653

Traulsen Model AHF132WP-HHS

Spec-Line Heated Cabinet, Pass-thru, one-section, stainless steel exterior, aluminum interior, standard depth cabinet, half-height doors, with EZ-Clean Gaskets, (3) clear coated adjustable shelves per section, microprocessor controls, 6' adjustable stainless steel legs, cETLus, ETL-Sanitation

- 1 ea 6-year parts & labor, standard. Visit www.traulsen.com for details
- 1 ea 208/115v/60/1-ph, 7.7 amps, standard
- 1 ea Thermometer side door: hinged on left
- 1 ea Rear door hinged on left
- 12 ea Universal tray slide - per pair

3 ea

Credit for standard coated shelf, deduct

ITEM #20

HEATED HOLDING PROOFING CABINET, MOBILE

Blake Manor Elementary-18010 Blake Manor Rd, Manor, TX 78653

Vulcan Model VP18

Proofing Heated Cabinet, mobile, non-insulated, (18) 18" x 26" x 1" sheet pans or (36) 12" x 20" x 2-1/2" steam table pans, fan & air tunnel, includes (10) pair of adjustable tray slides 3" OC, 1/2 gallon water pan, switch can be set to proof or set for heated holding up to 190° F, glass door, stainless steel construction, includes drip trough & removable drip pan, 5" casters; 2 swivel, 2 rigid with locks, 120v/50/60/1-ph, 2.0kW, cord with NEMA 5-20P, cULus, UL EPH

ITEM #21

CONVECTION OVEN, ELECTRIC

Bluebonnet Trail Elementary-11316 Farmhaven Rd Austin, TX 78754

Vulcan Model VC44ED

Convection Oven, electric, double-deck, standard depth, solid state controls, temperature range 150° to 500°F, 60 minute timer with audible alarm per oven, oven cool switch for rapid cool down, independently operated stainless steel doors with double pane windows, porcelain enamel on steel oven interiors, (5) nickel plated racks per oven, stainless steel front, top, sides & 8"H legs, (2) 1/2 HP two speed oven blower-motors, 12 kW each section, NSF, cUL, UL, ENERGY STAR®

1 ea 1 year limited parts & labor warranty, standard

1 ea (2) 208v/60/3-ph, 70 amps total, standard

1 st Casters, set of (4) in lieu of standard legs

ITEM #22

MILK COOLER

Bluebonnet Trail Elementary-11316 Farmhaven Rd Austin, TX 78754

Traulsen Model RMC34D4

Spec-Line Forced-Air Double Access Milk Cooler, sliding door, holds (8) 13"x13" crates or (4) 13"x19" milk crates, stainless steel interior and exterior, reinforced floor, sliding caster rails, (2) heavy-duty stainless steel dunnage racks, top-mount refrigeration system, digital control, E-Z clean gaskets, floor drain, 4" factory mounted adjustable casters, R-290 refrigerant, 1/5 hp, cETLus, ETL

2 ea 6-year parts & labor and 7 year compressor, standard. Visit www.traulsen.com for details

2 ea 115v/60/1-ph, 7.2 amps, NEMA 5-15P

ITEM #23

DISPOSER

Bluebonnet Trail Elementary-11316 Farmhaven Rd Austin, TX 78754

InSinkErator Model SS-100

SS-100™ Disposer, basic unit only, 1 HP motor, stainless steel construction, includes mounting gasket

1 ea Specify voltage

1 ea Model #5 MOUNT #5 sink flange mounting assembly, for 3-1/2" to 4" opening (12506)

1 ea Model LEG KIT Adjustable support legs, (set of 2) for 1/2 HP thru 2 HP disposers (11757C)

ITEM #24

DISHWASHER, DOOR TYPE, VENTLESS

Presidential Meadows Elementary- 13252 George Bush St, Manor, TX 78653

Hobart Model AM16VLT-BAS-4

Ventless Dishwashing Machine, tall chamber (27"), door type, energy recovery, high temp sanitizing, 480/60/3, internal condensing system, 40 racks/hour, straight-thru or corner installation, user-friendly smart touchscreen controls, Wi-Fi connectivity with SmartConnect app, Delime Notification with Cycle, Sense-A-Temp™ booster, electric tank heat, X-shaped wash arms, scrap screen and basket, door actuated start, door lock, stainless steel tank, tank shelf, chamber, trim panels, frame & feet, cULus, NSF, ENERGY STAR®. Factory Startup - Free for installations within 100 miles of a Hobart Service Office during normal business hours with appropriate notice; installation beyond 100 miles will be quoted by Service.

- 1 ea Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height. If delivery is to a facility without a standard height dock, additional shipping charges will apply depending on the service requested. consult Factory.
- 1 ea Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA
- 1 ea NOTE: For water of 3-grains of hardness or more, Hobart suggests adding a water softener.

ITEM #25

DISPOSER

Presidential Meadows Elementary- 13252 George Bush St, Manor, TX 78653

InSinkErator Model SS-200-7-MRS

SS-200™ Complete Disposer Package, sink mount system, 6-5/8" diameter inlet, with #7 collar adaptor for sink installation, 2 HP motor, stainless steel construction, includes syphon breaker, solenoid valve, flow control valve, removable splash baffle, stainless steel sink stopper, manual reverse switch, adjustable leg kit

- 1 ea (1) year parts & labor warranty from date of installation (standard)
- 1 ea Standard height disposer body
- 1 ea Specify voltage
- 1 ea Model SYPHON STD Syphon breaker standard, 1/2" (11477)

ITEM #26

PRE-RINSE FAUCET ASSEMBLY

Presidential Meadows Elementary- 13252 George Bush St, Manor, TX 78653

T&S Brass Model 5PR-8W00

- 1ea Equip Pre-Rinse Unit, 8" centers, wall mount base, 6" wall bracket, quarter-turn ceramic cartridges, low lead
- 1 kt Model B-0230-K Installation Kit, (2) 1/2" NPT nipples, lock nuts & washers, (2) short "EII" 1/2" NPT female x male

ITEM #27

DISPOSER

New Tech Middle School-12116 Joyce Turner, Manor, TX 78653

InSinkErator Model SS-100

SS-100™ Disposer, basic unit only, 1 HP motor, stainless steel construction, includes mounting gasket

- 1 ea Specify voltage
- 1 ea Model #5 MOUNT #5 sink flange mounting assembly, for 3-1/2" to 4" opening (12506)
- 1 ea Model LEG KIT Adjustable support legs, (set of 2) for 1/2 HP thru 2 HP disposers (11757C)

ITEM #28

DISHWASHER, CONVEYOR TYPE

Decker Elementary School-8500 Decker Ln, Austin, TX 78724

Hobart Model CL44-BAS+BUILDUP

Conveyor Dishwasher, single tank, (202) racks/hour, insulated hinged doors, .45 gallon/rack, Complete Delime with Booster Guard, Touch Screen Controls with diagnostics, troubleshooting, and SmartConnect App, capless wash arms, NSF Pot & Pan mode, cULus, NSF, ENERGY STAR®, Free factory startup for installations within a 100 mile radius of a Hobart service office; installation beyond 100 miles will be charged at the quoted rate by the local Hobart service office

- 1 ea Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height. If delivery is to a facility without a standard height dock, additional shipping charges will apply depending on the service requested. consult Factory.
- 1 ea Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA
- 1 ea Model CL44BAS-HTE15K Electric tank heat 15kW
- 1 ea Model CL44BAS-ELE0CD 480v/60/3-ph
Single point connection standard (field convertible to dual point)
- 1 ea Model CL44BAS-HGTSTD Standard Height 19.5"H x 22"W opening, fits full-sized sheet pan, horizontal
- 1 ea Model CL44BAS-ERH18K With 18 kW Booster (default)
- 1 ea Model CL44BAS-DIR0RL Right to left operation
- 1 ea NOTE: For water of 3-grains of hardness or more, Hobart suggests adding a water softener.
- 2 ea Model VNTHD/E-ADJ E-series vent hood domestic (adjustable)
- 1 ea Model TBLLIM-CL Table limit switch for CL & CLEN series
- 1 ea Model CL44EN-BASFETSTD Standard feet

ITEM #29

MILK COOLER

Decker Elementary School-8500 Decker Ln, Austin, TX 78724

Traulsen Model RMC34S4

Spec-Line Forced-Air Single Access Milk Cooler, sliding door, holds (8) 13"x13" crates or (4) 13"x19" milk crates, stainless steel interior and exterior, reinforced floor, sliding caster rails, (2) heavy-duty stainless steel dunnage racks, top-mount refrigeration system, digital control, E-Z clean gaskets, floor drain, 4" factory mounted adjustable casters, R-290 refrigerant, 1/5 hp, cETLus, ETL

- 2 ea 6-year parts & labor and 7 year compressor, standard. Visit www.traulsen.com for details
- 2 ea 115v/60/1-ph, 7.2 amps, NEMA 5-15P

ITEM #30

DISHWASHER, DOOR TYPE, VENTLESS

Decker Middle School-8104 Decker Ln, Austin, TX 78724

Hobart Model AM16VLT-BAS-2

Ventless Dishwashing Machine, tall chamber (27"), door type, energy recovery, high temp sanitizing, 208-240/60/3 (field convertible to single phase), internal condensing system, 40 racks/hour, straight-thru or corner installation, user-friendly smart touchscreen controls, Wi-Fi connectivity with SmartConnect app, Delime Notification with Cycle, Sense-A-Temp™ booster, electric tank heat, X-shaped wash arms, scrap screen and basket, door actuated start, door lock, stainless steel tank, tank shelf, chamber, trim panels, frame & feet, cULus, NSF, ENERGY STAR®. Factory Startup - Free for installations within 100 miles of a

Hobart Service Office during normal business hours with appropriate notice; installation beyond 100 miles will be quoted by Service.

- 1 ea Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height. If delivery is to a facility without a standard height dock, additional shipping charges will apply depending on the service requested. consult Factory.
- 1 ea Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA
- 1 ea NOTE: For water of 3-grains of hardness or more, Hobart suggests adding a water softener.

ITEM #31
DISPOSER

Decker Middle School-8104 Decker Ln, Austin, TX 78724

InSinkErator Model SS-300-7-MRS

SS-300™ Complete Disposer Package, sink mount system, 6-5/8" diameter inlet, with #7 collar adaptor for sink installation, 3 HP motor, stainless steel construction, includes syphon breaker, solenoid valve, flow control valve, removable splash baffle, stainless steel sink stopper, manual reverse switch

- 1 ea (1) year parts & labor warranty from date of installation (standard)
- 1 ea Standard height disposer body
- 1 ea 208v/60/3-ph, 6.0 amps
- 1 ea Model SYPHON STD Syphon breaker standard, 1/2" (11477)

ITEM #32
PASS-THRU REFRIGERATOR

Decker Middle School-8104 Decker Ln, Austin, TX 78724

Traulsen Model AHT232WPUT-HHS

Spec-Line Refrigerator, Pass-thru, two-section, self-contained refrigeration, StayClear™ Condenser, variable speed compressor, stainless steel exterior, aluminum interior, standard depth, wide half-height solid doors, both sides with EZ-Clean Gaskets, (3) adjustable wire shelves per section, microprocessor controls, 6" adjustable stainless steel legs, R-290 Hydrocarbon refrigerant, 1/2 HP, cETLus, ETL-Sanitation, ENERGY STAR®

- 1 ea 6-year parts & labor and 7 year compressor, standard. Visit www.traulsen.com for details
- 1 ea 115v/60/1-ph, 8.6 amps, cord with NEMA 5-15P, standard
- 1 ea Half height solid door, standard
- 1 ea Half height solid door, standard
- 1 ea Half height solid door, standard
- 1 ea Half height solid door, standard
- 1 ea Thermometer side: Both doors hinged on left
- 1 ea Rear: Both doors hinged on right
- 26 ea Universal tray slide - per pair
- 6 ea Credit for standard coated shelf, deduct

ITEM #33
PRE-RINSE FAUCET ASSEMBLY

Decker Middle School-8104 Decker Ln, Austin, TX 78724

T&S Brass Model 5PR-8W00

- 1ea Equip Pre-Rinse Unit, 8" centers, wall mount base, 6" wall bracket, quarter-turn ceramic cartridges, low lead
- 1 kt Model B-0230-K Installation Kit, (2) 1/2" NPT nipples, lock nuts & washers, (2) short "EII" 1/2" NPT female x male

ITEM #34

DISHWASHER, DOOR TYPE, VENTLESS

Oak Meadows Elementary-5600 Decker Ln, Austin, TX 78724

Hobart Model AM16VLT-BAS-4

Ventless Dishwashing Machine, tall chamber (27"), door type, energy recovery, high temp sanitizing, 480/60/3, internal condensing system, 40 racks/hour, straight-thru or corner installation, user-friendly smart touchscreen controls, Wi-Fi connectivity with SmartConnect app, Delime Notification with Cycle, Sense-A-Temp™ booster, electric tank heat, X-shaped wash arms, scrap screen and basket, door actuated start, door lock, stainless steel tank, tank shelf, chamber, trim panels, frame & feet, cULus, NSF, ENERGY STAR®. Factory Startup - Free for installations within 100 miles of a Hobart Service Office during normal business hours with appropriate notice; installation beyond 100 miles will be quoted by Service.

- 1 ea Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height. If delivery is to a facility without a standard height dock, additional shipping charges will apply depending on the service requested. consult Factory.
- 1 ea Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA
- 1 ea NOTE: For water of 3-grains of hardness or more, Hobart suggests adding a water softener.

ITEM #35

DISPOSER

Oak Meadows Elementary-5600 Decker Ln, Austin, TX 78724

InSinkErator Model SS-100

SS-100™ Disposer, basic unit only, 1 HP motor, stainless steel construction, includes mounting gasket

- 1 ea Specify voltage
- 1 ea Model #7 COLLAR SINK #7 collar adapter, weld in sink, provides 6-5/8" opening (12505)
- 1 ea Model LEG KIT Adjustable support legs, (set of 2) for 1/2 HP thru 2 HP disposers (11757C)

ITEM #36

PRE-RINSE FAUCET ASSEMBLY

Oak Meadows Elementary-5600 Decker Ln, Austin, TX 78724

T&S Brass Model 5PR-8W00

- 1 ea Equip Pre-Rinse Unit, 8" centers, wall mount base, 6" wall bracket, quarter-turn ceramic cartridges, low lead
- 1 kt Model B-0230-K Installation Kit, (2) 1/2" NPT nipples, lock nuts & washers, (2) short "EII" 1/2" NPT female x male

ITEM #37

DISHWASHER, DOOR TYPE, VENTLESS

Manor High School-12700 Gregg Manor Rd, Manor, TX 78653

Hobart Model AM16VLT-BAS-2

Ventless Dishwashing Machine, tall chamber (27"), door type, energy recovery, high temp sanitizing, 208-240/60/3 (field convertible to single phase), internal condensing system, 40 racks/hour, straight-thru or corner installation, user-friendly smart touchscreen controls, Wi-Fi connectivity with SmartConnect app, Delime Notification with Cycle, Sense-A-Temp™ booster, electric tank heat, X-shaped wash arms, scrap screen and basket, door actuated start, door lock, stainless steel tank, tank shelf, chamber, trim panels,

frame & feet, cULus, NSF, ENERGY STAR®. Factory Startup - Free for installations within 100 miles of a Hobart Service Office during normal business hours with appropriate notice; installation beyond 100 miles will be quoted by Service.

- 1 ea Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height. If delivery is to a facility without a standard height dock, additional shipping charges will apply depending on the service requested. consult Factory.
- 1 ea Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA
- 1 ea NOTE: For water of 3-grains of hardness or more, Hobart suggests adding a water softener.

ITEM #38

DISPOSER

Manor High School-12700 Gregg Manor Rd, Manor, TX 78653

InSinkErator Model SS-200-7-MRS

SS-200™ Complete Disposer Package, sink mount system, 6-5/8" diameter inlet, with #7 collar adaptor for sink installation, 2 HP motor, stainless steel construction, includes syphon breaker, solenoid valve, flow control valve, removable splash baffle, stainless steel sink stopper, manual reverse switch, adjustable leg kit

- 1 ea (1) year parts & labor warranty from date of installation (standard)
- 1 ea Standard height disposer body
- 1 ea Specify voltage
- 1 ea Model SYPHON STD Syphon breaker standard, 1/2" (11477)

ITEM #39

PRE-RINSE FAUCET ASSEMBLY

Manor High School-12700 Gregg Manor Rd, Manor, TX 78653

T&S Brass Model 5PR-8W00

Equip Pre-Rinse Unit, 8" centers, wall mount base, 6" wall bracket, quarter-turn ceramic cartridges, low lead

- 1 kt Model B-0230-K Installation Kit, (2) 1/2" NPT nipples, lock nuts & washers, (2) short "EII" 1/2" NPT female x male

ITEM #40

DISHWASHER, DOOR TYPE, VENTLESS

Manor Middle School-12900 Gregg Manor Rd, Manor, TX 78653

Hobart Model AM16VLT-BAS-2

Ventless Dishwashing Machine, tall chamber (27"), door type, energy recovery, high temp sanitizing, 208-240/60/3 (field convertible to single phase), internal condensing system, 40 racks/hour, straight-thru or corner installation, user-friendly smart touchscreen controls, Wi-Fi connectivity with SmartConnect app, Delime Notification with Cycle, Sense-A-Temp™ booster, electric tank heat, X-shaped wash arms, scrap screen and basket, door actuated start, door lock, stainless steel tank, tank shelf, chamber, trim panels, frame & feet, cULus, NSF, ENERGY STAR®. Factory Startup - Free for installations within 100 miles of a Hobart Service Office during normal business hours with appropriate notice; installation beyond 100 miles will be quoted by Service.

- 1 ea Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height. If delivery is to a facility without a standard height dock, additional shipping charges will apply depending on the service requested. consult Factory.
- 1 ea Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA

1 ea NOTE: For water of 3-grains of hardness or more, Hobart suggests adding a water softener.

ITEM #41
DISPOSER

Manor Middle School-12900 Gregg Manor Rd, Manor, TX 78653

InSinkErator Model SS-200-7-MRS

SS-200™ Complete Disposer Package, sink mount system, 6-5/8" diameter inlet, with #7 collar adaptor for sink installation, 2 HP motor, stainless steel construction, includes syphon breaker, solenoid valve, flow control valve, removable splash baffle, stainless steel sink stopper, manual reverse switch, adjustable leg kit

1 ea (1) year parts & labor warranty from date of installation (standard)
1 ea Standard height disposer body
1 ea Specify voltage
1 ea Model SYPHON STD Syphon breaker standard, 1/2" (11477)

ITEM #42
PRE-RINSE FAUCET ASSEMBLY

Manor Middle School-12900 Gregg Manor Rd, Manor, TX 78653

T&S Brass Model 5PR-8W00

Equip Pre-Rinse Unit, 8" centers, wall mount base, 6" wall bracket, quarter-turn ceramic cartridges, low lead

1 kt Model B-0230-K Installation Kit, (2) 1/2" NPT nipples, lock nuts & washers, (2) short "EII" 1/2" NPT female x male

ITEM #43
DISHWASHER, POT/PAN/UTENSIL, DOOR TYPE

Manor Senior High School- 14832 N FM 973, Manor, TX 78653

Hobart Model PW10ER-1

Advansys™ Ventless Pot/Pan/Utensil Washer with Energy Recovery, front loading with split door design, 208/240v/60/3-ph, (10) pan capacity, over/under rotating arms, 2/4/6 minute adjustable timer, up to (13) racks/hour, includes: (1) flat grid, (1) tray rack & (1) flat bottom rack, pre-rinse spray hose, sanitizing with Sense-A-Temp™ 70° booster rise, internal condensing system, Complete Delime™ with Delime Notification, Auto Dispensing, and Booster Guard™, stainless steel construction, cULus, BISSC Certified, NSF, ENERGY STAR®, Free factory startup for installations within a 100 mile radius of a Hobart service office; installation beyond 100 miles will be charged at the quoted rate by the local Hobart service office

1 ea Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height. If delivery is to a facility without a standard height dock, additional shipping charges will apply depending on the service requested. consult Factory.
1 ea Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA
1 ea Model PUMPDRN-AIRGAP Pumped Drain Air Gap Kit

ITEM #44
KNIFE SHARPENER

1 each per campus

Dexter Russell Model EDGE-21

18ea Traditional™ (7931) Electric Knife Sharpener by Edlund, with removable ABS guide, sharpens plain & scalloped edge knives, stainless steel housing, NSF Certified, Made in USA

