



Customer Quotation

Prepared For:
SPLENDORA ISD
23419 FM 2090
SPLENDORA, TX 77372

Prepared By :
Jay Vinson
Thomas Bus Texas
935.465.4887

Quote Number:
417625

Quote Date:
9/4/2025

Customer Order No:
SplendoraWC

Model Profile: Saf-T-Liner C2 221TS

Product Type:	School Transportation
Year:	2026
Chassis Model:	B2 106
Chassis MFG:	FLNER
Passenger Capacity:	33
Headroom:	78
Wheelbase:	199
Brake Type:	AIR
Engine Type:	CUMMINS B6.7 220 DIESEL, 6 Cyl, 220 HP, 2600 RPM
Fuel Type:	DIESEL
Fuel Tank Capacity:	60
Transmission Type:	AUTOMATIC
Axle, Front:	8000-lb Capacity
Axle, Rear:	17500-lb Capacity
Tires, Front:	HANKOOK AH37 255/70R22.5 16 PLY RADIAL FRONT TIRES
Tires, Rear:	HANKOOK AH37 255/70R22.5 16 PLY RADIAL REAR TIRES

Total for 1 complete unit(s):

\$155,000.00

Includes the Following Equipment:

BODY

ACCESSORIES

- 1 VISOR-TINT DRS SIDE WDO 6"X18"
- 1 LOCKS-KEYED ALIKE #CH545
- 1 LOCK-DR INT STOR OVR DRVRSHDR

CERTIFICATION/SAFETY

- 1 REFLECTTAPE-RR END YEL 2"
- 4 REFLECTTAPE-P/O WDO YEL
- 1 REFLECTTAPE-SI LIFT DR 50" YEL
- 1 REFLECTTAPE-EMER DR RR YEL
- 1 REFLECTTAPE-SI 2" ABV FLR YEL
- 1 FE-5 3A-40BC
- 1 REFLECTORS-AMBER(4) MID/FRT 3"
- 1 REFLECTORS-RED (4) RR/RR SI 3"
- 1 HANDLES-W/S SERVICE, BLACK
- 1 KIT,FIRST AID 24 UNIT TEX.
- 1 KIT,BODYFLUID CLEANUP NAT.MIN.
- 1 LABEL-PASS ADVISOR INSTRUCTION
- 1 LOC-VEST.FLR.PLT.LEFT 5LB FE
- 1 LOC-VEST.FLR.TRIANGLE BRACKET
- 2 CUTTER-SEAT BELT W/HAND GRIP
- 1 BLANKET-EMER EVAC TRANSPORTER
- 1 TRIANGLES-REFL. 3 W/BOX
- 1 BRACKET,MTG. REFL. TRIANGLES
- 1 LOC-EMER BLANKET DRVR SIDE RR
- 1 OPEN VIEW-ES, NON-HTD, RMT,SS
- 1 MIR-B EXT.CROSSVIEW SS.BRKT
- 1 SIGN-STOP, ELEC FRT #SE1-7980C
- 1 SIGN-STOP, ELEC RR #SE1-7981C

- 1 BUMPER-RR 2 BRACES NO EXH HOLE
- 1 SKT.FWD.STPWLL LO DEF
- 1 CAP-FRT ROOF VENT W/WARN.LPS.
- 1 CAP-REAR ROOF W/WARN.LPS.
- 1 GUSSET-21"H LWR SIDE SHEET
- 1 SHEET-LWR, L MID 20G,21"
- 1 SHEET-LWR,L RR 20G,21"
- 1 SHEET-LWR,R MID 20G,21"
- 1 SHEET-LWR,R RR 20G,21"
- 1 DOOR-U/B L BATTERY 24"
- 1 DOOR-FUEL FILL ACC BTR
- 1 FENDERETTE-STL FLAT FLR 21"
- 1 LATCH-BATT DOOR NON-LOCKING
- 1 LATCH-FUEL FILL ACCESS (THUMB)
- 1 VENT-STATIC PRESENT
- 1 PILASTER - 221T, 306
- 1 LATCH-NON-LOCKING DEF ACC DOOR
- 1 RAIL-SNOW RAIL PRESENT
- 1 HARDWARE-MOUNTING CLIPS STD

HVAC

- 1 NO 3RD A/C EVAPORATOR
- 1 AC-126K BTU-FREE BLOW BULKHEAD
- 1 AIR COND CONTROLS-STANDARD
- 1 CONDENSER- CM3 (2)
- 1 EVAP - IW10 RR, IW4 FRONT
- 1 PLUMB.-AC COMP DUAL ISB
- 1 AC CTL.BD.STD.TIE IN SGL.LOOP
- 1 PLUMBING-IW10, IW4
- 1 DOOR-ACC NONE
- 1 CABLE-EVAP 2 FRT BULKHEAD
- 1 HOSE-HTR BLUSTRI NO W/H POS 17
- 1 CLAMPS-U/SEAT HTR CONST TORQUE
- 1 LOCATION-EVAP NO2 FRONT BULKHD
- 1 HTR-RS 84,000 BTU RR FLR.
- 1 GRILLE-UNDERSEAT HEATER 84K
- 1 ADD AUX LINES W/MANIFOLD PLUMB
- 1 PLASTIC COOLANT BOOST PUMP AUT
- 1 HEATER, DEFROSTER,AND AIR COND
- 1 BODY BUILDER SUPPLIED PLUMBING
- 1 AUX HTR PLUMB SOLENOID SHUTOFF

INTERIOR

- 1 VISOR-W/S SUN 6"X30" TINTED
- 1 DOOR-STORAGE BOX W/O GLASS
- 1 TRIM-LOWER REAR HEATER NO A/C
- 1 WHEELHOUSES-REAR L&R OMIT
- 1 REINF-SIDE DOOR JAMB REAR END
- 1 FLOOR-GALVALUME STEEL MID BODY
- 1 REINF-RR END A/C EVAP. IW10
- 1 REINFORCEMENT-RR STOP SIGN 40"
- 1 REINF-FRONT A/C EVAP.
- 1 LATCH-DR INT STOR OVR W/S NONE
- 1 BTR FUEL FILL RECESS, W/DOOR
- 1 BULKHEAD-RR END INT.W-A/C IW10
- 1 COVER-ACCESS RR END HARNESS NO
- 1 COVER-TRIM DRVS HDR W/STORAGE
- 1 COVER-TRIM FT END W/S HEADR AC
- 1 FLR-BLK VINYL W/13" CTR AISLE
- 1 Molding-Shoe No Wheelhouse
- 1 LINING-SI.INT.W/ FLT FLR&LS FUEL DR
- 1 INSULATION-FT BKHD 2" W/ACRSY
- 1 H/L-1ST WDO SEC ACOUS GRY 221T
- 1 INSULATION - RAFTER CAVITY 221
- 1 MAT, FLOOR VESTIBULE CEEA+
- 1 Trim - Interior Dash Fwd.

- 2 SBR 39 RS WALL 3PT3

SPECIAL NEEDS EQUIPMENT

- 1 SYMBOL-HAND LIFT DR
- 1 SYMBOL-HAND RR EMER DR
- 1 SYMBOL-HAND FRONT BUMPER LS
- 1 LIFT-WHEELCHAR BRAUN NCL1000
- 2 TRACK-OVERHEAD 10" LENGTH LS
- 1 TRACK-OVERHEAD 10" LENGTH RS
- 3 POUCH-STORAGE VINYL SURELOK
- 1 LABEL-W/C TIE DOWN INSTRUCTION
- 3 ALUM TRACK-NON CONT PARA 13"
- 1 RETAINER-50"W SI DR CHN & HOOK

WINDOWS/GLASS

- 1 GLASS-W/S ONE PCE W/TINT BAND
- 1 GLASS-RS FRT STAT TNT LAM
- 1 GLASS-LS FRT STAT TNT LAM
- 1 GLASS-RR STAT TINTED LAMINATED
- 1 FRAME-WDO SPLIT
- 1 FRAME-WDO SPLIT 20"W
- 7 FRAME-WDO SPLIT 30"W
- 1 FRAME-WDO SPLIT 40"W
- 2 FRAME-WDO P/O VERT LAM TINT LS
- 2 FRAME-WDO P/O VERT LAM TINT RS
- 1 GLASS-WDO TINT LAM 20"
- 7 GLASS-WDO TINT LAM 30"
- 1 GLASS-WDO TINT LAM 40"
- 1 STOPS-WDO 12"
- 1 GLS-LWR RR DR LAM TINT
- 1 GLS-UPR RR DR LAM TINT
- 1 WDO-DRIVER'S LAM TINT
- 1 GLASS- 50"W SI DR LAM TNT

OTHER

- 2 STARS PHANTM LS-SBR-39" C2/MIN
- 1 LOGO-FRT RS & RR
- 1 ELEC-FAN DRV'S WDO HDR
- 1 HATCH-RF ESC ADV ENG GRAY (2)
- 1 ELEC-RF ESC HATCH POS 2
- 1 ELEC-RF ESC HATCH POS 7
- 1 ARM ASM-WINDSHIELD WIPER (2)
- 1 ELEC-ROOF HATCH - P/O WDO
- 1 OPER-FAN DRV'S WDO HDR
- 1 OPER-ALARM BACKING W/REV.
- 1 OPER-ROOF HATCH BUZZER
- 1 Evap Trim-Int(2) IW10, IW4
- 1 OPER-A/C CONTROL- STANDARD L.H
- 3 REST SYS-SURELK AL812S-4C-7
- 1 LOC-VEST.FLR.PLT.CTR.24 FAK
- 1 LOC-VEST.FLR.PLT.FWD. 10 BFC
- 1 AC DUCT-NOT PRESENT NO SIDE EV
- 1 EVAPORATOR QTY - NONE
- 1 ANTENNA - RADIO SWIVEL BASE
- 1 ELECTRICAL-ANTENNA RADIO COAX
- 1 KIT-RADIO ANT.MTG.@DRV'R'SHDR.
- 1 Manual-Drv'r's/Maint.English
- 1 ELEC-NO ZONAR MONITORING
- 1 ELEC-BACKING CAMERA
- 1 ALERT-6.7L CONDENSER SHORT
- 1 Elec-AC Digital Signal
- 1 Elec-Aux BCA Power Cable
- 1 BCA-Aux w/o Contactor
- 1 STRINGER-ROOF 221T
- 1 FRONT END FRAME
- 1 FRT END FRAME MTG KIT
- 1 REAR END FRAME-28.68"DEEP

- 1 ELEC-HARNESS COMP ASM 221T
- 1 OPER-LPS DIR./HAZ.
- 1 OPER-LPS SIDE DIRECT.ONLY
- 1 Block-PDM Customer Access
- 1 OPER-WARNING RED "ON" LIFT DOO
- 1 OPER-PRE-TRIP INSPECTION
- 1 ELEC-SEAT BELT PILOT LAMP
- 1 OPER-SEAT BELT PILOT LAMP
- 1 Elec-Stepwell Lamp
- 1 Elec-Standard Switch Interface
- 1 Elec-Heater Booster Pump
- 1 Oper-Buzzer, Switch Panel Tone
- 1 Starpoint-Junction Block
- 1 ELEC-MIR A NH & RC
- 1 ELEC-ELECTRIC STOP SIGN FRT
- 1 ELEC-ELECTRIC STOP SIGN RR
- 1 RAIL-EXT GRD@WDO,ST,FLR,SKIRT
- 1 RAIL-EXT GRD @ SEAT FRT END LS
- 1 RAIL-EXT GRD@ FLOOR, NONE
- 1 TRIM-FRT CAP RS/LS
- 1 PANELS-EXTERIOR REAR
- 1 SHEET-DRIVERS EXTERIOR 20 GA.
- 1 SHEET-UPPER SIDE EXTERIOR
- 1 UNDERCOATING-ASPHALT EMULSION
- 1 HEADERS-WINDOW INTERIOR 221T
- 1 PANELS-EXT RR SIDE LONG PANEL
- 1 ROOF SHEETS-(2) HATCH - 221T
- 1 PANELS-RR END INT RR GALV.
- 1 Panels-Rr End Int Si Long w/sld.pnl.
- 1 PANELS-ACCESS RR GRAY PASS ADV
- 1 COVER-HARNESS ACCESS@HDR
- 1 COVER-ACCESS FRT END HARNESS
- 1 COVER-TRIM FT ENT.ALUM.DR AIR
- 1 H/L-REAR LONG SMOOTH, GRAY
- 1 STRIPS - AISLE, SNAP-IN BLACK
- 1 FLOOR-BLACK WHEELHOUSE OMIT
- 1 Flr-Plywood 5/8" 221T
- 1 COVER-FUEL SENDING INSPECTION
- 1 ELEC- (4) INT SPEAKERS 221T
- 1 LUGGAGE RACK ALERT - NONE
- 1 SWITCH-RKR HTR RR WALL
- 1 RAIL-SEAT
- 1 CABINET-SW, FWD
- 1 CABINET-SWITCH, LWR W/O POCKET
- 1 CABINET-SWITCH, UPPER
- 1 CABINET-TOP PLATE (2 BANK)
- 1 INSULATION-VEST HEADLINING 2"
- 1 INSULATION-SIDELINING 2" POLY
- 1 INSULATION-RR BULKHEAD 2" POLY
- 1 OPER-HTR RR.WALL / R.S.RR.FLR.
- 1 HEADERS-WINDOW EXTERIOR 221T
- 1 LOCATION-EVAP NO1 RR BULKHEAD
- 1 HARNESS COVER COLOR - GRAY
- 1 SPEAKER ALERT - PRESENT
- 1 HEADLINING COLOR - GREY
- 1 HDLINING TYPE-1ST WDO ACOUSTIC
- 1 CONN-HTR HOSE KIT @ BTR L.S.
- 1 ELEC-HTR U/ SEAT POS.17
- 1 PLATE-ACCELERATOR
- 1 LABEL-QR CODE
- 1 OPER-WDO P/O
- 4 STARS MTG-SBR WALL MT C2
- 1 PRICE ADJ-IN COMB W/001-310
- 1 DUAL SELTEC TM-21 COMPRESSORS
- 1 CRUISE CTRL-ELEC ENG,IN STEERI

- 1 PRE/POST TRIP SYSTEM TEST
- 1 CHASSIS COWL AND HOOD ONLY
- 1 DUAL NEEDL PRIM & SEC AIR
- 1 STANDARD BRAKE WIRING
- 1 BUMPER: BLACK
- 1 CHASSIS: VENDOR BLACK
- 1 CEEA+ 667 ELEC ARCHITECTURE
- 1 SCHOOL BUS SERVICE
- 1 COWL CHASSIS CONFIG - SBMTC
- 1 BUS BODY WITHOUT WHEELWELL
- 1 PASSENGER COMMODITY
- 1 100% ON-HIGHWAY (CITY) TERRAIN
- 1 THOMAS BUILT SCHOOL BUS 221T
- 1 EXT TOWING 2YR/UNLTD \$750 CAP

CHASSIS

AXLES AND SUSPENSIONS

- 1 ALIGNMENT-4-WHEEL C2
- 1 SPL100 DANA SPICER MAIN DRIVE
- 1 FRONT OIL SEALS
- 1 SYNTH 75W-90 FRONT AXLE LUBE
- 1 CONMET IRON FRONT HUBS
- 1 SYNTH 75W-90 REAR AXLE LUBE
- 1 DA-RS-17.5-4 17.5K R-REAR AXLE
- 1 4.78 REAR AXLE RATIO
- 1 IRON REAR AXLE CARRIER HOUSING
- 1 REAR SHOCK ABSORBERS - 1 AXLE
- 1 CONMET IRON REAR HUBS
- 1 9,000 LB.TAPERLEAF FRT SUSPENS
- 1 AIRLINER 23K REAR SUSPENSION
- 1 COMFORT-TEC SUSPENSION
- 1 DUAL AIR REAR SUSP LEVELING

BRAKES

- 1 ALERT-ENHANCED STABILITY CONTR
- 1 AIR BRAKE PACKAGE
- 1 MERITOR 15X4Q+ CAM FRT BRK ROC
- 1 HALDEX LGSTROKE FT BRAKE CHAMB
- 1 MERITOR AUTO FRONT SLACK ADJ
- 1 CONMET CAST IRON FRT BRK DRUMS
- 1 MERITOR 16.5X7Q+ RR BRAKE/SHOE
- 1 HALDEX,L-STROK, AXLE SPR CHAMB
- 1 MERITOR AUTO SLACK ADJUSTERS
- 1 CONMET CAST IRON RR BRAKE DRUM
- 1 STL AIR BR RESRV INSIDE FRAME
- 1 BENDIX AD-9 AIR DRYER W/HEATER
- 1 EXT CHARGING SCHRADER VALVE
- 1 WABCO 4S/4M ABS W/TRACTION CTL
- 1 BENDIX INTELLIPARK E-PARK BRAKE

CHASSIS EQUIPMENT

- 1 EXHAUST-LS TURNDWN, BELOW BMPR
- 1 ANTI-FREEZE, OAT -34 DEGREE
- 1 SHIELD-EXHAUST PIPE
- 1 B2 106 CONVENTIONAL CHASSIS
- 1 SET-BACK AXLE - TRUCK
- 1 ELECTRIC GRID AIR INTAKE WARME
- 1 INTAKE MTD AIR RESTR NO GRADUA
- 1 LH SIDEFILL FUEL TANK CAP
- 1 60 GAL/227 LIT STEL TANK, BTR
- 1 HORIZ TAILPIPE, EXIT LH REAR
- 1 11.5 GALLON DEF TANK
- 1 STEERING WHL MTD HORN CONTROL
- 1 NO BUMPERFRONT VISUAL WARNING
- 1 MAGN ENG DRAIN, RR AXLE PLUGS
- 1 EXHAUST MITIGATION DEVICE FTL
- 1 DA-F-8-3 8K 71.5 KPI/3.74 AXLE

- 1 NO IDLE SHUTDOWN CONFIGURATION
- 1 ELECTRONIC TACHOMETER 3000 RPM
- 1 DIGITAL TRANS OIL TEMP DVR DIS

TRANSMISSION AND EQUIPMENT

- 1 ALLISON 2500 PTS AUTO TRANS
- 1 ALLISON VOCATIONAL PACKAGE 354
- 1 TRANSMISSION OIL CHECK & FILL
- 1 SYNTHETIC 50W TRANS LUBE
- 1 WAT 2 OIL TRANS COOL-N RADIATR
- 1 6M1-PROMARY MODE GEARS

WHEELS AND TIRES

- 1 HANKOOK AH37 255/70R22.5 16PLY
- 1 HANKOOK AH37 255/70R22.5 16PLY
- 1 BENDIX SMARTIRE MONITOR SYSTEM
- 1 TIRE/WHEEL BALANCING-LEAD FREE
- 1 AC PKBLK21 POWD BLK(N0001H)FRT
- 1 AC PKBLK21 POWD BLK (N0001H)RR

OTHER TYPE

Electrical - body

- 1 ELEC-(2) USB OUTLET LS CABINET

DEALER ADD On's

EQUIPMENT

- 1 DOT Vehicle Inspection
- 1 Motorola XPR5350E two-way
- 1 Safety Vision (6-cam) system
- 1 Tariff
- 1 Delivery to District
- 25 Gallons of Diesel for Delivery
- 1 Beltline Lettering

Meets all FMVSS requirements in effect at the time of manufacture.

Total for 1 complete unit(s):

\$155,000.00

*****PURCHASING COOP OPTIONS*****

BuyBoard: ADD \$800 PER PO

TIPS: ADD \$350 PER PO

SourceWell: ADD \$750 PER BUS

Region 7: No Charge if ISD is a member

Additional options you may want to consider:

[ADDITIONAL EQUIPMENT]

\$ [COST]

Quote Expires:

30 DAYS

Customer Signature:

Date:

Dealer Signature:

Date:

ALL DIMENSIONS & FIGURES ARE REFERENCE ONLY!!







DATE	ROW	SPACING	SIZE
LEFT	25.9	27.9	
LEFT	29.0	27.5	
LEFT	29.0	27.5	
RIGHT	31.4	29.4	
RIGHT	31.1	29.6	

DRN:08-26-26 BYT:Dean SIZE DWG NO: 910315
 SCALE 3/8"=12"

THOMAS BUILT BUSES, INC.
 HIGHPOINT, NC
 PLAN AND ELEVATION
 BODY 221TS

WING - DO NOT MAKE MANUAL CHANGES
 Program Version: 25.8.2

LEFT SIDE SEAT HOLES		LEFT SIDE SEAT HOLES		RIGHT SIDE SEAT HOLES		RIGHT SIDE RAFTER HOLES	
HOLE DIM "A1" DIM "A2" TYPE	HOLE DIM "B1" DIM "B2" TYPE	HOLE DIM "C" TYPE	HOLE DIM "D" TYPE	HOLE DIM "E" TYPE	HOLE DIM "F" TYPE	HOLE DIM "G" TYPE	HOLE DIM "H" TYPE
1 0.748 249.003 R1	1 10.287 239.463 R1	1 10.063	1 0.563 R1	1 10.063	1 0.563 R1	1 0.563 R1	1 0.563 R1
2 2.127 247.623 R1	2 11.907 237.843	2 18.783	2 10.563 DP	2 18.783	2 10.563 DP	2 10.563 DP	2 10.563 DP
3 4.188 245.563 R1	3 13.507 236.243	3 35.943	3 15.563 SL	3 35.943	3 15.563 SL	3 15.563 SL	3 15.563 SL
4 14.188 235.563 SL	4 30.667 219.083	4 37.543	4 30.563 R1	4 37.543	4 30.563 R1	4 30.563 R1	4 30.563 R1
5 24.188 225.563 R1	5 39.287 210.463	5 39.163	5 45.563 SL	5 39.163	5 45.563 SL	5 45.563 SL	5 45.563 SL
6 37.588 212.162 SL	6 40.907 208.843	6 50.182	6 60.563 R1	6 50.182	6 60.563 R1	6 60.563 R1	6 60.563 R1
7 50.887 198.863 SL	7 42.507 207.343	7 67.343	7 75.563 SL	7 67.343	7 75.563 SL	7 75.563 SL	7 75.563 SL
8 64.188 185.563 R1	8 59.667 190.083	8 69.942	8 90.563 R1	8 69.942	8 90.563 R1	8 90.563 R1	8 90.563 R1
9 79.188 170.563 SL	9 68.287 181.463	9 70.563	9 105.563 SL	9 70.563	9 105.563 SL	9 105.563 SL	9 105.563 SL
10 94.188 155.563 R1	10 89.907 179.843	10 81.583	10 120.563 R1	10 81.583	10 120.563 R1	10 120.563 R1	10 120.563 R1
11 109.188 140.563 SL	11 71.507 178.243	11 98.743	11 135.563 SL	11 98.743	11 135.563 SL	11 135.563 SL	11 135.563 SL
12 124.188 125.563 R1	12 88.667 101.083	12 100.343	12 150.563 R1	12 100.343	12 150.563 R1	12 150.563 R1	12 150.563 R1
13 139.188 110.563 SL	13 97.287 152.463	13 101.863	13 150.563 SL	13 101.863	13 150.563 SL	13 150.563 SL	13 150.563 SL
14 154.188 95.563 R1	14 98.907 150.843	14 112.883	14 170.563 R1	14 112.883	14 170.563 R1	14 170.563 R1	14 170.563 R1
15 169.188 80.563 SL	15 100.507 149.243	15 129.843	15 170.563 SL	15 129.843	15 170.563 SL	15 170.563 SL	15 170.563 SL
16 184.188 65.563 R1	16 117.667 132.083	16 131.443	16 170.563 R1	16 131.443	16 170.563 R1	16 170.563 R1	16 170.563 R1
17 199.188 50.563 SL	17 126.287 123.463	17 133.063	17 170.563 SL	17 133.063	17 170.563 SL	17 170.563 SL	17 170.563 SL
18 214.188 35.563 R1	18 127.908 121.843	18 143.783	18 170.563 DP	18 143.783	18 170.563 DP	18 170.563 DP	18 170.563 DP
19 229.188 20.563 SL	19 129.507 120.243	19 160.943	19 170.563 R1	19 160.943	19 170.563 R1	19 170.563 R1	19 170.563 R1
20 234.187 15.563 DP	20 146.667 103.083	20 162.542	20 170.563 R1	20 162.542	20 170.563 R1	20 170.563 R1	20 170.563 R1
21 244.188 5.563 R1	21 155.287 94.463	21 164.162	21 170.563 R1	21 164.162	21 170.563 R1	21 170.563 R1	21 170.563 R1
	22 156.908 92.843						
	23 159.507 91.243						
	24 175.667 74.083						
	25 185.188 64.563						
	26 186.808 62.942						
	27 188.408 61.343						
	28 205.568 44.183						
	29 215.088 34.682						
	30 216.707 33.043						
	31 218.308 31.442						
	32 235.488 14.282						
	33 244.388 5.382						



ALL DIMENSIONS ARE FOR REFERENCE ONLY

Model: Saf-T-Liner C2
Quote Number: 417625
Locality: TX

GENERAL NOTES
1. SOME ITEMS, SUCH AS CYMOROS, ARE SHOWN IN ONE VIEW ONLY FOR CLARITY.
2. HAVE ALL ITEMS IN THE DRAWING IN THE SAME VIEW.
3. HAVE ALL ITEMS IN THE DRAWING IN THE SAME VIEW.
4. HAVE ALL ITEMS IN THE DRAWING IN THE SAME VIEW.
5. HAVE ALL ITEMS IN THE DRAWING IN THE SAME VIEW.
6. HAVE ALL ITEMS IN THE DRAWING IN THE SAME VIEW.
7. HAVE ALL ITEMS IN THE DRAWING IN THE SAME VIEW.
8. HAVE ALL ITEMS IN THE DRAWING IN THE SAME VIEW.
9. HAVE ALL ITEMS IN THE DRAWING IN THE SAME VIEW.
10. HAVE ALL ITEMS IN THE DRAWING IN THE SAME VIEW.

THOMAS BUILT BUSES, INC.
HIGHT POINT, NC 28520
TITLE
SEAT RAIL - C2
BODY 221Ts
BY: J. D. 1/21/15
SCALE 3/8"=1'-0"
SHEET 5 OF 15
910315

* * * WEIGHT DISTRIBUTION REPORT * * *

***** WEIGHT O.K. *****

SEATINGPLAN: 910315
ORDER NO: 417625
YARD NO:
BODY MODEL: 221TS
CHASSIS MAKE: FLNER
WHEELBASE: 198.8
DATE: 08-29-25
TIME: 13:38:51

Weight Summary	Front	%Front	Rear	%Rear	Total
Total Weight	7632.44	35%	14178.63	65%	21811.07
Allowables	8000.00		17500.00		25500.00
Unladen	7166.66	40%	10534.41	60%	17701.07
Base Body	945.00		2996.30		3941.30
Body Options	384.77		2187.23		2572.00
Base Chassis	4497.11		2631.66		7128.77
Chassis Options	1339.78		2719.22		4059.00
Passenger	465.78		3644.22		4110.00
State Special	0.00		0.00		0.00

NOTES:

* THE WEIGHT AND AXLE RATINGS IN THIS REPORT APPLY ONLY TO *
* ORDER NO. 417625 AND REFERENCE SEATING PLAN 910315 *
* ANY OPTIONS EXCEEDING 20 LBS. OR SEATING PLAN CHANGES NOT ON *
* THIS REPORT OR MADE AFTER THE SUBMISSION DATE AND TIME WILL *
* NULLIFY RESPONSIBILITY OF THOMAS BUILT BUSES ENGINEERING *
* DEPARTMENT OF THE SAFE OPERATION OF THE VEHICLE *

* THIS SHEET MUST ACCOMPANY ORIGINAL ORDER.
SIGNATURE OF ENGINEERING APPROVAL:

Turner, Jason

***** BODY OPTIONS *****		Front	Rear	Total
Option	Description			
A910039000	STARS PHANTM LS-SBR-39" C2/MIN LEFT SIDE	-18.46	78.46	60.00
A910039000	STARS PHANTM LS-SBR-39" C2/MIN LEFT SIDE	-27.21	87.21	60.00
B640139200	39" BARR-VERT,WALL MT 45"H RS RIGHT SIDE	19.93	11.07	31.00
B640239000	39"8DEG BARR-REV. WALL-MT 45"H LEFT SIDE	21.14	9.86	31.00
D105600000	FAN-CIRC DRV'S WDO HDR BLACK	2.40	0.60	3.00
D106400001	VISOR-TINT DRS SIDE WDO 6"X18"	2.82	0.18	3.00
D106902001	RADIO-AM/FM DEA700	3.64	-0.64	3.00
D108800002	FLAPS-MUD, REAR 22.5"W	-0.00	12.00	12.00
D108900001	FLAPS-MUD, FRONT 16"W X 12"H	10.49	1.51	12.00
D110024TEX	KIT,FIRST AID 24 UNIT TEX.	4.00	0.00	4.00
D110100000	KIT,BODYFLUID CLEANUP NAT.MIN.	2.82	0.18	3.00
D112604004	CONDENSER- CM3 (2)	93.31	170.69	264.00
D116100002	LOC-VEST.FLR.PLT.LEFT 5LB FE	4.35	0.65	5.00
D116400033	LIFT-WHEELCHAR BRAUN NCL1000	-115.79	471.79	356.00
D116600000	TRACK-OVERHEAD 10" LENGTH LS	-0.26	1.26	1.00
D116600000	TRACK-OVERHEAD 10" LENGTH LS	-0.57	1.57	1.00
D116700000	TRACK-OVERHEAD 10" LENGTH RS	-0.17	1.17	1.00
D122400000	TRIANGLES-REFL. 3 W/BOX	6.35	4.65	11.00
D123000002	DOOR-STORAGE BOX W/O GLASS	23.06	6.94	30.00
D123800000	ANTENNA - RADIO SWIVEL BASE	1.68	0.32	2.00
D133300005	TRIM-LOWER REAR HEATER NO A/C	-1.06	3.06	2.00
D200700001	WHEELHOUSES-REAR L&R OMIT	0.00	28.00	28.00
D304000002	PULL-ENTRANCE DOOR, EXT. ALUM.	0.75	0.25	1.00

* * * WEIGHT DISTRIBUTION REPORT * * *

1	D900104000	BACK-NATIONAL DRV'S SEAT			SIDE	105.89	44.11	150.00
2	D952136020	SBR 36 LS WALL 3PT2 ICS2 LEFT SI	LEFT	SIDE	142.02	97.98	240.00	
2	D952136020	SBR 36 LS WALL 3PT2 ICS2 LEFT SI	LEFT	SIDE	105.92	134.08	240.00	
2	D952136020	SBR 36 LS WALL 3PT2 ICS2 LEFT S1	LEFT	SIDE	69.83	170.17	240.00	
3	D953139000	SBR 39 LS WALL 3PT3 LEFT SIDE	LEFT	SIDE	52.23	307.77	360.00	
3	D953139000	SBR 39 LS WALL 3PT3 LEFT SIDE	LEFT	SIDE	-0.29	360.29	360.00	
3	D953139000	SBR 39 LS WALL 3PT3 LEFT SIDE	LEFT	SIDE	-52.80	412.80	360.00	
3	A910039000	STARS PHANTM LS-SBR-39" C2/MIN L	LEFT	SIDE	-105.32	465.32	360.00	
3	A910039000	STARS PHANTM LS-SBR-39" C2/MIN L	LEFT	SIDE	-157.84	517.84	360.00	
2	D952236020	SBR 36 RS WALL 3PT2 ICS2 RIGHT S	RIGHT	SIDE	141.54	98.46	240.00	
2	D952236020	SBR 36 RS WALL 3PT2 ICS2 RIGHT S	RIGHT	SIDE	103.63	136.37	240.00	
2	D952236020	SBR 36 RS WALL 3PT2 ICS2 RIGHT S	RIGHT	SIDE	65.72	174.28	240.00	
3	D953239000	SBR 39 RS WALL 3PT3 RIGHT SIDE	RIGHT	SIDE	25.79	334.21	360.00	
3	D953239000	SBR 39 RS WALL 3PT3 RIGHT SIDE	RIGHT	SIDE	-30.53	390.53	360.00	
Passenger Totals						465.78	3644.22	4110.00