





Suppliers-Natural Gas

City of Derby & Public Schools Aggregation-Bid Results
June 22, 2017

Estimated Annual Usage as reported by Eversource (Yankee Gas): 19,000 DTH

Start Date: December 2017

<u>Natural Gas Suppliers</u> Spark Energy	Billing Status Dual Bill	Bandwidt 100%
Direct Energy	Dual Bill	100%
Sprague Energy	Dual Bill	100%

	-			
<u>12 Month</u>	<u> 18 Month</u>	<u>Fixed</u> \$/DTH 24 Month	30 Month	36 Month
6.44	6.51	6.35	6.44	6.34
6.58	6.63	6.61	6.60	6.59
6.65	6.70	6.64	6.73	6.69
6.56	6.61	6.53	6.59	6.54

Average Rate:







Suppliers-Electricity

City of Derby & Public Schools Aggregation-Bid Results
June 22, 2017
Estimated Annual Usage as reported by Ut: 5,600,000

Start Date: November 2017 for Public Schools November 2018 for City

Price Plan: Fixed all inclusive**

								<u>Fixed</u> Rate/kWh		
	ric Suppliers Bation Energy	<u>Billing Status</u> Single Bill	Credit Status Approved	Winter <u>Reliability</u> Included	Bandwidth	والمناط فالمناط في المناطق الم	37 months/25 months (Nov17/Nov18-Dec 20)	49 months/37 months (Nov17/Nov18-Dec 21)	The second name of the second	
	medeli zitetgy	ouste bu	whitever	Incinidad	100%	0.08950	0.08800	0,06790	0.06770	41
Direct E	Energy	Single Bill	Approved	Included	100%	0.07157	0.06920	0.06881	0.06878	ן ד
Champ	ion Energy	Dual BHI	Approved	Pass Thru	100%	0.07432	0.07387	0.07384	0.07380	_
Nextera	Energy	Single Bill	Approved	Pass Thru	100%	0.07490	0.07388	0.07378	0.07377	\exists
GDF.St	ez (Engle)	Single Bill	Approved	Included	100%	n/a	0.07202	0.07154	0.07145	7/
NRGIR	eliant	Single Biff	Approved	Pass Thru	100%	0.07337	0.07320	0.07280	0.07240	7
Firstpo	int Energy	Single Bill	Approved	Included	100%	0.07840	0.07797	0.07785	0.07780	7
						16 To 10 To				\neg