
BOARD AGENDA ITEM

Information/Discussion _____

Future Action _____

Action X

Item: Lincoln Campus Mowing Equipment

Submitted by: Russell Bray

Date: 3/9/2026

Recommended by: Kevin Philipps *KP*

Board Meeting Date: 3/16/2026

RECOMMENDATION:

It is recommended that the Kent ISD board approve the purchase of two mowers and attachments for Lincoln Campus from Weingartz in the amount of \$42,424.00.

BACKGROUND:

In July of 2025, the board approved the creation of a Lead Groundskeeper and two Groundskeeper positions. Part of that proposal included the self-performance of mowing services at Lincoln Campus. This purchase will allow the Groundskeepers to fulfill that task while eliminating the mowing contract for that property (\$35,293.90 for the 2026 growing season).

Equipment will be purchased using the MiDEAL extended purchasing program, satisfying all bid requirements for the State of Michigan

Operational funds will be used to complete this purchase.

Attached:

- Weingartz quote

WEINGARTZ EVERYTHING FROM LAWN TO SNOW

QUOTATION

To: **KENT INTERMEDIATE SCHOOLS**
 2930 KNAPP ST., N.E.
 GRAND RAPIDS, MI 49525-4518

Quote #: **80266679-00**
 Date: **03/05/26**
 Exp Date:

Attn:
 Phone: (616) 365-2245
 Email: acctspayable@kentisd.org

Prepared By: **Mike Bellel**
 Phone: (616) 918-3373
 Email: mbellel@weingartz.com

| Product number | Product and Description | Qty | Sale Price | Total |
|------------------|---|-----|-------------|-------------|
| EXLRX820AKA606Q1 | Lazer X-Series 820 KAW EFI 60" Deck Pricing discount is compliant with MIDEAL List Price: \$21,755.00 | 2 | \$16,489.00 | \$32,978.00 |
| EX146-4983 | UltraVac 3-Bag LZS/LRS/ LZE/LZX/LRX List Price: \$4,299.00 | 2 | \$4,299.00 | \$8,598.00 |
| EX109-9627 | Completing Kit Interchange Prod: 109-9627 List Price: \$514.00 | 2 | \$424.00 | \$848.00 |

Total \$42,424.00
 Invoice Total \$42,424.00

Approved By

Customer

Date

Weingartz Representative

Date

Page 1 of 1

Weingartz, 11875 Northland Drive, Cedar Springs, MI 49319..

WWW.WEINGARTZ.COM