



NEW BUS PROPOSAL

30355 S.E. Highway 212
Boring, Oregon 97009
(800) 258-2473 westernbus.com

Quote Date		Revision Date		Sales Consultant & Phone	
		6/6/2022		SARAH JONES (503) 905-0011	
Customer/District #					
CORBETT SCHOOL DISTRICT					
Contact Name			Title		
TODD WILLIAMS			TRANSPORTATION SUPERVISOR		
Address		City	State	Zip	
35800 HISTORIC COLUMBIA RIVER HWY		CORBETT	OR	97019	
Phone		Email			
(503) 261-4265		twilliams@corbett.k12.or.us			
Purchase QTY	Model Year	Wheelbase	Estimated Delivery		
1	2024	232"	300-365 DAYS AFTER RECEIPT OF ORDER		
Make	Model		Body Length		
BLUE BIRD	ALL AMERICAN FRONT ENGINE		T3FE4004 (8400)		
Passenger Capacity	Alternate Capacity		Cooperative Contract, if Applicable		
84	N/A		EUGENE SCHOOL DISTRICT 4J		
Trade Ins? Y/N	Beltline Lettering - Provide Exact Requirements				
<input type="checkbox"/> Y <input type="checkbox"/> N	CORBETT SCHOOL DISTRICT NO. 39				
Financing? Y/N	Required Fleet Number(s)				
<input type="checkbox"/> Y <input type="checkbox"/> N					
WBS Coordinated? Y/N	Additional Comments / Notes				
<input type="checkbox"/> Y <input type="checkbox"/> N					
Sales Price Per Bus		\$	171,668.00		
Extended Sales Price Total		\$	171,668.00		

Thank you for the opportunity to present this new bus quotation. We look forward to working with you on



BODY MODEL			
X	Body Model	T3FE4004, 84 passenger body, 232" w/b, 487" overall length	\$ -
CHASSIS SPECIFICATIONS			
X	Alternator	240 amp Leece Neville brushed alternator, internal regulator	Inc'd
X	Axle, Front	Two leaf parabolic taper front springs, 13,200 lb., Hendrickson Softek	STD
X	Axle, Front	Hendrickson NXT 13,200 lb. front axle with 50 degree wheelcut	STD
X	Axle, Front	Petroleum based oil lubed front & rear wheel bearings, Gunite brand wheel hubs	STD
X	Axle, Rear	Rear spring suspension, one-stage, 21,000 lb.	
X	Axle, Rear	Dana S21-140 21,000 lb. rear axle with 5.29 rear axle ratio	STD
X	Battery	Three (3) group 31 batteries, Deka dual purpose batteries, 2100 CCA total	STD
X	Battery	Battery compartment, chassis mounted, locking, with roll out tray	
X	Battery	Battery compartment closeout seal to body	Inc'd
X	Battery	Battery disconnect switch, in battery compartment, with decal	
X	Brakes	Air service brakes, 16.5"X5" front and 16.5"X7" rear, Gunite brand brake drums	Inc'd
X	Brakes	Air brakes, Meritor Wabco brake chambers	STD
X	Brakes	Meritor automatic slack adjusters	STD
X	Brakes	Bendix AD-IP heated air dryer, internal purge design	
X	Brakes	E-Z Grip soft button cover cushion for parking brake release	Inc'd
X	Brakes	Parking brake interlock, service brake must be applied to release parking brake	Inc'd
X	Brakes	VGT engine brake enabled, includes switch, improved responsiveness & upgraded bearing system	
X	Brakes	Suspended brake & accelerator pedals w/ optimized spacing	STD
X	Brakes	Bendix ESC electronic stability control, includes automatic traction control	STD
X	Cooling	Electric fully on/fully off fan clutch	STD
X	Cooling	Fixed position radiator, front mounted	STD
X	Cooling	Pivoting and removeable front radiator grill	STD
X	Cooling	Silicone cooling hoses w/Breeze brand constant torque clamps for Cummins diesel engines	STD
X	Cooling	Cummins Fleetguard ES Compleat, Ethylene Glycol, blue 50/50, 2 yr/150k miles/4000 hr	STD
X	Electrical	Standard chassis electrical system includes fuses	STD
X	Electrical	Power socket accessory with cap for cell phone charging, in LH side panel	STD
X	Electrical	Ignition keyed alike, key #601	Inc'd
X	Engine	Engine hood w/ marine grade non-skid surface, insulated	STD
X	Engine	750 watt engine block heater, front bumper plug, for Cummins engines	
X	Engine	Cummins B6.7, 280 hp @ 2600 RPM, 660 lb-ft @ 1600 RPM	
X	Engine	On-board diagnostics (OBD) meeting EPA 2021 emissions	STD
X	Engine	Cummins engines meet U.S. Phase 2 Greenhouse Gas Emissions Stds from CARB & EPA	STD
X	Engine	Cruise control	STD
X	Exhaust	Two ply stainless steel non-flex style exhaust	STD
X	Exhaust	Tailpipe exits through rear bumper	Inc'd
X	Exhaust	Single exhaust aftertreatment module containing DPF & SCR for 2017 emissions	STD
X	Exhaust	15 gallon Diesel Exhaust Fluid (DEF) tank w/dosing system	STD
X	Exhaust	DEF tank located behind entrance door with curbside fill & locking door	STD
X	Fuel System	Racor heated fuel water separator	STD
X	Fuel System	100 gallon fuel tank, mounted between the frame rails	
X	Fuel System	Fuel fill location - RIGHT side	STD
X	Fuel System	Locking fuel tank door, spring loaded	Inc'd

X	Gauges	Speedometer, tachometer, odometer, and hourmeter	STD
X	Gauges	Oil pressure, coolant temp, fuel level, voltmeter, and digital clock	STD
X	Gauges	Transmission temperature gauge, included in dash readout	STD
X	Gauges	Ametek Dixon instrument cluster & message display center control panel	STD
X	Gauges	Back-up camera monitor included in dash instrument cluster display	STD
X	Mud Flaps	Full length front and rear mud flaps	Inc'd
X	Steering	Tilt & telescoping steering column	STD
X	Tires	Goodyear 11R22.5 Endurance RSA hwy tread front, Fuel Max RTD traction rear, load range H	
X	Tow Hooks	Two front and rear tow hooks	STD
X	Traction	OnSpot brand automatic tire chains, factory installed	
X	Transmission	Allison PTS 3000 automatic, Gen 5, 6 speed with SEM and updated shift selector	
X	Transmission	Allison TCM 2.0 Green House Gas (GHG), w/neutral at stop comparable to prior PERFORMANCE programming	
X	Transmission	Allison TranSynd synthetic transmission fluid	STD
X	Undercoating	Premium undercoating, Sulfonate enhanced direct to metal modified wax coating	STD
X	Wheels	Hub piloted steel wheels, 22.5 X 8.25, black	STD

BODY SPECIFICATIONS

X	Compartments	Electrical access panel below driver window, locking, #30921-02	Inc'd
X	Compartments	Emergency equipment compartment over windshield, non-locking, emergency equipment installed inside	
X	Compartments	Side luggage, 20.75" X 23.62" X 100", double, 28.40 cu.ft., #186-06, LH mid mount	
X	Compartments	Side luggage, 20.75" X 23.62" X 100", double, 28.40 cu.ft., #186-05, RH mid mount	
X	Construction	Body meets Colorado Rack & Load Test & Kentucky Pole Test as STANDARD	STD
X	Doors	Air operated entrance door, outward opening, mechanical actuated switches	Inc'd
X	Doors	Keyed security lock on entrance door	
X	Switches	Entrance door wired battery hot	Inc'd
X	Doors	Rear center emergency door, with upper & lower glass	STD
X	Doors	Vandal lock on rear emergency door, slide bolt	
X	Electrical	Manual resetting circuit breakers for most body circuits, in lieu of fuses	
X	Electrical	Front upper inner access plates in front bulkhead area, both sides	STD
X	Fans	6" auxiliary fans, upper left and upper center	Inc'd
X	Floor	5/8" marine "BB" grade plywood flooring, screwed down	Inc'd
X	Floor	Black rubber flooring with aluminum aisle trim	STD
X	Floor	Ribbed matching rubber flooring in driver's area (blue floor will be smooth)	STD
X	Grabrail	Left side grabrail in entrance door area, mounted to RH barrier	STD
X	Grabrail	Right side forward grabrail in stepwell	
X	Headroom	77" headroom with 12" split sash windows	STD
X	Heaters	Front 90,000 BTU defroster system	STD
X	Heaters	Driver's foot warmer heater, 12,000 BTU	Inc'd
X	Heaters	Rear underseat floor mounted heater, 80,000 BTU, LH rear	Inc'd
X	Heaters	Rear underseat floor mounted heater, 50,000 BTU, LH mid	
X	Heaters	EPDM heater hose with Breeze brand constant torque clamps	STD
X	Horns	Backup alarm, 112 dBA, mounted under bus	STD
X	Insulation	Fiberglass insulation roof, front, rear corners, and sidewalls	STD
X	Insulation	Additional fiberglass insulation in front roof cap area & roof bow cavities	Inc'd
X	Insulation	Sound deadening spray coat	Inc'd
X	Insulation	Insulation on the driver's side external firewall/toe box	Inc'd
X	Insulation	First two ceiling sections acoustical headliner	STD

X	Insulation	Stepwell insulation, NR 3, includes aluminum kick plates	STD
X	Lettering	6" black, both sides	STD
X	Lettering	Bus numbers in standard locations, 6" black	STD
X	Lettering	Emergency door/exit lettering for all pushout windows & doors	STD
X	Lettering	Unlawful to pass signage to meet state specifications	Inc'd
X	Lights	Backlighting of switch panel controlled by rheostat switch	STD
X	Lights	Backup lights, 4" LED, vandal resistant	
X	Lights	Clearance and cluster lights, LED grommet mounted with LED ID bar	STD
X	Lights	Daytime running lights	STD
X	Lights	Dual row dome lights in wire molding, with driver's, left, right, & rear on switches	Inc'd
X	Lights	Front 7", rear 7", & side amber directional lights, LED	
X	Lights	Rear 7" & 4" red stop and tail lights, LED	
X	Lights	Eight way warning lights, LED, colored lenses	
X	Lights	Strobing pattern option for LED 8-lights	
X	Lights	Doran 16 light monitor for warning light system, universal	
X	Lights	NO hoods installed over 8-way warning lights	STD
X	Mirrors	Rosco Open View ES Split rearview mirrors, 7 3/8" X 10" flat & 7 3/8" X 10" convex, heated & remote controlled	
X	Mirrors	Rosco Eye-Max LP, Asymmetrical Shape, crossview mirrors, heated	
X	Mirrors	Interior rearview mirror, 6"X30"	STD
X	Paint	Body and chassis painted school bus yellow w/ black rubrails & bumpers	STD
X	Paint	3" black ABS bezel background around warning lights	Inc'd
X	Paint	Rubrails painted full width profile	Inc'd
X	Radio	AM/FM/USB/MP3/SD/MMC/BT/PA with front USB and AUX inputs	Inc'd
X	Radio	Eight (8) interior deluxe speakers, mtd in wire moulding above windows	Inc'd
X	Radio	Exterior PA speaker mtd under hood behind grill	Inc'd
X	Radio	Wiring for two way radio system, provides power & ground wires & pull wire	
X	Radio	Order 2-way, antenna, & programming from Day Wireless, Western Bus to install before delivery	
X	Reflective	3M Diamondgrade SCHOOL BUS signs, front and rear	Inc'd
X	Reflective	3M Diamondgrade reflective, 2" along sides and 1.75" rear outline	Inc'd
X	Rubrails	Four rubrails - window, seat, floor, & skirt level - 16 gauge steel, screwed w/steel end caps	STD
X	Rubrails	Rubrails extend on side lift doors only & seat rail around to rear corner	Inc'd
X	Rubrails	Rubrail extension around rear corner, for floor & window rubrails, provided as standard >T3FE3800 w/LSED	
X	Safety Equip	5 lb. fire extinguisher mtd in overhead compartment or floor & triangle kit mtd on floor	Inc'd
X	Safety Equip	First Aid Kit, Body Fluid Kit, Seat Belt Cutter	Inc'd
X	Seat, Barriers	Highback barriers at front RH and LH	STD
X	Seat, Driver's	Adjustable driver's shoulder belt, with in-line "D" ring for 17" adjustment	STD
X	Seat, Driver's	Updated driver's 3 point seat belt, floor mtd w/ emergency locking retractor	STD
X	Seat, Driver's	Driver's seat mounted at floor level (no seat platform)	STD
X	Seat, Driver's	National NS2000 air suspension seat, w/ fabric, dual shocks, & air lumbar, matches passenger seats	
X	Seat, Driver's	Driver's console mounted armrest to the left of the driver #30905-05	Inc'd
X	Seat, Passenger	Modesty panel below front barrier for RH side, behind entrance door	Inc'd
X	Seat, Passenger	Highback NON-Convertible & NON-Lap Belt Ready seats	STD
X	Seat, Upholstery	Gray fire block seat upholstery, seats & barriers	STD
X	Side Panels	Exterior side panels, 20 gauge w/beaded smooth side panels, standard 19 3/4" skirts	Inc'd
X	Stepwell	Galvanized G90 stepwell material	STD
X	Stepwell	Vinyl studded step treads, w/white nosing, metal backing, black	Inc'd

X	Stepwell	Stepwell skid plate for stepwell protection	Inc'd
X	Stop Arm	SMI stop arm, air operated, with LED cluster lights, hi-reflective, w/ wind guard	Inc'd
X	Sun Visor	6 1/2" X 30" dark tinted acrylic sun visor, padded edges	Inc'd
X	Switches	Noise suppression "railroad" switch, latching	Inc'd
X	Switches	Warning light & entrance door switches mtd RH switch panel	Inc'd
X	Ventilation	Roof hatch, Spheros low-profile SMART Hatch, Qty 2	
X	Video System	Seon TH4 DVR video system w/500 GB hard drive, 2 cameras, GPS & sensors installed	
X	Video System	Cameras: Front facing rear & rear facing front, DVR mounted in LH side of front over head compartment	
X	Video System	Spare hard drive for new TH system shipped loose, 1 per bus	
X	Windows	Blue Bird E-Z Window split sash incl. interlocking sashes, weatherstripping	STD
X	Windows	Tinted & tempered side windows	
X	Windows	Four (4) pushout windows, two per side, vertical hinges	STD
X	Windows	Rear emergency door & rear vision glass, tinted & tempered	
X	Windows	Clear & tempered entrance door glass	STD
X	Windows	Clear and tempered glass in driver's window	STD
X	Windshield	Two piece, curved bonded tinted windshield	STD
X	Windshield	Grip handles, two, for cleaning windshield	Inc'd
X	Windshield	Single switch, 2 speed, intermittent wet arm windshield wipers	STD

WARRANTY COVERAGE

X	Warranty	Extended Blue Bird warranty "Silver 3/10", three year/unlimited miles, Option 31300-26 (S4)	
X	Warranty	Cummins Engine Standard Warranty 5 years/100,000 miles	STD
X	Warranty	Allison Transmission EDGE Ext'd Warranty Coverage, 5 years/unlimited miles, PTS3000	

NOTES/COMMENTS

X	Notes/Comments	All options listed above the price are included in the sales price to you	
X	Notes/Comments	Pricing quoted is valid for 30 days	

GRAND TOTAL VEHICLE SALES PRICE \$ 171,668.00

By signing below, I acknowledge the specifications listed above are complete and correct.
The bus order will be placed from this list of requirements.



Customer's Authorized Representative

Title

Date


Western Bus Sales, Inc. Authorized Representative

Director of Sales


6/6/2022

Date

AVAILABLE ALTERNATIVE OPTIONS - NOT INCLUDED IN ABOVE PRICE


SEAT & BODY PLAN

Body Plan: 5013186



Seat Plan: 16444

SP: 16444 T3FE 4004, 84 CAP



SP: 16444 T3FE 4004, 84 CAP

