

---

**From:** Jay Jones <jjones@smart265.org>  
**Sent:** Thursday, March 2, 2023 2:13 PM  
**To:** FOIAOfficer <FOIAOfficer@summithill.org>  
**Subject:** FOIA Request

**Caution:** This is an external email and may include suspicious subject or content. Please take care when clicking links or opening attachments. When in doubt, contact your IT Department

Attention FOIA Officer,

I am sending this request for all schools within your district. Projects to be broken out per school

or I can send separate FOIA's if you prefer. The schools include but not limited to:

ARBURY HILLS SCHOOL  
INDIAN TRAIL SCHOOL  
FRANKFORT SQUARE SCHOOL  
DR. JULIAN ROGUS SCHOOL  
HILDA WALKER INTERMEDIATE SCHOOL  
SUMMIT HILL JUNIOR HIGH SCHOOL

Under the Freedom of Information Act, I'm requesting information for the construction and/or maintenance work planned this year for any building owned or leased by your district which include the scopes listed below. In addition, if any contracts have already been awarded, please include the names, and contact information of those contractor(s) and/or sub-contractor(s).

HVAC (Heating, Air Conditioning, Ventilation), Exhaust Systems.

Architectural Metals used for weatherproofing and/or ornamental purposes.

Gutters and /or Downspouts.

New installation and/or replacement of lockers.

New installation and/or replacement of toilet partitions.

Kitchen Renovations.

Current HVAC Maintenance Contracts.

The information requested can be faxed, emailed, or mailed to the address listed on this request; whichever is more convenient for you.

This FOIA is for private use. If the required 5 day turnaround cannot be met, please contact me with your extension request.

Thank you for your cooperation and public service, stay healthy and safe.

Respectfully,

*Jay Jones*

Jay Jones  
Work Force Development  
SMART Local 265  
205 Alexandra Way  
Carol Stream, IL 60188  
Office: (630) 668-0110  
Fax: (630) 668-0932  
Cell: (630) 204-9054  
email: [jjones@smart265.org](mailto:jjones@smart265.org)