

LED Magnetic Strip Retrofit (Iris)

CERTIFICATIONS



PRODUCT FEATURES



Construction

LED Strips, LED Drivers, Connector

Applications

- Retail
- Schools
- Offices
- Healthcare
- Many Commercial Applications

Mounting


- Magnetic clips
- Screw in

Warranty

7-Year Limited Product Warranty
(Optional 10-Year Warranty available)

BENEFITS

- Can be used to update virtually any existing commercial lighting fixtures to LED.
- Easy installation, can be completed in as little as 5 minutes.
- Kits include LED strips, an external driver, wire connector, and attached magnets for a quick install.



SPECIFICATIONS

Available Wattage	15W - 80W
Available CCT	3000K, 3500K, 4000K, 5000K
Efficacy Average	160 LM/W
Lumen Output	3,200 LM - 12,800 LM
Input Voltage	AC 120-277V
Input Frequency	50/60HZ
CRI	>80
Power Factor	0.9
THD	<15%
Working Temp	-20F to 115F (-5C to 45C)
Lens	No Lens, Frosted
IP Rating	IP44
Dimming	Yes, SR
Life Span (Hours)	70,000



LED Magnetic Strip Retrofit (Iris)

Order Code (No Lens)	Order Code (Frosted)	DLC Model #	Wattage	Strip Count	CCT	LM/Watt	Total LM	Voltage
-------------------------	-------------------------	-------------	---------	-------------	-----	---------	----------	---------

2' Magnetic Strips

10081	10237	S-09P746	15W	1 Strip	3000K	160 LM/W	3,200 LM	120 - 277 V
10082	10238	S-1US020	15W	1 Strip	4000K		3,200 LM	
10083	10239	S-2PB8DJ	15W	1 Strip	5000K		3,200 LM	
10093	10249	S-Q5LCIP	30W	2 Strip	3000K		4,800 LM	
10094	10250	S-43AZ92	30W	2 Strip	4000K		4,800 LM	
10095	10251	S-QJKOAD	30W	2 Strip	5000K		4,800 LM	
10096	10252	S-47P8N9	30W	3 Strip	3000K		4,800 LM	
10097	10253	S-4M9P8K	30W	3 Strip	4000K		4,800 LM	
10098	10254	S-54CET8	30W	3 Strip	5000K		4,800 LM	
10099	10255	S-ZBMF8S	40W	3 Strip	3000K		6,400 LM	
10100	10256	S-0HE4GS	40W	3 Strip	4000K		6,400 LM	
10101	10257	S-FLSI09	40W	3 Strip	5000K		6,400 LM	

4' Magnetic Strips

When placing your order, please use Order Code.

10108	10264	S-8EM4FL	15W	1 Strip	3500K	160 LM/W	2,400 LM	120 - 277 V
10109	10265	S-8FR9VZ	15W	1 Strip	4000K		2,400 LM	
10110	10266	S-AGJ04M	15W	1 Strip	5000K		2,400 LM	
10111	10267	S-0MEHZ8	24W	1 Strip	3500K		3,840 LM	
10112	10268	S-D61GE4	24W	1 Strip	4000K		3,840 LM	
10113	10269	S-E8CVL6	24W	1 Strip	5000K		3,840 LM	
10132	10288	S-8EM4FL	15W	2 Strip	3500K		2,400 LM	
10133	10289	S-8FR9VZ	15W	2 Strip	4000K		2,400 LM	
10134	10290	S-AGJ04M	15W	2 Strip	5000K		2,400 LM	
10117	10273	S-0MEHZ8	24W	2 Strip	3500K		3,840 LM	
10118	10274	S-D61GE4	24W	2 Strip	4000K		3,840 LM	
10119	10275	S-E8CVL6	24W	2 Strip	5000K		3,840 LM	
10120	10276	S-SHN43W	30W	2 Strip	3500K		4,800 LM	
10121	10277	S-LQRCZK	30W	2 Strip	4000K		4,800 LM	
10122	10278	S-0EX8K4	30W	2 Strip	5000K		4,800 LM	
10123	10279	S-64EB50	40W	2 Strip	3500K		6,400 LM	
10124	10280	S-2K7U8X	40W	2 Strip	4000K		6,400 LM	
10125	10281	S-H3IV75	40W	2 Strip	5000K		6,400 LM	
10138	10294	S-F6Y7TB	45W	3 Strip	3500K		7,200 LM	
10139	10295	S-J60LG1	45W	3 Strip	4000K		7,200 LM	
10140	10296	S-AXVZ8B	45W	3 Strip	5000K		7,200 LM	
10141	10297	S-ZXLS40	60W	3 Strip	3500K		9,600 LM	
10142	10298	S-YL8KT5	60W	3 Strip	4000K		9,600 LM	
10143	10299	S-4I15OZ	60W	3 Strip	5000K		9,600 LM	



LED Magnetic Strip Retrofit (Iris)

Order Code (No Lens)	Order Code (Frosted)	DLC Model #	Wattage	Strip Count	CCT	LM/Watt	Total LM	Voltage
4' Magnetic Strips								
10150	10306	S-UZW035	60W	4 Strip	3500K	160 LM/W	9,600 LM	120 - 277 V
10151	10307	S-XDUKZO	60W	4 Strip	4000K		9,600 LM	
10152	10308	S-XY04LG	60W	4 Strip	5000K		9,600 LM	
10153	10309	S-GF4VX2	80W	4 Strip	3500K		12,800 LM	
10154	10310	S-NMAFHK	80W	4 Strip	4000K		12,800 LM	
10155	10311	S-ZKLP53	80W	4 Strip	5000K		12,800 LM	
10126	10282	S-UZW035	60W	2 Strip	3500K		9,600 LM	
10127	10283	S-XDUKZO	60W	2 Strip	4000K		9,600 LM	
10128	10284	S-XY04LG	60W	2 Strip	5000K		9,600 LM	
10129	10285	S-GF4VX2	80W	2 Strip	3500K		12,800 LM	
10130	10286	S-NMAFHK	80W	2 Strip	4000K		12,800 LM	
10131	10287	S-ZKLP53	80W	2 Strip	5000K		12,800 LM	

↑ When placing your, please use Order Code.

LIGHTING CONTROLS

Lighting Controls for Sensor Ready Magnetic Strips

Order Code	Description	Height	Voltage	Color	Version	Function
06243	DC Powered 3 in 1 Microwave Control for Sensor Ready Magnetic Strips and Flat Panels	19ft	10-15 VDC	White	Sensor Ready	3-in-1
06278	LED Intelligent Remote Control	-	-	White	Standard	LCD Display

Lighting Controls for Non-Sensor Ready Magnetic Strips

Order Code	Description	Height	Voltage	Color	Version	Function
06210	3-in-1 Microwave Fixture Embedded w/ Detachable Sensor	19ft	120-277V	White	Standard	3-in-1
06278	LED Intelligent Remote Control	-	-	White	Standard	LCD Display


Lighting Controls for Non-Dimmable Magnetic Strips

Order Code	Description	Height	Voltage	Color	Version	Function
06450	LED PIR Fixture Mounted Sensor	49ft	120-277V	White	Standard	Simple On/Off



LED Magnetic Strip Retrofit (Iris)

DIMENSIONS



Fixture Length	A	B	C
2'	22.3"	0.71"	0.63"
4'	44.5"	0.71"	0.63"