MINNESOTA STATE SCHOOL BUS COOPERATIVE PURCHASING

Exhibit D: Price Schedule B-346(5) CONTRACT NO. 221375

EFFECTIVE: November 1, 2024

PRICE SHEET AND CALCULATION FORM

PROPOSAL PRICE SHEET FOR SCHOOL BUS CONVENTIONAL

DEALER NORTH CENTRAL INTERNATIONAL DBA HOGLUND BUS CO

<u>ALL</u>

BRAND <u>INTERNATIONAL BUS</u>

CONTRACTOR IS SUBMITTING THIS PRICING FOR REGION(S)

INDICATE "STD." AS THE VEHICLE STANDARD

65 PASSENGER

INDICATE "NA" AS NOT AVAILABLE
EACH WHITE CELL MUST BE FILLED IN.

INDICATE NEGATIVE NUMBERS WITH A "---" PRECEDING THE NUMBER

CONVENTIONAL BODY MINIMUM 35 PASS., MAXIMUM 77 PASS.

YOUR BUS

BASE	PRICE	PER	SPECIF	ICATIONS

AISLES

RIBBED CENTER AISLE
COLOR TO MATCH FLOORING
STRIPLESS

BODY SIZE DIMENSION

PASSENGER CAPACITY SEAT SPACING PROVIDED WHEEL BASES AVAILABLE

AISLE OPTIONS

ALUMINUM STRIPS STAINLESS STEEL STRIPS GALVALUME STRIPS

BODY PANELS

20 GAUGE STANDARD 22 GAUGE INTERNAL SIDE PANELS

BODY PANELS, OPTIONS

16 GAUGE SMOOTH SIDE PANELS 20 GAUGE REEDED SIDES

CEILING,

1-1/2 INSULATION IN ROOF INSULATED ROOF BOW CAVITIES 22 GAUGE PANELS ACOUSTICAL, FULL LENGTH

CEILING, OPTIONS

ACOUSTICAL, FRONT TWO PANELS ONLY 2" INSULATION IN ROOF

FLOOR, RUBBER or VINYL

MFG. STANDARD COLOR <u>BLACK OR GRAY</u> INCL. STEP TREADS RUBBER/VINYL IN DRIVERS COMP. AND OVER WH HSGS WHEEL HOUSING COLOR <u>BLACK</u>.

5/8" EXTERIOR PLYWOOD

${\bf FLOOR, OPTIONS}$

INDICATE COLOR OPTION BLUE, GREEN, TAN. BROWN
INDICATE COLOR OPTION
RUBBER FLOORING FULL LENGTH OF THE BUS
VINYL FLOORING FULL LENGTH OF THE BUS
ONE PIECE FLOOR OPTION
PLYWOOD, MARINE GRADE

INTERIOR, OPTIONS

PADDED SHOULDER RAILS

SEATS

42 OZ MATERIAL, FIRE RETARDANT WITHOUT WELTING STANDARD COLOR PROVIDED <u>GRAY</u>. HIGH BACK SEATS 28"

SEATS, OPTIONS

52 OZ MATERIAL, COMPLETE BUS FIRE BLOCK MATERIAL

31'02" 65 27.8" 254.00 121,700.00 121,700.00 121,700.00 STD NA NA NA NA NA BLACK 419.00 NA NA STD 460.00 125.00 180.00 640.00 180.00 640.00		_	
65 27.8" 254.00 121,700.00 1	31'02"		
254.00 121,700.00	65		
121,700.00 121,700.00			
STD NA STD 460.00 125.00 125.00 125.00 125.00	254.00		
STD NA STD 460.00 125.00 125.00 125.00 125.00			
NA NA NA STD NA NA NA NA NA BLACK 419.00 NA NA STD 460.00 125.00 77.00	121,700.00		121,700.00
NA NA NA STD NA NA NA NA NA BLACK 419.00 NA NA STD 460.00 125.00 77.00			
NA NA NA STD NA NA NA NA NA BLACK 419.00 NA NA STD 460.00 125.00 77.00			
NA NA NA STD NA NA NA NA NA BLACK 419.00 NA NA STD 460.00 125.00 77.00			
NA NA NA STD NA NA NA NA NA BLACK 419.00 NA NA STD 460.00 125.00 77.00			
NA NA NA STD NA NA NA NA NA BLACK 419.00 NA NA STD 460.00 125.00 77.00			
NA NA NA STD NA NA NA NA NA BLACK 419.00 NA NA STD 460.00 125.00 77.00			
NA STD NA NA NA NA NA BLACK 419.00 NA NA STD 460.00 125.00 77.00			
STD NA STD NA NA NA NA NA STD 460.00 125.00 125.00 125.00			
NA NA NA NA BLACK 419.00 NA NA STD 460.00 125.00 77.00 180.00			
NA NA NA NA BLACK 419.00 NA NA STD 460.00 125.00 77.00 180.00			
NA NA NA NA BLACK 419.00 NA NA STD 460.00 125.00 77.00 180.00			
NA NA NA NA BLACK 419.00 NA NA STD 460.00 125.00 77.00 180.00			
NA NA NA NA BLACK 419.00 NA NA STD 460.00 125.00 77.00 180.00			
NA NA NA BLACK 419.00 NA NA STD 460.00 125.00 125.00 77.00			STD
NA BLACK 419.00 NA NA STD 460.00 125.00 77.00 180.00	INA		
NA BLACK 419.00 NA NA STD 460.00 125.00 77.00 180.00			
NA BLACK 419.00 NA NA STD 460.00 125.00 77.00 180.00			
NA BLACK 419.00 NA NA STD 460.00 125.00 77.00 180.00			
NA BLACK 419.00 NA NA STD 460.00 125.00 77.00 180.00			
NA BLACK 419.00 NA NA STD 460.00 125.00 77.00 180.00			
NA BLACK 419.00 NA NA STD 460.00 125.00 77.00 180.00	NA		
419.00 NA NA STD 460.00 125.00 77.00			
419.00 NA NA STD 460.00 125.00 77.00			
419.00 NA NA STD 460.00 125.00 77.00		BI V.C.K	
NA NA STD 460.00 125.00 77.00 180.00		BLACK	
NA NA STD 460.00 125.00 77.00 180.00			
NA NA STD 460.00 125.00 77.00 180.00			
NA NA STD 460.00 125.00 77.00 180.00			
NA STD 460.00 125.00 125.00 77.00	419.00		
STD 460.00 125.00 125.00 77.00 180.00			
460.00 125.00 125.00 77.00			
77.00			460.00
180.00			
180.00			
	77.00		
	180.00		

DOUBLE STITCHING ON SEAMS	NA	ī
COLOR OPTIONS <u>BLUE, BROWN, GREEN, BLACK</u> .	22.00	GREEN 22.00
COLOR OPTIONS	NA	
COLOR OPTIONS	NA NA	
MINIDOME		
WINDOWS TEMPERED, CLEAR		
STANDARD WINDOW HEIGHT <u>28</u> " UPPER & LOWER COMB.		
WINDOWS, OPTIONS		
TEMPERED, TINTED	NA NA	
LAMINATED, CLEAR LAMINATED, TINTED	NA NA	
BLACK SASH	245.00	
BLACK SASH WITH AREA BETWEEN WINDOWS BLACK	105.00	
TEMPERED, CLEAR W/ HIGH HEADROOM	STD	
TEMPERED, TINTED W/HIGH HEADROOM	255.00	255.00
LAMINATED, CLEAR W/HIGH HEADROOM	510.00 255.00	
LAMINATED, TINTED W/ HIGH HEADROOM	255.00	
AIR FOIL, REAR, OPTION:		
REAR AIR FOIL, FACTORY INSTALLED	600.00	
BACK UP ALARM OPTIONS		
87 TO 112 VARIABLE DECIBEL OUTPUT	NA NA	
112 DECIBEL OUTPUT	65.00	65.00
SPRING LOADED OFF SWITCH WITH BU ALARM	NA	
BATTERY MOUNTED LINDER DRIVERS SEAT AREA		
MOUNTED UNDER DRIVERS SEAT AREA		
BATTERY OPTIONS		
KEY LOCK ON BATTERY DOOR	12.00	
NYLON ROLLERS FOR TRAY	NA NA	
BALL BRG ROLLERS - TRAY	STD	STD
STAINLESS STEEL SLIDE TRAY W/ROLLER BEARINGS POWDER COATED STEEL SLIDE TRAY W/ROLLER BEARINGS	NA 16.00	
BOX FOR "2" 8D BATTERIES	NA	
AUXILIARY BATTERY BOX	NA	
BUMPER, REAR STANDARD MFG. BUMPER IS REQUIRED		
STANDARD MIFG. BUMPER IS REQUIRED		
BUMPER, OPTIONS		
DOCK BUMPERS, FRONT AND REAR	NA	
COATED FRONT BUMPER	515.00	
COATED REAR BUMPER	500.00	
CERTIFICATION		
STATE AND FEDERAL SPECIFICATION		
COLOR, EXTERIOR NATIONAL SCHOOL BUS CHROME VELLOW		
NATIONAL SCHOOL BUS CHROME YELLOW PER NATIONAL AND STATE SPEC.		
COLOR, EXTERIOR, OPTIONS		
WHITE ROOF	385.00	
COLOR, INTERIOR		
STD. WALLS COLOR SPRING WHITE .		
WALL PANEL MATERIAL <u>EMBOSSED STEEL</u> .		
COLOR, INTERIOR, INDICATE COLOR, OPTIONS	NA	
OPTIONAL WALL COLORS	NA NA	
CROSSING ARM (STD FOR BUSES MFG. AFTER 12/31/2012)		
ELECTRIC W/PLASTIC ROD		
OTHER		
CROSSING ARM, OPTIONS		
ELECTRIC SOLID STATE UPGRADE, W/PLASTIC ROD	STD	STD
AIR W/PLASTIC ROD	NC	
ADD ELECTROMAGNET	NA	
DEACTIVATION SWITCH	25.00	
ELEC. HEATER IN CROSSING ARM MECHANISM (ELEC. ONLY) OTHER	NA NA	
OTHER	IVA	
DEFROSTER		
90,000 BTU FULL WIDTH DEFROSTER/HEATER		
MUST MAINTAIN CLEAR VIEW OF WINDSHIELDS		
TWO AUX. DEFROSTER FANS, APPROXIMATELY 6"		

DEFROSTER, OPTIONS UPPER RIGHT MOUNTED ADDITIONAL FAN	75.00
DRIVERS AREA MOUNTED ADDITIONAL FAN AFTERMARKET	400.00
DOORS, ENTRANCE	
ELECTRICALLY OPERATED, OUTWARD OPENING	
EXTERIOR DOOR RELEASE, LOCK, ELECTRIC DOORS, ENTRANCE, OPTIONS	
AIR POWERED (AIR SUPPLIED)	275.00
AIR POWERED, IF NO AIR SUPPLY (INCL. COMPRESSOR)	NA NA
MANUALLY OPERATED HINGED ACCESS PANEL TO DOOR CONTROLS	NA STD
EXTERIOR DOOR RELEASE, MECHANICAL	NA
EXTERIOR DOOR RELEASE, ELECTRIC	STD
EXTERIOR DOOR RELEASE, AIR FRONT VANDAL LOCK, MECHANICAL	NC NA
FRONT VANDAL LOCK, FOR ELECTRIC DOOR	NA
FRONT VANDAL LOCK, FOR AIR DOOR THREE POSITION DOOR CONTROL, AIR ONLY	NA NC
8 WAY "RED" ACTIVATION SWITCH (WITHOUT OPENING DOOR)	STD
NOISE SUPPRESSION SWITCH, MOMENTARY	STD
ENTRANCE DOOR KEYED ALIKE EXTERIOR DOOR RELEASE, LOCK, OMIT	22.00 NC
DOORS, EMERGENCY	
LUBEABLE HINGES UPPER AND LOWER GLASS IN DOOR	
OLI EVINAD FOMELI OFVOO HA DOOK	
DOORS, EMERGENCY, OPTIONS	0.75
HIDDEN EM. DOOR HINGES STAINLESS STEEL HINGES	STD NA
REAR EMERGENCY DOOR THERMO PANE GLASS, TOP	70.00
REAR EMERGENCY DOOR THERMO PANE GLASS, BOTTOM	70.00
REAR EM. DOOR THERMO PANE GLASS, TOP & BOTTOM REAR EM. DOOR THERMO PANE GLASS, TOP, LAMINATED	140.00 NA
R. EM. DOOR THERMO PANE GLASS, BOTTOM, LAMINATED	70.00
R. EM. DOOR THERMO PANE GLASS, TOP & BOT., LAMINATED LOWER DOOR GLASS GUARD	NA 70.00
REAR VANDAL LOCK	80.00
3 POINT REAR DOOR LATCH	45.00
EMERGENCY EQUIPMENT	
EMERGENCY EQUIPMENT STATE AND FEDERAL SPECIFICATION	
STATE AND FEDERAL SPECIFICATION	
STATE AND FEDERAL SPECIFICATION FIRE EXTINGUISHER	
STATE AND FEDERAL SPECIFICATION FIRE EXTINGUISHER 5 LB 2A10BC RECHARGEABLE	85.00
STATE AND FEDERAL SPECIFICATION FIRE EXTINGUISHER 5 LB 2A10BC RECHARGEABLE FIRE EXTINGUISHER, OPTIONS	85.00
STATE AND FEDERAL SPECIFICATION FIRE EXTINGUISHER 5 LB 2A10BC RECHARGEABLE FIRE EXTINGUISHER, OPTIONS LIST OPTIONAL SIZE # 6	85.00
STATE AND FEDERAL SPECIFICATION FIRE EXTINGUISHER 5 LB 2A10BC RECHARGEABLE FIRE EXTINGUISHER, OPTIONS LIST OPTIONAL SIZE # 6 EMERGENCY EXITS PER STATE SPECIFICATIONS	85.00
STATE AND FEDERAL SPECIFICATION FIRE EXTINGUISHER 5 LB 2A10BC RECHARGEABLE FIRE EXTINGUISHER, OPTIONS LIST OPTIONAL SIZE # 6 EMERGENCY EXITS	85.00
STATE AND FEDERAL SPECIFICATION FIRE EXTINGUISHER 5 LB 2A10BC RECHARGEABLE FIRE EXTINGUISHER, OPTIONS LIST OPTIONAL SIZE # 6 EMERGENCY EXITS PER STATE SPECIFICATIONS ROOF HATCH	85.00
STATE AND FEDERAL SPECIFICATION FIRE EXTINGUISHER 5 LB 2A10BC RECHARGEABLE FIRE EXTINGUISHER, OPTIONS LIST OPTIONAL SIZE # 6 EMERGENCY EXITS PER STATE SPECIFICATIONS ROOF HATCH MINIMUM REQUIRED, BRAND SPECIALTY HYBRID MODEL H1975 MUST HAVE MULTI-POSITION VENT CAPABILITIES	85.00
STATE AND FEDERAL SPECIFICATION FIRE EXTINGUISHER 5 LB 2A10BC RECHARGEABLE FIRE EXTINGUISHER, OPTIONS LIST OPTIONAL SIZE # 6 EMERGENCY EXITS PER STATE SPECIFICATIONS ROOF HATCH MINIMUM REQUIRED, BRAND SPECIALTY HYBRID MODEL H1975 MUST HAVE MULTI-POSITION VENT CAPABILITIES ROOF HATCH, OPTIONS ONE ADDITIONAL ROOF HATCH, SAME AS PROVIDED ABOVE	85.00 215.00
STATE AND FEDERAL SPECIFICATION FIRE EXTINGUISHER 5 LB 2A10BC RECHARGEABLE FIRE EXTINGUISHER, OPTIONS LIST OPTIONAL SIZE # 6 EMERGENCY EXITS PER STATE SPECIFICATIONS ROOF HATCH MINIMUM REQUIRED, BRAND SPECIALTY HYBRID MODEL H1975 MUST HAVE MULTI-POSITION VENT CAPABILITIES ROOF HATCH, OPTIONS ONE ADDITIONAL ROOF HATCH, SAME AS PROVIDED ABOVE ALL ROOF HATCH OPTIONS BELOW SHALL BE PRICED FOR 2	215.00
STATE AND FEDERAL SPECIFICATION FIRE EXTINGUISHER 5 LB 2A10BC RECHARGEABLE FIRE EXTINGUISHER, OPTIONS LIST OPTIONAL SIZE # 6 EMERGENCY EXITS PER STATE SPECIFICATIONS ROOF HATCH MINIMUM REQUIRED, BRAND SPECIALTY HYBRID MODEL H1975 MUST HAVE MULTI-POSITION VENT CAPABILITIES ROOF HATCH, OPTIONS ONE ADDITIONAL ROOF HATCH, SAME AS PROVIDED ABOVE	
FIRE EXTINGUISHER 5 LB 2A10BC RECHARGEABLE FIRE EXTINGUISHER, OPTIONS LIST OPTIONAL SIZE # 6 EMERGENCY EXITS PER STATE SPECIFICATIONS ROOF HATCH MINIMUM REQUIRED, BRAND SPECIALTY HYBRID MODEL _H1975 MUST HAVE MULTI-POSITION VENT CAPABILITIES ROOF HATCH, OPTIONS ONE ADDITIONAL ROOF HATCH, SAME AS PROVIDED ABOVE ALL ROOF HATCH OPTIONS BELOW SHALL BE PRICED FOR 2 SMI TRIPLE VALUE SMI ECONOMY SMI W/POWER VENT	215.00 110.00 NA 330.00
STATE AND FEDERAL SPECIFICATION FIRE EXTINGUISHER 5 LB 2A10BC RECHARGEABLE FIRE EXTINGUISHER, OPTIONS LIST OPTIONAL SIZE # 6 EMERGENCY EXITS PER STATE SPECIFICATIONS ROOF HATCH MINIMUM REQUIRED, BRAND SPECIALTY HYBRID MODEL H1975 MUST HAVE MULTI-POSITION VENT CAPABILITIES ROOF HATCH, OPTIONS ONE ADDITIONAL ROOF HATCH, SAME AS PROVIDED ABOVE ALL ROOF HATCH OPTIONS BELOW SHALL BE PRICED FOR 2 SMI TRIPLE VALUE SMI ECONOMY	215.00 110.00 NA
STATE AND FEDERAL SPECIFICATION FIRE EXTINGUISHER 5 LB 2A10BC RECHARGEABLE FIRE EXTINGUISHER, OPTIONS LIST OPTIONAL SIZE # 6 EMERGENCY EXITS PER STATE SPECIFICATIONS ROOF HATCH MINIMUM REQUIRED, BRAND SPECIALTY HYBRID MODEL H1975 MUST HAVE MULTI-POSITION VENT CAPABILITIES ROOF HATCH, OPTIONS ONE ADDITIONAL ROOF HATCH, SAME AS PROVIDED ABOVE ALL ROOF HATCH OPTIONS BELOW SHALL BE PRICED FOR 2 SMI TRIPLE VALUE SMI ECONOMY SMI W/POWER VENT SMI WO/VENT LOW PROFILE 'PROLO' SIDE WINDOW EXITS	215.00 110.00 NA 330.00
STATE AND FEDERAL SPECIFICATION FIRE EXTINGUISHER 5 LB 2A10BC RECHARGEABLE FIRE EXTINGUISHER, OPTIONS LIST OPTIONAL SIZE # 6 EMERGENCY EXITS PER STATE SPECIFICATIONS ROOF HATCH MINIMUM REQUIRED, BRAND SPECIALTY HYBRID MODEL H1975 MUST HAVE MULTI-POSITION VENT CAPABILITIES ROOF HATCH, OPTIONS ONE ADDITIONAL ROOF HATCH, SAME AS PROVIDED ABOVE ALL ROOF HATCH OPTIONS BELOW SHALL BE PRICED FOR 2 SMI TRIPLE VALUE SMI ECONOMY SMI W/POWER VENT SMI WO/VENT LOW PROFILE 'PROLO' SIDE WINDOW EXITS MINIMUM REQUIRED	215.00 110.00 NA 330.00
STATE AND FEDERAL SPECIFICATION FIRE EXTINGUISHER 5 LB 2A10BC RECHARGEABLE FIRE EXTINGUISHER, OPTIONS LIST OPTIONAL SIZE # 6 EMERGENCY EXITS PER STATE SPECIFICATIONS ROOF HATCH MINIMUM REQUIRED, BRAND SPECIALTY HYBRID MODEL H1975 MUST HAVE MULTI-POSITION VENT CAPABILITIES ROOF HATCH, OPTIONS ONE ADDITIONAL ROOF HATCH, SAME AS PROVIDED ABOVE ALL ROOF HATCH OPTIONS BELOW SHALL BE PRICED FOR 2 SMI TRIPLE VALUE SMI ECONOMY SMI W/POWER VENT SMI WO/VENT LOW PROFILE 'PROLO' SIDE WINDOW EXITS	215.00 110.00 NA 330.00
FIRE EXTINGUISHER 5 LB 2A10BC RECHARGEABLE FIRE EXTINGUISHER, OPTIONS LIST OPTIONAL SIZE # 6 EMERGENCY EXITS PER STATE SPECIFICATIONS ROOF HATCH MINIMUM REQUIRED, BRAND SPECIALTY HYBRID MODEL H1975 MUST HAVE MULTI-POSITION VENT CAPABILITIES ROOF HATCH, OPTIONS ONE ADDITIONAL ROOF HATCH, SAME AS PROVIDED ABOVE ALL ROOF HATCH OPTIONS BELOW SHALL BE PRICED FOR 2 SMI TRIPLE VALUE SMI ECONOMY SMI W/POWER VENT SMI WO/VENT LOW PROFILE 'PROLO' SIDE WINDOW EXITS MINIMUM REQUIRED FRONT MOUNTED HINGE SIDE EXIT WINDOWS, OPTIONS	215.00 110.00 NA 330.00 NA
STATE AND FEDERAL SPECIFICATION FIRE EXTINGUISHER 5 LB 2A10BC RECHARGEABLE FIRE EXTINGUISHER, OPTIONS LIST OPTIONAL SIZE # 6 EMERGENCY EXITS PER STATE SPECIFICATIONS ROOF HATCH MINIMUM REQUIRED, BRAND SPECIALTY HYBRID MODEL H1975 MUST HAVE MULTI-POSITION VENT CAPABILITIES ROOF HATCH, OPTIONS ONE ADDITIONAL ROOF HATCH, SAME AS PROVIDED ABOVE ALL ROOF HATCH OPTIONS BELOW SHALL BE PRICED FOR 2 SMI TRIPLE VALUE SMI ECONOMY SMI W/POWER VENT SMI W/OVENT LOW PROFILE 'PROLO' SIDE WINDOW EXITS MINIMUM REQUIRED FRONT MOUNTED HINGE	215.00 110.00 NA 330.00
FIRE EXTINGUISHER 5 LB 2A10BC RECHARGEABLE FIRE EXTINGUISHER, OPTIONS LIST OPTIONAL SIZE # 6 EMERGENCY EXITS PER STATE SPECIFICATIONS ROOF HATCH MINIMUM REQUIRED, BRAND SPECIALTY HYBRID MODEL H1975 MUST HAVE MULTI-POSITION VENT CAPABILITIES ROOF HATCH, OPTIONS ONE ADDITIONAL ROOF HATCH, SAME AS PROVIDED ABOVE ALL ROOF HATCH OPTIONS BELOW SHALL BE PRICED FOR 2 SMI TRIPLE VALUE SMI ECONOMY SMI W/POWER VENT SMI WO/VENT LOW PROFILE 'PROLO' SIDE WINDOW EXITS MINIMUM REQUIRED FRONT MOUNTED HINGE SIDE EXIT WINDOWS, OPTIONS TOP MOUNTED HINGES IN LIEU OF FRONT MOUNTED, EACH	215.00 110.00 NA 330.00 NA
FIRE EXTINGUISHER 5 LB 2A10BC RECHARGEABLE FIRE EXTINGUISHER, OPTIONS LIST OPTIONAL SIZE #6 EMERGENCY EXITS PER STATE SPECIFICATIONS ROOF HATCH MINIMUM REQUIRED, BRAND SPECIALTY HYBRID MODEL H1975 MUST HAVE MULTI-POSITION VENT CAPABILITIES ROOF HATCH, OPTIONS ONE ADDITIONAL ROOF HATCH, SAME AS PROVIDED ABOVE ALL ROOF HATCH OPTIONS BELOW SHALL BE PRICED FOR 2 SMI TRIPLE VALUE SMI ECONOMY SMI W/POWER VENT SMI WO/VENT LOW PROFILE 'PROLO' SIDE WINDOW EXITS MINIMUM REQUIRED FRONT MOUNTED HINGE SIDE EXIT WINDOWS, OPTIONS TOP MOUNTED HINGES IN LIEU OF FRONT MOUNTED, EACH EXTRA WINDOWS PER SET OF TWO, FRONT MOUNTED EXTRA WINDOWS PER SET OF TWO, FRONT MOUNTED	215.00 110.00 NA 330.00 NA
FIRE EXTINGUISHER 5 LB 2A10BC RECHARGEABLE FIRE EXTINGUISHER, OPTIONS LIST OPTIONAL SIZE # 6 EMERGENCY EXITS PER STATE SPECIFICATIONS ROOF HATCH MINIMUM REQUIRED, BRAND SPECIALTY HYBRID MODEL H1975 MUST HAVE MULTI-POSITION VENT CAPABILITIES ROOF HATCH, OPTIONS ONE ADDITIONAL ROOF HATCH, SAME AS PROVIDED ABOVE ALL ROOF HATCH OPTIONS BELOW SHALL BE PRICED FOR 2 SMI TRIPLE VALUE SMI ECONOMY SMI W/POWER VENT SMI WO/VENT LOW PROFILE 'PROLO' SIDE WINDOW EXITS MINIMUM REQUIRED FRONT MOUNTED HINGE SIDE EXIT WINDOWS, OPTIONS TOP MOUNTED HINGES IN LIEU OF FRONT MOUNTED, EACH EXTRA WINDOWS PER SET OF TWO, TOP MOUNTED	215.00 110.00 NA 330.00 NA
FIRE EXTINGUISHER 5 LB 2A10BC RECHARGEABLE FIRE EXTINGUISHER, OPTIONS LIST OPTIONAL SIZE # 6 EMERGENCY EXITS PER STATE SPECIFICATIONS ROOF HATCH MINIMUM REQUIRED, BRAND SPECIALTY HYBRID MODEL H1975 MUST HAVE MULTI-POSITION VENT CAPABILITIES ROOF HATCH, OPTIONS ONE ADDITIONAL ROOF HATCH, SAME AS PROVIDED ABOVE ALL ROOF HATCH OPTIONS BELOW SHALL BE PRICED FOR 2 SMI TRIPLE VALUE SMI ECONOMY SMI W/POWER VENT SMI W/POWER VENT SMI WO/VENT LOW PROFILE 'PROLO' SIDE WINDOW EXITS MINIMUM REQUIRED FRONT MOUNTED HINGE SIDE EXIT WINDOWS, OPTIONS TOP MOUNTED HINGES IN LIEU OF FRONT MOUNTED, EACH EXTRA WINDOWS PER SET OF TWO, TOP MOUNTED EXTRA WINDOWS PER SET OF TWO, FRONT MOUNTED HEATERS 50K HEATER IN ENTRANCE DOOR 90K FOR DR. HEATER/DEF., FULL WIDTH	215.00 110.00 NA 330.00 NA
FIRE EXTINGUISHER 5 LB 2A10BC RECHARGEABLE FIRE EXTINGUISHER, OPTIONS LIST OPTIONAL SIZE # 6 EMERGENCY EXITS PER STATE SPECIFICATIONS ROOF HATCH MINIMUM REQUIRED, BRAND SPECIALTY HYBRID MODEL H1975 MUST HAVE MULTI-POSITION VENT CAPABILITIES ROOF HATCH, OPTIONS ONE ADDITIONAL ROOF HATCH, SAME AS PROVIDED ABOVE ALL ROOF HATCH OPTIONS BELOW SHALL BE PRICED FOR 2 SMI TRIPLE VALUE SMI ECONOMY SMI WIPOWER VENT SMI WOIVENT LOW PROFILE 'PROLO' SIDE WINDOW EXITS MINIMUM REQUIRED FRONT MOUNTED HINGE SIDE EXIT WINDOWS, OPTIONS TOP MOUNTED HINGES IN LIEU OF FRONT MOUNTED, EACH EXTRA WINDOWS PER SET OF TWO, TOP MOUNTED EXTRA WINDOWS PER SET OF TWO, FRONT MOUNTED HEATERS 50K HEATER IN ENTRANCE DOOR 90K FOR DR. HEATER/DEF., FULL WIDTH 50K UNDER SEAT HEATER, MIDSHIP	215.00 110.00 NA 330.00 NA
FIRE EXTINGUISHER 5 LB 2A10BC RECHARGEABLE FIRE EXTINGUISHER, OPTIONS LIST OPTIONAL SIZE # 6 EMERGENCY EXITS PER STATE SPECIFICATIONS ROOF HATCH MINIMUM REQUIRED, BRAND SPECIALTY HYBRID MODEL H1975	215.00 110.00 NA 330.00 NA
FIRE EXTINGUISHER 5 LB 2A10BC RECHARGEABLE FIRE EXTINGUISHER, OPTIONS LIST OPTIONAL SIZE # 6 EMERGENCY EXITS PER STATE SPECIFICATIONS ROOF HATCH MINIMUM REQUIRED, BRAND SPECIALTY HYBRID MODEL H1975 MUST HAVE MULTI-POSITION VENT CAPABILITIES ROOF HATCH, OPTIONS ONE ADDITIONAL ROOF HATCH, SAME AS PROVIDED ABOVE ALL ROOF HATCH OPTIONS BELOW SHALL BE PRICED FOR 2 SMI TRIPLE VALUE SMI ECONOMY SMI W/POWER VENT SMI W/POWER VENT SMI WOVENT LOW PROFILE 'PROLO' SIDE WINDOW EXITS MINIMUM REQUIRED FRONT MOUNTED HINGE SIDE EXIT WINDOWS, OPTIONS TOP MOUNTED HINGES IN LIEU OF FRONT MOUNTED, EACH EXTRA WINDOWS PER SET OF TWO, TOP MOUNTED EXTRA WINDOWS PER SET OF TWO, FRONT MOUNTED HEATERS 50K HEATER IN ENTRANCE DOOR 90K FOR DR. HEATER/DEF., FULL WIDTH 50K UNDER SEAT HEATER, MIDSHIP 80K UNDER SEAT HEATER, MIDSHIP 80K UNDER SEAT HEATER, MIDSHIP 80K UNDER SEAT HEATER, REAR	215.00 110.00 NA 330.00 NA

STD

STD

STD

140.00

80.00

HEATERS, OPTIONS	
MIDSHIP HEATER, 80K, IN LIEU OF 50K	110.00
RADIANT HEAT, RIGHT & LEFT SIDE OF BUS FULL LENGTH	NA
ADDITIONAL 50.000 BTU REAR HTR ADDITIONAL 80.000 BTU REAR HTR	200.00 300.00
BOOSTER PUMP	STD
DELUXE (METAL HOUSING) BOOSTER PUMP	175.00
SILICONE HEATER HOSE WITH CONSTANT TORQUE CLAMPS	NA
GOODYEAR 'HI-MILER' HOSE	STD
CONSTANT TORQUE CLAMPS	STD
PARALLEL HEATER CIRCUIT SERIES HEATER CIRCUIT	NA STD
DELETE MIDSHIP HEATER	-200.00
CABLE CONTROLLED WATER SHUT OFF FOR DRIVER	STD
THERMOSTATICALLY CONTROLLED WATER SHUT OFF	NA
FACTORY INSTALLED INTEGRATED DRIVER AIR CONDITIONING	STD
FACTORY INSTALLED INTEGRATED DRIVER AIR CONDITIONING DELETE FACTORY INSTALLED A/C SYSTEM	-450.00
AFTERMARKET A/C SYSTEM <u>VARIOUS</u> BRAND <u>VARIOUS</u> BTU'S	NA NA
FACTORY INSTALLED A/C SYSTEM 60,000 BTU w/325AMP ALT- RR FLUSH MTD/SKIRT	101
CONDENSER	6,000.00
FACTORY INSTALLED A/C SYSTEM 120,000 BTU w/325AMP ALT-FRT/RR FLUSH	
MTD/SKIRT CONDENSER FACTORY INSTALLED A/C SYSTEM 120,000 BTU w/325AMP ALT-FRT/RR FLUSH	9,500.00
MTD/ROOF CONDENSER	11,200.00
BRUSH GUARDS (AFTERMARKET)	600.00
HEATERS, AUXILIARY, OPTIONS	
MODEL BTU'S	2 200 00
WEBASTO HEATER <u>SCHOLASTIC</u> 31.000. FACTORY INSTALLED WEBASTO HEATER <u>SCHOLASTIC</u> 31.000. WITH CONVECTION HEAT - AFTERMARKET	2,800.00 4,500.00
ESPAR HEATER <u>E-GUARDIAN</u> <u>42,000</u> . FACTORY INSTALLED	2,300.00
ESPAR HEATER <u>E-GUARDIAN</u> <u>42,000</u> . WITH CONVECTION HEAT - AFTERMARKET	4,500.00
VEN TECH 45,000 BTU BELT DRIVEN - AFTERMARKET	NA
24 HOUR TIMER FOR AUXILIARY HEATER	NC
7 DAY TIMER FOR AUXILIARY HEATER SKIRT MOUNTED BOX ONLY FOR AUXILIARY HEATER	NC 250.00
SKIKT MOUNTED BOX ONLT FOR AUXILIANT HEATER	250.00
IDENTIFICATION	
PER STATE SPECIFICATIONS, WITH VINYL LETTERING	
INCLUDES BELT LINE LETTERING, BUS #, CAP, FUEL CAP.	
IDENTIFICATION OPTIONS	
IDENTIFICATION, OPTIONS	
	NC
ADDITIONAL LETTERING, VINYL, PER CHARACTER 6" ADDITIONAL LETTERING, VINYL, PER CHARACTER 2"	NC NC
ADDITIONAL LETTERING, VINYL, PER CHARACTER 6"	
ADDITIONAL LETTERING, VINYL, PER CHARACTER 6" ADDITIONAL LETTERING, VINYL, PER CHARACTER 2" FLIP SIGN FRONT AND REAR, SCHOOL BUS/CHARTER LIGHTED SCHOOL BUS SIGN, FRT & REAR - DESTINATION	NC 300.00 700.00
ADDITIONAL LETTERING, VINYL, PER CHARACTER 6" ADDITIONAL LETTERING, VINYL, PER CHARACTER 2" FLIP SIGN FRONT AND REAR, SCHOOL BUS/CHARTER	NC 300.00
ADDITIONAL LETTERING, VINYL, PER CHARACTER 6" ADDITIONAL LETTERING, VINYL, PER CHARACTER 2" FLIP SIGN FRONT AND REAR, SCHOOL BUS/CHARTER LIGHTED SCHOOL BUS SIGN, FRT & REAR - DESTINATION LIGHTED SCHOOL BUS SIGN, FRT & REAR - FIRST LIGHT BRAND	NC 300.00 700.00
ADDITIONAL LETTERING, VINYL, PER CHARACTER 6" ADDITIONAL LETTERING, VINYL, PER CHARACTER 2" FLIP SIGN FRONT AND REAR, SCHOOL BUS/CHARTER LIGHTED SCHOOL BUS SIGN, FRT & REAR - DESTINATION	NC 300.00 700.00
ADDITIONAL LETTERING, VINYL, PER CHARACTER 6" ADDITIONAL LETTERING, VINYL, PER CHARACTER 2" FLIP SIGN FRONT AND REAR, SCHOOL BUS/CHARTER LIGHTED SCHOOL BUS SIGN, FRT & REAR - DESTINATION LIGHTED SCHOOL BUS SIGN, FRT & REAR - FIRST LIGHT BRAND INSIDE HEIGHT	NC 300.00 700.00
ADDITIONAL LETTERING, VINYL, PER CHARACTER 6" ADDITIONAL LETTERING, VINYL, PER CHARACTER 2" FLIP SIGN FRONT AND REAR, SCHOOL BUS/CHARTER LIGHTED SCHOOL BUS SIGN, FRT & REAR - DESTINATION LIGHTED SCHOOL BUS SIGN, FRT & REAR - FIRST LIGHT BRAND INSIDE HEIGHT 78" AT AISLE MINIMUM, STD. HEIGHT78" INSIDE HEIGHT, OPTIONS	NC 300.00 700.00 1,500.00
ADDITIONAL LETTERING, VINYL, PER CHARACTER 6" ADDITIONAL LETTERING, VINYL, PER CHARACTER 2" FLIP SIGN FRONT AND REAR, SCHOOL BUS/CHARTER LIGHTED SCHOOL BUS SIGN, FRT & REAR - DESTINATION LIGHTED SCHOOL BUS SIGN, FRT & REAR - FIRST LIGHT BRAND INSIDE HEIGHT 78" AT AISLE MINIMUM, STD. HEIGHT78"	NC 300.00 700.00
ADDITIONAL LETTERING, VINYL, PER CHARACTER 6" ADDITIONAL LETTERING, VINYL, PER CHARACTER 2" FLIP SIGN FRONT AND REAR, SCHOOL BUS/CHARTER LIGHTED SCHOOL BUS SIGN, FRT & REAR - DESTINATION LIGHTED SCHOOL BUS SIGN, FRT & REAR - FIRST LIGHT BRAND INSIDE HEIGHT 78" AT AISLE MINIMUM, STD. HEIGHT78" INSIDE HEIGHT, OPTIONS	NC 300.00 700.00 1,500.00
ADDITIONAL LETTERING, VINYL, PER CHARACTER 6" ADDITIONAL LETTERING, VINYL, PER CHARACTER 2" FLIP SIGN FRONT AND REAR, SCHOOL BUS/CHARTER LIGHTED SCHOOL BUS SIGN, FRT & REAR - DESTINATION LIGHTED SCHOOL BUS SIGN, FRT & REAR - FIRST LIGHT BRAND INSIDE HEIGHT 78" AT AISLE MINIMUM, STD. HEIGHT78" INSIDE HEIGHT, OPTIONS OPTIONAL HEIGHTNA" INDICATE WINDOW OPENING12"	NC 300.00 700.00 1,500.00
ADDITIONAL LETTERING, VINYL, PER CHARACTER 6" ADDITIONAL LETTERING, VINYL, PER CHARACTER 2" FLIP SIGN FRONT AND REAR, SCHOOL BUS/CHARTER LIGHTED SCHOOL BUS SIGN, FRT & REAR - DESTINATION LIGHTED SCHOOL BUS SIGN, FRT & REAR - FIRST LIGHT BRAND INSIDE HEIGHT 78" AT AISLE MINIMUM, STD. HEIGHT78" INSIDE HEIGHT, OPTIONS OPTIONAL HEIGHTNA" INDICATE WINDOW OPENING12 _" INSULATION, WALLS 1-1/2" INSULATION	NC 300.00 700.00 1,500.00
ADDITIONAL LETTERING, VINYL, PER CHARACTER 6" ADDITIONAL LETTERING, VINYL, PER CHARACTER 2" FLIP SIGN FRONT AND REAR, SCHOOL BUS/CHARTER LIGHTED SCHOOL BUS SIGN, FRT & REAR - DESTINATION LIGHTED SCHOOL BUS SIGN, FRT & REAR - FIRST LIGHT BRAND INSIDE HEIGHT 78" AT AISLE MINIMUM, STD. HEIGHT78" INSIDE HEIGHT, OPTIONS OPTIONAL HEIGHTNA " INDICATE WINDOW OPENING12 _" INSULATION, WALLS 1-1/2" INSULATION	NC 300.00 700.00 1,500.00
ADDITIONAL LETTERING, VINYL, PER CHARACTER 6" ADDITIONAL LETTERING, VINYL, PER CHARACTER 2" FLIP SIGN FRONT AND REAR, SCHOOL BUS/CHARTER LIGHTED SCHOOL BUS SIGN, FRT & REAR - DESTINATION LIGHTED SCHOOL BUS SIGN, FRT & REAR - FIRST LIGHT BRAND INSIDE HEIGHT 78" AT AISLE MINIMUM, STD. HEIGHT78" INSIDE HEIGHT, OPTIONS OPTIONAL HEIGHTNA" INDICATE WINDOW OPENING12 _" INSULATION, WALLS 1-1/2" INSULATION	NC 300.00 700.00 1,500.00
ADDITIONAL LETTERING, VINYL, PER CHARACTER 6" ADDITIONAL LETTERING, VINYL, PER CHARACTER 2" FLIP SIGN FRONT AND REAR, SCHOOL BUS/CHARTER LIGHTED SCHOOL BUS SIGN, FRT & REAR - DESTINATION LIGHTED SCHOOL BUS SIGN, FRT & REAR - FIRST LIGHT BRAND INSIDE HEIGHT 78" AT AISLE MINIMUM, STD. HEIGHT78" INSIDE HEIGHT, OPTIONS OPTIONAL HEIGHTNA" INDICATE WINDOW OPENING12" INSULATION, WALLS 1-1/2" INSULATION INSULATION, WALLS,OPTIONS 2" INSULATION UNDER FLOOR2" THICK80% OF UNDERSIDE COVERED	NC 300.00 700.00 1,500.00 NA NA 1,500.00
ADDITIONAL LETTERING, VINYL, PER CHARACTER 6" ADDITIONAL LETTERING, VINYL, PER CHARACTER 2" FLIP SIGN FRONT AND REAR, SCHOOL BUS/CHARTER LIGHTED SCHOOL BUS SIGN, FRT & REAR - DESTINATION LIGHTED SCHOOL BUS SIGN, FRT & REAR - FIRST LIGHT BRAND INSIDE HEIGHT 78" AT AISLE MINIMUM, STD. HEIGHT78" INSIDE HEIGHT, OPTIONS OPTIONAL HEIGHTNA " INDICATE WINDOW OPENING12" INSULATION, WALLS 1-1/2" INSULATION INSULATION, WALLS,OPTIONS 2" INSULATION FOAM INSULATION UNDER FLOOR2" THICK80 % OF UNDERSIDE COVERED NOISE REDUCTION SPRAY ON ALL PANELS	NC 300.00 700.00 1,500.00 NA NA 1,500.00
ADDITIONAL LETTERING, VINYL, PER CHARACTER 6" ADDITIONAL LETTERING, VINYL, PER CHARACTER 2" FLIP SIGN FRONT AND REAR, SCHOOL BUS/CHARTER LIGHTED SCHOOL BUS SIGN, FRT & REAR - DESTINATION LIGHTED SCHOOL BUS SIGN, FRT & REAR - FIRST LIGHT BRAND INSIDE HEIGHT 78" AT AISLE MINIMUM, STD. HEIGHT78" INSIDE HEIGHT, OPTIONS OPTIONAL HEIGHTNA " INDICATE WINDOW OPENING12" INSULATION, WALLS 1-1/2" INSULATION INSULATION, WALLS, OPTIONS 2" INSULATION FOAM INSULATION UNDER FLOOR2 " THICK80% OF UNDERSIDE COVERED NOISE REDUCTION SPRAY ON ALL PANELS FOAM INSULATION UNDER FLOOR PERIMETER	NC 300.00 700.00 1,500.00 NA NA 1,500.00 STD 1,000.00
ADDITIONAL LETTERING, VINYL, PER CHARACTER 6" ADDITIONAL LETTERING, VINYL, PER CHARACTER 2" FLIP SIGN FRONT AND REAR, SCHOOL BUS/CHARTER LIGHTED SCHOOL BUS SIGN, FRT & REAR - DESTINATION LIGHTED SCHOOL BUS SIGN, FRT & REAR - FIRST LIGHT BRAND INSIDE HEIGHT 78" AT AISLE MINIMUM, STD. HEIGHT78" INSIDE HEIGHT, OPTIONS OPTIONAL HEIGHTNA " INDICATE WINDOW OPENING12" INSULATION, WALLS 1-1/2" INSULATION INSULATION, WALLS,OPTIONS 2" INSULATION FOAM INSULATION UNDER FLOOR2" THICK80 % OF UNDERSIDE COVERED NOISE REDUCTION SPRAY ON ALL PANELS	NC 300.00 700.00 1,500.00 NA NA 1,500.00
ADDITIONAL LETTERING, VINYL, PER CHARACTER 6" ADDITIONAL LETTERING, VINYL, PER CHARACTER 2" FLIP SIGN FRONT AND REAR, SCHOOL BUS/CHARTER LIGHTED SCHOOL BUS SIGN, FRT & REAR - DESTINATION LIGHTED SCHOOL BUS SIGN, FRT & REAR - FIRST LIGHT BRAND INSIDE HEIGHT 78" AT AISLE MINIMUM, STD. HEIGHT	NC 300.00 700.00 1,500.00 NA NA 1,500.00 STD 1,000.00
ADDITIONAL LETTERING, VINYL, PER CHARACTER 6" ADDITIONAL LETTERING, VINYL, PER CHARACTER 2" FLIP SIGN FRONT AND REAR, SCHOOL BUS/CHARTER LIGHTED SCHOOL BUS SIGN, FRT & REAR - DESTINATION LIGHTED SCHOOL BUS SIGN, FRT & REAR - FIRST LIGHT BRAND INSIDE HEIGHT 78" AT AISLE MINIMUM, STD. HEIGHT78" INSIDE HEIGHT, OPTIONS OPTIONAL HEIGHTNA" INDICATE WINDOW OPENING12" INSULATION, WALLS 1-1/2" INSULATION INSULATION, WALLS,OPTIONS 2" INSULATION FOAM INSULATION UNDER FLOOR2" THICK80% OF UNDERSIDE COVERED NOISE REDUCTION SPRAY ON ALL PANELS FOAM INSULATION UNDER FLOOR PERIMETER SOUND ABATEMENT/INSULATION ON FIREWALL INTERIOR LED DOME LIGHTS, MINIMUM PER MFG'S MODEL	NC 300.00 700.00 1,500.00 NA NA 1,500.00 STD 1,000.00
ADDITIONAL LETTERING, VINYL, PER CHARACTER 6" ADDITIONAL LETTERING, VINYL, PER CHARACTER 2" FLIP SIGN FRONT AND REAR, SCHOOL BUS/CHARTER LIGHTED SCHOOL BUS SIGN, FRT & REAR - DESTINATION LIGHTED SCHOOL BUS SIGN, FRT & REAR - FIRST LIGHT BRAND INSIDE HEIGHT 78" AT AISLE MINIMUM, STD. HEIGHT _78 _" INSIDE HEIGHT, OPTIONS OPTIONAL HEIGHT _NA _" INDICATE WINDOW OPENING _12 _" INSULATION, WALLS 1-1/2" INSULATION INSULATION, WALLS, OPTIONS 2" INSULATION UNDER FLOOR _2 _" THICK _80 _% OF UNDERSIDE COVERED NOISE REDUCTION SPRAY ON ALL PANELS FOAM INSULATION UNDER FLOOR PERIMETER SOUND ABATEMENT/INSULATION ON FIREWALL INTERIOR LED DOME LIGHTS, MINIMUM PER MFG'S MODEL LED DOME LIGHTS, MINIMUM PER MFG'S MODEL LED DOME, ON SEPARATE SWITCH	NC 300.00 700.00 1,500.00 NA NA 1,500.00 STD 1,000.00
ADDITIONAL LETTERING, VINYL, PER CHARACTER 6" ADDITIONAL LETTERING, VINYL, PER CHARACTER 2" FLIP SIGN FRONT AND REAR, SCHOOL BUS/CHARTER LIGHTED SCHOOL BUS SIGN, FRT & REAR - DESTINATION LIGHTED SCHOOL BUS SIGN, FRT & REAR - FIRST LIGHT BRAND INSIDE HEIGHT 78" AT AISLE MINIMUM, STD. HEIGHT78" INSIDE HEIGHT, OPTIONS OPTIONAL HEIGHTNA" INDICATE WINDOW OPENING12" INSULATION, WALLS 1-1/2" INSULATION INSULATION, WALLS,OPTIONS 2" INSULATION FOAM INSULATION UNDER FLOOR2" THICK80% OF UNDERSIDE COVERED NOISE REDUCTION SPRAY ON ALL PANELS FOAM INSULATION UNDER FLOOR PERIMETER SOUND ABATEMENT/INSULATION ON FIREWALL INTERIOR LED DOME LIGHTS, MINIMUM PER MFG'S MODEL	NC 300.00 700.00 1,500.00 NA NA 1,500.00 STD 1,000.00
ADDITIONAL LETTERING, VINYL, PER CHARACTER 6" ADDITIONAL LETTERING, VINYL, PER CHARACTER 2" FLIP SIGN FRONT AND REAR, SCHOOL BUS/CHARTER LIGHTED SCHOOL BUS SIGN, FRT & REAR - DESTINATION LIGHTED SCHOOL BUS SIGN, FRT & REAR - DESTINATION LIGHTED SCHOOL BUS SIGN, FRT & REAR - FIRST LIGHT BRAND INSIDE HEIGHT 78" AT AISLE MINIMUM, STD. HEIGHT _78 _" INSIDE HEIGHT, OPTIONS OPTIONAL HEIGHT _NA _" INDICATE WINDOW OPENING _12 _" INSULATION, WALLS 1-1/2" INSULATION INSULATION, WALLS, OPTIONS 2" INSULATION FOAM INSULATION UNDER FLOOR _2 _" THICK _80 _ % OF UNDERSIDE COVERED NOISE REDUCTION SPRAY ON ALL PANELS FOAM INSULATION UNDER FLOOR PERIMETER SOUND ABATEMENT/INSULATION ON FIREWALL INTERIOR LED DOME LIGHTS, MINIMUM PER MFG'S MODEL LED DRIVERS DOME, ON SEPARATE SWITCH REAR TWO LED DOME LIGHTS ON SEPARATE SWITCH REAR TWO LED DOME LIGHTS ON SEPARATE SWITCH	NC 300.00 700.00 1,500.00 NA NA 1,500.00 STD 1,000.00
ADDITIONAL LETTERING, VINYL, PER CHARACTER 6" ADDITIONAL LETTERING, VINYL, PER CHARACTER 2" FLIP SIGN FRONT AND REAR, SCHOOL BUS/CHARTER LIGHTED SCHOOL BUS SIGN, FRT & REAR - DESTINATION LIGHTED SCHOOL BUS SIGN, FRT & REAR - DESTINATION LIGHTED SCHOOL BUS SIGN, FRT & REAR - FIRST LIGHT BRAND INSIDE HEIGHT 78" AT AISLE MINIMUM, STD. HEIGHT78" INSIDE HEIGHT, OPTIONS OPTIONAL HEIGHTNA" INDICATE WINDOW OPENING12" INSULATION, WALLS 1-1/2" INSULATION INSULATION, WALLS, OPTIONS 2" INSULATION UNDER FLOOR2" THICK 80% OF UNDERSIDE COVERED NOISE REDUCTION SPRAY ON ALL PANELS FOAM INSULATION UNDER FLOOR PERIMETER SOUND ABATEMENT/INSULATION ON FIREWALL INTERIOR LED DOME LIGHTS, MINIMUM PER MFG'S MODEL LED DRIVERS DOME, ON SEPARATE SWITCH REAR TWO LED DOME LIGHTS ON SEPARATE SWITCH 6 X 30 INTERIOR MIRROR AND VISOR INTERIOR, OPTIONS	NC 300.00 700.00 1,500.00 NA NA 1,500.00 STD 1,000.00 STD
ADDITIONAL LETTERING, VINYL, PER CHARACTER 6" ADDITIONAL LETTERING, VINYL, PER CHARACTER 2" FLIP SIGN FRONT AND REAR, SCHOOL BUS/CHARTER LIGHTED SCHOOL BUS SIGN, FRT & REAR - DESTINATION LIGHTED SCHOOL BUS SIGN, FRT & REAR - FIRST LIGHT BRAND INSIDE HEIGHT 78" AT AISLE MINIMUM, STD. HEIGHT78" INSIDE HEIGHT, OPTIONS OPTIONAL HEIGHTNA" INDICATE WINDOW OPENING12" INSULATION, WALLS 1-1/2" INSULATION INSULATION, WALLS, OPTIONS 2" INSULATION FOAM INSULATION UNDER FLOOR2" THICK80% OF UNDERSIDE COVERED NOISE REDUCTION SPRAY ON ALL PANELS FOAM INSULATION UNDER FLOOR PERIMETER SOUND ABATEMENT/INSULATION ON FIREWALL INTERIOR LED DOME LIGHTS, MINIMUM PER MFG'S MODEL LED DRIVERS DOME, ON SEPARATE SWITCH REAR TWO LED DOME LIGHTS ON SEPARATE SWITCH 6 X 30 INTERIOR MIRROR AND VISOR INTERIOR, OPTIONS OVERSIZED DRIVER'S DOME LIGHT IN LIEU OR STD.	NC 300.00 700.00 1,500.00 NA NA 1,500.00 STD 1,000.00 STD
ADDITIONAL LETTERING, VINYL, PER CHARACTER 6" ADDITIONAL LETTERING, VINYL, PER CHARACTER 2" FLIP SIGN FRONT AND REAR, SCHOOL BUS/CHARTER LIGHTED SCHOOL BUS SIGN, FRT & REAR - DESTINATION LIGHTED SCHOOL BUS SIGN, FRT & REAR - FIRST LIGHT BRAND INSIDE HEIGHT 78" AT AISLE MINIMUM, STD. HEIGHT78" INSIDE HEIGHT, OPTIONS OPTIONAL HEIGHTMA" INDICATE WINDOW OPENING12" INSULATION, WALLS 1-1/2" INSULATION INSULATION, WALLS, OPTIONS 2" INSULATION UNDER FLOOR2" THICK80% OF UNDERSIDE COVERED NOISE REDUCTION SPRAY ON ALL PANELS FOAM INSULATION UNDER FLOOR PERIMETER SOUND ABATEMENT/INSULATION ON FIREWALL INTERIOR LED DOME LIGHTS, MINIMUM PER MFG'S MODEL LED DRIVERS DOME, ON SEPARATE SWITCH REAR TWO LED DOME LIGHTS ON SEPARATE SWITCH 6 X 30 INTERIOR MIRROR AND VISOR INTERIOR, OPTIONS OVERSIZED DRIVER'S DOME LIGHT IN LIEU OR STD. 8 X 30 OVERHEAD MIRROR	NC 300.00 700.00 1,500.00 NA NA 1,500.00 STD 1,000.00 STD
ADDITIONAL LETTERING, VINYL, PER CHARACTER 6" ADDITIONAL LETTERING, VINYL, PER CHARACTER 2" FLIP SIGN FRONT AND REAR, SCHOOL BUS/CHARTER LIGHTED SCHOOL BUS SIGN, FRT & REAR - DESTINATION LIGHTED SCHOOL BUS SIGN, FRT & REAR - FIRST LIGHT BRAND INSIDE HEIGHT 78" AT AISLE MINIMUM, STD. HEIGHT78" INSIDE HEIGHT, OPTIONS OPTIONAL HEIGHTNA" INDICATE WINDOW OPENING12" INSULATION, WALLS 1-1/2" INSULATION INSULATION, WALLS, OPTIONS 2" INSULATION FOAM INSULATION UNDER FLOOR2" THICK80% OF UNDERSIDE COVERED NOISE REDUCTION SPRAY ON ALL PANELS FOAM INSULATION UNDER FLOOR PERIMETER SOUND ABATEMENT/INSULATION ON FIREWALL INTERIOR LED DOME LIGHTS, MINIMUM PER MFG'S MODEL LED DRIVERS DOME, ON SEPARATE SWITCH REAR TWO LED DOME LIGHTS ON SEPARATE SWITCH 6 X 30 INTERIOR MIRROR AND VISOR INTERIOR, OPTIONS OVERSIZED DRIVER'S DOME LIGHT IN LIEU OR STD.	NC 300.00 700.00 1,500.00 NA NA 1,500.00 STD 1,000.00 STD
ADDITIONAL LETTERING, VINYL, PER CHARACTER 6" ADDITIONAL LETTERING, VINYL, PER CHARACTER 2" FLIP SIGN FRONT AND REAR, SCHOOL BUS/CHARTER LIGHTED SCHOOL BUS SIGN, FRT & REAR - DESTINATION LIGHTED SCHOOL BUS SIGN, FRT & REAR - FIRST LIGHT BRAND INSIDE HEIGHT 78" AT AISLE MINIMUM, STD. HEIGHT _78 _" INSIDE HEIGHT, OPTIONS OPTIONAL HEIGHT _NA " INDICATE WINDOW OPENING _12 _" INSULATION, WALLS 1-1/2" INSULATION INSULATION, WALLS, OPTIONS 2" INSULATION FOAM INSULATION UNDER FLOOR _2 _ " THICK _80 _% OF UNDERSIDE COVERED NOISE REDUCTION SPRAY ON ALL PANELS FOAM INSULATION UNDER FLOOR PERIMETER SOUND ABATEMENT/INSULATION ON FIREWALL INTERIOR LED DOME LIGHTS, MINIMUM PER MFG'S MODEL LED DRIVERS DOME, ON SEPARATE SWITCH REAR TWO LED DOME LIGHTS ON SEPARATE SWITCH 6 X 30 INTERIOR MIRROR AND VISOR INTERIOR, OPTIONS OVERSIZED DRIVER'S DOME LIGHT IN LIEU OR STD. 8 × 30 OVERHEAD MIRROR 10 × 30 OVERHEAD MIRROR ADDITIONAL DOME SWITCH AND CIRCUIT DOME LIGHTS, ADDITIONAL PER PAIR	NC 300.00 700.00 1,500.00 NA NA 1,500.00 STD 1,000.00 STD NA NA NA NA NA NA NA NA NA N
ADDITIONAL LETTERING, VINYL, PER CHARACTER 6" ADDITIONAL LETTERING, VINYL, PER CHARACTER 2" FLIP SIGN FRONT AND REAR, SCHOOL BUS/CHARTER LIGHTED SCHOOL BUS SIGN, FRT & REAR - DESTINATION LIGHTED SCHOOL BUS SIGN, FRT & REAR - FIRST LIGHT BRAND INSIDE HEIGHT 78" AT AISLE MINIMUM, STD. HEIGHT _78_" INSIDE HEIGHT, OPTIONS OPTIONAL HEIGHT _NA _" INDICATE WINDOW OPENING _12_" INSULATION, WALLS 1-1/2" INSULATION INSULATION, WALLS, OPTIONS 2" INSULATION FOAM INSULATION UNDER FLOOR _2 _" THICK80% OF UNDERSIDE COVERED NOISE REDUCTION SPRAY ON ALL PANELS FOAM INSULATION UNDER FLOOR PERIMETER SOUND ABATEMENT/INSULATION ON FIREWALL INTERIOR LED DOME LIGHTS, MINIMUM PER MFG'S MODEL LED DOME LIGHTS, MINIMUM PER MFG'S MODEL LED DOME LIGHTS ON SEPARATE SWITCH REAR TWO LED DOME LIGHTS ON SEPARATE SWITCH 6 X 30 INTERIOR MIRROR AND VISOR INTERIOR, OPTIONS OVERSIZED DRIVER'S DOME LIGHT IN LIEU OR STD. 8 X 30 OVERHEAD MIRROR ADDITIONAL DOME SWITCH AND CIRCUIT	NC 300.00 700.00 1,500.00 NA NA 1,500.00 STD 1,000.00 STD 1,000.00 STD NA NA NA NA NA STD NA NA NA STD NA NA NA STD

110.00 STD STD STD STD STD STD STD STD 25.00 STD

ALIVILLIADY DOMED DI LIC 42 VOLT	CTD	CTD
AUXILLIARY POWER PLUG 12 VOLT ADDITIONAL AUXILLIARY A/USB/USC PORT	STD 36.00	STD
VIDEO CAMERA POWER SUPPLY DIGITAL VIDEO CAMERA SYSTEM, COLOR <u>REI</u> BRAND-6 CHL (4 HD / 2 IP CAMS) - INCL HD 2 CAMERAS	65.00	04M5 40 D407
DIGITAL VIDEO CAMERA SYSTEM, COLOR <u>REI</u> BRAND- 12 CHL (4 HD / 2 IP CAMS) - INCL HD 2 CAMERAS DIGITAL VIDEO CAMERA SYSTEM, COLOR <u>REI</u> BRAND- 12 CHL (8 HD / 4 IP CAMS) - INCL HD 2 CAMERAS	2,400.00 2.900.00	SAME AS PAST
ADDITIONAL HD INTERIOR CAMERA	395.00	
ADDITIONAL INTERIOR CAMERA ADDITIONAL INTERIOR/EXTERIOR IP CAMERA	495.00	
STOP ARM CAMERA	487.00	
CHILD CHECK SYSTEM	STD	STD
WASTE CONTAINER AND HOLDER	75.00	316
WASTE CONTAINED HOLDER	73.00	
LAMPS AND SIGNALS		
SIDE TURN SIGNALS		
CIRCUIT BRKRS/FUSES-w/SOLID STATE PROTECTORS		
8 LIGHT FLASHER UNIT BRAND <u>WELDON</u>		
INDICATE BRAND OF LIGHT ASSY'S USED <u>SOUNDOFF</u> .		
CLEARANCE LIGHTS LIT WITH TAIL LIGHTS		
LAMPS AND SIGNALS, OPTIONS		
COWL MTD FRONT SIGNAL, W/ ARROW	NA	
COWL MTD FRONT SIGNAL, W/O ARROW	NA	
ROOF MOUNTED LOW PROFILE STROBE LIGHT - <u>HGT: 3.6 "</u>	105.00	
SELF CONTAINED STROBE, <u>Brand/Model ECCO</u> HGT: <u>4.9</u> "	105.00	105.00
STROBE: REMOTE POWER SUPPLY <u>Brand/Model: SMI</u> HGT: <u>2.77</u> "	115.00	
METAL PROTECTIVE SHIELDS, ALL MARKER & CL. LIGHTS	NA	
DOME LIGHTS ACTIVATED BY EMERGENCY DOOR	60.00	
LED RED LIGHT ABOVE EMERG. DOOR	75.00	75.00
BACK UP LIGHTS ACTIVATED BY EMERGENCY DOOR	55.00	
BACK UP LIGHTS: 7"	STD	
LED BACKUP LIGHTS IN LIEU OF STD7_"	70.00	
LED-ENT. DOOR OUTSIDE LIGHT CONNECTED TO STEP LT.	35.00	35.00
ALL LIGHTS LED - EXCEPT 8 WAY LIGHTS	520.00	101000
ALL LIGHTS LED - INCLUDING 8 WAY LIGHTS	1,010.00	1,010.00
LED SIGNAL, TAIL, AND BU	230.00	
LED SIGNAL AND TAIL LIGHTS	230.00	
LED TAIL LIGHTS ONLY LED CLEARANCE LIGHTS	73.00 STD	
LED REAR TURN ONLY	49.00	
LED FRONT TURN ONLY	49.00 NA	
LED STOP/TAIL 4", AND BU ONLY	119.00	
LED BACKUP ONLY	70.00	
8 LIGHT MONITOR	NA	
16 LIGHT MONITOR	NA.	
16 LIGHT MONITOR (MONITORS LED OR INCANDESCENT)	180.00	
OTHER 8 LIGHT FLASHER OFFERED, BRAND	NA	
8 LIGHT HOODS	50.00	
DELETE 8 LIGHT HOODS	STD	STD
8-WAY LIGHTS W/STROBES	485.00	
LED 8-WAY LIGHTS	485.00	
WELDON LIGHT ASSY'S	STD	STD
UNDER HOOD WORK LIGHT, 2 LED	124.00	
FENDER MOUNTED LED LIGHT	130.00	
REAR FACING - FRT FENDER MOUNTED TURN SIGNALS	NA	
TWO SIDE SIGNAL LIGHTS PER SIDE	110.00	
OTHER BRAND LIGHT ASSY'S <u>ADD'L BACKUP LIGHTS IN SKIRT</u>	95.00	95.00
LIGHT CHECK FEATURE	STD	STD
DRIVER LED DOME	STD	STD
LED PASSENGER DOME LIGHTS (7)	STD	STD
STEP LIGHT LED	STD	STD 50.00
PASSENGER DIMMER SWITCH	50.00	50.00
METAL TREATMENT		
PER STATE SPECIFICATION		
FER STATE SPECIFICATION		
MIRRORS		
TO MEET FEDERAL REGULATIONS		
16.1121.1251.1261.1161.0		
MIRRORS, OPTIONS		
HEATED MIRRORS, OUTSIDE AND CROSSOVER	NA	
HEATED MIRRORS, OUTSIDE ONLY	NA	
HEATED MIRRORS, CROSSOVER ONLY	NA	
6-1/2 X 10 FLAT AND 6-1/2 X 10 CONVEX (BLACK)	NA	
6-1/2 X 10 FLAT AND 6-1/2 X 10 CONVEX (STAINLESS)	NA	
7 X 11 FLAT AND 7 X 5.4 CONVEX BLACK	NA	
7 X 16 MIRROR HEADS	NA	
CROSSOVER MIRRORS HEADS & BRACKETS, BLACK HEATED	100.00	
CROSSOVER MIRRORS HEADS & BRKTS, STAINLESS STEEL HEATED	165.00	165.00 BIG OVAL MIRRORS
ALL MIRROR BRACKETS, STAINLESS STEEL	NA	
ROSCO, BLACK	NA	
ROSCO, BLACK-CROSSOVER MIRRORS HEADS & BRACKETS NON HEATED	STD	
ROSCO, XOVER MIRRORS HEADS & BRKTS, STAINLESS STEEL	NA NA	
ROSCO, BLACK - REARVIEW ONLY NON HEATED/NON MOTORIZED	STD	

ROSCO, STAINLESS - REARVIEW ONLY	NA
REMOTE OPERATED MIRRORS, REAR VIEWS ONLY BLACK	175.00
REMOTE OPERATED HEATED MIRRORS, REAR VIEWS ONLY BLACK	240.00
REMOTE OF ENATED HEATED MIRRORS, REAR VIEWS ONLY SST	260.00
HEATED MIRROR TIMER	NC
MIRRORLIGHT BUS BOY HIGH DEF XOVER - BLACK, HEATED	120.00
MIRRORLIGHT BUS BOY HIGH DEF XOVER - SS, HEATED	160.00
ROSCO HIGH DEF XOVER - BLACK, HEATED WITH LED DOWNLIT LIGHTING	285.00
ROSCO HIGH DEF XOVER - SST, HEATED WITH LED DOWNLIT LIGHTING	320.00
BACK-UP CAMERA - 6"x30"	1,100.00
BACK-UP CAMERA - 10"X30"	1,200.00
360 CAMERA SYSTEM - 6"X30"	2,560.00
360 CAMERA SYSTEM - 10"X30"	NA
MOUNTING OF BODY	
CUSHION MATERIAL BETWEEN CHASSIS AND BODY	
LIST TYPE OF MATERIAL USED FOR CUSHION RUBBER .	
FLAT CLAMPS, # OF BOLTS? 1 PER CLAMP	
· 2 · · · · 2 · · · · · · · · · · · · ·	
MOUNTING OF BODY, OPTIONS	
U-BOLT MOUNTING SYSTEM ADDITION	NA
SUNSHIELD	
6 X 30 FULLY ADJUSTABLE	
TRANSPARENT SHADE	
WING NUT ADJUSTABLE	
SUNSHIELD, OPTIONS	
10 X 30 DRIVERS SIDE SHIELD	105.00
6 X 24 DRIVERS SIDE SHIELD	NA
6 X 30 RIGHT SIDE SHIELD	50.00
ADDITIONAL SIDE VISOR, DRIVERS SIDE WINDOW, EXTENSION BRKT	30.00
RADIO	
AM/FM WITH DIGITAL CLOCK, INTEGRAL PA INT/EXT, 4 SPKRS	
RADIO, OPTIONS	
AM/FM USB INTEGRAL PA, 4 SPEAKERS	STD
AM/FM BLUETOOTH INTEGRAL PA, 4 SPEAKERS	100.00
RADIO DELETE, COMPLETE UNIT	NA
6 SPEAKERS (ADD 2 TO STD 4)	NA
8 SPEAKERS (ADD 4 TO STD 4)	85.00
DELETE EXTERNAL PA HORN	-26.00
EXTERNAL PA SPKR. MOUNTED IN ENGINE COMPARTMENT	STD
COAXIAL CABLE INSTALLED, NO RADIO PROVIDED	30.00
RUB RAILS 4 REQUIRED	
16 GAUGE STEEL	
NUMBER OF WRAP AROUND TO THE REAR OF THE BUS 3.	
PER SIDE	
RUB RAIL, OPTIONS	
ADDITIONAL RUBRAIL	NA
ADDITIONAL WRAP AROUND RUBRAIL EACH SET	NA
CAULKING TOP OF EXTERIOR RUBRAILS	STD
SEAT BELT FOR DRIVER	
3 POINT RETRACTABLE	
SEAT BELT FOR DRIVER, OPTIONS	
VERTICAL ADJ'MT. FOR SHDR BELT ANCHOR	STD
ORANGE OR LIME COLORED SHOULDER BELT	STD
DRIVERIO OF A T	
DRIVER'S SEAT	
LIJOU DA OK ON OOL ID MOUNT	
HIGH BACK ON SOLID MOUNT	
5" MIN. SLIDE ADJUSTMENT	
5" MIN. SLIDE ADJUSTMENT	
5" MIN. SLIDE ADJUSTMENT FABRIC INSERT UPHOLSTERY	NA
5" MIN. SLIDE ADJUSTMENT FABRIC INSERT UPHOLSTERY DRIVER'S SEAT, OPTIONS	NA
5" MIN. SLIDE ADJUSTMENT FABRIC INSERT UPHOLSTERY DRIVER'S SEAT, OPTIONS BOSTROM ROUTEMASTER, HIGH BACK, AIR SUSP. CHAS. AIR BOSTROM ROUTEMASTER, HIGH BACK, SPRING SUSP. MAGNUM 200, SPRING SUSPENSION	NA STD
5" MIN. SLIDE ADJUSTMENT FABRIC INSERT UPHOLSTERY DRIVER'S SEAT, OPTIONS BOSTROM ROUTEMASTER, HIGH BACK, AIR SUSP. CHAS. AIR BOSTROM ROUTEMASTER, HIGH BACK, SPRING SUSP. MAGNUM 200, SPRING SUSPENSION MAGNUM 222, AIR SUSPENSION NEEDS AIR SOURCE	NA STD 20.00
5" MIN. SLIDE ADJUSTMENT FABRIC INSERT UPHOLSTERY DRIVER'S SEAT, OPTIONS BOSTROM ROUTEMASTER, HIGH BACK, AIR SUSP. CHAS. AIR BOSTROM ROUTEMASTER, HIGH BACK, SPRING SUSP. MAGNUM 200, SPRING SUSPENSION MAGNUM 222, AIR SUSPENSION NEEDS AIR SOURCE NATIONAL SEAT, AIR SUSPENSION - SELF CONTAINED	NA STD 20.00 NC
5" MIN. SLIDE ADJUSTMENT FABRIC INSERT UPHOLSTERY DRIVER'S SEAT, OPTIONS BOSTROM ROUTEMASTER, HIGH BACK, AIR SUSP. CHAS. AIR BOSTROM ROUTEMASTER, HIGH BACK, SPRING SUSP. MAGNUM 200, SPRING SUSPENSION MAGNUM 222, AIR SUSPENSION NEEDS AIR SOURCE NATIONAL SEAT, AIR SUSPENSION - SELF CONTAINED NATIONAL SEAT, ADJUSTABLE SEAT BACK - AIR- HEATED NEEDS AIR SOURCE	NA STD 20.00 NC NC
5" MIN. SLIDE ADJUSTMENT FABRIC INSERT UPHOLSTERY DRIVER'S SEAT, OPTIONS BOSTROM ROUTEMASTER, HIGH BACK, AIR SUSP. CHAS. AIR BOSTROM ROUTEMASTER, HIGH BACK, SPRING SUSP. MAGNUM 200, SPRING SUSPENSION MAGNUM 222, AIR SUSPENSION NEEDS AIR SOURCE NATIONAL SEAT, AIR SUSPENSION - SELF CONTAINED NATIONAL SEAT, ADJUSTABLE SEAT BACK - AIR- HEATED NEEDS AIR SOURCE NATIONAL SEAT, AIR SUSPENSION NEEDS AIR SOURCE	NA STD 20.00 NC NC NC
5" MIN. SLIDE ADJUSTMENT FABRIC INSERT UPHOLSTERY DRIVER'S SEAT, OPTIONS BOSTROM ROUTEMASTER, HIGH BACK, AIR SUSP. CHAS. AIR BOSTROM ROUTEMASTER, HIGH BACK, SPRING SUSP. MAGNUM 200, SPRING SUSPENSION MAGNUM 222, AIR SUSPENSION NEEDS AIR SOURCE NATIONAL SEAT, AIR SUSPENSION - SELF CONTAINED NATIONAL SEAT, ADJUSTABLE SEAT BACK - AIR- HEATED NEEDS AIR SOURCE NATIONAL SEAT, AIR SUSPENSION NEEDS AIR SOURCE NATIONAL SEAT, ADJUSTABLE SEAT BACK	NA STD 20.00 NC NC NC NC NC
5" MIN. SLIDE ADJUSTMENT FABRIC INSERT UPHOLSTERY DRIVER'S SEAT, OPTIONS BOSTROM ROUTEMASTER, HIGH BACK, AIR SUSP. CHAS. AIR BOSTROM ROUTEMASTER, HIGH BACK, SPRING SUSP. MAGNUM 200, SPRING SUSPENSION MAGNUM 222, AIR SUSPENSION NEEDS AIR SOURCE NATIONAL SEAT, AIR SUSPENSION - SELF CONTAINED NATIONAL SEAT, ADJUSTABLE SEAT BACK - AIR- HEATED NEEDS AIR SOURCE NATIONAL SEAT, AIR SUSPENSION NEEDS AIR SOURCE	NA STD 20.00 NC NC NC
5" MIN. SLIDE ADJUSTMENT FABRIC INSERT UPHOLSTERY DRIVER'S SEAT, OPTIONS BOSTROM ROUTEMASTER, HIGH BACK, AIR SUSP. CHAS. AIR BOSTROM ROUTEMASTER, HIGH BACK, SPRING SUSP. MAGNUM 200, SPRING SUSPENSION MAGNUM 222, AIR SUSPENSION NEEDS AIR SOURCE NATIONAL SEAT, AIR SUSPENSION - SELF CONTAINED NATIONAL SEAT, ADJUSTABLE SEAT BACK - AIR- HEATED NEEDS AIR SOURCE NATIONAL SEAT, ADJUSTABLE SEAT BACK NATIONAL SEAT, ADJUSTABLE SEAT BACK NATIONAL SUSPENSION WITH INTEGRATED BELT	NA STD 20.00 NC NC NC NC NC NC NC NC

260.00 50.00 30.00 85.00 30.00 STD STD STD NC

28.00 TWO ARM RESTS- NOT AVAILABLE ON MAGNUM 200 56.00 SELF CONTAINED AIR SUPPLY (FOR HYD. BRAKE BUS) NA STORAGE POUCH NA SEAT AND CRASH BARRIERS 42 OZ. FIRE RETARDANT MATERIAL HIGH BACK SEATS, EACH 39" HIGH BACK BARRIER 39" 39" CRASH BARRIERS ON EACH SIDE. SEAT AND CRASH BARRIERS, OPTIONS MODESTY PANEL BELOW CRASH BARRIER, LEFT STD MODESTY PANEL BELOW CRASH BARRIER, RIGHT STD BARRIER STORAGE POUCH, EACH 48.00 C. E. WHITE CHILD RESTRAINT SEATS, EACH 30" NA C. E. WHITE CHILD RESTRAINT SEATS, EACH 39" NA IMMI SAFEGUARD CHILD RESTRAINT SEAT, EACH 30" 505.00 IMMI SAFEGUARD CHILD RESTRAINT SEAT, EACH 36" NA IMMI SAFEGUARD CHILD RESTRAINT SEAT, EACH 39" 570.00 SEAT BELT READY SEATS WITH BELTS, EACH 39" 32.00 SEAT BELT READY SEATS WITH BELTS, EACH 26" 22.00 SEAT BELT READY SEATS WITH BELTS FACH 30" 22 00 SEAT BELT READY SEATS WITH BELTS, EACH 36" 22.00 SEAT BELT READY SEATS WITHOUT BELTS, EACH 39" STD SEAT BELT READY SEATS WITHOUT BELTS, EACH 26" STD SEAT BELT READY SEATS WITHOUT BELTS, EACH 30" STD SEAT BELT READY SEATS WITHOUT BELTS, EACH 36" STD STANDARD SEAT, EACH 26" IN LIEU OF 39" SEAT NC STANDARD SEAT, EACH 30" IN LIEU OF 39" SEAT NC STANDARD SEAT, EACH 36" IN LIEU OF 39" SEAT NC IMMI SAFEGUARD SEAT W/SHOULDER & LAP BELT 26" 470.00 IMMI SAFEGUARD SEAT W/SHOULDER & LAP BELT 30" 405.00 IMMI SAFEGUARD SEAT W/SHOULDER & LAP BELT 36" 420.00 IMMI SAFEGUARD SEAT W/SHOULDER & LAP BELT 37.5" NA IMMI SAFEGUARD SEAT W/SHOULDER & LAP BELT 39" 640.00 IMMI SAFEGUARD SEAT W/SHOULDER & LAP BELT 45" NA CHILD RESTRAINT SYSTEM OPTION FOR IMMI SEAT 200.00 BTI, CHILD, 3PT, SGL, 39" 550.00 BTI, CHILD, 3PT, DBL, 36" 600.00 **DELETE STANDARD SEATS: 39** -110.00DELETE STANDARD SEATS: 36 -106 00 DELETE STANDARD SEATS: 30 -100.00 **DELETE STANDARD SEATS: 26** -170.00 SEAT/BARRIER COMBO: 30" CUSHION/39" BARRIER NA UNIV. ISO LATCH FOR BABY CARRIER: BELTS REQD. EACH 23.00 HIGH BACK BARRIER, TRACK MTD. 39" 240.00 IMMI SAFEGUARD FLEX SEAT NA IMMI SAFEGUARD FLEX SEAT - HB WITH 3 PT BELTS NA 3 STEP STEPWELL STEPS, OPTIONS FORWARD HAND RAIL (RT. SIDE) 180.00 FORWARD HAND RAIL (RT. SIDE) DUAL HEIGHT 300.00 AFT HANDRAIL DUAL HEIGHT 300.00 STEPWELL SOUND ABATEMENT STD STAINLESS STEEL STEP WELL 700.00 GALVANIZED STEEL STEPWELL NC STEP TREADS 16 GAUGE METAL BACKING WHITE NOSING COLOR MATCHING STEP TREADS TO FLOOR COLOR NON-SKID MATERIAL STEP TREADS, OPTIONS BLACK TREADS STD PREMIUM NON-SKID ABRASIVE NOSING STD PEBBLE STEP TREAD STD HEATED BOTTOM STEP TREAD NΑ HEATED BOTTOM TWO STEP TREADS NA COLORED TREADS WITH A BLACK FLOOR STD STIRRUP STEPS STIRRUP STEPS, OPTIONS GRAB HANDLES, BLACK NA GRAB HANDLES, CHROME

STEPS

GRAB HANDLES, YELLOW

RUBBER KICK BACKING ON COWL

56.00 3,990.00 224.00 22.00 300.00 300.00 STD STD STD STD STD STD

NA

STD

NA

STOP SIGNAL ARM ELECTRIC OPERATED W/LIGHTS, MFG. STD. SPECIALTY STOP SIGNAL ARM, OPTIONS Electric w/LED lights Electric w/LED strobe lights NΑ Electric w/LED lighted word "STOP" NA Electric w/LED strobe word "STOP" NA Windquard Electric w/lights STD Windguard Electric w/LED lights 130.00 Windguard Electric w/LED strobe lights 135.00 Windguard Electric w/LED lighted word "STOP" 300.00 Windguard Electric w/LED strobe word "STOP" NA Air powered w/incandescent lights NC Air powered w/LED lights NA Air powered w/LED strobe lights NΑ Air powered w/LED lighted word "STOP" NA Air powered w/LED strobe word "STOP" NA Windguard Air powered w/lights 155.00 Windguard Air powered w/LED lights NA Windguard Air powered w/LED strobe lights 162.00 Windguard Air powered w/LED lighted word "STOP" NA Windguard Air powered w/LED strobe word "STOP" NA Other: FIRST LIGHT ILLUMINATED STOP ARM FRONT OR REAR 1,250.00 NA Other NΑ Other NA NA Other Other NA Other NA Other: NA Other: NA Other: NA W/SERVO LATCH NA ADDITIONAL SPEC'D STOP ARM ON REAR-ELECTRIC 315 00 ADDITIONAL SPEC'D STOP ARM ON REAR-AIR 215 00 HIGH INTENSITY SCOTCH LITE BLADES STD HEATED ELECTRIC ELEMENT IN UNIT NA STAINLESS STEEL FASTENERS 150.00 STORAGE COMPARTMENT MFG STD (IF ANY) STORAGE COMPARTMENT OPTIONS BULKHEAD STORAGE COMPARTMENT, TOP HINGED STD LOCKABLE DOOR (NOT FOR EM. EQUIP. USE) 65.00 AUXILIARY STORAGE COMPARTMENT-REAR 70.00 LEFT SIDE ABOVE DRIVER HEAD, NON-LOCKABLE 155.00 LEFT SIDE ABOVE DRIVER HEAD, LOCKABLE 160.00 EXT. LUGGAGE COMPARTMENT <u>FWD</u> SIDE <u>114 X 24 X 22</u> SIZE 1,250.00 EXT. LUGGAGE COMPARTMENT <u>MID</u> SIDE <u>36 X 24 X 22</u> SIZE 617.00 EXT. LUGGAGE COMPARTMENT <u>AFT</u> SIDE <u>91 X 20 X 18</u> SIZE 900.00 GAS SHOCKS (2) 230.00 LUGGAGE LIGHT W/ SWITCH PER BOX 125.00 UNDERCOATING FACTORY INSTALLED, COMPLETE UNDERSIDE UNDERCOATING/RUSTPROOFING, OPTIONS INSIDE EMERGENCY DOOR STD INSIDE REAR BODY PANELS AT FLOOR LINE STD CHEMGUARD 300.00 VENTILATION FRONT ROOF NON-CLOSING VENT VENTILATION, OPTION CEILING VENT WITH FAN NA WHEEL HOUSING STANDARD COVERING COLOR ABS BLACK WHEEL HOUSING, OPTIONS **BLACK FLOORING MATERIAL** STD METAL EXTENSION, FENDERETTES (REAR)

135.00

STD

150.00

STD

STD

STD

300.00

STD

NA

			-	
RUBBER WH. OPENING EXTENSIONS, FENDERETTES (REAR)		67.00	_	
MUD FLAPS, REAR, STD RUBBER		STD	_	STD
MUD FLAPS, FRONT, STD RUBBER MUD FLAPS, REAR, FULL WIDTH OF BUS		STD 76.00	-	STD
WIGHT EATS, NEAN, TOLE WIGHT OF BOS		70.00	- I	
WINDOWS, THERMOPANE				
DRIVER'S SIDE SLIDING WINDOW				
UPPER DOOR GLASS				
FIRST RIGHT WINDOW, UPPER AND LOWER				
WINDOWS, OPTIONS		400.00		
THERMO SIDE WINDOWS ADDITIONAL, EACH COMPLETE THERMO LOWER ENTRANCE DOOR GLASS		100.00 NA	-	
LOWER RIGHT SIDE VISION WINDOW, AHEAD OF ENT. DOOR		NA NA	-	
WINDOW STOPS FOR SIDE WINDOWS _, _, _, _," AVAILABLE		STD		
WINDSHIELD				
TINTED				
1, 2, 3, OR 4 PIECE WINDSHIELD <u>3</u> PIECE			-	
WINDSHIELD OPTIONS			-	
WINDSHIELD, OPTIONS TINTED WITH SHADED TOP		STD	-	STD
ONE PIECE CURVED, TINTED		NA		OID
2 PC. CURVED, TINTED		NA		
3 PC WINDSHIELD, TINTED		STD		STD
4 PC WINDSHIELD, TINTED		NA		
WINDSHIELD WASHERS			-	
WIPER MOUNTED, WET ARM ELECTRIC WASHER PUMP			-	
3-4 QUART CAPACITY			-	
5-4 QUART OALAOTT				
WINDSHIELD WIPERS			- 1	
HEAVY DUTY BOTTOM MOUNTED				
SINGLE OR DUAL SWITCH				
2 SPEED WITH INTERMITTENT FEATURE				
NON-GLARE ARMS			-	
WINDSHIELD WIPERS, OPTIONS				
WINTER (ALL SEASON) BLADES)		60.00		
OTHER: CRYSTAL CLEAR HEATED BLADES (FACTORY INSTALL)		850.00		
WIRING				
COLOR AND NUMBER CODED				
AUTOMATIC, MAN. RESET, OR SOL. ST. CIRCUIT BREAKERS/FUSES			-	
MASTER SWITCH FOR BODY, ELECTRIC OPERATED			-	
WIRING, OPTIONS			-	
MANUAL RESET CIRCUIT BREAKERS		STD		STD
AUTOMATIC RESET CIRCUIT BREAKERS		STD		STD
SOLID STATE PROTECTORS		STD		STD
PURPOSE SPECIFIC LABELED WIRING		STD		STD
			-	
OTHER OPTIONS NOT LISTED		NA NA	_	
OTHER OPTIONS NOT LISTED OTHER OPTIONS NOT LISTED		NA NA	-	
OTHER OF HONG NOT EISTED		INA		
			_	
SUBTOTAL BODY AND OPTIONS				130,449.00
			<u>-</u>	,
HANDICAP BUS:	HANDICAP BUS AD	DITIONS		
	TIANDICAL DOO AD			
PADDED HEADER PANEL ABOVE DOOR SPECIFY DOOR OPENING 43 X 69.79".			H	
CORDED REMOTE CONTROL			H	
CONTINUOUS TRACKING IN HEADER FOR WH. CHAIR BELT			i i	

PADDED HEADER PANEL ABOVE DOOR
SPECIFY DOOR OPENING 43 X 69.79".
CORDED REMOTE CONTROL
CONTINUOUS TRACKING IN HEADER FOR WH. CHAIR BELT
FRONT HANDRAIL ON STEP WELL
SAFETY RAIL ON WHEEL CHAIR LIFT
FULL LENGTH SHIELD FOR LIFT MECHANISM
LED LIGHTS INTERIOR AND EXTERIOR FOR LIFT
HANDICAP BUS OPTION BASE PRICE ADDITION

HANDICAP BUS: OPTIONS

OPTIONAL DOOR SIZE ______.

LIFT DOOR LIGHT, OUTSIDE (ACTIVATED WITH DOOR)
LIFT DOOR LIGHT, INSIDE AND OUTSIDE
REMOVABLE PADDED COVER FOR WHEEL CHAIR LIFT
DRIVER'S AREA LIFT ENABLE SWITCH
DOOR LIFT INTERLOCK SWITCH, AUTO
DOOR LIFT INTERLOCK SWITCH, MANUAL

2,800.00	
NA	
NC	
NC	
NA	
NA	
NA	
NA	
	NC NC NA NA

2,800.00

LIFT AREA LIGHT, INSIDE	STD	İ	STD
INTERIOR LIGHTS IN LIFT AREA 2 - 3" LIGHTS	NA		OIB
INTERIOR LIGHTS IN LIFT AREA 2 - 5" LIGHTS	NA		
THERMO PANE GLASS IN LIFT DOOR	59.00		
DELETE FRONT HANDRAIL ON STEP WELL	NA		
LIFT DOOR CONTROL BUZZER:			
ACTIVATED BETWEEN LATCH OPEN AND DOOR OPEN			
HEATER OPTIONS FOR FLAT FLOOR: WALL HEATER BTU _30,000	330.00		
WALL HEATER BTU 80,000 RIGHT SIDE ONLY .	502.00		
ADDITIONAL HEATER INSTALLED <u>50,000</u> BTU. <u>LEFT</u> LOC.	290.00		
ADDITIONAL HEATER INSTALLED <u>84,500</u> BTU. <u>LEFT</u> LOC.	345.00		
ADDITIONAL HEATER INSTALLED BTU LOC. ADDITIONAL HEATER INSTALLED BTU LOC.	NA NA		
RIGHT SIDE MOUNTED HEATER 50,000 BTU	345.00		
RIGHT SIDE MOUNTED HEATER 84,500 BTU	395.00		
RIGHT SIDE MOUNTED HEATER BTU	NA		
DELETION OF MIDSHIP HEATER DELETION OF REAR HEATER	-200.00 -300.00		
RADIANT HEAT, BOTH SIDES OF THE BUS, FULL LENGTH	NA		
DOOR LOCATION: FRONT			
FRONT			
DOOR LOCATION, OPTIONS:			
MIDSHIP, DIRECTLY BEFORE REAR WHEELS	NC NC		
REAR, BEHIND REAR WHEELS (VERIFY WITH DEALER EXACT LOCATION AND BODY SECTION	NC		
DOOR IS INSTALLED)			
TYPE OF LIFT BRAND_BRAUN MODEL_NL919FIB	4,300.00		
DOOR REQUIRED 43 X 69 .	4,300.00		
PLATFORM DIMENSIONS <u>51 X 33</u> .			
BRAND_BRAUN_ MODEL_NL919IB	4,300.00		
DOOR REQUIRED <u>43 X 69</u> . PLATFORM DIMENSIONS <u>51 X 33</u> .			
BRAND <u>BRAUN</u> MODEL <u>NCL1000FiB3451 GEN 2</u> .	4,500.00		4,500.00
DOOR REQUIRED <u>43</u> X <u>69</u> .			
PLATFORM DIMENSIONS <u>51 X 33</u> . BRAND MODEL	NA		
DOOR REQUIREDX	INA		
PLATFORM DIMENSIONSX			
TIEDOWNS: PER POSITION "L" TRACK			
BRAND <u>QSTRAINT</u> MODEL <u>Q8107-A1-L2</u> LATCH <u>RET</u> .	425.00		
BRAND <u>QSTRAINT</u> MODEL <u>Q8107-A1-SC</u> LATCH <u>RET</u> .	625.00		
BRAND QSTRAINT MODEL QRT-MAX Q-8306-SC2 LATCH RET .	725.00	X2	1,450.00
BRAND <u>QSTRAINT</u> MODEL <u>QRT-360 Q-8600-A1-L2</u> LATCH <u>RET</u> .	775.00		
TRACKING: PER POSITION			
"L" TRACKING 2 FLUSH TRACKS	NA		
"L" TRACKING <u>4</u> FLUSH TRACKS	460.00	X2	920.00
BARRIERS:			
BARRIER, BOLT MOUNTED, 2 TOTAL PER BUS	STD		STD
BARRIER OPTIONS: BOLT MOUNTED EACH			
39" BARRIER	180.00	RH	180.00
36" BARRIER	120.00		
30" BARRIER DELETE BARRIERS, EACH	95.00		
DELETE BARRIERS, EACH	-180.00		
BARRIER OPTIONS: TRACK MOUNTED EACH			
TWO TRACK MOUNTED BARRIERS IN LIEU OF BOLT MOUNTED	380.00		0.40.00
39" BARRIER 36" BARRIER	240.00 240.00	LH	240.00
30" BARRIER	225.00		
SEATS: TRACK MOUNTED EACH SEATS EACH, TRACK MOUNTED VS. BOLTED	100.00		
C.E WHITE SEATING 39"	NA		
C.E WHITE SEATING 30"	NA		
IMMI SAFEGUARD CHILD RESTRAINT SEAT, EACH 30"	585.00		
IMMI SAFEGUARD CHILD RESTRAINT SEAT, EACH 36" IMMI SAFEGUARD CHILD RESTRAINT SEAT, EACH 39"	635.00 680.00		\vdash
OTHER SEATS	NA		
IMMI SAFEGUARD SEAT W/SHOULDER & LAP BELT 36"	530.00		
IMMI SAFEGUARD SEAT W/SHOULDER & LAP BELT 30" IMMI SAFEGUARD SEAT W/SHOULDER & LAP BELT 37.5"	590.00 NA		
IIVIIVII JAFEGUAND SEAT WISHOULDER & LAP BELT 37.3	INA	I	

""" CAFFOUADD CFAT WELDIN DED 8 I AD DELT MITH CDC 26"	050.00	-
IMMI SAFEGUARD SEAT W/SHOULDER & LAP BELT WITH CRS 36" IMMI SAFEGUARD SEAT W/SHOULDER & LAP BELT 39"	950.00 705.00	
IMMI SAFEGUARD SEAT W/SHOULDER & LAP BELT 45"	NA	
CHILD RESTRAINT SYSTEM OPT. FOR IMMI W/LAP-SHDR, SGL CHILD RESTRAINT SYSTEM OPT. FOR IMMI W/LAP-SHDR, DBL	NA NA	
CHILD RESTRAINT STSTEIN OF L. FOR INVIVITAVILAR -STIDIN, DDL	INA	
SEATS: STD MOUNTED EACH, REMOVED FOR OPTIONS		
DELETE STANDARD SEATS: 39 DELETE STANDARD SEATS: 36	<u>-110.00</u> -106.00	7 -770.00
DELETE STANDARD SEATS: 30 DELETE STANDARD SEATS: 30	-100.00	
DELETE STANDARD SEATS: 26	-170.00	
FLAT FLOOR: OPTION		
FLAT FLOOR: OPTION FLAT FLOOR OPTION	220.00	
TIRE SIZE REQUIRED NA X NA BRAND		
OTHER OPTIONS <u>PADDED STANCHION</u> .	200.00	
SUBTOTAL HANDICAP OPTIONS		9,320.00
		<u> </u>
WHEEL BASE 170" BODY LENGTH 19'11"		
BODY LENGTH		
BODY LENGTH		
BODY LENGTH		
WHEEL BASE 193"		
BODY LENGTH <u>22'02"</u> .		
BODY LENGTH <u>22'11"</u> BODY LENGTH <u>23'08"</u>		
BODY LENGTH		
WHEEL BASE <u>218"</u> . BODY LENGTH <u>26'08"</u> .		
BODY LENGTH		
BODY LENGTH		
BODY LENGTH		
WHEEL BASE 236"		
BODY LENGTH <u>28'02"</u> .		
BODY LENGTH 28'11" .		
BODY LENGTH BODY LENGTH		
5651 EEROIN		
WHEEL BASE 254" .		
BODY LENGTH <u>29'08"</u> . BODY LENGTH <u>30'05"</u> .		
BODY LENGTH 31'02" .		
BODY LENGTH 31'11".		
WHEEL BASE 276"		
BODY LENGTH 31'11" .		
BODY LENGTH 32'08".		
BODY LENGTH 33'05".		
BODY LENGTH <u>34'02"</u> . BODY LENGTH <u>34'11"</u> .		
BODY LENGTH 35'08".		
	CONVENTIONAL CHASSIS	
AIR CLEANER:		
DRY TYPE, TO MATCH ENGINE DESIGN		
RESTRICTOR INDICATOR AT THE AIR CLEANER		
AIR CLEANER, OPTIONS:		
HEAVY DUTY DUAL ELEMENT	NA NA	
RESTRICTOR INDICATOR, DASH MOUNTED	20.00	
AIR INTAKE, OPTION:		
WARM AIR INTAKE	STD	STD
AXLES: FRONT		
INDICATE MODEL <u>MERITOR</u> INDICATE WEIGHT CAPACITY <u>10,000</u> LBS.		
INDICATE HUB TYPE PILOTED		
AXLES, FRONT, OPTIONS: 8,000 LB. CAPACITY	NC NC	
8,000 LB. CAPACITY 8,000 LB. CAPACITY INT'L	NC NC	
10,000 LB. CAPACITY HENDRICKSON	34.00	
10,000 LB CAPACITY INT'L. DANA SPICER	229.00	
12,000 LB. CAPACITY	157.00	

WET TYPE OIL SEAL, STATE BRAND <u>INTERNATIONAL</u> .	STD	STD
GREASE TYPE SEAL, STATE BRAND <u>NA</u>	NA	
AXLES: REAR		
INDICATE AXLE MODEL <u>DANA SPICER</u>		
INDICATE WEIGHT CAPACITY 19.800 LBS.		
OIL SEAL BRAND PROVIDED <u>INTERNATIONAL</u> . MAGNETIC OIL LEVEL PLUG		
STANDARD DRIVELINE SERIES <u>SPL100</u> .		
AVI FO DEAD OBTIONS		
AXLES, REAR, OPTIONS: 13,000 LB. CAPACITY	NA	
15,000 LB. CAPACITY	NA	
15,500 LB. CAPACITY	NC	
17,500 LB. CAPACITY 17,500 LB. CAPACITY DANA SPICER	NA NC	
19,000 LB. CAPACITY	NA	
19,800 LB. CAPACITY	110.00	
19,800 LB. CAPACITY DANA SPICER 21,000 LB. CAPACITY	STD 155.00	STD
23,000 LB. CAPACITY REQUIRES AIR BRAKES	355.00	
NO SPIN DIFFERENTIAL	NA	
SYNTHETIC LUBRICANT FRT AND REAR BRAND <u>EMGUARD</u> OTHER OIL SEAL BRANDS OFFERED NA	110.00 NA	
OTHER OIL DEAL DIVINION OF LINED NA	INA	
BRAKES		
SPLIT HYDRAULIC 4 WHEEL DISC ABS 4 CHANNEL, STATE BRAND <u>BENDIX</u>		
HYD. BRAKE SYSTEM, BRAND <u>WABCO</u> MODEL		
DUST SHIELDS AT ALL BRAKE POSITIONS		
DDAVEC ODTIONS.		
BRAKES, OPTIONS: HYDRAULIC, WITH BOSCH PIN SLIDE DISC	NA	
AIR BRAKE SYSTEM, "Q" PLUS, 15 x 4 FRT, 16.5 x 7 REAR	665.00	
AIR BRAKE ABS WITH TRACTION CONTROL	STD	
AIR BRAKE DISC BRAKE COLLISION MITIGATION SYSTEM - OMIT .	1,000.00 STD	
COLLISION MITIGATION SYSTEM - WINGMAN ADVANCED (AIRBRAKE REQ)	930.00	
COLLISION MITIGATION SYSTEM - WINGMAN FUSION (AIRBRAKE REQ)	1,000.00	
BRAKE, PARKING MANUAL PUSH-PULL PNEUMATIC BENDIX INTELLIPARK ELECTRONIC PARK BRAKE (AIRBRAKE REQ.)	STD NC	
PARKING DISPLAY FOR ELECTRONIC PARK BRAKE (AIRBRAKE REQ)	NC	
FRONT, AIR: OUTBOARD DRUMS		
15 X 5 "Q" PLUS	76.00	
16.5 X 5 "Q" PLUS	180.00	
ADJUSTABLE BRAKE AND ACCELERATOR PEDALS (AIR ONLY)	700.00	
SLACK ADJUSTERS, AUTOMATIC:		
HALDEX	NA	
MERITOR GUNITE	NA STD	
GONITE	310	
EMERGENCY BRAKE: OPTIONS		
AIR POWER APPLICATION MGM REAR PARKING BRAKE CHAMBER	NA STD	
WOW REAL PARKING DIVARE CHAWDER	310	
AIR DRYER AND TANKS:		
MANUAL DRAIN VALVE BENDIX AD-9SI WITH HEATER		
SENSIAN OG MITTER		
AIR DRYER AND TANKS , OPTIONS:		
PULL CHAIN FOR DRAIN VALVE (WET TANK) AUTOMATIC DRAIN VALVE WITH HEATER	STD 85.00	85.00
BENDIX AD 9 AIR DRYER W/HEATER: W/O AIR BRAKES	NA	03.00
BENDIX AD1P DRYER WITH HEATER	NA	
BW DV-2 AUTO DRAIN VALVE, WET TANK ONLY BW DV-2 AUTO DRAIN VALVE, W/HEATER, WET TANK ONLY	NA NA	
BW DV-2 AUTO DRAIN VALVE, WHEATER, ALL TANKS	NA NA	
COMPRESSOR: INDICATE BRAND AND CFM. CUMMINS 18.7 CU FT		
SPECIFY TANK CAPACITY APPROX 4.000 CU IN		
·		
COMPRESSOR, OPTIONS: BENDIX 13.2 CFM	NC	
WABCO 15.2 CFM	NA NA	
BUMPER, FRONT		
HEAVY DUTY STEEL		
COLOR, PAINT		

INDICATE BRAND AND TYPE USED	
COLOR, OPTIONS: BLACK GRILLE	STD
YELLOW GRILLE	97.00
CHROME SURROUND BLACK GRILLE	78.00
SILVER GRILLE FLAT BLACK HOOD TOP	N/A 600.00
FLAT YELLOW HOOD TOP	625.00
BLACK FENDERS	75.00
ELECTRICAL SYSTEM	
ALL CIRCUITS PROTECTED, AUTO OR MANUAL RESET	
FUSES/CIRCUIT BRKRS. OR SOL.ST. PROT. SPECIFY TYPE <u>MANUAL</u> .	
LIST MFG'S STD ALTERNATOR_ <u>LEECE NEVILLE AVI160P2007 210 AMP</u>	
2 1031 BATTERIES, <u>(3) 1980</u> CCA (1300 - 1500) LED HEADLIGHTS	635.00
DAYTIME RUNNING LIGHTS, PARTIAL POWER	STD
HEAVY DUTY MECHANICAL TURN SIGNAL FLASHER	
ELECTRICAL SYSTEM, OPTIONS:	
MANUAL RESET CIRCUIT BREAKERS	STD
AUTOMATIC RESET CIRCUIT BREAKERS	STD
DAYTIME RUNNING LIGHTS, HIGH POWER HEADLIGHT CIRCUIT RELAY SYSTEM	STD STD
HEADLIGHT, IGNITION OFF ALARM	STD
TOP FENDER MOUNTED TURN LAMPS	165.00
FUSE BLOCK, 8 POSITIONS (MULTIPLEXED SYSTEM) TRAILER HITCH, WIRING HARNESS & PLUG-AFTERMARKET	NA 1,700.00
BRAKE CONTROLLER-AFTERMARKET	787.00
ALTERNATORS:	NIA
185 AMP. 4939 LEECE-NEVILLE 200 AMP DELCO REMY	NA 46.00
210 AMP LEECE NEVILLE	STD
220 AMP LN 4920 PAH	NA NA
220 AMP LN 14923PH 240 AMP LEECE NEVILLE (REQUIRED FOR LIFT BUS)	NA 155.00
270 AMP. 4949 LEECE NEVILLE	NA
300 AMP DELCO REMY	NA
320 AMP. LEECE NEVILLE	
	NA 630.00
325 AMP. LEECE NEVILLE BLP4024N	630.00
325 AMP. LEECE NEVILLE BLP4024N BATTERIES:	
325 AMP. LEECE NEVILLE BLP4024N BATTERIES: QTY. GROUP CCA	630.00
325 AMP. LEECE NEVILLE BLP4024N BATTERIES:	
325 AMP. LEECE NEVILLE BLP4024N BATTERIES: QTY. GROUP CCA 2 1031 1300 2 1031 1500 3 GRP 31 1980	NA NA STD
325 AMP. LEECE NEVILLE BLP4024N BATTERIES: QTY. GROUP CCA 2 1031 1300 2 1031 1500 3 GRP 31 1980 3 31 3375	NA NA STD NA
325 AMP. LEECE NEVILLE BLP4024N BATTERIES: QTY. GROUP CCA 2 1031 1300 2 1031 1500 3 GRP 31 1980	NA NA STD
325 AMP. LEECE NEVILLE BLP4024N BATTERIES: QTY. GROUP CCA 2 1031 1300 2 1031 1500 3 GRP 31 1980 3 31 3375 3 1031 2280 3 1031 2280 2 8D 2300 INCLUDES LARGE BATTERY COMP.	NA NA STD NA NA 265.00 NA
325 AMP. LEECE NEVILLE BLP4024N BATTERIES: QTY. GROUP CCA 2 1031 1500 2 1031 1500 3 GRP 31 1980 3 31 3375 3 1031 2280 3 1031 2850	NA NA STD NA NA 265.00 NA NA
325 AMP. LEECE NEVILLE BLP4024N BATTERIES: QTY. GROUP CCA 2 1031 1300 2 1031 1500 3 GRP 31 1980 3 31 3375 3 1031 2280 3 1031 2280 2 8D 2300 INCLUDES LARGE BATTERY COMP.	NA NA STD NA NA 265.00 NA
325 AMP. LEECE NEVILLE BLP4024N BATTERIES: QTY. GROUP CCA 2 1031 1300 2 1031 1500 3 GRP 31 1980 3 31 3375 3 1031 2280 3 1031 2280 2 8D 2300 INCLUDES LARGE BATTERY COMP. 2 8D 2800 INCLUDES LARGE BATTERY COMP. STARTERS: MITSUBISHI 12 VOLT SOFT START	NA NA STD NA NA 265.00 NA NA NA STD STD
325 AMP. LEECE NEVILLE BLP4024N BATTERIES: QTY. GROUP CCA 2 1031 1300 2 1031 1500 3 GRP 31 1980 3 31 3375 3 1031 2280 3 1031 2280 2 8D 2300 INCLUDES LARGE BATTERY COMP. 2 8D 2800 INCLUDES LARGE BATTERY COMP. STARTERS: MITSUBISHI 12 VOLT SOFT START DELCO 29 MT 12 VOLT	NA NA STD NA
325 AMP. LEECE NEVILLE BLP4024N BATTERIES: QTY. GROUP CCA 2 1031 1300 2 1031 1500 3 GRP 31 1980 3 31 3375 3 1031 2280 3 1031 2280 2 8D 2300 INCLUDES LARGE BATTERY COMP. 2 8D 2800 INCLUDES LARGE BATTERY COMP. STARTERS: MITSUBISHI 12 VOLT SOFT START	NA NA STD NA NA 265.00 NA NA NA STD STD
325 AMP. LEECE NEVILLE BLP4024N BATTERIES: QTY. GROUP CCA 2 1031 1300 2 1031 1500 3 GRP 31 1980 3 31 3375 3 1031 2280 3 1031 2280 2 8D 2300 INCLUDES LARGE BATTERY COMP. 2 8D 2800 INCLUDES LARGE BATTERY COMP. STARTERS: MITSUBISHI 12 VOLT SOFT START DELCO 29 MT 12 VOLT LEECE NEVILLE M100R 12 VOLT DENSO 1610	NA NA STD NA NA 265.00 NA NA NA STD NA
325 AMP. LEECE NEVILLE BLP4024N BATTERIES: QTY. GROUP CCA 2 1031 1300 2 1031 1500 3 GRP 31 1980 3 31 3375 3 1031 2280 3 1031 2280 2 8D 2300 INCLUDES LARGE BATTERY COMP. 2 8D 2800 INCLUDES LARGE BATTERY COMP. STARTERS: MITSUBISHI 12 VOLT SOFT START DELCO 29 MT 12 VOLT LEECE NEVILLE M100R 12 VOLT DENSO 1610 ENGINES:	NA NA STD NA NA 265.00 NA NA NA STD NA
325 AMP. LEECE NEVILLE BLP4024N BATTERIES: QTY. GROUP CCA 2 1031 1300 2 1031 1500 3 GRP 31 1980 3 31 3375 3 1031 2280 3 1031 2280 2 8D 2300 INCLUDES LARGE BATTERY COMP. 2 8D 2800 INCLUDES LARGE BATTERY COMP. STARTERS: MITSUBISHI 12 VOLT SOFT START DELCO 29 MT 12 VOLT LEECE NEVILLE M100R 12 VOLT DENSO 1610	NA NA STD NA NA 265.00 NA NA NA STD NA
325 AMP. LEECE NEVILLE BLP4024N BATTERIES: QTY. GROUP CCA 2 1031 1300 2 1031 1500 3 GRP 31 1980 3 31 3375 3 1031 2280 3 1031 2280 2 8D 2300 INCLUDES LARGE BATTERY COMP. 2 8D 2800 INCLUDES LARGE BATTERY COMP. STARTERS: MITSUBISHI 12 VOLT SOFT START DELCO 29 MT 12 VOLT LEECE NEVILLE M100R 12 VOLT DENSO 1610 ENGINES: MANUFACTURERS STANDARD APPROX. 200 H.P. PARENT BORE STATE ENGINE PROPOSED - INCLUDE BRAND, SIZE, AND FUEL TYPE: CUMMINS B6.7 200 HP.	NA NA STD NA NA 265.00 NA NA NA STD NA
### STARTERS: ### STARTERS: ACC 1031	NA NA STD NA NA 265.00 NA NA NA STD NA
325 AMP. LEECE NEVILLE BLP4024N BATTERIES: QTY. GROUP CCA 2 1031 1300 2 1031 1500 3 GRP 31 1980 3 31 3375 3 1031 2280 3 1031 2280 2 8D 2300 INCLUDES LARGE BATTERY COMP. 2 8D 2800 INCLUDES LARGE BATTERY COMP. STARTERS: MITSUBISHI 12 VOLT SOFT START DELCO 29 MT 12 VOLT LEECE NEVILLE M100R 12 VOLT DENSO 1610 ENGINES: MANUFACTURERS STANDARD APPROX. 200 H.P. PARENT BORE STATE ENGINE PROPOSED - INCLUDE BRAND, SIZE, AND FUEL TYPE: CUMMINS B6.7 200 HP.	NA NA STD NA NA 265.00 NA NA NA STD NA
BATTERIES: QTY. GROUP CCA 2 1031 1300 2 1031 1500 3 GRP 31 1980 3 31 3375 3 1031 2280 3 1031 2850 2 8D 2300 INCLUDES LARGE BATTERY COMP. 2 8D 2800 INCLUDES LARGE BATTERY COMP. STARTERS: MITSUBISHI 12 VOLT SOFT START DELCO 29 MT 12 VOLT LEECE NEVILLE M100R 12 VOLT DENSO 1610 ENGINES: MANUFACTURERS STANDARD APPROX. 200 H.P. PARENT BORE STATE ENGINE PROPOSED - INCLUDE BRAND, SIZE, AND FUEL TYPE: CUMMINS 86.7 200 HP. MEET OR EXCEED -34 DEGREES ANTI-FREEZE ELECTRONIC FAST IDLE	NA NA STD NA NA 265.00 NA NA NA STD NA
### STARTERS: MANUFACTURERS STANDARD APPROX. 200 H.P. PARENT BORE STATE ENGINE PROPOSED - INCLUDE BRAND, SIZE, AND FUEL TYPE: _CUMMINS B6.7 200 HP. MEET OR EXCEED -34 DEGREES ANTI-FREEZE ELECTRONIC FAST IDLE ENGINE WARNING ALARM MEET OR EXERCISE HE STAND ARD APPROX ARM	NA NA STD NA NA 265.00 NA NA NA STD NA
### STARTERS: ### AUTY	NA NA STD NA NA 265.00 NA NA NA STD NA
BATTERIES: OTY. GROUP CCA 2 1031 1300 2 1031 1500 3 GRP 31 1980 3 31 3375 3 1031 2280 3 1031 2280 2 8D 2300 INCLUDES LARGE BATTERY COMP. 2 8D 2800 INCLUDES LARGE BATTERY COMP. 2 8D 2800 INCLUDES LARGE BATTERY COMP. 3 TARTERS: MITSUBISHI 12 VOLT SOFT START DELCO 29 MT 12 VOLT LEECE NEVILLE M100R 12 VOLT DENSO 1610 ENGINES: MANUFACTURERS STANDARD APPROX. 200 H.P. PARENT BORE STATE ENGINE PROPOSED - INCLUDE BRAND, SIZE, AND FUEL TYPE: _CUMMINS B6.7 200 HP. MEET OR EXCEED -34 DEGREES ANTI-FREEZE ELECTRONIC FAST IDLE ENGINE WARNING ALARM MAGNETIC DRAIN PLUG MEET OR EXCEED CURRENT EMISSIONS STANDARD ENGINES, OPTIONS: CUMMINS ISB 200 H.P. PARENT BORE 600 LB	630.00 NA NA STD NA NA 265.00 NA NA NA STD 100.00 NA NA STD 100.00 STD STD
### BATTERIES: CITY. GROUP CCA	630.00 NA NA STD NA NA 265.00 NA NA NA NA STD 100.00 NA NA STD 100.00 NA NA NA
BATTERIES: QTY. GROUP CCA 2 1031 1300 2 1031 1500 3 GRP 31 1980 3 31 3375 3 1031 2280 3 1031 2850 2 8D 2300 INCLUDES LARGE BATTERY COMP. 2 8D 2800 INCLUDES LARGE BATTERY COMP. 2 8D 2800 INCLUDES LARGE BATTERY COMP. STARTERS: MITSUBISHI 12 VOLT SOFT START DELCO 29 MT 12 VOLT LEECE NEVILLE M100R 12 VOLT DENSO 1610 ENGINES: MANUFACTURERS STANDARD APPROX. 200 H.P. PARENT BORE STATE ENGINE PROPOSED - INCLUDE BRAND, SIZE, AND FUEL TYPE: _CUMMINS B6.7 200 HP. MEET OR EXCEED -34 DEGREES ANTI-FREEZE ELECTRONIC FAST IDLE ENGINE WARNING ALARM MAGNETIC DRAIN PLUG MEET OR EXCEED CURRENT EMISSIONS STANDARD ENGINES, OPTIONS: CUMMINS ISB 200 H.P. PARENT BORE 600 LB CUMMINS ISB 220 H.P. PARENT BORE 520 LB CUMMINS ISB 220 H.P. PARENT BORE 600 LB	830.00 NA NA STD NA NA NA NA NA NA NA STD NA NA NA NA STD 100.00 NA
### STATE RISH STANDARD APPROX. 200 H.P. PARENT BORE STATE ENGINE PROPOSED - INCLUDE BRAND, SIZE, AND FUEL TYPE: **CUMMINS 18B 220 H.P. PARENT BORE 600 LB CUMMINS 18B 240 H.P. PARENT BORE 600 LB CUMMINS 18B	STD NA
### STATERS: OTY. GROUP CCA 2 1031 1300 2 1031 1500 3 GRP 31 1980 3 31 3375 3 1031 2280 3 1031 2280 3 1031 2280 3 1031 2850 2 8D 2300 INCLUDES LARGE BATTERY COMP. 2 8D 2300 INCLUDES LARGE BATTERY COMP. STARTERS: ### MITSUBISHI 12 VOLT SOFT START DELCO 29 MT 12 VOLT LEECE NEVILLE M100R 12 VOLT DENSO 1610 ENGINES: MANUFACTURERS STANDARD APPROX. 200 H.P. PARENT BORE STATE ENGINE PROPOSED - INCLUDE BRAND, SIZE, AND FUEL TYPE: CUMMINS B6.7 200 HP. MEET OR EXCEED -34 DEGREES ANTI-FREEZE ELECTRONIC FAST IDLE ENGINE WARNING ALARM MAGNETIC DRAIN PLUG MEET OR EXCEED CURRENT EMISSIONS STANDARD ENGINES, OPTIONS: CUMMINS ISB 200 H.P. PARENT BORE 600 LB CUMMINS ISB 220 H.P. PARENT BORE 600 LB CUMMINS ISB 220 H.P. PARENT BORE 600 LB CUMMINS ISB 220 H.P. PARENT BORE 600 LB CUMMINS ISB 240 H.P. PARENT BORE 600 LB CUMMINS ISB 250 H.P. PARENT BORE 600 LB	STD NA
### STATE STANDARD APPROX. 200 H.P. PARENT BORE STATE ENGINE PROPOSED - INCLUDE BRAND, SIZE, AND FUEL TYPE: _CUMMINS IBS 220 H.P. PARENT BORE 600 LB CUMMINS ISB 250 H.P. PARENT BORE 660 LB CUMMINS ISB 250 H	STD NA
### STATERS: OTY. GROUP CCA 2 1031 1300 2 1031 1500 3 GRP 31 1980 3 31 3375 3 1031 2280 3 1031 2280 3 1031 2280 3 1031 2850 2 8D 2300 INCLUDES LARGE BATTERY COMP. 2 8D 2300 INCLUDES LARGE BATTERY COMP. STARTERS: ### MITSUBISHI 12 VOLT SOFT START DELCO 29 MT 12 VOLT LEECE NEVILLE M100R 12 VOLT DENSO 1610 ENGINES: MANUFACTURERS STANDARD APPROX. 200 H.P. PARENT BORE STATE ENGINE PROPOSED - INCLUDE BRAND, SIZE, AND FUEL TYPE: CUMMINS B6.7 200 HP. MEET OR EXCEED -34 DEGREES ANTI-FREEZE ELECTRONIC FAST IDLE ENGINE WARNING ALARM MAGNETIC DRAIN PLUG MEET OR EXCEED CURRENT EMISSIONS STANDARD ENGINES, OPTIONS: CUMMINS ISB 200 H.P. PARENT BORE 600 LB CUMMINS ISB 220 H.P. PARENT BORE 600 LB CUMMINS ISB 220 H.P. PARENT BORE 600 LB CUMMINS ISB 220 H.P. PARENT BORE 600 LB CUMMINS ISB 240 H.P. PARENT BORE 600 LB CUMMINS ISB 250 H.P. PARENT BORE 600 LB	STD NA
### STATE NOTE OF STATE ### STATE STATE STATE ### STATE STATE OF STATE ### STATE STATE STATE ###	STD NA

STD
טוט
600.00
75.00
STD
STD
155.00
155.00
Ť
STD
STD
310
975.00
975.00
975.00
975.00 STD

ENGINE INTEGRAL SHUT DOWN SYSTEM WITH ALARM	STD
LOW COOLANT LEVEL WARNING LIGHT	STD
UPGRADED COOLANT BRAND <u>SHELL ROTELLA</u> .	STD
BLOCK HEATER, INDICATE WATTAGE <u>750W</u> .	STD
BUMPER MOUNTED PLUG-IN RECEPTACLE	STD
PRECHARGED COOLANT FILTER UPGRADED HOSES BRAND <u>PREMIUM GRADE</u> .	NA STD
SILICONE HOSES BRAND_ <u>PREMIOW GRADE</u> .	NA NA
CONSTANT TORQUE HOSE CLAMPS	STD
FUEL HEATER, IN LINE	1,300.00
FUEL HEATER, IN-FUEL TANK	1,400.00
ELECTRIC MANIFOLD GRID HEATER FUEL PRIMER PUMP	NA STD
FUEL FRIMER FUMP	310
RADIATORS:	
OIL COOLER X INTERNAL NA EXTERNAL	STD
MAJOR MAT'L USED <u>ALUMINUM WITH COPPER FINS</u> .	
RADIATOR OPTIONS:	
SHUTTERS, HYDRAULIC	NA
SHUTTERS, AIR	NA
WINTER FRONTS, SNAP ON, INDICATE COLOR <u>BLACK</u>	STD
BUG SCREEN	180.00
EAN CLUTCH.	
FAN CLUTCH: ELECTRIC OPERATED FAN CLUTCH- 2 SPEED VISCOUS	NA
DRIVE MASTER 2 SPEED-HORTON, AIR ONLY	NC
ELECTRIC OPERATED FAN CLUTCH- 2 SPEED WARNER	STD
ELECTRO - MAGNETIC FAN CLUTCH	NA
FUEL WATER GERARATOR.	
FUEL-WATER SEPARATOR:	NΔ
RACOR 490 W/PRIMER PUMP RACOR 400 SERIES W/ELECTRIC HEATER/PRIMER PUMP	NA STD
RACOR 690R30	NA
FLEETGARD W/HEATER AND LIGHT	NA
ALLIANCE W/HEATER, LIGHT AND PUMP	NA
OTHER SEPARATORS OFFERED <u>DAVCO 245</u> .	275.00
EXHAUST SYSTEM	
LEFT DISCHARGE, LEFT SIDE OF FRAME, BELOW BUMPER	
EXHAUST SYSTEM, OPTIONS:	
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER	STD
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER	66.00
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER	
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE DISCHARGE, IN FRONT OF DUALS	66.00 44.00
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE DISCHARGE, IN FRONT OF DUALS 90 DEGREE TURN DOWN ON TAIL PIPE HEAT SHIELD BETWEEN MUFFLER/FUEL TANK/REQUIRED W/STD EXHAUST	66.00 44.00 NA
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE DISCHARGE, IN FRONT OF DUALS 90 DEGREE TURN DOWN ON TAIL PIPE HEAT SHIELD BETWEEN MUFFLER/FUEL TANK/REQUIRED W/STD EXHAUST FENDERS/HOOD:	66.00 44.00 NA
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE DISCHARGE, IN FRONT OF DUALS 90 DEGREE TURN DOWN ON TAIL PIPE HEAT SHIELD BETWEEN MUFFLER/FUEL TANK/REQUIRED W/STD EXHAUST	66.00 44.00 NA
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE DISCHARGE, IN FRONT OF DUALS 90 DEGREE TURN DOWN ON TAIL PIPE HEAT SHIELD BETWEEN MUFFLER/FUEL TANK/REQUIRED W/STD EXHAUST FENDERS/HOOD:	66.00 44.00 NA
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE DISCHARGE, IN FRONT OF DUALS 90 DEGREE TURN DOWN ON TAIL PIPE HEAT SHIELD BETWEEN MUFFLER/FUEL TANK/REQUIRED W/STD EXHAUST FENDERS/HOOD: EASY LIFT HOOD, 15 LBS. MAX15 LBS.	66.00 44.00 NA
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE DISCHARGE, IN FRONT OF DUALS 90 DEGREE TURN DOWN ON TAIL PIPE HEAT SHIELD BETWEEN MUFFLER/FUEL TANK/REQUIRED W/STD EXHAUST FENDERS/HOOD: EASY LIFT HOOD, 15 LBS. MAX15 LBS. FRAME: MFG.'S. STANDARD, APPROX. 254" W.B. TOW HOOKS, FRONT AND REAR	66.00 44.00 NA
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE DISCHARGE, IN FRONT OF DUALS 90 DEGREE TURN DOWN ON TAIL PIPE HEAT SHIELD BETWEEN MUFFLER/FUEL TANK/REQUIRED W/STD EXHAUST FENDERS/HOOD: EASY LIFT HOOD, 15 LBS. MAX15 LBS. FRAME: MFG.'S. STANDARD, APPROX. 254" W.B.	66.00 44.00 NA
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE DISCHARGE, IN FRONT OF DUALS 90 DEGREE TURN DOWN ON TAIL PIPE HEAT SHIELD BETWEEN MUFFLER/FUEL TANK/REQUIRED W/STD EXHAUST FENDERS/HOOD: EASY LIFT HOOD, 15 LBS. MAX15 LBS. FRAME: MFG.'S. STANDARD, APPROX. 254" W.B. TOW HOOKS, FRONT AND REAR FRAME50,000 PSI STRENGTH	66.00 44.00 NA
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE DISCHARGE, IN FRONT OF DUALS 90 DEGREE TURN DOWN ON TAIL PIPE HEAT SHIELD BETWEEN MUFFLER/FUEL TANK/REQUIRED W/STD EXHAUST FENDERS/HOOD: EASY LIFT HOOD, 15 LBS. MAX15 LBS. FRAME: MFG.'S. STANDARD, APPROX. 254" W.B. TOW HOOKS, FRONT AND REAR FRAME50,000 PSI STRENGTH FRAME, OPTIONS:	66.00 44.00 NA
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE DISCHARGE, IN FRONT OF DUALS 90 DEGREE TURN DOWN ON TAIL PIPE HEAT SHIELD BETWEEN MUFFLER/FUEL TANK/REQUIRED W/STD EXHAUST FENDERS/HOOD: EASY LIFT HOOD, 15 LBS. MAX15 LBS. FRAME: MFG.'S. STANDARD, APPROX. 254" W.B. TOW HOOKS, FRONT AND REAR FRAME50,000 PSI STRENGTH	66.00 44.00 NA 68.00
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE DISCHARGE, IN FRONT OF DUALS 90 DEGREE TURN DOWN ON TAIL PIPE HEAT SHIELD BETWEEN MUFFLER/FUEL TANK/REQUIRED W/STD EXHAUST FENDERS/HOOD: EASY LIFT HOOD, 15 LBS. MAX15 LBS. FRAME: MFG.'S. STANDARD, APPROX. 254" W.B. TOW HOOKS, FRONT AND REAR FRAME50,000 PSI STRENGTH FRAME, OPTIONS: WHEEL BASE 158" BODY LENGTH AVAIL19'02" WHEEL BASE 170" BODY LENGTH AVAIL19'11" WHEEL BASE 179" BODY LENGTH AVAILNA	66.00 44.00 NA 68.00
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE DISCHARGE, IN FRONT OF DUALS 90 DEGREE TURN DOWN ON TAIL PIPE HEAT SHIELD BETWEEN MUFFLER/FUEL TANK/REQUIRED W/STD EXHAUST FENDERS/HOOD: EASY LIFT HOOD, 15 LBS. MAX15 LBS. FRAME: MFG.'S. STANDARD, APPROX. 254" W.B. TOW HOOKS, FRONT AND REAR FRAME50,000 PSI STRENGTH FRAME, OPTIONS: WHEEL BASE 158" BODY LENGTH AVAIL19"02" WHEEL BASE 170" BODY LENGTH AVAIL19"11" WHEEL BASE 179" BODY LENGTH AVAILNA WHEEL BASE 189" BODY LENGTH AVAILNA	66.00 44.00 NA 68.00 NC NC NA
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE DISCHARGE, IN FRONT OF DUALS 90 DEGREE TURN DOWN ON TAIL PIPE HEAT SHIELD BETWEEN MUFFLER/FUEL TANK/REQUIRED W/STD EXHAUST FENDERS/HOOD: EASY LIFT HOOD, 15 LBS. MAX15_ LBS. FRAME: MFG.'S. STANDARD, APPROX. 254" W.B. TOW HOOKS, FRONT AND REAR FRAME50,000 PSI STRENGTH FRAME, OPTIONS: WHEEL BASE 158" BODY LENGTH AVAIL19'02" WHEEL BASE 179" BODY LENGTH AVAIL19'11" WHEEL BASE 179" BODY LENGTH AVAILNA WHEEL BASE 193" BODY LENGTH AVAILNA WHEEL BASE 193" BODY LENGTH AVAILNA WHEEL BASE 193" BODY LENGTH AVAILNA	66.00 44.00 NA 68.00 NC NC NA NA
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE DISCHARGE, IN FRONT OF DUALS 90 DEGREE TURN DOWN ON TAIL PIPE HEAT SHIELD BETWEEN MUFFLER/FUEL TANK/REQUIRED W/STD EXHAUST FENDERS/HOOD: EASY LIFT HOOD, 15 LBS. MAX15 LBS. FRAME: MFG.'S. STANDARD, APPROX. 254" W.B. TOW HOOKS, FRONT AND REAR FRAME50,000 PSI STRENGTH FRAME, OPTIONS: WHEEL BASE 158" BODY LENGTH AVAIL19'02" WHEEL BASE 179" BODY LENGTH AVAIL19'11" WHEEL BASE 189" BODY LENGTH AVAILNA WHEEL BASE 193" BODY LENGTH AVAILNA WHEEL BASE 193" BODY LENGTH AVAILNA WHEEL BASE 199" BODY LENGTH AVAILNA	66.00 44.00 NA 68.00 NC NC NA NA NA
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE DISCHARGE, IN FRONT OF DUALS 90 DEGREE TURN DOWN ON TAIL PIPE HEAT SHIELD BETWEEN MUFFLER/FUEL TANK/REQUIRED W/STD EXHAUST FENDERS/HOOD: EASY LIFT HOOD, 15 LBS. MAX15_ LBS. FRAME: MFG.'S. STANDARD, APPROX. 254" W.B. TOW HOOKS, FRONT AND REAR FRAME50,000 PSI STRENGTH FRAME, OPTIONS: WHEEL BASE 158" BODY LENGTH AVAIL19'02" WHEEL BASE 179" BODY LENGTH AVAIL19'11" WHEEL BASE 179" BODY LENGTH AVAILNA WHEEL BASE 193" BODY LENGTH AVAILNA WHEEL BASE 193" BODY LENGTH AVAILNA WHEEL BASE 193" BODY LENGTH AVAILNA	66.00 44.00 NA 68.00 NC NC NA NA
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE DISCHARGE, IN FRONT OF DUALS 90 DEGREE TURN DOWN ON TAIL PIPE HEAT SHIELD BETWEEN MUFFLER/FUEL TANK/REQUIRED W/STD EXHAUST FENDERS/HOOD: EASY LIFT HOOD, 15 LBS. MAX15_ LBS. FRAME: MFG.'S. STANDARD, APPROX. 254" W.B. TOW HOOKS, FRONT AND REAR FRAME50,000 PSI STRENGTH FRAME, OPTIONS: WHEEL BASE 158" BODY LENGTH AVAIL19"02" WHEEL BASE 170" BODY LENGTH AVAIL19"11" WHEEL BASE 179" BODY LENGTH AVAILNA WHEEL BASE 193" BODY LENGTH AVAILNA WHEEL BASE 193" BODY LENGTH AVAILNA WHEEL BASE 193" BODY LENGTH AVAILNA WHEEL BASE 217" BODY LENGTH AVAILNA WHEEL BASE 218" BODY LENGTH AVAILNA WHEEL BASE 219" BODY LENGTH AVAILNA	66.00 44.00 NA 68.00 NC NC NC NA NA NA NA NC NA NA NC NA
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE DISCHARGE, IN FRONT OF DUALS 90 DEGREE TURN DOWN ON TAIL PIPE HEAT SHIELD BETWEEN MUFFLER/FUEL TANK/REQUIRED W/STD EXHAUST FENDERS/HOOD: EASY LIFT HOOD, 15 LBS. MAX15_ LBS. FRAME: MFG.'S. STANDARD, APPROX. 254" W.B. TOW HOOKS, FRONT AND REAR FRAME50,000 PSI STRENGTH FRAME, OPTIONS: WHEEL BASE 158" BODY LENGTH AVAIL19'02" WHEEL BASE 179" BODY LENGTH AVAILNA WHEEL BASE 193" BODY LENGTH AVAILNA WHEEL BASE 218" BODY LENGTH AVAILNA	66.00 44.00 NA 68.00 NC NC NC NA NA NA NC NA NC NA
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE DISCHARGE, IN FRONT OF DUALS 90 DEGREE TURN DOWN ON TAIL PIPE HEAT SHIELD BETWEEN MUFFLER/FUEL TANK/REQUIRED W/STD EXHAUST FENDERS/HOOD: EASY LIFT HOOD, 15 LBS. MAX15 LBS. FRAME: MFG.'S. STANDARD, APPROX. 254" W.B. TOW HOOKS, FRONT AND REAR FRAME50,000 PSI STRENGTH FRAME, OPTIONS: WHEEL BASE 158" BODY LENGTH AVAIL19'11" WHEEL BASE 170" BODY LENGTH AVAIL19'11" WHEEL BASE 179" BODY LENGTH AVAIL MA WHEEL BASE 193" BODY LENGTH AVAIL NA WHEEL BASE 199" BODY LENGTH AVAIL NA WHEEL BASE 217" BODY LENGTH AVAIL NA WHEEL BASE 218" BODY LENGTH AVAIL	66.00 44.00 NA 68.00 NC NC NC NA NA NA NC NA NC NA NC NA NC NA NC NA NC NA NA NC NA
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE DISCHARGE, IN FRONT OF DUALS 90 DEGREE TURN DOWN ON TAIL PIPE HEAT SHIELD BETWEEN MUFFLER/FUEL TANK/REQUIRED W/STD EXHAUST FENDERS/HOOD: EASY LIFT HOOD, 15 LBS. MAX15_ LBS. FRAME: MFG.'S. STANDARD, APPROX. 254" W.B. TOW HOOKS, FRONT AND REAR FRAME50,000 PSI STRENGTH FRAME, OPTIONS: WHEEL BASE 158" BODY LENGTH AVAIL19'02" WHEEL BASE 170" BODY LENGTH AVAIL19'11" WHEEL BASE 179" BODY LENGTH AVAILNA WHEEL BASE 189" BODY LENGTH AVAILNA WHEEL BASE 199" BODY LENGTH AVAILNA WHEEL BASE 199" BODY LENGTH AVAILNA WHEEL BASE 218" BODY LENGTH AVAILNA WHEEL BASE 236" BODY LENGTH AVAILNA WHEEL BASE 252" BODY LENGTH AVAILNA	66.00 44.00 NA 68.00 NC NC NC NA NA NA NC NA NC NA
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE DISCHARGE, IN FRONT OF DUALS 90 DEGREE TURN DOWN ON TAIL PIPE HEAT SHIELD BETWEEN MUFFLER/FUEL TANK/REQUIRED W/STD EXHAUST FENDERS/HOOD: EASY LIFT HOOD, 15 LBS. MAX15 LBS. FRAME: MFG.'S. STANDARD, APPROX. 254" W.B. TOW HOOKS, FRONT AND REAR FRAME50,000 PSI STRENGTH FRAME, OPTIONS: WHEEL BASE 158" BODY LENGTH AVAIL19'11" WHEEL BASE 170" BODY LENGTH AVAIL19'11" WHEEL BASE 179" BODY LENGTH AVAIL MA WHEEL BASE 193" BODY LENGTH AVAIL NA WHEEL BASE 199" BODY LENGTH AVAIL NA WHEEL BASE 217" BODY LENGTH AVAIL NA WHEEL BASE 218" BODY LENGTH AVAIL	06.00 44.00 NA 68.00 NC NC NC NA NA NA NC NA NC NA NA NC NA
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE DISCHARGE, IN FRONT OF DUALS 90 DEGREE TURN DOWN ON TAIL PIPE HEAT SHIELD BETWEEN MUFFLER/FUEL TANK/REQUIRED W/STD EXHAUST FENDERS/HOOD: EASY LIFT HOOD, 15 LBS. MAX15_ LBS. FRAME: MFG.'S. STANDARD, APPROX. 254" W.B. TOW HOOKS, FRONT AND REAR FRAME50,000 PSI STRENGTH FRAME, OPTIONS: WHEEL BASE 158" BODY LENGTH AVAIL19*02" WHEEL BASE 170" BODY LENGTH AVAIL19*11" WHEEL BASE 179" BODY LENGTH AVAILNA WHEEL BASE 189" BODY LENGTH AVAILNA WHEEL BASE 199" BODY LENGTH AVAILNA WHEEL BASE 199" BODY LENGTH AVAILNA WHEEL BASE 217" BODY LENGTH AVAILNA WHEEL BASE 218" BODY LENGTH AVAILNA WHEEL BASE 238" BODY LENGTH AVAILNA WHEEL BASE 238" BODY LENGTH AVAILNA WHEEL BASE 258" BODY LENGTH AVAILNA WHEEL BASE 259" BODY LENGTH AVAI	66.00 44.00 NA 68.00 NC NC NC NA NA NA NC NA NA NC NA NA NC NA NA NC NA NA NA NC NA
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE DISCHARGE, IN FRONT OF DUALS 90 DEGREE TURN DOWN ON TAIL PIPE HEAT SHIELD BETWEEN MUFFLER/FUEL TANK/REQUIRED W/STD EXHAUST FENDERS/HOOD: EASY LIFT HOOD, 15 LBS. MAX	66.00 44.00 NA 68.00 NC NC NC NA NA NC NA NC NA NA NC
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE DISCHARGE, IN FRONT OF DUALS 90 DEGREE TURN DOWN ON TAIL PIPE HEAT SHIELD BETWEEN MUFFLER/FUEL TANK/REQUIRED W/STD EXHAUST FENDERS/HOOD: EASY LIFT HOOD, 15 LBS. MAX15 _ LBS. FRAME: MFG.'S. STANDARD, APPROX. 254" W.B. TOW HOOKS, FRONT AND REAR FRAME50.000 PSI STRENGTH FRAME, OPTIONS: WHEEL BASE 158" BODY LENGTH AVAIL19"1" WHEEL BASE 170" BODY LENGTH AVAIL19"1" WHEEL BASE 179" BODY LENGTH AVAILNA WHEEL BASE 189" BODY LENGTH AVAILNA WHEEL BASE 199" BODY LENGTH AVAILNA WHEEL BASE 199" BODY LENGTH AVAILNA WHEEL BASE 217" BODY LENGTH AVAILNA WHEEL BASE 218" BODY LENGTH AVAILNA WHEEL BASE 238" BODY LENGTH AVAILNA WHEEL BASE 258" BODY LENGTH AVAILNA WHEEL BASE 258" BODY LENGTH AVAILNA	06.00 44.00 NA 68.00 NC NC NC NA NA NA NC NA NA NC NA NA NC NA NA NC NA NA NA NC NA NA NA NC NA
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE DISCHARGE, IN FRONT OF DUALS 90 DEGREE TURN DOWN ON TAIL PIPE HEAT SHIELD BETWEEN MUFFLER/FUEL TANK/REQUIRED W/STD EXHAUST FENDERS/HOOD: EASY LIFT HOOD, 15 LBS. MAX15 LBS. FRAME: MFG.'S. STANDARD, APPROX. 254" W.B. TOW HOOKS, FRONT AND REAR FRAME	66.00 44.00 NA 68.00 NC NC NC NA NA NC NA NC NA NA NC
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE DISCHARGE, IN FRONT OF DUALS 90 DEGREE TURN DOWN ON TAIL PIPE HEAT SHIELD BETWEEN MUFFLER/FUEL TANK/REQUIRED W/STD EXHAUST FENDERS/HOOD: EASY LIFT HOOD, 15 LBS. MAX15 _ LBS. FRAME: MFG.'S. STANDARD, APPROX. 254" W.B. TOW HOOKS, FRONT AND REAR FRAME50.000 PSI STRENGTH FRAME, OPTIONS: WHEEL BASE 158" BODY LENGTH AVAIL19"1" WHEEL BASE 170" BODY LENGTH AVAIL19"1" WHEEL BASE 179" BODY LENGTH AVAILNA WHEEL BASE 189" BODY LENGTH AVAILNA WHEEL BASE 199" BODY LENGTH AVAILNA WHEEL BASE 199" BODY LENGTH AVAILNA WHEEL BASE 217" BODY LENGTH AVAILNA WHEEL BASE 218" BODY LENGTH AVAILNA WHEEL BASE 238" BODY LENGTH AVAILNA WHEEL BASE 258" BODY LENGTH AVAILNA WHEEL BASE 258" BODY LENGTH AVAILNA	06.00 44.00 NA 68.00 NC NC NC NA NA NC NA NA NA NC NA NA NA NA NC NA
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE DISCHARGE, IN FRONT OF DUALS 90 DEGREE TURN DOWN ON TAIL PIPE HEAT SHIELD BETWEEN MUFFLER/FUEL TANK/REQUIRED W/STD EXHAUST FENDERS/HOOD: EASY LIFT HOOD, 15 LBS. MAX15_ LBS. FRAME: MFG:S. STANDARD, APPROX. 254" W.B. TOW HOOKS, FRONT AND REAR FRAME50.000 PSI STRENGTH FRAME, OPTIONS: WHEEL BASE 158" BODY LENGTH AVAIL19"02"	MC NA
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE DISCHARGE, IN FRONT OF DUALS 90 DEGREE TURN DOWN ON TAIL PIPE HEAT SHIELD BETWEEN MUFFLER/FUEL TANK/REQUIRED W/STD EXHAUST FENDERS/HOOD: EASY LIFT HOOD, 15 LBS. MAX15 _ LBS. FRAME: MFG:S. STANDARD, APPROX. 254" W.B. TOW HOOKS, FRONT AND REAR FRAME50.000 PSI STRENGTH FRAME, OPTIONS: WHEEL BASE 178" BODY LENGTH AVAIL19'11"	MC NA
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE DISCHARGE, IN FRONT OF DUALS 90 DEGREE TURN DOWN ON TAIL PIPE HEAT SHIELD BETWEEN MUFFLER/FUEL TANK/REQUIRED W/STD EXHAUST FENDERS/HOOD: EASY LIFT HOOD, 15 LBS. MAX15_ LBS. FRAME: MFG.'S. STANDARD, APPROX. 254" W.B. TOW HOOKS, FRONT AND REAR FRAME50,000 PSI STRENGTH FRAME, OPTIONS: WHEEL BASE 158" BODY LENGTH AVAIL19'02" WHEEL BASE 170" BODY LENGTH AVAIL19'11" WHEEL BASE 170" BODY LENGTH AVAILNA WHEEL BASE 189" BODY LENGTH AVAILNA WHEEL BASE 199" BODY LENGTH AVAILNA WHEEL BASE 199" BODY LENGTH AVAILNA WHEEL BASE 199" BODY LENGTH AVAILNA WHEEL BASE 219" BODY LENGTH AVAILNA WHEEL BASE 228" BODY LENGTH AVAILNA WHEEL BASE 258" BODY LENGTH AVAILNA WHEEL BASE 258" BODY LENGTH AVAILNA WHEEL BASE 258" BODY LENGTH AVAILNA WHEEL BASE 259" BODY LENGTH AVAILNA WHEEL BASE 279" BODY LENGTH AVAILNA	MC NA
RIGHT SIDE OF FRAME DISCHARGE, REAR, THRU BUMPER LEFT SIDE DISCHARGE, IN FRONT OF DUALS 90 DEGREE TURN DOWN ON TAIL PIPE HEAT SHIELD BETWEEN MUFFLER/FUEL TANK/REQUIRED W/STD EXHAUST FENDERS/HOOD: EASY LIFT HOOD, 15 LBS. MAX15 _ LBS. FRAME: MFG:S. STANDARD, APPROX. 254" W.B. TOW HOOKS, FRONT AND REAR FRAME50.000 PSI STRENGTH FRAME, OPTIONS: WHEEL BASE 178" BODY LENGTH AVAIL19'11"	MC NA

STD STD STD STD STD

STD

STD

STD

STD

275.00

44.00

FUEL TANK, OPTIONS:	
60-65 GALLON, BETWEEN FRAME MOUNTED	STD
100 GALLON, BETWEEN FRAME MOUNTED	550.00
NAVIFLEX COATED FUEL TANK 65 GAL NAVIFLEX COATED FUEL TANK 100 GAL	225.00 775.00
69 GALLON, PROPANE TANK 31'02-34'11"	NA
100 GALLON, PROPANE TANK ON 34'11"	NA
RIGHT SIDE FILL, FOR BETWEEN FRAME RAILS	NC NC
LEFT SIDE FILL, FOR BETWEEN FRAME RAILS KEY LOCK ON FUEL DOOR	17.00
THUMB LATCH ON FUEL DOOR	STD
LOCKING FUEL CAP	17.00
LOCKING DEF DOOR	17.00
HORN:	
DUAL ELECTRIC HORNS	
HORN, OPTIONS:	
AIR HORN(S), W/AIR SUPPLY ALREADY ON BUS	160.00
INSTRUMENTS AND PANEL:	
PER NATIONAL STANDARDS PREMIUM INSTRUMENT PANEL	
TACHOMETER	
HOUR METER	
INSTRUMENTS AND PANEL, OPTIONS:	
BASE CLUSTER INSTRUMENT PANEL	-200.00
GLOVE BOX - WITHOUT DOOR	STD
GLOVE BOX WITH LOCKING DOOR DASH MOUNTED DIGITAL CLOCK	75.00
DASH MOUNTED DIGITAL CLOCK, WITH ALARM	NA
TRANSMISSION TEMP. GAUGE	35.00
AMMETER AMBIENT TEMPERATURE GAUGE	105.00 50.00
BOOST PRESSURE	NA
IGNITIONS KEYED ALIKE	25.00
AIR PRESSURE GAUGE FOR AIR SUSPENSION	STD
CUPHOLDER DASH MOUNTED CLIP BOARD STORAGE COMPARTMENT	STD STD
POWER AND GRADEABILITY: PER NATIONAL STANDARDS	
FER NATIONAL STANDARDS	
SHOCK ABSORBERS:	
HEAVY DUTY REQUIRED FRONT AND REAR	
SPRINGS:	
FRONT: PARABOLIC TAPERED LEAF SPRING	
REAR: SINGLE STAGE, VARI-RATE MULIT-LEAF SPRING	
SPRINGS, OPTIONS:	
FRONT:	
FRONT AIR SUSPENSION	NA NA
SOFTEK LEAF SPRINGS MAINTENANCE FREE SPRING PINS	NA STD
REAR:	
PARABOLIC TAPERED LEAF SPRING	STD
TWO STAGE FLAT LEAF SPRING AIR SUSP., WITH HYD, BRKS, INCLUDE COMPRESSOR	NA 1.200.00
TWO STAGE FLAT LEAF SPRING AIR SUSP., WITH HYD. BRKS, INCLUDE COMPRESSOR AIR SUSPENSION, WITH AIR BRAKES	1,200.00 600.00
AIR SUSP., WITH HYD. BRKS, INCLUDE COMPRESSOR AIR SUSPENSION, WITH AIR BRAKES	1,200.00
AIR SUSP., WITH HYD. BRKS, INCLUDE COMPRESSOR	1,200.00
AIR SUSP., WITH HYD. BRKS, INCLUDE COMPRESSOR AIR SUSPENSION, WITH AIR BRAKES STEERING: POWER STEERING ASSIST, INDICATE BRAND AND MODEL	1,200.00
AIR SUSP., WITH HYD. BRKS, INCLUDE COMPRESSOR AIR SUSPENSION, WITH AIR BRAKES STEERING: POWER STEERING ASSIST,	1,200.00
AIR SUSP., WITH HYD. BRKS, INCLUDE COMPRESSOR AIR SUSPENSION, WITH AIR BRAKES STEERING: POWER STEERING ASSIST, INDICATE BRAND AND MODEL	1,200.00
AIR SUSP., WITH HYD. BRKS, INCLUDE COMPRESSOR AIR SUSPENSION, WITH AIR BRAKES STEERING: POWER STEERING ASSIST, INDICATE BRAND AND MODEL INDICATE STRG. WHEEL DIAMETER	1,200.00 600.00
AIR SUSP., WITH HYD. BRKS, INCLUDE COMPRESSOR AIR SUSPENSION, WITH AIR BRAKES STEERING: POWER STEERING ASSIST, INDICATE BRAND AND MODEL INDICATE STRG. WHEEL DIAMETER STEERING, OPTIONS:	1,200.00
AIR SUSP., WITH HYD. BRKS, INCLUDE COMPRESSOR AIR SUSPENSION, WITH AIR BRAKES STEERING: POWER STEERING ASSIST, INDICATE BRAND AND MODEL INDICATE STRG. WHEEL DIAMETER STEERING, OPTIONS: TILT WHEEL	1,200.00 600.00
AIR SUSP., WITH HYD. BRKS, INCLUDE COMPRESSOR AIR SUSPENSION, WITH AIR BRAKES STEERING: POWER STEERING ASSIST, INDICATE BRAND AND MODEL INDICATE STRG. WHEEL DIAMETER STEERING, OPTIONS: TILT WHEEL TILT AND TELESCOPING WHEEL TIRES AND RIMS: WHEELS:	1,200.00 600.00
AIR SUSP., WITH HYD. BRKS, INCLUDE COMPRESSOR AIR SUSPENSION, WITH AIR BRAKES STEERING: POWER STEERING ASSIST, INDICATE BRAND AND MODEL INDICATE STRG. WHEEL DIAMETER STEERING, OPTIONS: TILT WHEEL TILT AND TELESCOPING WHEEL TIRES AND RIMS: WHEELS: ONE PIECE RADIAL TIRE RIMS, 22.5 X 8.25	1,200.00 600.00
AIR SUSP., WITH HYD. BRKS, INCLUDE COMPRESSOR AIR SUSPENSION, WITH AIR BRAKES STEERING: POWER STEERING ASSIST, INDICATE BRAND AND MODEL, INDICATE STRG. WHEEL DIAMETER STEERING, OPTIONS: TILT WHEEL TILT AND TELESCOPING WHEEL TIRES AND RIMS: WHEELS: ONE PIECE RADIAL TIRE RIMS, 22.5 X 8.25 HUB PILOTED, 10 BOLT HOLES	1,200.00 600.00
AIR SUSP., WITH HYD. BRKS, INCLUDE COMPRESSOR AIR SUSPENSION, WITH AIR BRAKES STEERING: POWER STEERING ASSIST, INDICATE BRAND AND MODEL INDICATE STRG. WHEEL DIAMETER STEERING, OPTIONS: TILT WHEEL TILT AND TELESCOPING WHEEL TIRES AND RIMS: WHEELS: ONE PIECE RADIAL TIRE RIMS, 22.5 X 8.25	1,200.00 600.00
AIR SUSP., WITH HYD. BRKS, INCLUDE COMPRESSOR AIR SUSPENSION, WITH AIR BRAKES STEERING: POWER STEERING ASSIST, INDICATE BRAND AND MODEL INDICATE STRG. WHEEL DIAMETER STEERING, OPTIONS: TILT WHEEL TILT AND TELESCOPING WHEEL TIRES AND RIMS: WHEELS: ONE PIECE RADIAL TIRE RIMS, 22.5 X 8.25 HUB PILOTED, 10 BOLT HOLES TIRES, FRONT, 11R X 22.5, 14 PLY RATING INDICATE BRAND AND MODELHANKOOK AH37. TIRES, REAR, TRACTION TYPE, 11R X 22.5, 14 PLY RATING	1,200.00 600.00
AIR SUSP., WITH HYD. BRKS, INCLUDE COMPRESSOR AIR SUSPENSION, WITH AIR BRAKES STEERING: POWER STEERING ASSIST, INDICATE BRAND AND MODEL INDICATE STRG. WHEEL DIAMETER STEERING, OPTIONS: TILT WHEEL TILT AND TELESCOPING WHEEL TIRES AND RIMS: WHEELS: ONE PIECE RADIAL TIRE RIMS, 22.5 X 8.25 HUB PILOTED, 10 BOLT HOLES TIRES, FRONT, 11R X 22.5, 14 PLY RATING INDICATE BRAND AND MODELHANKOOK AH37.	1,200.00 600.00

STD

STD

35.00

STD STD

STD

1,200.00

STD

WHEEL, OPTIONS: PRICE PER SET OF SIX. **ALUMINUM RIMS** 1.150.00 SPARE TIRE CARRIER (1) NC. SPARE HUB PILOTED WHEEL, 10 BOLT HOLES (1) 140.00 WHEEL ALIGNMENT, FRONT ONLY STD STD WHEEL ALIGNMENT, REAR ONLY STD STD WHEEL BALANCE, FRONT ONLY, POWDER, NO LEAD ALLOWED STD STD WHEEL BALANCE, REAR ONLY, POWDER, NO LEAD ALLOWED STD STD OTHER BALANCE PRODUCTS. PER WHEEL NA TIRES: CHOOSE ONE FROM EACH CATEGORY. SPARE OPTION FRONT, TIRE SIZES (TIRES ONLY, PRICE PER SET OF 2) PIRELLI 11R22.5 R89 ALL POSITION H 150.00 HANKOOK 11R22.5 AH37 ALL POSITION STD STD CONTINENTAL 11R22.5 ECOPLUS HS3+ ALL POSITION H 200.00 MICHELIN 11R22.5 XZE2 ALL POSITION H 715.00 GOODYEAR 11R22.5 RSA FUEL MAX ALL POSITION .G 485.00 BRIDGESTONE R268 ECOPIA ALL POSITION H 360.00 CONTINENTAL 255/70R22.5 HSR2 ALL POSITION H 39.00 GOODYEAR 255/70R22.5 ENDURANCE RSA ALL POSITION H 410.00 BRIDGESTONE 255/70R22.5 R250 ED ALL POSITION H 325.00 HANKOOK 255/70R22.5 AH37 ALL POSITION NC REAR, TIRE SIZES (TIRES ONLY, PRICE PER SET OF 4) PIRELLI 11R22.5 R89 DRIVE H 500.00 CONTINENTAL 11R22.5 HSR2 ALL POSITION G 565.00 CONTINENTAL 11R22.5 HSR2 ALL POSITION NA CONTINENTAL 11R22.5 HDL2 M/S DRIVE .G 480.00 CONTINENTAL 11R22.5 HDR2+ M/S DRIVE .G 430.00 STD HANKOOK 11R22.5 DH37 DRIVE STD BRIDGESTONE 11R22.5 R268 ECOPIA ALL POSITION .H 720.00 BRIDGESTONE 11R22.5 M713 ECOPIA M/S DRIVE . G 600.00 MICHELIN 11R22.5 XZE2 ALL POSITION .H 1,430.00 MICHELIN 11R22.5 XDN2 M/S DRIVE .H 1.700.00 CONTINENTAL 255/70R22.5 HSR2 SA ALL POSITION . 76.00 CONTINENTAL 255/70R22.5 HDR M/S DRIVE 300.00 HANKOOK 255/70R22.5 AH37 ALL POSITION NC GOODYEAR 255/70R22.5 ENDURANCE RSA ALL POSITION . 825.00 GOODYEAR 255/70R22.5 FUEL MAX RTD 1,175.00 BRIDGESTONE 255/70R22.5 R250 ED ALL POSITION . 650.00 BRIDGESTONE 255/70R22.5 M726 M/S DRIVE . 775.00 COMBINATION FRONT AND REAR TIRE SIZES SPARE, TIRE SIZES (TIRE ONLY, EACH) 11R22.5 HANKOOK AH37 14 PLY . - AFTERMARKET NΑ 11R22.5 HANKOOK DH37 14 PLY . - AFTERMARKET NA 11R22.5 CONTINENTAL ECO+HS3 14 PLY . - AFTERMARKET NΑ 11R22.5 CONTINENTAL HDL2 DL+ 14 PLY . - AFTERMARKET NA 255/7019.5 HANKOOK AH37 14 PLY . - AFTERMARKET NA 255/70R19.5 HANKOOK DH37 14 PLY . - AFTERMARKET NA SPARE TIRE EQUAL TO MODEL STANDARD NA WHEEL, OPTIONS: PRICE PER SET OF SIX. SPARE TIRE CARRIER (1) 25.00 SPARE HUB PILOTED WHEEL, 10 BOLT HOLES (1) 135.00 WHEEL ALIGNMENT, FRONT ONLY STD STD WHEEL ALIGNMENT REAR ONLY STD STD WHEEL BALANCE, FRONT ONLY, POWDER, NO LEAD ALLOWED STD STD WHEEL BALANCE, REAR ONLY, POWDER, NO LEAD ALLOWED STD STD OTHER BALANCE PRODUCTS, _____ PER WHEEL NA TRANSMISSION: PTS 2500 ALLISON TRANSMISSION TOWER SHIFT WITH CABLE EXTERNAL TRANS. FILTER, AUTOMATIC TRANS. **COLUMN MOUNTED STALK SHIFTER** TRANSMISSION, OPTIONS: PTS 2200 ALLISON TRANSMISSION W/PARK PALL <26,000 LBS. 500.00 PTS 2500 ALLISON TRANSMISSION W/PARK PALL 33,000 LBS. 700.00 PTS 3000 (3060) ALLISON TRANSMISSION 5.050.00 TRANSYND FLUID STD STD MAGNET DRAIN PLUG (AUTOMATIC ONLY) STD STD PUSH BUTTON SHIFT FOR PT3000 (MD3060) NA INDICATE CURB TO CURB RADIUS FOR WHEEL BASE

170" WHEEL BASE 24 ' 02 " RADIUS

4001 WHEEL BACE OF LOOK BADILIO		
193" WHEEL BASE 27 ' 02 " RADIUS		
217" WHEEL BASE 30 ' 01 " RADIUS		
236" WHEEL BASE 32 ' 06 " RADIUS		
254" WHEEL BASE 34 ' 09 " RADIUS		
276" WHEEL BASE 37 ' 06 " RADIUS		
INDICATE BUMPER-TO-BUMPER RADIUS / WHEEL BASE		
<u>170"</u> WHEEL BASE <u>25 ' 03 "</u> RADIUS		
<u>193"</u> WHEEL BASE <u>28 ' 03 "</u> RADIUS		
<u>217"</u> WHEEL BASE <u>31 ' 03 "</u> RADIUS		
<u>236"</u> WHEEL BASE <u>33 ' 07 "</u> RADIUS		
254" WHEEL BASE 35 ' 10 " RADIUS		
276" WHEEL BASE 38 ' 07 " RADIUS		
ADDITIONAL OPTIONS:		
ITEM MODEL YEAR CHANGE IF APPLICABLE	3,500.00	3,500.00
ITEM	5,555.55	0,000.00
ITEM		
ITEM		
		<u> </u>
ITEM		
ITEM		
ITEM		
SUBTOTAL CHASSIS AND OPTIONS		6,944.00
	UNITS	
DISCOUNTS	PURCHASED	
TOUNITS	T SKSTAGED	0.00
_ TO _ UNITS		0.00
_TO_UNITS		0.00
FREIGHT DELIVERY CHARGE: FACTORY TO DEALER	3,000.00	3,000.00
	<u> </u>	
DELIVERY		
LOCATION OF DEALERSHIP MONTICELLO , MN	MILES	
DELIVERY CHARGE TO DISTRICT 1.60 PER MILE	0.00 0.00	0.00
		1
MINIMUM CHARGE FOR DELIVERY IN LIEU OF MILEAGE	0.00	0.00
TRANSFER THE HIGHER OF THE TWO VALUES TO THE TALLY COLUMN		
TRANSFER THE HIGHER OF THE TWO VALUES TO THE TALLY COLUMN		
TRANSFER THE HIGHER OF THE TWO VALUES TO THE TALLY COLUMN		
TRANSFER THE HIGHER OF THE TWO VALUES TO THE TALLY COLUMN MANUALS; LIST		
	100.00	
MANUALS; LIST	100.00 NC	
MANUALS; LIST SERVICE MANUAL MEDIA <u>ONLINE ANNUAL FEE STARTING 1/1</u> .		
MANUALS; LIST SERVICE MANUAL MEDIA <u>ONLINE ANNUAL FEE STARTING 1/1</u> . ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL	NC NC	
MANUALS; LIST SERVICE MANUAL MEDIA <u>ONLINE ANNUAL FEE STARTING 1/1</u> . ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS	NC NC NC	
MANUALS; LIST SERVICE MANUAL MEDIA <u>ONLINE ANNUAL FEE STARTING 1/1</u> . ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE	NC NC NC NC	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS	NC NC NC NC NC	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1. ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL	NC NC NC NC NC NC 468.00	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 . ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL	NC NC NC NC NC 468.00	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL 4 HOUR WEB SITE TRAINING - ON DISTRICT SITE	NC NC NC NC NC 468.00 468.00 500.00	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 . ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL 4 HOUR WEB SITE TRAINING - ON DISTRICT SITE 8 HOUR TECHNICAL TRAINING ON DISTRICT SITE	NC NC NC NC NC 468.00 468.00 500.00	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL 4 HOUR WEB SITE TRAINING - ON DISTRICT SITE	NC NC NC NC NC 468.00 468.00 500.00	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 . ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL 4 HOUR WEB SITE TRAINING - ON DISTRICT SITE 8 HOUR TECHNICAL TRAINING ON DISTRICT SITE	NC NC NC NC NC 468.00 468.00 500.00	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 . ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL 4 HOUR WEB SITE TRAINING - ON DISTRICT SITE 8 HOUR TECHNICAL TRAINING ON DISTRICT SITE	NC NC NC NC NC 468.00 468.00 500.00	140,393.00
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL 4 HOUR WEB SITE TRAINING - ON DISTRICT SITE 8 HOUR TECHNICAL TRAINING ON DISTRICT SITE HOGLUND UNIVERSITY ONLINE	NC NC NC NC NC 468.00 468.00 500.00	140,393.00 9,652.02
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL 4 HOUR WEB SITE TRAINING - ON DISTRICT SITE 8 HOUR TECHNICAL TRAINING ON DISTRICT SITE HOGLUND UNIVERSITY ONLINE	NC NC NC NC NC 468.00 468.00 500.00	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL 4 HOUR WEB SITE TRAINING - ON DISTRICT SITE 8 HOUR TECHNICAL TRAINING ON DISTRICT SITE HOGLUND UNIVERSITY ONLINE	NC NC NC NC NC 468.00 468.00 500.00	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL 4 HOUR WEB SITE TRAINING - ON DISTRICT SITE 8 HOUR TECHNICAL TRAINING ON DISTRICT SITE HOGLUND UNIVERSITY ONLINE TOTAL TAXABLE CHARGES EXCISE TAX	NC NC NC NC NC 468.00 468.00 500.00	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL 4 HOUR WEB SITE TRAINING - ON DISTRICT SITE 8 HOUR TECHNICAL TRAINING ON DISTRICT SITE HOGLUND UNIVERSITY ONLINE TOTAL TAXABLE CHARGES EXCISE TAX	NC NC NC NC NC 468.00 468.00 500.00	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL 4 HOUR WEB SITE TRAINING - ON DISTRICT SITE 8 HOUR TECHNICAL TRAINING ON DISTRICT SITE HOGLUND UNIVERSITY ONLINE TOTAL TAXABLE CHARGES EXCISE TAX WARRANTY: ENGINE WARRANTY: CHOOSE ONLY ONE	NC NC NC NC NC 468.00 468.00 500.00	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL 4 HOUR WEB SITE TRAINING - ON DISTRICT SITE 8 HOUR TECHNICAL TRAINING ON DISTRICT SITE HOGLUND UNIVERSITY ONLINE TOTAL TAXABLE CHARGES EXCISE TAX WARRANTY: ENGINE WARRANTY: CHOOSE ONLY ONE ENGINE ISB BRAND CUMMINS.	NC NC NC NC NC 468.00 468.00 500.00	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 . ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL 4 HOUR WEB SITE TRAINING - ON DISTRICT SITE 8 HOUR TECHNICAL TRAINING ON DISTRICT SITE HOGLUND UNIVERSITY ONLINE TOTAL TAXABLE CHARGES EXCISE TAX WARRANTY: ENGINE WARRANTY: CHOOSE ONLY ONE ENGINE ISB BRAND CUMMINS. YEARS 5 MILES 100,000 STANDARD WARRANTY	NC NC NC NC NC 468.00 468.00 500.00 1,000.00	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL 4 HOUR WEB SITE TRAINING - ON DISTRICT SITE 8 HOUR TECHNICAL TRAINING ON DISTRICT SITE HOGLUND UNIVERSITY ONLINE TOTAL TAXABLE CHARGES EXCISE TAX WARRANTY: ENGINE ISB BRAND CUMMINS. YEARS _ 5 MILES 100,000 STANDARD WARRANTY YEARS _ 5 MILES 100,000 FULL ENGINE COVERAGE	NC NC NC NC NC 468.00 468.00 500.00 1,000.00 500.00	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL 4 HOUR WEB SITE TRAINING - ON DISTRICT SITE 8 HOUR TECHNICAL TRAINING ON DISTRICT SITE HOGLUND UNIVERSITY ONLINE TOTAL TAXABLE CHARGES EXCISE TAX WARRANTY: ENGINE WARRANTY: CHOOSE ONLY ONE ENGINE ISB BRAND CUMMINS. YEARS _ 5 MILES 100.000 STANDARD WARRANTY YEARS _ 5 MILES 101.000 FULL ENGINE COVERAGE YEARS _ 7 MILES 150.000 FULL ENGINE COVERAGE	NC NC NC NC NC 468.00 468.00 500.00 1,000.00 500.00	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL 4 HOUR WEB SITE TRAINING - ON DISTRICT SITE 8 HOUR TECHNICAL TRAINING ON DISTRICT SITE HOGLUND UNIVERSITY ONLINE TOTAL TAXABLE CHARGES EXCISE TAX WARRANTY: ENGINE ISB BRAND CUMMINS. YEARS _ 5 MILES 100,000 STANDARD WARRANTY YEARS _ 5 MILES 100,000 FULL ENGINE COVERAGE	NC NC NC NC NC 468.00 468.00 500.00 1,000.00 500.00	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL 4 HOUR WEB SITE TRAINING - ON DISTRICT SITE 8 HOUR TECHNICAL TRAINING ON DISTRICT SITE HOGLUND UNIVERSITY ONLINE TOTAL TAXABLE CHARGES EXCISE TAX WARRANTY: ENGINE WARRANTY: CHOOSE ONLY ONE ENGINE ISB BRAND CUMMINS. YEARS _ 5 MILES 100.000 STANDARD WARRANTY YEARS _ 5 MILES 101.000 FULL ENGINE COVERAGE YEARS _ 7 MILES 150.000 FULL ENGINE COVERAGE	NC NC NC NC NC 468.00 468.00 500.00 1,000.00 500.00	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL 4 HOUR WEB SITE TRAINING - ON DISTRICT SITE 8 HOUR TECHNICAL TRAINING ON DISTRICT SITE HOGLUND UNIVERSITY ONLINE TOTAL TAXABLE CHARGES EXCISE TAX WARRANTY: ENGINE WARRANTY: CHOOSE ONLY ONE ENGINE ISB BRAND CUMMINS. YEARS _5 _ MILES 100.000 STANDARD WARRANTY YEARS _5 _ MILES Unlimited FULL ENGINE COVERAGE YEARS _7 _ MILES 150.000 FULL ENGINE COVERAGE YEARS _10 _ MILES 200.000 FULL ENGINE COVERAGE	NC NC NC NC NC 468.00 468.00 500.00 1,000.00 500.00	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL 4 HOUR WEB SITE TRAINING - ON DISTRICT SITE 8 HOUR TECHNICAL TRAINING ON DISTRICT SITE HOGLUND UNIVERSITY ONLINE TOTAL TAXABLE CHARGES EXCISE TAX WARRANTY: ENGINE WARRANTY: CHOOSE ONLY ONE ENGINE ISB BRAND CUMMINS. YEARS _5 _ MILES 100.000 STANDARD WARRANTY YEARS _5 _ MILES Unlimited FULL ENGINE COVERAGE YEARS _7 _ MILES 150.000 FULL ENGINE COVERAGE YEARS _10 _ MILES 200.000 FULL ENGINE COVERAGE	NC NC NC NC NC 468.00 468.00 500.00 1,000.00 500.00	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL 4 HOUR WEB SITE TRAINING - ON DISTRICT SITE 8 HOUR TECHNICAL TRAINING ON DISTRICT SITE HOGLUND UNIVERSITY ONLINE TOTAL TAXABLE CHARGES EXCISE TAX WARRANTY: ENGINE WARRANTY: CHOOSE ONLY ONE ENGINE ISB BRAND CUMMINS. YEARS 5 MILES 100.000 STANDARD WARRANTY YEARS 5 MILES Unlimited FULL ENGINE COVERAGE YEARS 7 MILES 150.000 FULL ENGINE COVERAGE YEARS 10 MILES 200.000 FULL ENGINE COVERAGE YEARS 10 MILES Unlimited FULL ENGINE COVERAGE	NC NC NC NC NC 468.00 468.00 500.00 1,000.00 500.00	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL 4 HOUR WEB SITE TRAINING - ON DISTRICT SITE 8 HOUR TECHNICAL TRAINING ON DISTRICT SITE HOGLUND UNIVERSITY ONLINE TOTAL TAXABLE CHARGES EXCISE TAX WARRANTY: ENGINE ISB	NC NC NC NC NC 468.00 468.00 500.00 1,000.00 500.00	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL 4 HOUR WEB SITE TRAINING - ON DISTRICT SITE 8 HOUR TECHNICAL TRAINING ON DISTRICT SITE HOGLUND UNIVERSITY ONLINE TOTAL TAXABLE CHARGES EXCISE TAX WARRANTY: ENGINE WARRANTY: CHOOSE ONLY ONE ENGINE ISB BRAND CUMMINS. YEARS _5 MILES 100.000 STANDARD WARRANTY YEARS _5 MILES Unlimited FULL ENGINE COVERAGE YEARS _7 MILES 150.000 FULL ENGINE COVERAGE YEARS _10 MILES 200.000 FULL ENGINE COVERAGE	NC NC NC NC NC 468.00 468.00 500.00 1,000.00 500.00	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL 4 HOUR WEB SITE TRAINING - ON DISTRICT SITE 8 HOUR TECHNICAL TRAINING ON DISTRICT SITE HOGLUND UNIVERSITY ONLINE TOTAL TAXABLE CHARGES EXCISE TAX WARRANTY: ENGINE ISB BRAND CUMMINS. YEARS _5 MILES MILES ON	NC NC NC NC NC 468.00 468.00 500.00 1,000.00 500.00	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL 4 HOUR WEB SITE TRAINING - ON DISTRICT SITE 8 HOUR TECHNICAL TRAINING ON DISTRICT SITE HOGLUND UNIVERSITY ONLINE TOTAL TAXABLE CHARGES EXCISE TAX WARRANTY: ENGINE WARRANTY: CHOOSE ONLY ONE ENGINE ISB. BRAND CUMMINS. YEARS 5 MILES 100,000 STANDARD WARRANTY YEARS 5 MILES 150,000 FULL ENGINE COVERAGE YEARS 7 MILES 200,000 FULL ENGINE COVERAGE YEARS 10 MILES Unlimited FULL ENGINE COVERAGE YEARS 11 MILES Unlimited FULL ENGINE COVERAGE YEARS 10 MILES Unlimited FULL ENGINE COVERAGE YEARS 11 MILES UNLIMITED STANDARD WARRANTY YEARS 5 MILES 100,000 EXCLUDES STARTER & ALTERNATOR YEARS 1 MILES UNLIMITED STANDARD WARRANTY	NC NC NC NC NC 468.00 468.00 500.00 1,000.00 500.00	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL 4 HOUR WEB SITE TRAINING - ON DISTRICT SITE 8 HOUR TECHNICAL TRAINING ON DISTRICT SITE HOGLUND UNIVERSITY ONLINE TOTAL TAXABLE CHARGES EXCISE TAX WARRANTY: ENGINE ISB	NC NC NC NC NC 468.00 468.00 500.00 1,000.00 500.00	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL 4 HOUR WEB SITE TRAINING - ON DISTRICT SITE 8 HOUR TECHNICAL TRAINING ON DISTRICT SITE HOGLUND UNIVERSITY ONLINE TOTAL TAXABLE CHARGES EXCISE TAX WARRANTY: ENGINE WARRANTY: CHOOSE ONLY ONE ENGINE ISB. BRAND CUMMINS. YEARS 5 MILES 100,000 STANDARD WARRANTY YEARS 5 MILES 150,000 FULL ENGINE COVERAGE YEARS 7 MILES 200,000 FULL ENGINE COVERAGE YEARS 10 MILES Unlimited FULL ENGINE COVERAGE YEARS 11 MILES Unlimited FULL ENGINE COVERAGE YEARS 10 MILES Unlimited FULL ENGINE COVERAGE YEARS 11 MILES UNLIMITED STANDARD WARRANTY YEARS 5 MILES 100,000 EXCLUDES STARTER & ALTERNATOR YEARS 1 MILES UNLIMITED STANDARD WARRANTY	NC NC NC NC NC 468.00 468.00 500.00 1,000.00 500.00	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL 4 HOUR WEB SITE TRAINING ON DISTRICT SITE 8 HOUR TECHNICAL TRAINING ON DISTRICT SITE HOGLUND UNIVERSITY ONLINE TOTAL TAXABLE CHARGES EXCISE TAX WARRANTY: ENGINE _ISB BRAND CUMMINS. YEARS _5 MILES DOOD STANDARD WARRANTY YEARS _5 MILES FULL ENGINE COVERAGE YEARS _1 MILES FULL ENGINE COVERAGE YEARS _1 MILES	NC NC NC NC NC 468.00 468.00 500.00 1,000.00 500.00	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL A HOUR WEB SITE TRAINING ON DISTRICT SITE 8 HOUR TECHNICAL TRAINING ON DISTRICT SITE HOGLUND UNIVERSITY ONLINE TOTAL TAXABLE CHARGES EXCISE TAX WARRANTY: ENGINE MARRANTY: CHOOSE ONLY ONE ENGINE MARRANTY: DRAINING ON DISTRICT SITE HOGLUND UNIVERSITY ONLINE TOTAL TAXABLE CHARGES EXCISE TAX WARRANTY: ENGINE MARRANTY: CHOOSE ONLY ONE ENGINE MARRANTY YEARS 5. MILES 100.000. STANDARD WARRANTY YEARS 5. MILES Unlimited, FULL ENGINE COVERAGE YEARS 10. MILES 200.000. FULL ENGINE COVERAGE YEARS 10. MILES 100.000. FULL ENGINE COVERAGE YEARS 10. MILES 100.000. FULL ENGINE COVERAGE YEARS 11. MILES UNLIMITED. STANDARD WARRANTY YEARS 5. MILES 100.000. EXCLUDES STARTER & ALTERNATOR YEARS 5. MILES 100.000. EXCLUDES STARTER & ALTERNATOR YEARS MILES YEARS MILES YEARS MILES ENGINE WARRANTY: CHOOSE ONLY ONE	NC NC NC NC NC 468.00 468.00 500.00 1,000.00 500.00	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE SREVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL 4 HOUR WEB SITE TRAINING - ON DISTRICT SITE 8 HOUR TECHNICAL TRAINING ON DISTRICT SITE HOGLUND UNIVERSITY ONLINE TOTAL TAXABLE CHARGES EXCISE TAX WARRANTY: ENGINE WARRANTY: CHOOSE ONLY ONE ENGINE JSB BRAND CUMMINS. YEARS _5 MILES _100.000 STANDARD WARRANTY YEARS _5 MILES _100.000 FULL ENGINE COVERAGE YEARS _7 MILES _200.000 FULL ENGINE COVERAGE YEARS _10 MILES _200.000 FULL ENGINE COVERAGE YEARS _10 MILES _200.000 FULL ENGINE COVERAGE YEARS _10 MILES _201.000 FULL ENGINE COVERAGE YEARS _11 MILES _201.000 FULL ENGINE COVERAGE YEARS _10 MILES _201.000 FULL ENGINE COVERAGE YEARS _11 MILES _201.000 FULL ENGINE COVERAGE YEARS _10 MILES _201.000 FULL ENGINE COVERAGE ENGINE ELECTRICAL WARRANTY: CHOOSE ONLY ONE ENGINE _ISB BRAND _CUMMINS YEARS _1 MILES YEARS MILES	NC NC NC NC NC 468.00 468.00 500.00 1,000.00 500.00	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL 4 HOUR WEB SITE TRAINING ON DISTRICT SITE 8 HOUR TECHNICAL TRAINING ON DISTRICT SITE HOGLUND UNIVERSITY ONLINE TOTAL TAXABLE CHARGES EXCISE TAX WARRANTY: ENGINE ISB BRAND CUMMINS YEARS 5 MILES 100,000 STANDARD WARRANTY YEARS 5 MILES 100,000 FULL ENGINE COVERAGE YEARS 10 MILES 150,000 FULL ENGINE COVERAGE YEARS 10 MILES Unlimited, FULL ENGINE COVERAGE YEARS 10 MILES UNLIMITED STANDARD WARRANTY YEARS 5 MILES UNLIMITED STANDARD WARRANTY YEARS 10 MILES UNLIMITED STANDARD WARRANTY YEARS 11 MILES UNLIMITED STANDARD WARRANTY YEARS 12 MILES UNLIMITED STANDARD WARRANTY YEARS 3 MILES UNLIMITED STANDARD WARRANTY YEARS 3 MILES UNLIMITED STANDARD WARRANTY YEARS MILES MILEMMILED STANDARD WARRANTY	NC NC NC NC 468.00 468.00 500.00 1,000.00 500.00	
MANUALS; LIST SERVICE MANUAL MEDIA ONLINE ANNUAL FEE STARTING 1/1 ACCESS TO ON LINE MANUALS ENGINE ELECTRONICS MANUAL CIRCUIT DIAGRAMS ENGINE SERVICE ENGINE TROUBLE SHOOTERS PARTS MANUAL DUPLICATE PARTS MANUAL 4 HOUR WEB SITE TRAINING ON DISTRICT SITE 8 HOUR TECHNICAL TRAINING ON DISTRICT SITE HOGLUND UNIVERSITY ONLINE TOTAL TAXABLE CHARGES EXCISE TAX WARRANTY: ENGINE WARRANTY: CHOOSE ONLY ONE ENGINE MARRANTY: DILINE ENGINE LISB BRAND CUMMINS. YEARS _5 MILES _100.000 STANDARD WARRANTY YEARS _5 MILES _100.000 FULL ENGINE COVERAGE YEARS _10 MILES _200.000 FULL ENGINE COVERAGE YEARS _10 MILES _200.000 FULL ENGINE COVERAGE YEARS _10 MILES _200.000 FULL ENGINE COVERAGE YEARS _10 MILES _201.000 FULL ENGINE COVERAGE YEARS _11 MILES _201.000 FULL ENGINE COVERAGE YEARS _10 MILES _201.000 FULL ENGINE COVERAGE YEARS _11 MILES _201.000 FULL ENGINE COVERAGE YEARS _11 MILES _201.000 FULL ENGINE COVERAGE ENGINE ELECTRICAL WARRANTY: CHOOSE ONLY ONE ENGINE _1SB BRAND _CUMMINS YEARS _1 MILES YEARS _1 MILES YEARS _1 MILES YEARS MILES	NC NC NC NC NC 468.00 468.00 500.00 1,000.00 500.00	

YEARS MILES				
YEARS MILES				
YEARS MILES				
ENGINE ELECTRICAL WARRANTY: CHOOSE ONLY ONE				
ENGINE BRAND YEARS MILES STANDARD WARRANTY				
YEARS MILES STANDARD WARRANTT				
YEARS MILES				
YEARS MILES				
YEARS MILES				
TRANSMISSION WARRANTY: CHOOSE ONLY ONE				
BRAND <u>ALLISON</u> MODEL <u>2500</u>				
YEARS <u>5</u> MILES <u>UNLIMITED</u> STANDARD WARRANTY		OTD		
YEARS <u>7</u> MILES <u>Unlimited</u> .		STD		
YEARS MILES YEARS MILES				
YEARS MILES				
· - · · · · · · · · · · · · · · · · · ·				
CHASSIS WARRANTY: CHOOSE ONLY ONE				
BRAND <u>IC</u> MODEL <u>CE PB110</u> .				
YEARS <u>1</u> MILES <u>UNLIMITED</u> STANDARD WARRANTY				
YEARS <u>3</u> MILES <u>50,000</u>		900.00		
YEARS <u>5</u> MILES <u>100,000</u> .		2,800.00		
YEARS <u>6</u> MILES <u>150,000</u> . YEARS <u>7</u> MILES <u>150,000</u> .		4,400.00		
TEARS WILES		6,200.00		
TOTAL NON-TAXABLE CHARGES				9,320.00
TOTAL NON-TAXABLE CHARGES				9,320.00
TOTAL COST OF YOUR SCHOOL BUS:				159,365.02
TRADE-INS (IF APPLICABLE)	_	1		
AMOUNT ALLOWED FOR TRADE-IN OF ONE UNIT		I MOSIBE	A NEGATIVE NUMBER	0.00
LIST AS A NEGATIVE NUMBER (-MINUS)				
YOU MAY ENTER THE ACTUAL PRICE FOR ONE UNIT				
OR THE AVERAGE PRICE FOR MULTIPLE UNITS TAXABLE AMOUNT DEDUCTED FOR TRADE-IN		MILET DE	A NEGATIVE NUMBER	0.00
TAXABLE AMOUNT DEDUCTED FOR TRADE-IN		WOOTBL	A NEGATIVE NOMBER	0.00
TOTAL COST OF SCHOOL BUS ALLOWING FOR TRADE-IN:				159,365.02
DAYS FOR DELIVERY (EXPECTED)				
(CALCULATED FROM CONFIRMING P.O. TO DELIVERY AT THE DISTRICT)	•			
CONTRACT BOND	<u>\$</u> /1000			
HOGLUND BUS CO, INC				
COMPANY NAME				
116 E OAKWOOD DRIVE				
ADDRESS				
MONTICELLO, MN 55362 CITY, STATE, ZIP				
<u>763-295-5119</u>				
PHONE NUMBER				
Brenda Otto				
REPRESENTATIVE SIGNATURE				
RDENDA OTTO				
BRENDA OTTO REPRESENTATIVE				
0.000.0				
<u>9/25/24</u>				
DATE				