5.5	www.thedruglab.com www.thedruglab.com 18 S. Fleishel Avenue • Tyler, TX Phone 903-533-1434 • Fax 903-53 Toll Free 1-888-THE-LAB2	B (75702 13-1435	<u>T.H.E.</u> LAN Attn: Sandra R School Avenue Waskom, Texa 903-687-3316 903-684-3253	Rodgers DRI 748 A s 75692 Office SP	JG TESTING ND CONTRO ECIMEN # 1-37201	DL FORM	
PLETES	Donor Name	Blood Urine & Blo	C Random D Post Accid	ent	CTION SITE: USe Other Date Collected	(emperadre	
CTOR COMI	Date of Bith Remarks Concerning Collection (L	Drivers License		Address ID #	SS#		
COLLEC	COLLECTOR CERTIFICATION: I certify that the specimen identified on this form is the specimen presented to me by the donor providing the certification below, that it bears the same identification number as set forth above and that it has been collected, labeled and sealed in accordance with the instructions provided.						
DONOR	DONOR CERTIFICATION AND A CONTAINER OF A CONTAINER WAS SEALED AND A CONTAINER OF	n de la constante de la consta La constante de la constante de La constante de la constante de					
TESTS	Academic Drug Screen     5 Drug Screen     10 Drug Screen RUCTIONS TO COLLECTOR	<ul> <li>Urine Alcohol</li> <li>Nicotine Level</li> <li>Drug Screen Hair</li> </ul>	<ul> <li>☐ Sweat Patch</li> <li>☐ ▲THC Quantitative</li> <li>☐ ▲THC Qualitative</li> </ul>	<ul> <li>Breath Alcohol</li> <li>Blood Alcohol</li> <li>Substance I.D.</li> </ul>	<ul> <li>DOT Drug Screen</li> <li>DOT Collection</li> <li>Stat / Travel Fee</li> </ul>	Ethylglucuronide	
1. 2. 3. 4. 5.	Complete all unshaded areas of form Ask donor to sign "Donor Certificatior and Consent." Ask donor to <u>initial</u> Evidence Label. Collector <u>initials</u> and <u>seals</u> bottle in donor's presence. Keep specimen in secure storage uni shipped.			DIHELAB SPECIMEN / 1-372018	<b>1</b> -	THELAB SPECIMEN # 372018	
«	Placed In Secure Storage By Test Performed By	- L.				.* 	
	Dip	Test	903	-539-10	44		
			903-	909-001	3		

•



**RESULTS:** 

D'POSITIVE

TECH

Positive E.I.A. results double checked and confirmed by MS/GC. Cut-off values are as follows:

on values are as lonows.	E.I.A.	M.S./G.C.
Amphetamine/Methamphetamine	 500 ng/ml	250 ng/ml
Barbiturates	 200 ng/ml	200 ng/ml
Benzodiazepines	 200 ng/ml	100 ng/ml
Cannabinoids	 50 ng/ml	15 ng/ml
Cocaine Metabolites	 150 ng/ml	100 ng/ml
Ecstasy (MDMA, MDA, MDEA)	 500 ng/ml	250 ng/ml
Ethyl Glucuronide ETG	 500 ng/ml	500 ng/ml
Methadone	 300 ng/ml	250 ng/ml
Opiates	 300 ng/ml	300 ng/ml
Phencyclidine	 25 ng/ml	25 ng/ml
Propoxyphene	 300 ng/ml	250 ng/ml
	•	

The specimen was received with the seal intact and these results are for the specimen I.D. number stated above. This specimen was handled and analyzed in accordance with applicable requirements. All specimens will have specimen integrity checks performed.



250 ng/ml 300 ng/ml . . . . . . . The specimen was received with the seal intact and these results are for the specimen I.D. number stated above. This specimen was handled and analyzed in accordance with applicable requirements. All specimens will have specimen integrity checks performed.

. . . . . . . . . . .

. . . . . .

. . . . . .

**Barbiturates** 

Cannabinoids

Methadone

Phencyclidine

Propoxyphene

Opiates

Benzodiazepines

**Cocaine Metabolites** 

Ethyl Glucuronide ETG

Ecstasy (MDMA, MDA, MDEA)

THC - Marijuanna 50 ng/ml = Positive Test

500 ng/ml

200 ng/ml

200 ng/ml

50 ng/ml

150 ng/ml

500 ng/ml

500 ng/ml

300 ng/ml

300 ng/ml

25 ng/ml

250 ng/ml

200 ng/ml

100 ng/ml

15 ng/ml 100 ng/ml

250 ng/ml

500 ng/ml

250 ng/ml

300 ng/ml

25 ng/ml