

AMERICAN BUS ★ SALES

October 18, 2013

Scurry-Rosser ISD
Attn: Mr. Terry Short
10705 S State Hwy 34
Scurry, TX 75158

Dear Mr. Short:

Thank you for your interest in a high quality bus for your school. I am confident you will find this equipment to be a very good value and will provide many years of reliable service. The following quote is available for your review:

YEAR/MAKE/MODEL: 2009 Blue Bird Vision

SIZE: 47 passenger

ENGINE: 6.7 Cummins diesel

BRAKES: Air

TRANSMISSION: A2500 Automatic

MILES: 56,780 miles

FEATURES: 60 gallon fuel tank, 200 amp alternator, 11R22.5 tires, tilt/telescopic steering column, air operated entrance door, front acoustic headliner, plywood floor, AM/FM radio, cruise control, engine block heater, heated exterior mirrors, daytime running lights, tow hooks, tinted windows, front & rear air ride suspension, Bendix air dryer w/ heater

FOB Collinsville, OK \$61,900.00

YEAR/MAKE/MODEL: 2009 Blue Bird Vision

SIZE: 47 passenger

ENGINE: 5.9 Cummins diesel (200 hp)

BRAKES: Hydraulic

TRANSMISSION: A2500 automatic

MILES: 80,000-90,000 mile range

FEATURES: 60 gallon fuel tank, 200 amp alternator, tilt/telescopic steering column, electric operated entrance door, full acoustic headliner, plywood floor, AM/FM radio, cruise control, engine block heater, heated exterior mirrors, daytime running lights, tow hooks, white roof, tinted windows

FOB Collinsville, OK \$54,900.00

Quote continued on page 2

P.O. Box 153 • Collinsville, Oklahoma 74021
Phone: 866 574-9970 ext. 110 • 918 205-5000 • Fax 918 205-5009
www.americanbussales.net • eedwards@americanbussales.net
1109, V, 1366, AY

YEAR/MAKE/MODEL: 2009 International CE-200

SIZE: 47 passenger

ENGINE: Maxx Force 7 diesel (200 hp)

BRAKES: Hydraulic

TRANSMISSION: A2500 automatic

MILES: 42,000 mile range

FEATURES: 65 gallon fuel tank, 185 amp alternator, 11R22.5 tires, 78" headroom, tilt steering column, electric operated entrance door, full acoustic headliner, plywood floor, AM/FM radio, cruise control, engine block heater, heated exterior mirrors, daytime running lights, tow hooks, white roof, tinted windows

FOB Collinsville, OK \$57,900.00

YEAR/MAKE/MODEL: 2011 Thomas C2

SIZE: 72 passenger

ENGINE: 6.7 Cummins diesel (220 hp)

BRAKES: Air

TRANSMISSION: A2500 automatic

MILES: 40,000-50,000 mile range

FEATURES: 60 gallon fuel tank, 200 amp alternator, 11R22.5 tires, tilt/telescopic steering column, air operated entrance door, air driver's seat, plywood floor, AM/FM radio, Bendix air dryer with heater, daytime running lights, tow hooks, white roof, tinted windows, rear air ride suspension

FOB Collinsville, OK \$69,900.00

The buses will include:

- Mechanical and cosmetic refurbishing
- Seats and foams repaired or replaced (no rips or tears)
- Completely serviced: lube, oil and filters
- 2011 model – Remaining factory warranty
- 2009 models - 90 Day drive train warranty/30 day bumper to bumper
- Black top driven only equipment
- 50% or better tires and brakes
- Custom lettering to school's specifications

Upon your decision to purchase, a specific bus is guaranteed only when a purchase order has been received and accepted by American Bus Sales. These buses are subject to prior sale. Should you have any questions feel free to call toll free at 1-866-574-9970 ext. 110.

Sincerely,

Eric Edwards

2013.10.18 11:57:57 -05'00'

Eric Edwards

P.O. Box 153 • Collinsville, Oklahoma 74021
Phone: 866 574-9970 ext. 110 • 918 205-5000 • Fax 918 205-5009
www.americanbussales.net • eedwards@americanbussales.net
1109, V, 1366, AY



Thomas Bus Gulf Coast

TEXAS CO-OPERATIVE QUOTE

Prepared For:
SCURRY ROSSER ISD
RR 1 BOX 1000
SCURRY, TX 75158

Prepared By :
KATHY COUNSELLER
800-481-6564 EXT 8612
kathy.counsellor@strthomas.com

Quote Number:
270971

Quote Date:
10/23/2013

Customer Order No:
72re

Model Profile: Saf-T-Liner C2 310TS

Product Type:	School Transportation
Year:	2015
Chassis Model:	B2 106
Chassis MFG:	FLNER
GVWR:	31000
Passenger Capacity:	72
Headroom:	78
Wheelbase:	259
Brake Type:	AIR
Engine Type:	CUMMINS ISB200 DIESEL, 6 Cyl, 200 HP, 2600 RPM
Fuel Type:	DIESEL
Fuel Tank Capacity:	60
Transmission Type:	ALLISON 2500PTS
Axle, Front:	DA-F-10-3 10,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE, 10000-lb Capacity
Axle, Rear:	DA-RS-21-2 21,000# R-SRS SINGLE REAR AXLE, 21000-lb Capacity
Tires, Front:	FRONT GOODYEAR G661 HSA 11R22.5 14 PLY TIRES
Tires, Rear:	REAR GOODYEAR G661 HSA 11R22.5 14 PLY TIRES
Suspension Front:	9,000 LB. TAPERLEAF FRONT SUSPENSION
Suspension Rear :	COMFORT TRAC 21K 52 INCH RR SPRING SUSPENSION

Includes the Following Equipment:

BODY

ACCESSORIES

- 1 LOCKS-KEYED ALIKE #CH545

CERTIFICATION/SAFETY

- 1 REFLECTTAPE-RR END YEL 2"
- 4 REFLECTTAPE-P/O WDO YEL
- 1 REFLECTIVE TAPE-EMERGENCY DOOR REAR YELLOW
- 1 REFLECTTAPE-SI 2" ABV FLR YEL
- 1 FIRE EXTINGUISHER-5 3A-40BC
- 1 REFLECTORS-AMBER (4) MID/FRONT 3"
- 1 REFLECTORS-RED (4) RR/RR SI 3"
- 1 HATCH-ROOF ESCAPE MODEL 1900 ENGLISH (2)
- 1 HANDLES-W/S SERVICE, PAINTED
- 1 KIT,FIRST AID 24 UNIT
- 1 KIT - BODY FLUID CLEAN-UP
- 1 LABEL-PASSENGER ADVISOR INSTRUCTION
- 1 LOCATION-VESTIBULE FLOOR PLATE LEFT 5LB FE
- 1 LOCATE-VEST.FLR.AFT REFL.TRIANGLE BRACKET TEXAS
- 1 CUTTER-SEAT BELT W/HAND GRIP
- 1 TRIANGLES-REFL. 3 W/BOX
- 1 BRACKET,MTG. REFL. TRIANGLES
- 1 MIRROR-EXTERIOR REAR OPEN VIEW-ES, NON-HTD,REMOTE
- 1 MIRROR-EXTERIOR CROSSVIEW BLACK BRACKET
- 1 SIGN-STOP, AIR FRT #2970 LED
- 1 SIGN-STOP, AIR RR #2971C LED

- 1 MIRROR-INTERIOR 6"X30" WITH RUBBER EDGE
- 1 LABEL(S)-SPECIAL DATA, TX
- 1 2013 EPA/CARB EMISSION CERTIFICATION

DOORS

- 1 STEP-RS ALUM.ENT.DR 8.75"RISER
- 1 LATCH-DOOR INTERIOR STORAGE OVER WINDSHIELD
- 1 VANDALOCK-REAR DOOR W/BOLT
- 1 DOOR-ENT AG2 TINT LAM LOCK
- 1 AG2 AIR POWERED ENTRANCE DOOR
- 1 VANDALOCK-ALUM.ENT.DR.CYLINDER W/KEY
- 1 PULL-ENTRANCE DOOR, EXTERNAL ALUMINUM
- 1 PAD-DR HEADER, RR EMER 36"W
- 1 TREAD-STEP ALUMINUM ENTRANCE DOOR BLACK KORSEAL W/PEB NOSING
- 1 TRIM-STEPWELL HORIZONTAL WITH RIBBED NOSE
- 1 RAIL-ASSIST FRT ENT DR 39"W LEFT SIDE
- 1 RAIL-ASSIST FRONT ENTRANCE DOOR RIGHT SIDE 1"OD

ELECTRICAL - BODY

- 1 FAN-DEFROST DRV'S WDO HDR BLACK
- 1 LAMPS-DOME OVER DRIVER
- 1 SWITCH-ROCKER PANEL LAMPS DIMMER
- 1 LAMP-EXTERIOR AND AFT OF ENT DOOR
- 1 OPERATE-STPWLL LPS W/PARK LPS & ENT DOOR.
- 1 LAMPS-STEPWELL WITHOUT HOOD (1)
- 1 LAMPS-STOP/TAIL/DIRECTIONAL AMBER/REVERSE LED
- 1 ADVISORY-PASSENGER HORN ACTIVATION, WITH SWITCH
- 1 OPERATION-PASSENGER ADVISORY IGNITION/WARNING/HORN
- 1 LAMPS-PILOT POST TRIP INSPECTION RED
- 1 LAMPS-SIDE DIRECTIONAL AMBER FRONT 2 CP LED
- 1 LAMPS-WARNING LED STROBE (8)
- 1 OPERATION-LAMPS REVERSE WITH REAR EMERGENCY DOOR OPEN
- 1 LAMPS-ID AMB/RED LED
- 1 LAMPS-MKR ROOF FRT/RR LED
- 1 LAMPS-MARKER ROOF MID LED
- 1 STROBE-CLEAR 4.9"H 6' FROM REAR
- 1 LAMPS-STOP/TAIL 4" FLS.MT LED RIVET
- 1 SWITCH-ROCKER NOISE SUPPRESSION ON/OFF
- 1 SWITCH-ROCKER STROBE LAMPS
- 1 LAMPS-PILOT WARNING LIGHTS RED
- 1 LAMPS-PILOT WARNING LIGHTS AMBER
- 1 OPERATION-LAMP STROBE, IGNITION & SWITCH ACTIVATED
- 1 OPERATION-LAMPS SIDE DIRECT/MARKER
- 1 BLOCK-FUSE CUSTOMER ACCESS
- 1 OPERATE-PRE-TRIP INSPECTION
- 1 LAYOUT-ROCKER SWITCH STANDARD
- 1 112DB BACKUP ALARM

EXTERIOR

- 1 FLAPS-MUD, FRONT 16"W X 12"H
- 1 STEPS-EXTERIOR FOR WINDSHIELD SERVICE
- 1 FENDER-QUARTER 24" BATTERY BOX DOOR
- 1 BUMPER-REAR 2 BRACES NO EXHAUST HOLE
- 1 CAP-FRT ROOF VENT W/WARN.LAMPS.
- 1 CAP-REAR ROOF W/WARN.LAMPS.
- 1 DOOR-U/B L BATTERY 24"
- 1 FENDERETTE-STEEL 21" SKIRT
- 1 LATCH-BATTERY DOOR NON-LOCKING
- 1 LATCH-FUEL FILL ACCESS (THUMB)
- 1 VENT-STATIC PRESENT
- 1 LATCH-NON-LOCKING DEF ACCESS DOOR

HVAC

- 1 HTR-U/S LS 84,000 BTU
- 1 HOSE-HTR SGL PLY W/ W/H
- 1 CLAMPS-UNDERSEAT HEATER CONSTANT TORQUE
- 1 PLASTIC COOLANT BOOSTER PUMP WITH AUTOMATIC CONTROL

INTERIOR

- 1 WINDSHIELD SUN VISOR, 6"X30" TINTED
- 1 DOOR-STORAGE BOX W/O GLASS
- 1 DOOR-ACCESS SOLID PANEL
- 1 LATCH-DOOR INT STOR OVR DRVR SHDR
- 1 STRIPS - AISLE, ALUMINUM
- 1 FLOOR COVERING-BLACK VINYL
- 1 FLOORING-PLYWOOD MARINE GRADE
- 1 H/L-1ST WDO SEC ACOUSTIC GRAY
- 1 2" POLY INSULATION

PAINT/LETTERING

- 32 LETTERING - 6" HIGH
- 1 LABEL-P/O WDO EMER EXIT 2" RED
- 1 LABEL-ENGLISH AG2.AIR.ENT DR
- 1 DECAL-LOW SULFUR FUEL
- 1 LABEL-REAR DOOR EMERGENCY DOOR 2"HIGH
- 1 DECAL-ENTRANCE DOOR VANDALOCK ENGLISH
- 1 LABEL-REAR EMERGENCY DOOR INSTRUCTION
- 1 LABEL-"DEF ONLY"
- 1 LABEL-REGENERATION WARNING 2010/2013 EPA ENGLISH
- 1 PAINT-EXT HNDLE(S) BLACK
- 1 DECAL-REFL FRT CAP "SCHOOL BUS"
- 1 DECAL-REFL RR CAP "SCHOOL BUS"
- 1 DECAL-"DIESEL"
- 1 PAINT-EXTERIOR ROOF WHITE
- 1 PAINT-EXT WDO AREA SAME AS BODY YELLOW
- 1 PAINT-EXT GRD RAIL @ WINDOW BLACK
- 1 PAINT-EXT GRD RAIL @ SEAT BLACK
- 1 PAINT-EXT GRD RAIL @ FLOOR BLACK
- 1 PAINT-EXT GRD RAIL @ SKRT BLACK
- 1 PAINT-EXT BUMPER REAR BLACK
- 1 PAINT-BLACK TRIM-FRONT/REAR ROOF CAPS
- 1 DECALS-SIDE SHEET REFL "SCHOOL BUS"
- 1 PAINT-SOLID COLOR YELLOW
- 1 HEADLINING-VESTIBULE ACOUSTIC, GRAY, DRIVER LAMP
- 1 PAINT:ONE SOLID COLOR,BASE/CLEARCOAT
- 1 CAB COLOR A: SCHOOL BUS YELLOW BASF E180YM080B
- 1 GRILLE: SILVER N3388H IMRON 5000

SEATS

- 1 BELT-ELR SHOULDER/PUSH BUT LAP
- 1 39" BARR-VERT,WALL MT 45"H RS
- 1 39"8DEG BARR-REV. WALL-MT 45"H
- 22 39" FMVSS HIGH BACK PASS SEAT
- 1 39" HI 10 DEGREE THIN BK, LS
- 1 39" HI 10 DEGREE THIN BK, RS
- 22 PROFORM EDO GRAY UPHOLSTERY-45" HIGH FMVSS SEAT
- 2 PROFORM EDO GRAY UPHOLSTERY-45"HIGH RECESSED BARRIER
- 2 PROFORM EDO GRAY UPHOLSTERY-45" HIGH FMVSS ST-THIN POLY BK
- 1 HIGH BACK-NATIONAL BRAND DRIVER'S SEAT
- 1 UPH DRIVER.SEAT.WOLF BLK NATIONAL
- 1 PEDESTAL-NATIONAL AIR W/2 SHOCKS

WARRANTY

- 1 EXTENDED BODY WARRANTY-2YR UNLIMITED-MILES
- 1 TOWING EXTENDED/ROADSIDE SVC WTY 2 YEAR/UNLIM MILES,\$550 CAP
- 1 WARRANTY LESS DRIVETRAIN, 2 YEARS OR 50,000 MILES

WINDOWS/GLASS

- 1 GLASS-WINDSHIELD ONE PIECE WITH TINTED BAND
- 1 GLASS-RS FRT STAT TNT LAM
- 1 GLASS-LS FRT STAT TNT LAM
- 1 GLASS-REAR STATIONARY TINTED LAMINATED
- 2 WDO P/O VERT LAM TNT LS
- 2 WDO P/O VERT LAM TNT RS
- 14 GLASS-WDO TINT LAM 30"
- 2 GLASS-WDO TINT LAM 40"
- 1 GLASS-LOWER REAR DOOR LAMINATED TINTED

- 1 GLASS-UPPER REAR DOOR LAMINATED TINT
- 1 WDO-DRIVER'S LAM TINT

OTHER

- 1 LOGO-FRT RS & RR
- 1 ARM ASSEMBLY-WINDSHIELD WIPER (2)
- 1 LAMPS-DOME PASSENGER (6)
- 1 LAMPS-LICENSE PLATE ILLUMINATION
- 1 DAYTIME RUNNING LIGHTS SET @ 85%
- 1 COMFORT TRAC 21K 52 INCH RR SPRING SUSPENSION

CHASSIS

AXLES AND SUSPENSIONS

- 1 SPL100 DANA SPICER MAIN DRIVELINE
- 1 DA-F-10-3 10,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE
- 1 CHICAGO RAWHIDE FRONT OIL SEALS
- 1 ORGANIC SAE 80/90 FRONT AXLE LUBE
- 1 ORGANIC SAE 80/90 REAR AXLE LUBE
- 1 DA-RS-21-2 21,000# R-SRS SINGLE REAR AXLE
- 1 5.71 REAR AXLE RATIO
- 1 CHICAGO RAWHIDE (SCOT) REAR OIL SEALS
- 1 9,000 LB. TAPERLEAF FRONT SUSPENSION

BRAKES

- 1 AIR BRAKE PACKAGE
- 1 MERITOR 15 X 4 Q+ CAM FRONT BRAKES (ROCKWELL)
- 1 HALDEX LONGSTROKE FRONT BRAKE CHAMBER
- 1 MERITOR AUTOMATIC FRONT SLACK ADJUSTERS
- 1 CONMET CAST IRON FRONT BRAKE DRUMS
- 1 MERITOR 16 1/2 X 7 Q+ CAM REAR BRAKES, DBL-ANCHOR, FAB SHOES
- 1 HALDEX, LONGSTROKE, SINGLE DRIVE AXLE, SPRING-PARK CHAMBERS
- 1 MERITOR AUTOMATIC SLACK ADJUSTERS
- 1 STEEL AIR BRAKE RESERVOIRS INSIDE FRAME RAILS
- 1 BENDIX AD-9 AIR DRYER WITH HEATER
- 1 WABCO 4S/4M ABS WITHOUT TRACTION CONTROL ENHANCEMENT
- 1 1-VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR

CHASSIS EQUIPMENT

- 1 SHIELD-EXHAUST PIPE
- 1 ALLIANCE FUEL FILTER/WATER SEPARATOR
- 1 DR 12V 200 AMP 28-SI QUADRAMOUNT PAD ALT
- 1 ELECTRIC GRID AIR INTAKE WARMER
- 1 DELCO 12V 29MT STARTER WITH INTEGRATED M
- 1 65 GALLON STEEL RECTANGULAR FUEL TANK, BETWEEN RAIL
- 1 11.5 GALLON DEF TANK
- 1 700 CUBIC INCH MINIMUM AUXILIARY AIR
- 1 PETCOCK DRAIN VALVES ON ALL AIR TANKS
- 1 TILT ONLY STEERING COLUMN
- 1 6575MM (259") WHEELBASE
- 1 5/16" X 3.00" X 10 1/8" STEEL FRAME (7.94 X 76.5 X 257.2")
- 1 1-PIECE 14" PTD STL 1/4" HD BUMPER JACK PROVISION
- 1 FRONT FRAME-MOUNTED TOW HOOKS

ELECTRICAL - CHASSIS

- 1 PROG RPM CTRL WITH A/C OR 12.75V LOW VOLTAGE AUTO HIGH IDLE
- 1 CRUISE CONTROL ,W/SWITCHES IN LH SWITCH PANEL
- 1 DIAGNOSTIC INTERFACE CONNECTOR, 9-PIN, S
- 1 IGNITION SWITCH CONTROLLED ENGINE STOP
- 1 SOLID STATE CIRCUIT PROTECTION, PDMS WIT
- 1 (2) ALLIANCE 1031, GROUP 31, 12 VOLT, MF, 1500 CCA BATTERIES
- 1 STOP SIGN PRESENT
- 1 ELECTRONIC SPEEDOMETER WITH SECONDARY KPH SCALE, NO ODOMETER
- 1 PRE/POST TRIP SYSTEM TEST
- 1 TRANSMISSION OIL TEMPERATURE INDICATOR LIGHT

ENGINE AND EQUIPMENT

- 1 CUM ISB 6.7-200HP, 2013 EPA OBD, 5YR/100000 MILE WRTY
- 1 ANTI-FREEZE TO -34F, ETHYLENE GLYCOL PRE-CHARGED SCA COOLANT
- 1 CUMMINS 18.7 CFM COMPRESSOR

- 1 STANDARD ENGINE OIL
- 1 ADDL AUX LINES W/MANIFOLD PLUMBING AND COMBINED SHUTOFF
- 1 CONSTANT TORQUE BREEZE CLAMPS ON 1" IN DIA GREATER, SS C
- 1 VISCOUS FAN DRIVE
- 1 65 MPH ROAD SPEED LIMIT

TRANSMISSION AND EQUIPMENT

- 1 ALLISON 2500 PTS AUTOMATIC TRANSMISSION, 5YR/UNL MILE WRTY
- 1 ALLISON VOCATIONAL PACKAGE 354 - FIFTH GEN
- 1 SYNTHETIC 50W TRANSMISSION LUBE (TES-295 COMPLIANT)
- 1 LBSS-MED,VAC-HIGH LBSS & VAC
- 1 MODE SWITCH FOR 1000/2000 PRODUCT

WHEELS AND TIRES

- 1 FRONT GOODYEAR G661 HSA 11R22.5 14 PLY TIRES
- 1 REAR GOODYEAR G661 HSA 11R22.5 14 PLY TIRES
- 1 FRONT ACCURIDE 50408 22.5X8.25 10-HUB PILOT, 5-HAND
- 1 REAR ACCURIDE 50408 22.5X8.25 10-HUB PILOT, 5-HAND
- 1 TIRE/WHEEL BALANCING-LEAD FREE WEIGHTS

LOCAL INSTALLATION

- 1 DOT INSPECTION STICKER

Meets all FMVSS requirements in effect at the time of manufacture. Meets Texas school bus specifications.

CUSTOMER IS MEMBER FOLLOWING CO-OP:

TASB / BUYBOARD

TEXAS PROCUREMENT & SUPPORT SERVICES / TPASS (aka TXMASS)

CO-OP PRICE

\$ 81,841.00

SELECT YOUR CHOICE OF CO-OP:

BUYBOARD ADD \$800.00 PER PO

TPASS/TXMASS NO FEE REQUIRED

Delivery: ALLOW 140 DAYS APX ARO

Additional options you may want to consider:

\$

Quote Expires: 20 DAYS

Customer Signature: _____ **Date:** _____

Dealer Signature: _____ **Date:** _____



LONGHORN BUS SALES

6921 Homestead Rd. Houston, Tx. 77028
713-631-9306 Fax 713-631-4634

Scurry-Rosser ISD

Date: October 15, 2013

Body Manufacturer: IC Corp Model: C3208 Conventional 2014

Chassis Manufacturer: IC Corp Model: PB105 2014

Capacity: 71 Passengers

Price/Unit: \$80,952.00 Number of units: 1 Total \$80,952.00

Standard Body Specifications

78" headroom standard
12 rows of fire resistant seating
Intermittent windshield wipers and washers
Seat centers on 27" spacing
Upgrade First aid kit and body fluid clean-up kit
Full Insulation Roof & Sides
Complete body undercoating
Fire extinguisher
Rubber flooring throughout Gray
(3) Triangle Reflectors
Aluminum aisle strips
90,000 btu front heater/defrost system
School bus yellow paint
Two full rows interior dome lights
Rear view mirror inside (10 x 30)
Mirror Lite Cross Over Mirrors
Rear view mirrors (2) Roscoe motorized
Emergency door buzzer and hold-back device
National hi-back air suspension driver's seat
Drivers three point seat belt with retractors
Three-step riser
Two Specialty roof hatches
Four emergency kickout windows
Reflectorized stop arm
State Spec LED light pkg.
Monitor, Post Trip Inspection
Light, Exterior, Check, Pre Trip

Chassis Specifications

Engine: Maxx DT Inline 6 cyl.
2013 Emission Engine
Horsepower: 215hp
Torque 560 ft-lb
Wheelbase: 276"
Alternator: 320 amp hi-output
Transmission: AT 2500
Brakes: Full Air
Front Axle: 10,000#
Rear Axle: 19,800#
Tires: 11R 22.5G
Fuel Tank: 100 Gallon BTF
Battery System 3-12volt 1950 CCA
Air Ride Suspension
Tachometer
Warning buzzers
Auto. Slack Adjusters
Auto. Moisture Ejectors
Power Steering Tilt

<u>Body Options Included</u>	<u>Chassis Options Included</u>
Interior paint Spring Gray Reflective Material Vandalock Security System White Roof 5/8" Marine plywood Over Steel Floor Dark Tinted/Laminated Safety Glass 84,500 BTU Rear Heater Drivers Area Defrost Fan Strobe Light Air Door outward opening Anchor Seats Drivers Dome Light Power Source Rear Mud Flaps SEAT BELT CUTTER LETTERING DOT PDI	Bendix 4-Channel ABS Brake System Daytime Running Lights Locking Throttle Cruise Control

Estimated delivery time: 30 Days

F.O.B: Scurry-Rosser ISD

Both body and chassis specifications meet or exceed Texas School Bus Specification for 2010.

Buyboard Pricing ONLY! Buyboard fee not included. \$800 fee must be added to the PO by the school.

Authorized Signature _____


All stock buses are subject to prior sale.

PO# 13-086

VERTICAL HINGED K/O
REQUIRED

WHEELBASE 276"

PB10500, 32 FT. 8 IN., PLUS 9 RR., CAP 71, SEAT SIZE 39/39, SEAT SPACING 27.73



49TTY/49064

CHK	DATE	OWNED	REV	REWORKS
KLC	07SEP10	203.38 WAS 203.05:	A	

RELOCATED 5TR BLK

[illegible]