

AGENDA	CORBETT SCHOOL DISTRICT REGULAR BOARD MEETING MPB/Board Room/ZOOM-OWL 35800 E Historic Columbia River Highway Corbett, Oregon 97019	7:00 PM Wednesday, September 17, 2025
--------	---	--

- 1. PRELIMINARY BUSINESS
 - 1. Call to Order / Flag Salute
 - 2. Review and Acceptance of Agenda
 - 3. Board Chair Report Information Item 3
 - a. AP Student Recognition 2025 Information Item 7
 - b. **RESOLUTION NO. 9.30-25 — RESOLVED** that the Board start their regular school board meetings at 6:30 p.m. beginning on October 15, 2025, through June 2026.
- 2. Approval of Minutes Discussion/Action Item 17
- 3. Introduction and Comments of Guests and Representatives
 - 1. Principal / Director/ Supervisor Reports
- 4. FINANCIAL REPORTS / MATTERS 20
 - 1. Report Information Item
- 5. Superintendent Fialkiewicz's Report Information Items 38
 - 1. Enrollment / Application Process Update
 - 2. Update on Corbett School campus upgrades and/or grants
 - 3. Future Planning / Strategic Planning
 - 4. Timelines
- 6. CONSENT AGENDA
- 7. CURRICULUM
- 8. STUDENTS
 - 1. Student Representatives to the Board Information Item
- 9. TRANSPORTATION, BUILDINGS AND MAINTENANCE 52
 - 1. Purchase of EV school bus Action Item
- 10. CO-CURRICULAR ACTIVITIES
- 11. PERSONNEL

Transfer of Natalie Clark as .85 FTE GS SPED Educational Asst. — FLS to .83 FTE MS Educational Assistant effective August 19, 2025.

Reclassification Approval for Denise Papin from 1.00 FTE SPED Educational Assistant/SPED Secretary to 1.00 FTE SPED Educational Assistant -FLS/SPED Secretary effective August 19, 2025.

 - 1. Vacant Positions Information Item
 - 2. See 6.1
 - 3. See 6.1 189
 - 4. See 6.1
- 12. POLICY 191
 - 1. Board Policy Information/Discussion Item

- 2. Second Read and Adoption of Policy Action Item 195
- 13. RECESS
 - 1. EXECUTIVE SESSION — ORS 192-660(2)(d) — To conduct deliberations with persons designated by the governing body to carry on labor negotiations.
- 14. RECONVENE TO PUBLIC SESSION FOLLOWING EXECUTIVE SESSION
 - 1. ACTION ON PROPOSED OR TABLED MATTERS TO FOLLOW EXECUTIVE SESSION
- 15. COMING EVENTS
- 16. ADJOURNMENT

JOIN *us!*



OSBA ANNUAL CONVENTION

Building Bridges to Student Success

NOV. 6-8, 2025 | PORTLAND MARRIOTT DOWNTOWN WATERFRONT

The **OSBA ANNUAL CONVENTION** is Oregon's premier continuing education program — delivering practical solutions to help school board members, superintendents and all types of education leaders improve student learning and achievement.

Whether you are a first-time attendee or a veteran board member, school administrator or administrative professional, you'll leave the conference with practical ideas and a renewed commitment to help your school accomplish the critical work ahead. The convention features some of the best practices from school districts, education service districts, charter schools and community colleges across the state.



Featuring **MATT LEHRMAN**

MATT LEHRMAN is a civic facilitator and co-founder of Social Prosperity Partners, a national practice specializing in strategic planning, mediation and public dialogue for governing councils and boards. He also hosts the Community Catalysts podcast, where local officials share hard-earned insights from their experiences in community leadership.

PRECONFERENCE AND ADMIN PROFESSIONALS WORKSHOP | THURSDAY, NOV. 6
From Conflict to Conversation

INTERACTIVE KEYNOTE PRESENTATION | FRIDAY, NOV. 7

Leading Through Complexity: Strengthening Trust and Decision-Making

Mounting challenges to civic unity, economic uncertainty and political pressures are making local leadership more demanding than ever. The work of governance — navigating conflict, engaging stakeholders and fostering confidence in decisions — is central to a community's stability and future. In this keynote, attendees will gain practical tools to lead with clarity amid complexity, explore strategies for building public trust and leave with renewed perspective on how to make thoughtful, forward-looking decisions under pressure.

POST-KEYNOTE WORKSHOP | FRIDAY, NOV. 7
Let's Talk: Leading through Complexity



OSBA'S 79th ANNUAL CONVENTION

Building Bridges to Student Success

NOV. 6-8, 2025 | PORTLAND MARRIOTT DOWNTOWN WATERFRONT HOTEL

REGISTRATION FEES

THURSDAY, NOV. 6 Admin. Prof. Preconference	THURSDAY, NOV. 6 Preconference	FRIDAY, NOV. 7 Council of School Attorneys Workshop		FRIDAY, NOV. 7 SATURDAY, NOV. 8 CONVENTION
\$315	\$315	\$150 <i>(member)</i>	\$300 <i>(nonmember)</i>	\$645

**ONLINE REGISTRATION OPENS
WEDNESDAY, SEPT. 10**

**ONLINE REGISTRATION CLOSSES
TUESDAY, OCT. 14**

After Oct. 14, registration will only be possible on-site the days of the event and will incur an additional \$100 fee.

MEAL INFO

Meals are included in the cost of registration.

HOTEL INFO

Booking information will be provided in the registration confirmation email.

If you plan to bring student board representatives, please email Meghan at mpeterson@osba.org.

NO-SHOWS WILL BE BILLED FOR THE ENTIRE REGISTRATION FEE.
There is a \$100 cancellation fee. NO REFUNDS will be accepted after Oct. 14.

FOR MORE INFO, VISIT [OSBA.ORG](https://osba.org)

QUESTIONS? Contact OSBA at 503-538-2800 | 800-578-6722 | info@osba.org

CORBETT SCHOOL DISTRICT NO.39

**CANDIDATE INFORMATION SHEET
BUDGET COMMITTEE**

Please fill out and return to the school district office.

Name _____
Last First Initial Date

Home Address _____

Mailing Address if different _____ Phone _____

Home e-mail address _____

Business Address _____

Business e-mail Address _____ Phone _____

Occupation _____

No. of years in District _____

Do you have children in the school district? _____

Which schools? _____

Have you worked on any school committees? _____

If so, which committees? _____

Other community or business activities _____

Do you have other commitments which may conflict with your participation and attendance at school budget meetings? _____

Why do you wish to be appointed to the school budget committee? _____

_____ budvac.app

Taken from ODE's Education Update September 2025

National School Lunch Week is Approaching!

National School Lunch Week is October 13-17. The Oregon Department of Education (ODE) and the Oregon School Boards Association (OSBA) are teaming up to raise awareness about the importance of Child Nutrition Programs in schools. **We invite school board members and superintendents to eat with students during the week of October 13-17 to experience their nutritious and appealing local school lunches.**

Encourage your school board to participate by planning lunch with students that week. All they need to do is reach out to school nutrition staff and building administrators (Dr. Fialkiewicz first) before their visit. They are encouraged to post to social media about their experience using the #NSLW25inOR hashtag and the ODE ([@ORDeptEd](#)) and OSBA ([@OSBANews](#)) X handles.

Advanced Placement Student Recognition Corbett High School

School Board Presentation
September 17th, 2025

What does the score mean? Scale of 1-5

Score 3+ to earn college credit at a University

English Lit and Comp → 4 credits WR 121 = \$1,644

US History → 8 credits of History = \$3,288

Human Geography → 4 credits Geography = \$1,644

Spanish → 12 credits Spanish = \$4,932

8

42% of Class of 2025 (32 students) earned college credit in at least one class, a total value of at least \$53,000

*Oregon State Tuition base rate

*One test costs Oregon taxpayers \$96, total cost in 2025 = \$43,484

AP Data Report

	2021	2022	2023	2024	2025
Total CHS Students	323	317	330	356	352
Total AP Students	189	270	264	291	⁹ 284
	(59%)	(85%)	(80%)	(82%)	(81%)
Number of Exams	511	580	662	738	727
AP Students w/Scores 3+	79	93	90	116	114
% of Total AP Students with Scores 3+	41.80	34.44	34.09	39.86	40.14

AP Scholar – 3 or Higher on at least 3 Exams

Arnold; Allison
Arzeta; Miguel A.
Belesiotis; George D.
Blume; Samantha
Bruton; Victoria
Carey; Sean P.
Carnie; Alexander R.
Clark; Owen
Dyk; Esther
Fredericks; Zachary
Gilbert; Camden A.
Gilbert; John B.
Gorbatenko; Samuel A.
Harrington; Ursula K.
Heuker; Laiken M.
Horton; Ellen
Hunter; Saffron
Isaacson; Amelia

Kasner; Caleb R.
Kaufhold; Isabella J.
Kirnan; Jack S
Lowry; Aeden
Matias; Natalie A.
McGrath; Ashlyn R.
McGrew; Jessie
McHenry; Caiden
McHenry; Ellia R.
Middelzick; Isabella J.
Miller; Emily
Miller; Greta
Miller; Lillian
Moore; Aiden
Moore; Kaylee
Moss; Andrew C.
Parrish; Flynn D.
Perez; Maya

Peterson; Thatcher
Pinedo; Aidan H.
Plummer; Bryce A.
Potts; Haley
Reymond; Asher W.
Rohlf; Sean N.
Saied; Leena
Schurz; Gavin T.
Selden; Elias B.
Silva; Karisma
Stauffer; Alaya H.
Stauffer; Meru D.
Vandam; Theo G.
Williams; Sayvin J.
Young; Olivia L.

10
*50 Students with
\$5,000 of credit!*
*\$250,000 of
college credit.*

AP Scholar with Honor – Scores of 3 or higher on at least 4 exams.

Emmanuel Topalo - 2027

AP Scholar with Distinction – Scores of 3 or higher on at least 5 exams.

Jackson Chiu - 2027

Mead LaFramboise - 2027

Lucca Lyon - 2027


Masen Muniz - 2027

Kyla Shannon - 2027

Tristan Stone -2027

Alana Wilburn - 2026

AP Capstone Diploma and Certificate



13

One of 13 high schools in Oregon to offer Capstone Diploma.

AP Seminar and Research Certificate

Amelia Isaacson - 2025

Logan Matias - 2026

Haley Potts - 2025

Olivia Young -2026

AP Capstone Diploma Seminar and Research, and at least 4 exams 3+

Tate Correa - 2025

Ellen Horton - 2026

Natalie Matias - 2025

Jessie McGrew - 2026

Emily Miller - 2025

Leena Saied - 2026

Alaya Stauffer - 2026

Alana Wilburn - 2026

Thank you for your hard work –
Teachers and Students!

And thank you to the taxpayers of Oregon,
the Corbett community and the Corbett
School Board for continuing to support
students in their academic pursuits!

2nd Public Hearing 2025-26
Budget/Special School Board Meeting
Monday, June 30, 2025

MPB Board Room and via ZOOM/Owl
35800 E Historic Columbia River Highway,
Corbett OR 97019

Board Approved: _____

A 2nd Public Hearing of the 2025-26 Budget and Special School Board Meeting of the Board of Trustees of Corbett School District was held Monday, June 30, 2025, beginning at 7:00 PM in the MPB / Board Room and via ZOOM-Owl virtual platform. Board members present were Todd Mickalson, Chair; David Granberg (online); Dylan Rickert; Bob Buttke (online); Ben Byers (online) and Todd Redfern (virtual and then arrived at 7:07 p.m.). Leah Fredericks had an excused absence. Also present were Brie Windust, Business Office Assistant/ZOOM moderator; Robin Lindeen-Blakeley, Deputy Clerk/HR Lead; Regina Sampson, Business Manager/CFO and Jeanne Swift, Assistant Superintendent/Student Services Director. Derek Fialkiewicz, Ed.D., Superintendent, had an excused absence. NOTE: The minutes are prepared to coincide with time scheduled matters and the numbering system of the agenda and is not necessarily the actual order of happenings at the meeting.

7:00 p.m.

1. Preliminary Business -Hybrid meeting and in person at the MPB / Board Room with approximately five audience members and five virtual attendees.

- 1.1. Call to Order / Flag Salute

- 7:02 p.m. Todd Mickalson, Board Chair, called the meeting to order and led the attendees in the pledge of allegiance to the flag.

- <https://policy.osba.org/corbett/I/INDB%20D1.PDF>

2. 2025-2026 Amended Approved Budget

Jeanne Swift, Assistant Superintendent had nothing to note. Regina Sampson, CFO, explained that this meeting is to amend the approved budget that was to be adopted at the regular board meeting on June 18, 2025. The increase in expenditures for Capital Fund gains was greater than 10%, so we had to republish for another budget hearing.

<https://policy.osba.org/corbett/D/DBH%20D1.PDF>

Attachments: (1)

3. Audience Comments regarding Amended Approved Budget 2025-26

Todd Mickalson, Board Chair, asked for comments online and/or in person.

<https://policy.osba.org/corbett/D/DBH%20D1.PDF>

7:05 p.m.-

Malinda Carlson, patron, was curious about learning the decision. If the budget committee accepted, why wasn't it brought up, and what is it moving out of.

Chair Mickalson summarized that it was brought up in a budget committee meeting from a board member(s). The idea stemmed from a discussion that adding more students to the district should increase the total budget and that anything over \$10.8 billion, up to the \$11.3 billion Governor's budget would be put into capital improvements. This given the opinion that the last budget(s) went towards the teaching

staff. The needs for facilities are within G.O. Bond. This would be moved out of Contingency in the General Fund (GF), as was voiced, to be a commitment for the outgoing board.

Board discussion regarding compromise, intention, objectives.

3.1. Adjournment of the Public Budget Hearing at 7:15 p.m.

4. Review and Acceptance of the Special School Board Meeting Agenda

Todd Mickalson, Board Chair, announced OK as written.

Attachments: (1)

4.1. a. Official Special Election Board Certifications

Todd Mickalson, Board Chair, announced that the official information was attached in the board packet.

<https://policy.osba.org/corbett/AB/BBB%20D1.PDF>

Attachments: (1)

5. Financial Reports/Matters

Regina Sampson, CFO, said at this point looking to adopt budget as revised and to impose taxes after re-approval.

Board discussion.

Ms. Sampson continued that the budget amount to be adopted increased the total budget, but doesn't change the tax rate.

Board discussion.

Attachments: (1)

5.1. Resolution to Adopt Budget and Appropriate Funds - Transfers Action Item

Todd Mickalson moved and Bob Buttke seconded;

RESOLUTION NO. 6.151-25 - RESOLVED that the Board adopted the budget and appropriate funds transfer as attached in the Board packet.

The vote of the Board was 6-0.

<https://policy.osba.org/corbett/D/DBH%20D1.PDF>

Attachments: (1)

5.2. Resolution Declaring and Imposing Taxes and Categorizing Taxes Action Item

Todd Mickalson moved and Bob Buttke seconded;

RESOLUTION NO. 6.152.25 - RESOLVED that the Board declared the tax levy as attached in the Board packet.

The vote of the Board was 6-0.

<https://policy.osba.org/corbett/D/DBI%20D1.PDF>

Attachments: (1)

6. COMING EVENTS

Todd Mickalson, Board Chair, read aloud:

a. Friday, July 4, 2025 - 4th of July holiday for 12-month (257-260 day) employees

c. Wednesday, July 16, 2025 - July Regular Board meeting, 7:00 p.m. (virtual/MPB Board Room main campus)

d. Summer OSBA Board conference in Salem, August 8-10, 2025, Salem Convention Center; Registration closes July 18. Chair Mickalson recommended this for new board members. Ms. Lindeen-Blakeley will send out a reminder to the board as registration closes by July 18.

e. Fall OSBA Board conference in Portland, November 6-8, 2025

7. ADJOURNMENT- The Board meeting was adjourned at approximately 7:25 p.m.

Corbett School District 39

100 General Fund | Financial Projection by Object

For the Period Ending August 31, 2025


	Prior YTD	Current Year Budget	Current YTD	% of Budget	Add: Projections	Annual Forecast	2024-25 Deferred Spending
RESOURCES							
Operating Revenues							
Local Sources	\$ 2,563,146	\$ 2,358,798	\$ 11,705	0.50%	\$ 2,347,093	\$ 2,358,798	\$ -
Intermediate Sources	201,200	290,000	-	0.00%	29,000	29,000	-
State Sources	12,762,126	13,982,257	3,469,673	24.81%	10,512,584	13,982,257	-
Federal Sources	92,541	-	-	0.00%	75,000	-	-
Other Sources	2,000,000	-	-	0.00%	-	-	-
Total Operating Revenues	\$ 17,619,013	\$ 16,631,055	\$ 3,481,378	20.93%	\$ 12,963,677	\$ 16,370,055	\$ -
Beginning Fund Balance	-	-	-	0.00%	-	-	-
TOTAL RESOURCES	\$ 17,619,013	\$ 16,631,055	\$ 3,481,378	20.93%	\$ 12,963,677	\$ 16,370,055	\$ -
REQUIREMENTS							
Operating Expenditures							
Salaries	\$ 7,380,501	\$ 7,187,018	\$ 714,498	9.94%	\$ 6,213,619	\$ 6,928,117	\$ -
Associated Payroll Costs	5,444,292	4,960,592	256,697	5.17%	4,703,895	4,960,592	-
Purchased Services	1,923,156	1,662,670	119,375	7.18%	1,851,955	1,971,329	383,717
Supplies and Materials	633,668	904,761	20,633	2.28%	1,016,747	1,037,380	10,755
Capital Outlay	665,400	422,610	-	0.00%	422,610	422,610	-
Other Objects	1,569,496	541,296	17,901	3.31%	628,074	645,975	-
Transfers	2,500	668,345	-	0.00%	200,000	200,000	-
Total Operating Expenditures	\$ 17,619,013	\$ 16,347,292	\$ 1,129,104	6.91%	\$ 15,036,900	\$ 16,166,004	\$ 394,472
Contingencies	-	250,000	-	0.00%	-	-	-
Unappropriated Ending Fund Balance	-	33,763	-	0.00%	-	-	-
TOTAL REQUIREMENTS	\$ 17,619,013	\$ 16,631,055	\$ 1,129,104	6.79%	\$ 15,036,900	\$ 16,166,004	\$ 394,472
OPERATING SURPLUS / (DEFICIT)					\$ (2,073,223)	\$ 204,052	

Corbett School District 39


100 General Fund | Financial Projection by Object

For the Period Ending August 31, 2025

Revenues by Source | Budget v. Forecast



Expenditures by Object | Budget v. Forecast



Corbett School District 39

201 Federal Funds | Financial Projection by Object



For the Period Ending August 31, 2025

	Prior YTD	Current Year Budget	Current YTD	% of Budget	Add: Projections	Annual Forecast
RESOURCES						
Operating Revenues						
Local Sources	\$ -	\$ 220,000	\$ -	0.00%	\$ 220,000	\$ 220,000
Intermediate Sources	-	-	-	0.00%	-	-
State Sources	-	-	-	0.00%	-	-
Federal Sources	1,284,483	1,875,633	-	0.00%	1,875,633	1,875,633
Other Sources	-	100,000	-	0.00%	100,000	100,000
Total Operating Revenues	\$ 1,284,483	\$ 2,195,633	\$ -	0.00%	\$ 2,195,633	\$ 2,195,633
Beginning Fund Balance	-	-	-	0.00%	-	-
TOTAL RESOURCES	\$ 1,284,483	\$ 2,195,633	\$ -	0.00%	\$ 2,195,633	\$ 2,195,633
REQUIREMENTS						
Operating Expenditures						
Salaries	\$ 642,084	\$ 592,942	\$ 60,071	10.13%	\$ 504,001	\$ 564,072
Associated Payroll Costs	268,997	407,375	35,947	8.82%	\$ 371,428	401,983
Purchased Services	49,732	384,604	7,111	1.85%	\$ 377,493	365,374
Supplies and Materials	211,583	416,426	13,322	3.20%	\$ 403,104	437,247
Capital Outlay	-	-	-	0.00%	\$ -	-
Other Objects	112,087	391,286	-	0.00%	\$ 391,286	391,286
Transfers	-	-	-	0.00%	-	-
Total Operating Expenditures	\$ 1,284,483	\$ 2,192,633	\$ 116,451	5.31%	\$ 2,047,312	\$ 2,159,962
Contingencies	-	-	-	0.00%	-	-
Unappropriated Ending Fund Balance	-	-	-	0.00%	-	-
TOTAL REQUIREMENTS	\$ 1,284,483	\$ 2,192,633	\$ 116,451	5.31%	\$ 2,047,312	\$ 2,159,962
OPERATING SURPLUS / (DEFICIT)					\$ 148,321	\$ 35,671

Corbett School District 39

201 Federal Funds | Financial Projection by Object

For the Period Ending August 31, 2025



Corbett School District 39

251 Student Investment Account | Financial Projection by Object



For the Period Ending August 31, 2025

	Prior YTD	Current Year Budget	Current YTD	% of Budget	Add: Projections	Annual Forecast
RESOURCES						
Operating Revenues						
Local Sources	\$ -	\$ -	\$ -	0.00%	\$ -	\$ -
Intermediate Sources	-	-	-	0.00%	-	-
State Sources	988,000	1,036,659		0.00%	1,036,659	1,036,659
Federal Sources	-	-	-	0.00%	-	-
Other Sources	-	-	-	0.00%	-	-
Total Operating Revenues	\$ 988,000	\$ 1,036,659	\$ -	0.00%	\$ 1,036,659	\$ 1,036,659
Beginning Fund Balance	-	-	-	0.00%	-	-
TOTAL RESOURCES	\$ 988,000	\$ 1,036,659	\$ -	0.00%	\$ 1,036,659	\$ 1,036,659
REQUIREMENTS						
Operating Expenditures						
Salaries	\$ 658,603	\$ 561,046	\$ 9,335	1.66%	\$ 537,795	\$ 547,130
Associated Payroll Costs	273,557	413,439	5,855	1.42%	\$ 398,686	404,541
Purchased Services	-	-		0.00%	\$ -	-
Supplies and Materials	55,840	2,355		0.00%	\$ -	-
Capital Outlay	-	-		0.00%	\$ -	-
Other Objects	-	59,819		0.00%	\$ 59,849	59,849
Transfers	-	-		0.00%	-	-
Total Operating Expenditures	\$ 988,000	\$ 1,036,659	\$ 15,191	1.47%	\$ 996,330	\$ 1,011,521
Contingencies	-	-		0.00%	-	-
Unappropriated Ending Fund Balance	-	-		0.00%	-	-
TOTAL REQUIREMENTS	\$ 988,000	\$ 1,036,659	\$ 15,191	1.47%	\$ 996,330	\$ 1,011,521
OPERATING SURPLUS / (DEFICIT)					\$ 40,329	\$ 25,138

Corbett School District 39

251 Student Investment Account | Financial Projection by Object

For the Period Ending August 31, 2025



Corbett School District 39

252 High School Success | Financial Projection by Object



For the Period Ending August 31, 2025

	Prior YTD	Current Year Budget	Current YTD	% of Budget	Add: Projections	Annual Forecast
RESOURCES						
Operating Revenues						
Local Sources	\$ -	\$ -	\$ -	0.00%	\$ -	\$ -
Intermediate Sources	-	-	-	0.00%	-	-
State Sources	189,897	315,359	-	0.00%	315,359	315,359
Federal Sources	-	-	-	0.00%	-	-
Other Sources	-	-	-	0.00%	-	-
Total Operating Revenues	\$ 189,897	\$ 315,359	\$ -	0.00%	\$ 315,359	\$ 315,359
Beginning Fund Balance	-	-	-	0.00%	-	-
TOTAL RESOURCES	\$ 189,897	\$ 315,359	\$ -	0.00%	\$ 315,359	\$ 315,359
REQUIREMENTS						
Operating Expenditures						
Salaries	\$ 95,295	\$ 132,660	\$ 12,433	9.37%	\$ 114,216	\$ 126,649
Associated Payroll Costs	34,602	103,769	6,597	6.36%	\$ 102,031	108,628
Purchased Services	60,000	60,702	-	0.00%	\$ 60,702	60,702
Supplies and Materials	-	-	-	0.00%	\$ -	-
Capital Outlay	-	-	-	0.00%	\$ -	-
Other Objects	-	18,228	-	0.00%	\$ 18,228	18,228
Transfers	-	-	-	0.00%	-	-
Total Operating Expenditures	\$ 189,897	\$ 315,359	\$ 19,030	6.03%	\$ 295,176	\$ 314,206
Contingencies	-	-	-	0.00%	-	-
Unappropriated Ending Fund Balance	-	-	-	0.00%	-	-
TOTAL REQUIREMENTS	\$ 189,897	\$ 315,359	\$ 19,030	6.03%	\$ 295,176	\$ 314,206
OPERATING SURPLUS / (DEFICIT)					\$ 20,183	\$ 1,153

Corbett School District 39

252 High School Success | Financial Projection by Object

For the Period Ending August 31, 2025



Corbett School District 39

255 PGE Electric Bus Fund | Financial Projection by Object



For the Period Ending August 31, 2025

	Prior YTD	Current Year Budget	Current YTD	% of Budget	Add: Projections	Annual Forecast
RESOURCES						
Operating Revenues						
Local Sources	\$ 954,786	\$ 594,088	\$ -	0.00%	\$ 594,088	\$ 594,088
Intermediate Sources	-	-	-	0.00%	-	-
State Sources	-	-	-	0.00%	-	-
Federal Sources	-	-	-	0.00%	-	-
Other Sources	-	-	-	0.00%	-	-
Total Operating Revenues	\$ 954,786	\$ 594,088	\$ -	0.00%	\$ 594,088	\$ 594,088
Beginning Fund Balance	-		-	0.00%	-	-
TOTAL RESOURCES	\$ 954,786	\$ 594,088	\$ -	0.00%	\$ 594,088	\$ 594,088
REQUIREMENTS						
Operating Expenditures						
Salaries	\$ -	\$ -	\$ -	0.00%	\$ -	\$ -
Associated Payroll Costs	-	-	-	0.00%	-	-
Purchased Services	-	-	-	0.00%	-	-
Supplies and Materials	-	-	-	0.00%	-	-
Capital Outlay	384,928	594,088	-	0.00%	\$ 594,088	594,088
Other Objects	-	-	-	0.00%	-	-
Transfers	-	-	-	0.00%	-	-
Total Operating Expenditures	\$ 384,928	\$ 594,088	\$ -	0.00%	\$ 594,088	\$ 594,088
Contingencies	-	-		0.00%	-	-
Unappropriated Ending Fund Balance	-	-		0.00%	-	-
TOTAL REQUIREMENTS	\$ 384,928	\$ 594,088	\$ -	0.00%	\$ 594,088	\$ 594,088
OPERATING SURPLUS / (DEFICIT)					\$ -	\$ -

Corbett School District 39

255 PGE Electric Bus Fund | Financial Projection by Object

For the Period Ending August 31, 2025



Corbett School District 39

255 Local/State Grant Funds | Financial Projection by Object

For the Period Ending August 31, 2025



	Prior YTD	Current Year Budget	Current YTD	% of Budget	Add: Projections	Annual Forecast
RESOURCES						
Operating Revenues						
Local Sources	\$ -	\$ 881,009	\$ -	0.00%	\$ 881,009	\$ 881,009
Intermediate Sources	-	-	-	0.00%	-	-
State Sources	-	2,500,000	-	0.00%	2,500,000	2,500,000
Federal Sources	-	-	-	0.00%	-	-
Other Sources	-	-	-	0.00%	-	-
Total Operating Revenues	\$ -	\$ 3,381,009	\$ -	0.00%	\$ 3,381,009	\$ 3,381,009
Beginning Fund Balance	-	-	-	0.00%	-	-
TOTAL RESOURCES	\$ -	\$ 3,381,009	\$ -	0.00%	\$ 3,381,009	\$ 3,381,009
REQUIREMENTS						
Operating Expenditures						
Salaries	\$ -	\$ 128,513	\$ 13,721	10.68%	\$ 62,095	\$ 75,816
Associated Payroll Costs	-	59,905	8,865	14.80%	51,040	59,905
Purchased Services	-	40,898	-	0.00%	40,898	40,898
Supplies and Materials	-	443,467	12,651	2.85%	394,816	407,467
Capital Outlay	-	54,113	-	0.00%	54,113	54,113
Other Objects	-	2,654,113	77,291	2.91%	2,576,822	2,654,113
Transfers	-	-	-	0.00%	-	-
Total Operating Expenditures	\$ -	\$ 3,381,009	\$ 112,528	3.33%	\$ 3,179,784	\$ 3,292,312
Contingencies	-	-	-	0.00%	-	-
Unappropriated Ending Fund Balance	-	-	-	0.00%	-	-
TOTAL REQUIREMENTS	\$ -	\$ 3,381,009	\$ 112,528	3.33%	\$ 3,179,784	\$ 3,292,312
OPERATING SURPLUS / (DEFICIT)					\$ 201,225	\$ 88,698

Includes Youth Transition Program, Menstrual Dignity, Outdoor School, SB1149 (Energy), Seismic Rehabilitation Grant, and Driving Change Grants

Corbett School District 39

255 Local/State Grant Funds | Financial Projection by Object

For the Period Ending August 31, 2025



Includes Youth Transition Program, Menstrual Dignity, Outdoor School, SB1149 (Energy), Seismic Rehabilitation Grant, and Driving Change Grants

Corbett School District 39

299 Food Service | Financial Projection by Object



For the Period Ending August 31, 2025

	Prior YTD	Current Year Budget	Current YTD	% of Budget	Add: Projections	Annual Forecast
RESOURCES						
Operating Revenues						
Local Sources	\$ 100,000	\$ -	\$ -	0.00%	\$ 1,000	\$ 1,000
Intermediate Sources	-	-	-	0.00%	-	-
State Sources	6,000	139,896	-	0.00%	139,896	139,896
Federal Sources	160,000	127,525	-	0.00%	127,525	127,525
Other Sources	121,268	218,345	-	0.00%	218,345	218,345
Total Operating Revenues	\$ 387,268	\$ 485,766	\$ -	0.00%	\$ 486,766	\$ 486,766
Beginning Fund Balance	-	-	-	0.00%	-	-
TOTAL RESOURCES	\$ 387,268	\$ 485,766	\$ -	0.00%	\$ 486,766	\$ 486,766
REQUIREMENTS						
Operating Expenditures						
Salaries	\$ 108,509	\$ 144,384	\$ 21,279	14.74%	\$ 124,336	\$ 145,615
Associated Payroll Costs	71,397	110,888	15,425	13.91%	\$ 93,554	108,979
Purchased Services	6,000	20,984	985	4.69%	\$ 19,599	20,584
Supplies and Materials	197,862	207,510	7,685	3.70%	\$ 209,816	217,501
Capital Outlay	-	-	-	0.00%	\$ -	-
Other Objects	3,500	2,000	-	0.00%	\$ 2,000	2,000
Transfers	-	-	-	0.00%	-	-
Total Operating Expenditures	\$ 387,268	\$ 485,766	\$ 45,374	9.34%	\$ 449,305	\$ 494,679
Contingencies	-	-	-	0.00%	-	-
Unappropriated Ending Fund Balance	-	-	-	0.00%	-	-
TOTAL REQUIREMENTS	\$ 387,268	\$ 485,766	\$ 45,374	9.34%	\$ 449,305	\$ 494,679
OPERATING SURPLUS / (DEFICIT)					\$ 37,461	\$ (7,913)

Corbett School District 39

299 Food Service | Financial Projection by Object

For the Period Ending August 31, 2025



Corbett School District 39

300 GO Bond Debt Service | Financial Projection by Object



For the Period Ending August 31, 2025

	Prior YTD	Current Year Budget	Current YTD	% of Budget	Add: Projections	Annual Forecast
RESOURCES						
Operating Revenues						
Local Sources	\$ 479,945	\$ 387,072	\$ -	0.00%	\$ 387,072	\$ 387,072
Intermediate Sources	-	-	-	0.00%	-	-
State Sources	-	-	-	0.00%	-	-
Federal Sources	-	-	-	0.00%	-	-
Other Sources	-	-	-	0.00%	-	-
Total Operating Revenues	\$ 479,945	\$ 387,072	\$ -	0.00%	\$ 387,072	\$ 387,072
Beginning Fund Balance	-	50,000	-	0.00%	50,000	50,000
TOTAL RESOURCES	\$ 479,945	\$ 437,072	\$ -	0.00%	\$ 437,072	\$ 437,072
REQUIREMENTS						
Operating Expenditures						
Salaries		\$ -		0.00%		\$ -
Associated Payroll Costs		-		0.00%	\$ -	-
Purchased Services		-		0.00%	\$ -	-
Supplies and Materials		-		0.00%	\$ -	-
Capital Outlay		-		0.00%	\$ -	-
Other Objects		437,072		0.00%	\$ 437,072	437,072
Transfers		-		0.00%	-	-
Total Operating Expenditures	\$ -	\$ 437,072	\$ -	0.00%	\$ 437,072	\$ 437,072
Contingencies	-	-		0.00%	-	-
Unappropriated Ending Fund Balance	-	-		0.00%	-	-
TOTAL REQUIREMENTS	\$ -	\$ 437,072	\$ -	0.00%	\$ 437,072	\$ 437,072
OPERATING SURPLUS / (DEFICIT)					\$ -	\$ -

Corbett School District 39

300 GO Bond Debt Service | Financial Projection by Object

For the Period Ending August 31, 2025



Corbett School District 39

400 Capital Projects | Financial Projection by Object



For the Period Ending August 31, 2025

	Prior YTD	Current Year Budget	Current YTD	% of Budget	Add: Projections	Annual Forecast
RESOURCES						
Operating Revenues						
Local Sources	\$ -	\$ -	\$ -	0.00%	\$ -	\$ -
Intermediate Sources	-	-	-	0.00%	-	-
State Sources	-	-	-	0.00%	-	-
Federal Sources	-	-	-	0.00%	-	-
Other Sources	-	250,000	-	0.00%	250,000	250,000
Total Operating Revenues	\$ -	\$ 250,000	\$ -	0.00%	\$ 250,000	\$ 250,000
Beginning Fund Balance	-	-	-	0.00%	-	-
TOTAL RESOURCES	\$ -	\$ 250,000	\$ -	0.00%	\$ 250,000	\$ 250,000
REQUIREMENTS						
Operating Expenditures						
Salaries		\$ -		0.00%		\$ -
Associated Payroll Costs		-		0.00%	\$ -	-
Purchased Services		-		0.00%	\$ -	-
Supplies and Materials		-		0.00%	\$ -	-
Capital Outlay		-		0.00%	\$ -	-
Other Objects		250,000		0.00%	\$ 250,000	250,000
Transfers		-		0.00%	-	-
Total Operating Expenditures	\$ -	\$ 250,000	\$ -	0.00%	\$ 250,000	\$ 250,000
Contingencies	-	-		0.00%	-	-
Unappropriated Ending Fund Balance	-	-		0.00%	-	-
TOTAL REQUIREMENTS	\$ -	\$ 250,000	\$ -	0.00%	\$ 250,000	\$ 250,000
OPERATING SURPLUS / (DEFICIT)					\$ -	\$ -

Corbett School District 39

400 Capital Projects | Financial Projection by Object

For the Period Ending August 31, 2025





Oregon

Tina Kotek, Governor



OREGON
DEPARTMENT OF
EDUCATION

Oregon achieves . . . together!

Dr. Charlene Williams

Director of the Department of Education

September 2, 2025

Derek Fialkiewicz

Superintendent

Corbett SD

35800 E Hist Columbia River Hwy

Corbett, OR 97019

Dear Superintendent Fialkiewicz:

The Oregon Department of Education (ODE) has completed its review of data submitted by Corbett SD related to State Performance Plan (SPP) compliance indicators. These indicators include:

- **B4B:** Significant discrepancy in suspension/expulsion rates by race/ethnicity due to inappropriate policies, procedures, or practices.
- **B9:** Disproportionate representation of racial and ethnic groups in special education is the result of inappropriate identification.
- **B10:** Disproportionate representation of racial and ethnic groups in specific disability categories is the result of inappropriate identification.
- **B11:** Percent of children evaluated within 60 school days of receiving parental consent for initial evaluation.

We are pleased to inform you that based on our review, no noncompliance has been identified for Corbett SD in any of these areas.

In accordance with the Individuals with Disabilities Education Act (IDEA) and Oregon Administrative Rules (OARs), ODE conducts these reviews to ensure compliance with federal and state special education requirements. Your district's data demonstrates compliance with these important requirements.

No further action is required of Corbett SD based on the results of this review. We appreciate your continued commitment to ensuring appropriate educational services for students with disabilities in your district.

Should you have any questions regarding this letter or the review process, please contact your assigned District Compliance Specialist, Laura Petschauer.

Sincerely,

Ramonda Olaloye

Ramonda Olaloye

Assistant Superintendent

Office of Enhancing Student Opportunities

CC: Jeanne Swift, Special Education Director, Corbett SD; Laura Petschauer, District Compliance Specialist, OESO



Staff and Family Feedback

June 2025

Responses

Staff - 13

Families - 55



Staff Feedback - Grade School

Went Well	Could Improve Upon
<ul style="list-style-type: none">● Cassie's management of all the departments to work cohesively together.● Our principal and staff weathered an exceptionally difficult year with kindness, intelligence, and grace.● The coming together of staff during trying and worrying times.	<ul style="list-style-type: none">● Accountability in all grade bands.● Adjusting to new limitations and loss of counseling personnel.● Running on less with more students.



Family Feedback - Grade School

Went Well	Could Improve Upon
<ul style="list-style-type: none">● Weekly grade school newsletter● The strings program● My child has made some great steps in reading● I felt my child was well cared for between his primary teach and support staff● Appreciation week and Springfest!● Good field trips● Class community	<ul style="list-style-type: none">● Issues with children getting “bullied”● Improved communication between staff and family.● Investing in landscaping● Earlier notification of school events.● More assemblies that help build school spirit and a sense of unity amongst the students.● More classroom help



Staff Feedback - Middle School

Went Well	Could Improve Upon
<ul style="list-style-type: none"><li data-bbox="253 576 867 653">● We have an amazing team at the middle school.<li data-bbox="253 663 794 702">● A happier work environment.	<ul style="list-style-type: none"><li data-bbox="1016 576 1696 658">● The appearance of the outside of the school with mowing and weeding.



Family Feedback - Middle School

Went Well	Could Improve Upon
<ul style="list-style-type: none">● Medieval Festival● Communication with the teacher● Our child developed more confidence● Staff dedication● The Cardinal Project presentations● My child learned a lot and was pushed academically!● Parents being able to come see stuff was a lot of fun.● Good support for student with an IEP	<ul style="list-style-type: none">● More check ins● Offer Robotics at middle school level● More off campus learning (field trips)● More communication● More support● This district should reconsider mixing grades



Staff Feedback - CAPS

Went Well	Could Improve Upon
<ul style="list-style-type: none">● Happy kids, lots of learning and working with great people.● Teacher/aid relationships grew strong● Collaboration, caring, and support for one another.● The staff work soo stinking hard (and they are fun to be around)	<ul style="list-style-type: none">● Consistency with school wide behavior expectations.● Better scheduling and staffing● Communication, limitations, and follow through● Actively know CAPS is a part of the district. There is a sense it is expendable which lowers teacher morale.



Family Feedback - CAPS

Went Well	Could Improve Upon
<ul style="list-style-type: none">● Principal did an amazing job supporting the Staff and answering Parent questions.● Overnight field trips and fun projects● The kids got along with their peers● The overall learning experience was exactly as we had hoped.● Committed teachers and extracurricular activities	<ul style="list-style-type: none">● More fundraisers for projects/facility improvements● Consistency and communication● More outdoor learning● Some kind of math tutoring after school● Too much change and uncertainty for my kids



Staff Feedback - High School

Went Well	Could Improve Upon
<ul style="list-style-type: none">● Building leadership is effective, collaborative, and professional.● Staff and admin willingness to include highly impacted SPED students in the general classes● Generally wonderful team support amongst staff around the HS campus	<ul style="list-style-type: none">● Making sure the staff member in district-wide positions of impact are effective and professional.● Lack of audible fire or emergency alarm system and PA/ overhead system makes schoolwide communication difficult



Family Feedback - High School

Went Well	Could Improve Upon
<ul style="list-style-type: none">● Good math, language arts classes, access to AP● He enjoyed Robotics● I think the teachers are absolutely fantastic.● Support from the school counselor● Student assembly's bringing students together.● Clear expectations and communication	<ul style="list-style-type: none">● The science program is incredibly lacking in hands on lab based learning.● We need more bathrooms● Adding additional elective options● Athletes missing class at the end of the day● Communication to Parents about Senior class activities




Staff Feedback - District Office

Went Well	Could Improve Upon
<ul style="list-style-type: none">● The addition of MySchoolBucks for being able to receive payments and collect fees owed.● I feel it runs smoothly● Quick payment for expenses.● Regina was able to figure out a major financial issue. She tried to make it better.● Robin got information I needed to me within just a few days.	<ul style="list-style-type: none">● The payroll department makes too many errors● Communication with concerns on paystubs and sick leave bank from that side of the office need to be answered in a timely manner and with solutions.● Responding to emails. Meet deadlines.● A better system for reserving space



Family Feedback - District Office

Went Well	Could Improve Upon
<ul style="list-style-type: none">● Good job of communicating● Always helpful and prompt● Adding MySchoolBucks for student payments!● Updates for school activities● Regular communication efforts: newsletter● Kindness of staff	<ul style="list-style-type: none">● Posting about board meetings prior to the meeting, sending reminder emails● More supportive of staff and volunteers● Create fundraising opportunities for facility improvements● Accounts payable being paid monthly



Staff Feedback - Superintendent

Went Well	Could Improve Upon
<ul style="list-style-type: none">● He tried to get to know people in each building● Worked with the business manager to reconcile the budget.● I appreciated the board meeting recap emails.● Communicating with staff each week.● Dr F became real to my class by popping in a couple of times and interacting with our Lifeskills students.	<ul style="list-style-type: none">● Understand the role of all staff members.● Communicating information clearly.● Focus on building a strong ending fund balance.● Ask for help when he needs it● We were never supported.● Ensuring that the staff members in positions of impact (district office, admin) are supported and held accountable



Family Feedback - Superintendent

Went Well	Could Improve Upon
<ul style="list-style-type: none">● He was involved! Helping with traffic, being apart of the community it was great to see. Open and honest!● Communication and transparency● Saturday morning meet-ups are a great idea● Owned up to mistakes and took steps to move forward	<ul style="list-style-type: none">● Being transparent, honest and forthcoming with all information● Offering more town halls for feedback● Really advocate for kids on an IEP or 504 plan.● Better support and guidance for bullying● Hold teacher's accountable● Building a solid foundational relationship with the school board



October 2024 Report

Your Submitted Impact Report

The impact report you previously submitted appears below. Thank you for providing this information; no further action on your part is required at this time. Click here to [return to the Welcome page](#).

Request Information

Project Title Electric School Bus Fund

Grant Amount \$979,016.00

Request Date 11/29/2023

Project Tracking

* indicates required field

Number of Electric Buses 0
 Acquired

ESB Project Timeline and Milestone Worksheet

* Bus Manufacturer	* Date Bus Ordered (?)	Date Bus Delivered (?)	Date Bus Received
Blue Bird	9/30/2024		

Assistance with Charging Infrastructure? We are currently working through an agreement with the fleet partner program

Number of Ports Installed • **Private Ports** 0.00
 • **Public Ports** 0.00

Total 0.00

Submitted Commercial Charger Registration Form? No

Changes in Project Design/Estimated Cost To our knowledge, there has been no change in any of those areas

Recognition Updates We have done no work in that regard

Celebrations or Media Events We have nothing planned for that currently. Upon receipt of the bus, as allowed by PGE, we hope to have a celebration event.

Note: Notify PGE of Participation Opportunities

Additional Comments

[Need Support?](#)

Copyright © 2025 Portland General Electric

January 2025 Report



Your Submitted Impact Report

The impact report you previously submitted appears below. Thank you for providing this information; no further action on your part is required at this time. Click here to [return to the Welcome page](#).

Request Information

Project Title Electric School Bus Fund

Grant Amount \$979,016.00

Request Date 11/29/2023

Project Tracking

* indicates required field

Number of Electric Buses Acquired 0

ESB Project Timeline and Milestone Worksheet

	* Bus Manufacturer	* Date Bus Ordered (?)	Date Bus Delivered (?)	Date Bt
Blebird		9/1/2024	5/1/2025	

Assistance with Charging Infrastructure? We are already working with PGE on this. A meeting is scheduled for Wednesday to finalize the charging infrastructure plan.

54

Number of Ports Installed • **Private Ports** 1.00

Total 1.00

Submitted Commercial
Charger Registration Form?

Changes in Project Design/Estimated Cost No change to our knowledge at this time

Recognition Updates N/A

Celebrations or Media Events N/A

Note: Notify PGE of
Participation Opportunities

Additional Comments No

[Need Support?](#)

Copyright © 2025 Portland General Electric



April 2025 Report

Your Submitted Impact Report

The impact report you previously submitted appears below. Thank you for providing this information; no further action on your part is required at this time. Click here to [return to the Welcome page](#).

Request Information

Project Title Electric School Bus Fund

Grant Amount \$979,016.00

Request Date 11/29/2023

Project Tracking

* indicates required field

Number of Electric Buses 0
Acquired

ESB Project Timeline and Milestone Worksheet

* Bus Manufacturer	* Date Bus Ordered (?)	Date Bus Delivered (?)	Date Bus Received
Blue Bird	5/1/2024		

Assistance with Charging Infrastructure? We are already a part of the PGE Fleet Partner program.

Number of Ports Installed

- **Private Ports** 0.00
- **Public Ports** 0.00

Total 0.00

Submitted Commercial Charger Registration Form? No

Changes in Project Design/Estimated Cost No changes

Recognition Updates We have done no work on this at this time. Once we are notified of the bus's impending arrival, we will plan out announcements and outreach.

Celebrations or Media Events See above.

Note: Notify PGE of Participation Opportunities

Additional Comments

[Need Support?](#)

Copyright © 2025 Portland General Electric



July 2025 Report

Your Submitted Impact Report

The impact report you previously submitted appears below. Thank you for providing this information; no further action on your part is required at this time. Click here to [return to the Welcome page](#).

Request Information

Project Title Electric School Bus Fund

Grant Amount \$979,016.00

Request Date 11/29/2023

Project Tracking

* indicates required field

Number of Electric Buses 1
Acquired

ESB Project Timeline and Milestone Worksheet

* Bus Manufacturer	* Date Bus Ordered (?)	Date Bus Delivered (?)	Date Bt
Blue Bird	9/30/2024	4/30/2025	

Assistance with Charging Infrastructure? We already have joined the fleet partner program

Number of Ports Installed • **Private Ports** 1.00

Total 1.00

Submitted Commercial
Charger Registration Form?

Changes in Project Design/Estimated Cost No changes

Recognition Updates We are waiting until the work is completed in the chargers to determine that with PFE

Celebrations or Media Events Same as above

Note: Notify PGE of
Participation Opportunities

Additional Comments None

[Need Support?](#)

Copyright © 2025 Portland General Electric

Welcome

This form allows eligible public school districts, public charter school districts, state governments, tribal organizations, nonprofit school transportation associations, and certain contractors (like bus dealers, original equipment manufacturers, school bus service providers, and private school bus fleets) to apply for awards to replace existing school buses with new ones under the 2023 Clean School Bus Rebate Program. Applications must be submitted via this online portal before **February 14, 2024 at 4 PM Eastern Time**.

- In-form help is provided below fields and in the "?" next to field names.
- For additional assistance, please refer to the Program Guide, Q&A document, and other supporting documents at: [Clean School Bus Rebate Program](#), or contact the help desk at cleanschoolbus@epa.gov with the subject of "2023 CSB Rebates Question" (include the Applicant Name, Application ID, Unique Entity Identifier (UEI), Electronic Funds Transfer (EFT) Indicator, and School District Name in the body of your email).

To complete this form, you will need the following information:

- The primary and alternate contact information for your organization.
- A completed School Board Awareness Certification document, and if required, a School District Approval Letter and Electric Utility Partnership Template (see templates at [Clean School Bus Rebate Program](#)).
- The owner of the existing buses, and the expected owner of the new replacement buses including contact information and address information.
- The National Center for Education Statistics (NCES) District ID(s) and contact information for the school district that the existing buses currently serve and replacement buses would serve for a minimum of five years.
- If your school district is not prioritized for funding but is eligible to self-certify the low-income prioritization status for part or all of their district (see list at [Clean School Bus Rebate Program](#)), whether your school district is self-certifying as prioritized and the appropriate category to qualify as low-income.
- The school district point of contact (name, title, business email address, and phone number) for the district that the new replacement buses will serve for next five years.
- Information about the existing school buses being replaced including the VIN, fuel type, manufacturer, vehicle model, vehicle model year, gross vehicle weight rating (GVWR), odometer mileage, annual mileage, annual fuel consumption, estimated remaining life and annual idling hours. The optional [Bus Inventory Worksheet](#) can be used to help organize this information.
- Images of the vehicle titles for the vehicles being replaced (accepted formats are PDF, JPEG, PNG, and JPG).
- Information about the proposed new replacement school buses including the fuel type, GVWR and if the bus(es) will be equipped with an Americans with Disabilities Act (ADA) Compliant wheelchair lift.

To save your work on the form, you must select the "Save" or "Next" button. If there is a "Complete" button on the page, first select "Complete" and then "Save" or "Next" to save your work. You will then be able to return later to finish your application without losing information.

To submit your application to EPA, complete all pages of the application and then sign and submit the form. Your application status is available on the applicant dashboard, and you can view submitted application(s) by selecting the "View" button next the application you want to view. Note: Only Government Business (and alternates) and Electronic Business (and alternates) Points of Contact from SAM.gov can access the dashboard. You and the Primary and/or Alternate Contacts will also receive a submittal email confirmation. EPA will review your application after the application submission period closes.

NOTE: Use of the browser back, forward, or refresh buttons will result in loss of work. Please navigate using the buttons at the bottom of the form.

Below is an overview of the different eligible applicant types. Refer to the 2023 Clean School Bus Program Guide for more information.

Public School District: Local governmental entity responsible for: providing school bus service to one or more public school systems; or the purchase, lease, license, or contract for service of school buses.

Public Charter School: A public charter school district responsible for the purchase, lease, license, or contract for service of school buses for that charter school.

State Government: State governmental entity responsible for: providing school bus service to one or more public school systems; or the purchase, lease, license, or contract for service of school buses.

Indian Tribe of Tribal Organization (not a School District): An Indian Tribe, Tribal organization, or Tribally-controlled school that is responsible for: providing school bus service to one or more Bureau-funded schools; or the purchase, lease, license, or contract for service of school buses.

Private School Bus Fleet: A private school bus fleet that provides student transportation services.

Nonprofit School Transportation Association: A nonprofit organization that provides student transportation services.

Bus Dealer, OEM, or Organization that Arranges Financing for Bus Purchases: These are third parties that have the capacity to sell, lease, license, or contract for service clean school buses, ZE school buses, charging or fueling infrastructure, or other equipment needed to charge, fuel, or maintain clean school buses or zero-emission school buses, to individuals or entities that own, lease, license, or contract for service a school bus or a fleet of school buses; or to arrange financing for such a sale, lease, license, or contract for service.

* denotes required field

Applicant Type

Applicant Type  *

Bus Dealer, OEM or Organization that Arranges Financing for Bus Purchases

Are you applying to replace buses owned and operated by a private bus fleet? *

Yes

No

NOTE: Public School Districts, Public Charter Schools, State Governments, and Indian Tribes or Tribal Organizations must either apply to replace buses they own or buses owned and operated by a private fleet. Nonprofit School Transportation Associations and Bus Dealers or Organizations that Arrange Financing for Bus Purchases must either apply to replace buses owned by a school district or buses owned and operated by a private fleet. School districts are eligible to apply directly, even if they contract out bus service to a private fleet; if selected, the school district could pass funds to the private fleet(s) to replace the buses. If a third party applies on behalf of a school district and is selected for funding, then that third party is the applicant and will receive the funding on behalf of the school district. The school district that is listed on the third-party application cannot switch the third-party applicant and EPA will not send funding to an entity that is not the selected applicant. Eligibility requirements for applicant types are in the [2023 Clean School Bus Rebates Program Guide](#).

Applicant Documents

Download and complete the [School Board Awareness Certification](#) template.

School Board Awareness Certification  *

File Name	Size
Corbett School Board Awareness - Complete.pdf	40.74 kB

Allowed file types: *.pdf, *.png, *.jpeg, *.jpg

Minimum file size: 1KB

Maximum file size: 5MB

Download and complete the [School District Approval](#) Letter template.

School District Approval Letter  *

File Name	Size
Corbett School District Approval - Complete.pdf	41.84 kB

Allowed file types: *.pdf, *.png, *.jpeg, *.jpg

Minimum file size: 1KB

Maximum file size: 5MB

Applicant Info

The information below is automatically filled (excluding the organization county, and the primary and alternate contacts) based on the applicant organization's [SAM.gov entity registration](#). If the information is not correct, then exit this application by going back to the Applicant Dashboard (see Dashboard button at top of this page) and create a new application with the correct or organization, UEI and EFT Indicator.

Applicant Organization Name

WESTERN BUS SALES INC

Unique Entity Identifier (UEI) 

ZATPXG3C8WA3

Electronic Funds Transfer (EFT) Indicator 

Physical Street Address 1

30355 SE HIGHWAY 212

Physical Street Address 2

Organization County *

Clackamas

City

BORING

State or Territory

OR

Zip Code

97009

Applicant Primary Contact

Primary Contact First Name ? *

Mollie

Primary Contact Last Name ? *

Blagg

Primary Contact Title ? *

President

Primary Contact Business Phone Number ? *

(503) 905-0002

Primary Contact Business Email ? *

mollie.blagg@gmail.com

Applicant Alternate Contact

Alternate Contact First Name ?

Sarah

63

Alternate Contact Last Name ?

Jones

Alternate Contact Title 

Director of Sales

Alternate Contact Business Phone Number 

(503) 905-0002

Alternate Contact Business Email 

sjones@westernbus.com

NOTE: Use of the browser back, forward, or refresh buttons will result in loss of work. Please navigate using the buttons at the bottom of the form.

Organizations

This page is for adding organization information for existing buses, new buses, and private fleets (if a private fleet is not the applicant). Public School District information will need to be entered on the next page. For each organization that you add by selecting the "+Add Organization" blue box, you'll need to first select the organization type(s) this organization represents and then enter the contact and address information for the organization. Information for each organization only needs to be entered once, even if the organization applies to multiple buses or infrastructure, or multiple organization types. It is recommended that you add all the organizations that are associated with this rebate application at this time to avoid having to return to this page later.

The following organization types need to be entered on this page:

- **Existing Bus Owner:** All existing bus owners that are **not** the applicant, or the public school district or public charter school that the new buses will serve should be entered here. Applicant and school information are captured elsewhere within the form, so you do not have to enter that information here.
- **New Bus Owner:** All new bus owners (e.g. district, nonprofit, private fleet, tribes) that are **not** the applicant, or the public school district or public charter school that the new buses will serve should be entered here. Applicant and school information are captured elsewhere within the form, so you do not have to enter that information here.
- **Private Fleet:** Any private fleet that is not the applicant, needs to be entered here. School districts that contract out bus service to multiple private fleets may only submit one application but may list multiple private fleets on the application.

On the "Bus and Infrastructure Info" page, you will be selecting organizations you enter here on the "Organizations" page, on the "Applicant Info" page, or the "School District Info" page for each existing and new bus.

Organizations

NOTE: Use of the browser back, forward, or refresh buttons will result in loss of work. Please navigate using the buttons at the bottom of the form.

School District Info

This is the school district that the new replacement buses will serve for at least five years. Most fields on this page will be automatically completed after entering the seven character NCES District ID. If the information seems incorrect after entering the NCES District ID, please check to assure the correct ID was entered.

* denotes required field

School District Lookup

National Center for Education Statistics (NCES) District ID  *

4103420

Note: You can lookup the NCES District ID here : <https://nces.ed.gov/ccd/districtsearch/>

School District General Information

School District Name *

Corbett SD 39

Physical Address Line 1 *

35800 E Hist Columbia River Hw

Physical Address Line 2

City *

Corbett

State or Territory *

OR

Zip Code *

97019

School District Prioritization Information

Prioritized 

No

Are you self-certifying as prioritized? ?

Select the appropriate self-certifying category

School District Contact Information

First Name ? *

Last Name ? *

Title ? *

Business Email ? *

Business Phone Number ? *

NOTE: Use of the browser back, forward, or refresh buttons will result in loss of work. Please navigate using the buttons at the bottom of the form.

Bus and Infrastructure Info

Note: Before entering existing and new bus information, be sure to review the bus and infrastructure eligibility requirements in Section 3 of the 2023 CSB Rebates Program Guide posted here: <https://www.epa.gov/cleanschoolbus/school-bus-rebates-clean-school-bus-program#support>. You can enter information for up to 25 existing buses to be replaced and 25 new replacement buses.

* denotes required field

Bus and Infrastructure Information

Bus Number

1

Existing Bus VIN: 4UZABRDT2CCBA1755

Existing Bus Fuel Type: Diesel

New Bus Fuel Type: Electric

Combined Rebate Amount: \$200,000

*

Utility Partnership Template

Download and complete the [Utility Partnership Template](#).

Proof of Utility Contact  *

File Name	Size
Corbett Utility Partnership - Complete.pdf	126.84 kB

Allowed file types: *.pdf, *.png, *.jpeg, *.jpg

Minimum file size: 1KB

Maximum file size: 5MB

Workforce Development

- Workforce Development Planning - I acknowledge that I am aware of the importance of workforce development planning and will use the resources available on the EPA Clean School Bus Program website to plan accordingly. *
- Electrician Training Requirement - I acknowledge that I am aware that electricians must have a certification of training, as detailed in the 2023 Clean School Bus Rebate Program Guide, to install, operate or maintain Electric Vehicle Supply Equipment (EVSE). *

Bus and Infrastructure Summary

Number of Buses Requested (Application)

1

Total Combined Replacement Bus and Infrastructure Rebate Amount Requested 

\$200,000.00

NOTE: Use of the browser back, forward, or refresh buttons will result in loss of work. Please navigate using the buttons at the bottom of the form.

Signature

* denotes required field

Summary

Total Vehicle and Infrastructure Rebate Funds Requested

\$200,000.00

Signature and Certification

Electronic Signature of Authorized Representative *

The individual listed below must sign and submit this application before it will be considered for funding by the EPA. If you do not have the authority to sign this application, then notify the authorized representative so they can sign and submit the application. Note: The authorized representative must be registered as either the Government Business, Government Business Alternate, Electronic Business, or Electronic Business Alternate Point of Contact in SAM.gov to access this application.

By signing and submitting this application, applicants certify that:

- They have read and agree to comply with the requirements and terms and conditions in the 2023 Clean School Bus (CSB) Rebates Program Guide. This certification is material representation that EPA will rely upon in providing funds for vehicle replacement rebates. False certifications may result in criminal prosecution under 18 U.S.C. § 1001, civil liability under the False Claims Act, 31 U.S.C. § 3729 et seq. and/or the Program Fraud Civil Remedies Act, 31 U.S.C. § 3801 et seq., suspension and/or debarment pursuant to 2 C.F.R. Part 180, and/or other criminal, civil or administrative penalties, sanctions, and remedies available to the Federal government.
- Existing buses listed to be replaced and new replacement buses meet the eligibility requirements in the 2023 CSB Rebates Program Guide and, if selected for funding, existing buses will be disposed of according to the Program Guide requirements.
- Replacement buses and associated charging/fueling infrastructure funded in this program will not be ordered until after official notification of selection.
- They have the authority to represent the applicant organization listed on this form.
- Any OEM that applies for a CSB rebate must certify that they are eligible to sell buses in the state that the school districts listed on the application resides in.
- The public school board is aware of an application being submitted to replace existing bus(es) with new replacement bus(es) that will serve the school district for at least five years as outlined in the School Board Awareness Certification.
- If I am a third-party applicant, such as a nonprofit school transportation association or eligible contractor, the school district approves of submission of this application as outlined in the School District Approval Letter Template.
- If any of the new replacement bus(es) are electric, the project plan for infrastructure installation has been discussed with applicable partners including the school district, utilities, any third-party applicant and others as appropriate as outlined in the Utility Partner template.
- The statements and information provided in this application are true and accurate to the best of their knowledge.
- They will respond to EPA or its representatives if contacted to clarify information submitted in this application.

Sign the form by using your mouse cursor as a pen.

Once you submit this application form you will receive an email confirmation and the applicant dashboard will show "submitted" as the status. The Primary and Alternate applicant contacts and any other authorized SAM.gov contacts will also receive confirmation emails. Please contact the CSB helpdesk at cleanschoolbus@epa.gov if you have any questions or if you do not receive an email confirmation after successfully submitting the application form.

Name ? *

MOLLIE BLAGG

Title ? *

PRESIDENT

A handwritten signature in black ink on a light beige background. The signature is cursive and appears to read "Mark Blum".


I confirm I have provided my signature above *

NOTE: Use of the browser back, forward, or refresh buttons will result in loss of work. Please navigate using the buttons at the bottom of the form.

PGE Bus Grant Update

70


September 2025



Corbett SD was awarded \$979,016 in the PGE ESB Grant, of which 75% of has been currently received by Corbett (\$734,262). So far, expenses for one bus and charging infrastructure has been \$348,928. Thus, \$349,334 is currently remaining, with \$244,754 coming at the conclusion of the project.

Loan & Depreciation Chart for Each Bus

	2025-26		2026-27		2027-28		2028-29		2029-30	
Bus	Loan Payment	Depreciation	Loan Payment	Depreciation	Loan Payment	Depreciation	Loan Payment	Depreciation	Loan Payment	Depreciation
18	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
19	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
1	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
20	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
8	\$ -	\$ 10,994	\$ -	\$ 10,994	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
15	\$ -	\$ 7,469	\$ -	\$ 7,469	\$ -	\$ 7,469	\$ -	\$ -	\$ -	\$ 72 -
16	\$ 17,901	\$ 11,135	\$ -	\$ 11,135	\$ -	\$ 11,135	\$ -	\$ -	\$ -	\$ -
21	\$ -	\$ 2,863	\$ -	\$ 2,863	\$ -	\$ 2,863	\$ -	\$ 2,863	\$ -	\$ 2,863
5	\$ 17,379	\$ 11,169	\$ -	\$ 11,169	\$ -	\$ 11,169	\$ -	\$ 11,169	\$ -	\$ 11,169
6	\$ 20,049	\$ 12,990	\$ 20,049	\$ 12,990	\$ 20,049	\$ 12,990	\$ -	\$ 12,990	\$ -	\$ 12,990
V-22	\$ -	\$ 6,452	\$ -	\$ 6,452	\$ -	\$ 6,452	\$ -	\$ 6,452	\$ -	\$ 6,452
4	\$ 38,247	\$ 17,167	\$ 38,247	\$ 17,167	\$ 38,247	\$ 17,167	\$ -	\$ 17,167	\$ -	\$ 17,167
9	\$ 16,269	\$ 12,829	\$ 16,269	\$ 12,829	\$ -	\$ 12,829	\$ -	\$ 12,829	\$ -	\$ 12,829
2	\$ -	\$ 45,774	\$ -	\$ 45,774	\$ -	\$ 45,774	\$ -	\$ 45,774	\$ -	\$ 45,774
Total	\$ 109,845	\$ 138,842	\$ 74,565	\$ 138,842	\$ 58,296	\$ 127,848	\$ -	\$ 109,243	\$ -	\$ 109,243
Variance (Dep-Loan)	\$ 28,997		\$ 64,277		\$ 69,552		\$ 109,243		\$ 109,243	



This chart shows the total amount we are scheduled to receive in depreciation funds from ODE and the total amount we owe in bus loans over the next three years.

Bus Loan vs Depreciation Funds

- A \$200,000 loan at 15% APR for 7 years would cost about \$46,000/year for a total of \$322,000
 - A \$200,000 loan at 10% APR for 7 years would cost about \$40,000/year for a total of \$280,000
- ODE has confirmed the depreciation funding for Bus #2 (EV) as 70% of \$457,740, which equals \$320,418.



NEW BUS PROPOSAL

30355 S.E. Highway 212
 Boring, Oregon 97009
 (800) 258-2473 westernbus.com

Quote Date		Revision Date		Sales Consultant & Phone	
9/15/2025		9/15/2025		SARAH JONES (503) 905-0011	
Customer/District #					
CORBETT SCHOOL DISTRICT					
Contact Name			Title		
TODD WILLIAMS			TRANSPORTATION SUPERVISOR		
Address		City	State	Zip	
35800 HISTORIC COLUMBIA RIVER HWY		CORBETT	OR	97019	
Phone		Email			
(503) 261-4265		TWILLIAMS@CORBETT.K12.OR.US			
Purchase QTY	Model Year	Wheelbase	Estimated Delivery		
1	2026	273"	270-300 DAYS AFTER RECEIPT OF ORDER		
Make	Model		Body Length		
BLUE BIRD	ALL AMERICAN REAR ENGINE		T3RE4006 (8400)		
Passenger Capacity	Alternate Capacity		Cooperative Contract, if Applicable		
84	N/A		SALEM-KEIZER COOP RFP		
Trade Ins? Y/N	Beltline Lettering - Provide Exact Requirements				
<input type="checkbox"/> Y <input type="checkbox"/> N	CORBETT SCHOOL DISTRICT NO. 39				
Financing? Y/N	Required Fleet Number(s)				
<input type="checkbox"/> Y <input type="checkbox"/> N					
WBS Coordinated? Y/N	Additional Comments / Notes				
<input type="checkbox"/> Y <input type="checkbox"/> N	GVWR OF 36,200 LBS.				
Sales Price Per Bus		\$	457,738.00		
Extended Sales Price Total		\$	457,738.00		

Thank you for the opportunity to present this new bus quotation. We look forward to working with you on your transportation needs.



BODY MODEL

X *BodyModel* T3RE4006, 84 passenger body, 273" w/b, 489" overall length

CHASSIS SPECIFICATIONS

X	<i>Alternator</i>	NO alternator provided for electric motor	
X	<i>Axle, Front</i>	Two leaf parabolic taper front springs, 13,200 lb., Hendrickson Softek	STD
X	<i>Axle, Front</i>	Hendrickson NXT 13,200 lb. front axle with 50 degree wheelcut	STD
X	<i>Axle, Front</i>	Synthetic based oil lubed front & rear wheel bearings, 80W/140	
X	<i>Axle, Rear</i>	Rear spring suspension, one-stage, 23,000 lb.	
X	<i>Axle, Rear</i>	Dana 23,000 lb. rear axle with 5.29 rear axle ratio	
X	<i>Battery</i>	Battery, auxiliary qty 2 DEKA Group 31, 12V w/ 925 cca, reserve capacity of 190 minutes	
X	<i>Battery - EV</i>	High voltage battery system, 194kw, Energy Storage Module (ESM) is 2 strings of 7 for 14 batteries total	
X	<i>Battery - EV</i>	12s2p cell connection in module, combined energy rating of batteries 194 kWh w/ 618 VDC & 314 Ah nominal	
X	<i>Battery - EV</i>	LEVEL 2 & LEVEL 3 charging capabilities with CCS1 plug, 88% usable battery capacity	
X	<i>Battery - EV</i>	Lithium-ion-nickel-manganese-cobalt batteries & Battery Management System (BMS)	
X	<i>Battery - EV</i>	Each set of 7 strings is wired in series & each string is wired in parallel to each other	
X	<i>Battery - EV</i>	Each string can operate independent, no single point failure causes bus to be inoperable	
X	<i>Battery</i>	Battery compartment, chassis mounted, locking, with roll out tray	
X	<i>Battery</i>	Battery compartment closeout seal to body	Inc'd
X	<i>Battery</i>	Battery disconnect switch, in battery compartment, for EV with decal	
X	<i>Brakes</i>	Air service brakes, 16.5"X6" front and 16.5"X8.62" rear, Gunite brand brake drums	
X	<i>Brakes</i>	Air brakes, Meritor Wabco brake chambers	STD
X	<i>Brakes</i>	Meritor automatic slack adjusters	STD
X	<i>Brakes</i>	Oil slinger keeps oil away from brake lining if wheel seal leaks	STD
X	<i>Brakes</i>	Bendix AD-9 heated air dryer	
X	<i>Brakes</i>	Remote mounted air tank drain valves, in driver's side front wiper motor door	
X	<i>Brakes</i>	E-Z Grip soft button cover cushion for parking brake release	Inc'd
X	<i>Brakes</i>	Parking brake interlock, service brake must be applied to release parking brake	Inc'd
X	<i>Brakes</i>	Brake dust shields, for front & rear brakes, for drum brakes	Inc'd
X	<i>Brakes</i>	Suspended brake & accelerator pedals w/ optimized spacing	STD
X	<i>Brakes</i>	Bendix ESC electronic stability control, includes automatic traction control	STD
X	<i>Bumpers</i>	License plate bracket for front bumper	Inc'd
X	<i>Cooling</i>	Coolant, to -34 degrees for electric motor	
X	<i>Electrical</i>	Standard chassis electrical system includes fuses	STD
X	<i>Electrical</i>	Power socket accessory with cap for cell phone charging, in LH side panel	STD
X	<i>Electrical</i>	Ignition keyed alike, key #601	Inc'd
X	<i>Engine</i>	Cummins electric powered LSM200C-HV3000 motor with 315 hp and 750 lbs of torque	
X	<i>Engine</i>	Pedestrian alert system with noise generator for EV	
X	<i>Engine</i>	Over the air telematics for Cummins Accelera EV package	
X	<i>Electrical</i>	DELETE standard cruise control for electric motor	
X	<i>Engine</i>	Top hinged solid rear engine door with non-locking gas shocks	STD
X	<i>Engine</i>	Engine governor, limits top speed to 65 mph for electric motor	
X	<i>Fuel System</i>	Level 2 AC/Level 3 DC fast charging system charging capability, using CCS1 combination plug	
X	<i>Fuel System</i>	V2G capable, electricity back to grid, must discuss w/local electricity provider	
X	<i>Fuel System</i>	NON-locking door, spring loaded for charging port	

X	Fuel System	Rear charging port installed in rear motor access compartment door	Inc'd
X	Gauges	Speedometer, tachometer, odometer, and hourmeter	STD
X	Gauges	Ametek Dixon instrument cluster & message display center control panel	STD
X	Gauges	Back-up camera monitor included in dash instrument cluster display	STD
X	Lights	LED headlights	STD
X	Mud Flaps	Full length front and rear mud flaps	Inc'd
X	Steering	Tilt & telescoping steering column	STD
X	Tires	Goodyear 11R22.5 Endurance RSA hwy tread front, Fuel Max RTD traction rear, load range H	
X	Tires	Balance rear wheels	
X	Tow Hooks	Two front and rear tow hooks	Inc'd
X	Traction	Onspot automatic tire chains installed locally with electric motor	
X	Undercoating	Premium undercoating, Sulfonate enhanced direct to metal modified wax coating	STD
X	Wheels	Hub piloted steel wheels, 22.5 X 8.25, black, 5 hand hole	STD
BODY SPECIFICATIONS			
X	Compartments	Electrical access panel below driver window in skirt, locking	Inc'd
X	Compartments	Rear engine compartment door and access panels, non-locking	STD
X	Compartments	Wiper access panels below windshield, non-locking	STD
X	Compartments	Emergency equipment compartment over windshield, non-locking, emergency equipment installed inside	
X	Compartments	Interior driver's storage compartment over driver's LH shoulder, locking	
X	Compartments	Side luggage, 20.75" X 22" X 80", double, 20 cu.ft., #186-19, LH midmount for EV buses	
X	Construction	Body meets Colorado Rack & Load Test & Kentucky Pole Test as STANDARD	STD
X	Decals	Blue Bird logo on roof line RH & LH, black with electric plug	
X	Doors	Air operated entrance door, outward opening, mechanical actuated switches	Inc'd
X	Doors	Keyed security lock on entrance door	
X	Doors	Entrance door wired battery hot	Inc'd
X	Doors	Left side emergency door with telescopic retainer	Inc'd
X	Doors	Vandal lock on side emergency door, slide bolt & rear emergency window, plug lock style	
X	Electrical	Manual resetting circuit breakers for most body circuits, in lieu of fuses	
X	Electrical	Front upper inner access plates in front bulkhead area, both sides	STD
X	Fans	6" auxiliary fans, upper left and upper center	Inc'd
X	Floor	5/8" marine "BB" grade plywood flooring, screwed down	Inc'd
X	Floor	Black rubber flooring with aluminum aisle trim	STD
X	Floor	Ribbed matching rubber flooring in driver's area (blue floor will be smooth)	STD
X	Grabrail	Left side grabrail in entrance door area, mounted to RH barrier	STD
X	Grabrail	Right side forward grabrail in stepwell	
X	Headroom	77" headroom with 12" split sash windows	STD
X	Heaters	Front 90,000 BTU defroster system	STD
X	Heaters	Driver's foot warmer heater, 12,000 BTU	Inc'd
X	Heaters	Rear underseat floor mounted heater, 50,000 BTU, LH rear	
X	Heaters	Rear underseat floor mounted heater, 50,000 BTU, LH mid	
X	Heaters	EPDM heater hose with Breeze brand constant torque clamps	STD
X	Horns	Backup alarm, 112 dBA, mounted under bus	Inc'd
X	Insulation	Fiberglass insulation roof, front, rear corners, and sidewalls	Inc'd
X	Insulation	Additional fiberglass insulation in front roof cap area & roof bow cavities	Inc'd
X	Insulation	Sound deadening spray coat	Inc'd

X	Insulation	Insulation on the driver's side external firewall/toe box	Inc'd
X	Insulation	First two ceiling sections acoustical headliner	STD
X	Lettering	6" black, both sides _____	Inc'd
X	Lettering	Bus numbers in standard locations, 6" black _____	Inc'd
X	Lettering	Emergency door/exit lettering for all pushout windows & doors	Inc'd
X	Lettering	Unlawful to pass signage to meet state specifications	Inc'd
X	Lights	Backlighting of switch panel controlled by rheostat switch	STD
X	Lights	Clearance and cluster lights, LED grommet mounted with LED ID bar	STD
X	Lights	Daytime running lights	STD
X	Lights	LED stepwell lights	STD
X	Lights	Dual row dome lights in wire molding, with driver's, left, right, & rear on switches	Inc'd
X	Lights	Front 7", rear 7", & side amber directional lights, LED	Inc'd
X	Lights	Rear 7" & 4" red stop and tail lights, LED	STD
X	Lights	Backup lights, 4" LED, vandal resistant	STD
X	Lights	Eight way warning lights, LED, colored lenses	
X	Lights	Strobing pattern option for LED 8-lights	
X	Lights	Doran 16 light monitor for warning light system, universal	
X	Lights	NO hoods installed over 8-way warning lights	STD
X	Mirrors	Rosco Open View ES Split rearview mirrors, 7 3/8" X 10" flat & 7 3/8" X 10" convex, heated & remote controlled	
X	Mirrors	Rosco Eye-Max LP, Asymmetrical Shape, crossview mirrors, heated	
X	Mirrors	Interior rearview mirror, 6"X30"	STD
X	Paint	Body and chassis painted school bus yellow w/ black rubrails & bumpers	STD
X	Paint	3" black ABS bezel background around warning lights	Inc'd
X	Paint	Rubrails painted full width profile	Inc'd
X	Radio	REI AM/FM/USB/Auxiliary/BT/PA with front USB and AUX inputs	Inc'd
X	Radio	Eight (8) interior deluxe speakers	Inc'd
X	Radio	Exterior PA speaker mounted behind grill	Inc'd
X	Radio	Wiring for two way radio system, provides power & ground wires & pull wire	
X	Radio	Order 2-way, antenna, & programming from Day Wireless, Western Bus to install before delivery	
X	Reflective	3M Diamondgrade SCHOOL BUS signs, front and rear	Inc'd
X	Reflective	3M Diamondgrade reflective, 2" along sides and 1.75" rear outline	Inc'd
X	Rubrails	Four rubrails - window, seat, floor, & skirt level - 16 gauge steel, screwed w/steel end caps	STD
X	Rubrails	Rubrails extend on side lift doors only & seat rail around to rear corner	STD
X	Safety Equip	First aid kit, body fluid kit, 5 lb. fire extinguisher, triangle kit, & seat belt cutter	Inc'd
X	Seat, Barriers	Highback barriers at front RH and LH	STD
X	Seat, Driver's	Adjustable driver's shoulder belt, with in-line "D" ring for 17" adjustment	STD
X	Seat, Driver's	Updated driver's 3 point seat belt, floor mtd w/ emergency locking retractor	STD
X	Seat, Driver's	Fasten seat belt warning light & buzzer for driver's seat belt, belt to be orange in color	
X	Seat, Driver's	Driver's seat mounted at floor level (no seat platform)	STD
X	Seat, Driver's	National Premium air susp. seat, w/ fabric, dual shocks, triple lumbar support, 6-way front cushion adj, black	
X	Seat, Driver's	Driver's console mounted armrest to the left of the driver	Inc'd
X	Seat, Driver's	Driver's seat armrest, for right side of seat only	
X	Seat, Passenger	Modesty panel below front barrier for RH side, behind entrance door	Inc'd
X	Seat, Passenger	Highback NON-Convertible & NON-Lap Belt Ready seats	STD
X	Seat, Upholstery	Gray fire block seat upholstery, seats & barriers	STD

X	<i>Side Panels</i>	Exterior side panels, 20 gauge w/beaded smooth side panels, standard 19 3/4" skirts	STD
X	<i>Stepwell</i>	Galvanized G90 stepwell material	STD
X	<i>Stepwell</i>	Vinyl studded step treads, w/white nosing, metal backing, black	Inc'd
X	<i>Stepwell</i>	Stepwell skid plate for stepwell protection	Inc'd
X	<i>Stop Arm</i>	SMI stop arm, air operated, with LED cluster lights, hi-reflective, w/ wind guard	Inc'd
X	<i>Stop Arm</i>	Crossing arm, with polycarbonate blade, air operated	Inc'd
X	<i>Stop Arm</i>	Magnetic latch for crossing arm	Inc'd

AVAILABLE ALTERNATIVE OPTIONS - NOT INCLUDED IN ABOVE PRICE

**Due to newly implemented tariffs on raw materials & components, any resulting price increases from our manufacturers has been passed through to the end user. While we strive to minimize the impact, these adjustments will be reflected in the final price of the vehicle at invoicing time. Blue Bird has currently set the tariffs for Type D EV buses built by 3/31/26 at \$15,000 shown above. Tariffs charges for buses finishing at Blue Bird after this date are still unknown.

*** Please note that Western Bus is offering a program to help offset tariff charges. Should the district be able to pay an advanced deposit of 90% of the total sales price per bus at the time of Blue Bird factory ready, a discount for reduced interest flooring costs can be deducted from the sales price. Please let us know if you are interested in information on this program.

SEAT & BODY PLAN

Usage : School Bus State: OREGON BP: 5015842


PLBT:
T3RE

Length:4006
Wheelbase:
273.0
Usage:
School Bus
Body Plan
5015842




PLBT:
T3RE

Length:
4006
Wheelbase:
273.0
Usage:
School Bus
Body Plan
5015842




Seat Plan #
16369
Capacity:
84

SP: 16369 T3RE 4006, 84 CAP



BP: 5015842 T3RE 4006 273 WB

SP: 16369 T3RE 4006, 84 CAP



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	39SBHB	39SBHB
7	39SBHB	39SBHBFM
8	39SBHB	39SBHBFSLH
9	39SBHB	39SBHB
10	39SBHB	39SBHB
11	39SBHB	39SBHB
12	39SBHB	39SBHB
13	39SBHB	39SBHB
14	39SBHBRDAV	39SBHBRDAV

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 26.62, 27.00
LH Knee Clearance: 24.12, 24.50
RH Seat Spacing: 27.50
RH Knee Clearance: 25.00

T3RE4006 SED7L SBHB FLIP

DO NOT SCALE

T3RE 4006

Capacity	84
Seat Plan #	16369
Wheelbase	273.0



RFP 422 Addendum 5 Western Bus Sales, Inc. Supplier Response

Event Information

Number: RFP 422 Addendum 5
Title: School Buses
Type: RFP
Issue Date: 12/2/2020
Deadline: 1/8/2021 11:00 AM (PT)
Notes: The District will only accept responses submitted on line via this interactive bidding system. If you require assistance with this process, please contact Purchasing at 503-399-3086.

Contact Information

Contact: Diana Kirkham, PCS 2
Address: Procurement & Contract Services
3630 State Street
Salem, OR 97301
Phone: (503) 399-3087
Fax: (503) 399-3051
Email: kirkham_diana@salkeiz.k12.or.us

Western Bus Sales, Inc. Information

Address: 30355 SE Hwy 212
Boring, OR 97009
Phone: (503) 905-0002
Fax: (503) 905-0003
Toll Free: (800) 258-2473

By submitting your response, you certify that you are authorized to represent and bind your company.

Sarah Jones

Signature

Submitted at 1/8/2021 10:58:14 AM

sjones@westernbus.com

Email

Response Attachments

WESTERN BUS SALES_RFP 422 _WARRANTY STATEMENTS.pdf

WESTERN BUS SALES_RFP 422_WARRANTY STATEMENTS

WESTERN BUS SALES_RFP 422_EXTENDED WARRANTIES.pdf

WESTERN BUS SALES_RFP 422_EXTENDED WARRANTIES

WESTERN BUS SALES_RFP 422_SEAT PLANS.pdf

WESTERN BUS SALES_RFP 422_SEAT PLANS

WESTERN BUS SALES_RFP 422.pdf

WESTERN BUS SALES_RFP 422

Type A Non Wheelchair Bus Pricing Structure Specifications and Options.xlsx

WESTERN BUS SALES_Type A Non Wheelchair Bus Pricing Structure Specifications and Options

Type A Wheelchair Bus Pricing Structure Specifications and Options.xlsx

WESTERN BUS SALES_Type A Wheelchair Bus Pricing Structure Specifications and Options

Type C Non Wheelchair Bus Pricing Structure Specifications and Options.xlsx

WESTERN BUS SALES_Type C Non Wheelchair Bus Pricing Structure Specifications and Options

Type C Wheelchair Bus Pricing Structure Specifications and Options.xlsx

WESTERN BUS SALES_Type C Wheelchair Bus Pricing Structure Specifications and Options

Type D Bus Pricing Structure Specifications and Options.xlsx

WESTERN BUS SALES_Type D Bus Pricing Structure Specifications and Options

Bid Attributes

1 Background

Salem-Keizer School District is a public school district located in Salem, Oregon, which employs approximately 5,000 staff members servicing over 40,000 students. The District's Transportation Department has approximately 320 employees who provide over 20,000 bus rides per day. Currently the Transportation Department is operating approximately 285 buses of different types.

2 Purpose
The purpose of this RFP is to enter into a price agreement with one or more bus vendors, allowing the District the best options when it come to purchasing school buses. The District wishes to purchase up to 195 buses over the next four (4) years.

3 Scope of Services
The District expects the awarded vendor to supply school buses that must meet or exceed the specifications listed by the District and the vendor must ensure that all buses sold meet or exceeds the minimum school bus standards per Oregon Department of Education.
Indicate, by checking the box that you understand.
 I/We Understand

4 Single Proposal
This RFP is limited to one response per vendor. The District is not requesting alternate proposals, and will not evaluate more than one offer per Proposer. Confirm, by checking the box that you understand this condition.
 I/We Understand

5 Public Records Law/ Uniform Trade Secrets Act
Information submitted in response to this RFP is subject to Oregon's Public Records Law, ORS 192.311 through 192.505, and the Uniform Trade Secrets Act as adopted by the State of Oregon set forth in ORS 646.461 through 646.475. Proposals are public record unless specifically exempt from disclosure under that law. Proposers are required to attach proprietary information as a separate file to facilitate appropriate segregation and protection. Proposers are also to prepare and attach a listing of all file names containing protected information and the reason the information is deemed exempt. Proposers are reminded that pricing information is not exempt.
 No Proprietary Information Provided

6 Compliance with Tax Laws
Proposer confirms:
1. The individual signing this Offer is an authorized agent of the Proposer and has full authority from the Proposer to submit this offer.
2. The Proposer confirms they are, to the best of their knowledge, not in violation of any Oregon tax laws, including, without limitation, ORS 305.620 and ORS chapters 316, 317, and 318.
3. Proposer agrees to provide written notice to District within two business days of any change to the Proposers status of tax law compliance.
 I/We Confirm Compliance

7 Equity in Public Contracting
Salem-Keizer School District promotes the utilization of minority-owned, women-owned and emerging small businesses (MWESB) as contractors and sub-contractors to promote inclusion and a sustained, vibrant local economy. The District encourages MWESB firms to become State certified and for Prime Contractors to utilize MWESB subcontractors.
Salem-Keizer School District will not tolerate racism, discrimination, harassment, prejudice, or hatred in any form, subtle or obvious. During the performance of this Contract, the Contractor shall fully comply with all applicable laws prohibiting discrimination. Check the box to confirm you will comply.
 I/We will Comply

8	<p>Non-Discrimination</p> <p>The bidder certifies that it does not discriminate against any employee or applicant for employment because of race, color, religion, sex, national origin, disability, financial ability, age or other non-job related factors as per ORS 659A and U.S. Code 42 2000e.</p> <p><input type="checkbox"/> I/we Certify</p>
9	<p>Agreement to Provide Services</p> <p>The undersigned understands and accepts the requirements of this RFP. By Proposal submission, Proposer agrees, if awarded a contract, to be bound by the terms and conditions in the sample agreement and this RFP as modified by Addenda. Proposer further agrees to perform the scope of work and meet the performance standards set forth in the final negotiated scope of work.</p> <p><input type="checkbox"/> I/we Agree</p>
10	<p>Cost of Submitting Proposal</p> <p>Proposer shall pay all costs in submitting its Proposal, including, but not limited to, the costs to prepare and submit the Proposal, costs of samples and other supporting materials, costs to participate in demonstrations or costs associated with protests. Check the box to confirm you understand this requirement.</p> <p><input type="checkbox"/> I/We Understand</p>
11	<p>Confirmation</p> <p>Bidder has reviewed the general requirements and terms and conditions attached to this bid.</p> <p><input type="checkbox"/> Yes</p>
12	<p>Award Process</p> <p>Salem-Keizer School District reserves the right to enter into contracts with multiple proposers based on the evaluation criteria established in this RFP and the proposers ability to meet the needs of the District.</p> <p>Check the box to confirm your understanding that multiple awards are possible and no guaranteed minimum purchase will result from a contract award.</p> <p><input type="checkbox"/> I/We Understand</p>
13	<p>Cooperative Purchasing</p> <p>Pursuant to ORS 279A.205 thru 279A.215, other public agencies within the State of Oregon may use the agreement resulting from this RFP unless Proposer expressly notes in their proposal that the prices quoted are available to the District only. The condition of such use by other agencies is that any such agency must make and pursue contact, purchase order, delivery arrangements, and all contractual remedies directly with the successful Proposer; the District accepts no responsibility for performance by either the successful Proposer or such other agency using this agreement. With such condition, the District consents to such use by any other public agency.</p> <p><input type="checkbox"/> Agree</p>
14	<p>Request for Clarification</p> <p>All requests for clarification, change, solicitation protests must be submitted in writing not less than 5 days prior to the date scheduled for bid closing. Submit written requests and documentations to the buyer at the email shown on the events details tab.</p>
15	<p>Pricing F.O.B. Destination</p> <p>Confirm, by checking the box, that all prices are quoted F.O.B. Destination. All shipping charges are prepaid.</p> <p><input type="checkbox"/> I/We Confirm</p>

1 6	Build Sheet Each bus must be delivered with a complete build sheet of the vehicle. Indicate, by checking the box that you will comply. <input type="checkbox"/> I/We will comply.
----------------	---

1 7	Service Repair Manual The District must be provide a complete set of service manuals to include but not limited to: Body, chassis, engine, transmission, drive-train, electrical and all other optional equipment including schematics at time of delivery. Indicate, by checking the box that you will comply. <input type="checkbox"/> I/We will comply.
----------------	--

1 8	Operator Manuals Each bus must be delivered with a complete operators manual to cover the chassis, body, engine, transmission and electrical system. Indicate, by checking the box that you will comply. <input type="checkbox"/> I/We will comply.
----------------	---

1 9	Pre Delivery Service All buses shall have the engine oil changed prior to delivery at dealer cost. A Pre-Delivery Inspection shall be completed by the dealer on all buses to ensure all District requirements are met, along with the Oregon Minimum Standards. All buses will be cleaned prior to delivery. Indicate, by checking the box that you will comply. <input type="checkbox"/> I/We will comply.
----------------	--

2 0	Reviewed Addenda Proposer acknowledges receipt of any and all Addenda to this RFP. <input type="checkbox"/> I/We Acknowledge
----------------	---

2 1	RFP Response Instructions The following describes the required responses for proposal submission. The purpose of this section is to ensure the uniformity in proposal responses essential to understanding and evaluating offers. There is no intent to limit the contents of vendor proposals. Any additional non-marketing information that a vendor deems appropriate should be included and submitted as a separate attachment. When responding, the Proposer shall attach a Word or pdf document. Be sure to organize your information to align with the attributes. Sections should clearly identify the attribute being addressed. For example, 29. Proposed Solution would be the title if Attribute 29 was requesting information about the proposed solution. When attaching, a document, please use the following convention to name your files: Your firm name_RFP number. For example, if my company name is ABC Enterprises, my file title will be: ABC_RFP 123. Do not use &, -, ' or other punctuation marks in the file name. There is a 25MB limit on file size, so be sure the file you are attempting to attach is smaller than that. Marketing materials are neither requested nor desired. Please limit attachments to pertinent information that addresses the questions and scoring categories.
----------------	---

2
2 Pricing Structure Specifications and Options

See attached spreadsheets titled Pricing Structure Specifications and Options for Type D, Type C Non Wheelchair, Type C Wheelchair, Type A Non Wheelchair and Type A Wheelchair in the attachments tab. Please respond by inserting the price in the requested specification for the bus. If a requested option is listed and is available please insert price. If it is not available, please insert N/A. Spreadsheets are to remain as formatted and not modified in any manner. Please use the tab at the bottom of each spreadsheet to complete the specification and available options for each bus.

Indicate, by checking the box that you have attached your response, including your response for pricing.

Attached

2
3 Selection and Award

The selection process will be based on the competitive proposals submitted by each firm, in response to this RFP. This District will be the sole judge of the merits of each proposal. A committee comprised of District employees, consultants, or other stakeholders will evaluate the responses. The committee will consider the merit of information presented in the responses, and is not obligated to conduct further investigation. Proposers are cautioned to make their responses clear and complete. Each proposal will be evaluated as noted in the RFP. The importance of each item is expressed as points to be awarded for each category. The decision of the committee will be final.

Scoring will be based on the following criteria.

15 Points - Technical Training

15 Points - Warranty

10 Points - Extended Warranty

40 Points - Price Proposal

5 Points - References

25 Points - Delivery

50 Points - Conformance with Requested Specifications

2
4 Technician Training - 15 Points

Discuss what training services your firm provides for the Type D, Type C Non Wheelchair, Type C Wheelchair, Type A Non Wheelchair and Type A Wheelchair. Provide cost and availability for factory dealer training, include how frequent the training will be offered to the District. Include information on training materials you supply for employee use. Detail your price structure for additional training as a separate item in Attribute - Price Proposal.

Provide information on training for the following areas:

- 1) Chassis
- 2) Engine
- 3) Transmission
- 4) Drive-train
- 5) Body
- 6) Paint
- 7) Electrical Systems

Indicate, by checking the box that you have attached your response.

Attached

2
5

Warranty - 15 Points

Provide complete warranty information for the Type D, Type C Non Wheelchair, Type C Wheelchair, Type A Non Wheelchair and Type A Wheelchair. Include information on how District staff will access warranty service and parts. Attach your warranty statement if available. See Attribute 21 RFP Response Instructions. Include page numbers from the warranty manual that correlate with each area listed below that describes the warranty coverage. The District will require warranty documents with the delivery of the product. Warranty may be a factor in award.

Please include warranty coverage information for the following areas:

- 1) Chassis - Base Chassis Warranty Page #: _____
- 2) Engine - Base Engine Warranty Page #: _____
- 3) Transmission - Base Transmission Warranty Page #: _____
- 4) Drive-train - Base drive-train warranty (Separate of the engine and transmission). Page #: _____
- 5) Body - Base warranty for the vehicle body. Page #: _____
- 6) Paint - Base warranty for paint. Page #: _____
- 7) Electrical Systems - Base warranty for chassis and body electrical system (to cover but not limited to: alternator, starter, heater motors, switches, etc.). Page #: _____
- 8) Guaranteed time for response on warranty work.

Indicate, by checking the box that you have attached your response.

Attached

2
6

Extended Warranty - 10 Points

Provide information for options on extended warranty and the cost for Type D, Type C Non Wheelchair, Type C Wheelchair, Type A Non Wheelchair and Type A Wheelchair. Include information on how District staff will access warranty service and parts. Attach your extended warranty option statement if available. See Attribute 15 RFP Response Instructions. Include page numbers from the warranty manual that correlate with each area listed below that describes the extended warranty coverage. District will require warranty documents with the delivery of the product. Warranty may be a factor in award.

Please include extended warranty coverage information and cost for the following areas.

- 1) Chassis - Extended Warranty Page #: _____
- 2) Engine - Extended Warranty Page #: _____
- 3) Transmission - Extended Warranty Transmission Warranty Page #: _____
- 4) Drive-train - Extended drive-train warranty (Separate of the engine and transmission). Page #: _____
- 5) Body - Extended warranty for the vehicle body. Page #: _____
- 6) Paint - Extended warranty for paint. Page #: _____
- 7) Electrical Systems - Extended warranty for chassis and body electrical system (to cover but not limited to: alternator, starter, heater motors, switches, etc.). Page #: _____
- 8) Guaranteed time for response on warranty work.

Indicate, by checking the box that you have attached your response.

Attached

27

Price Proposal - 40 Points

Provide the following information as part of your price proposal.

- a) Type D attach response for base price and option cost.
- b) Type C Non Wheelchair attach response for base price and option cost.
- c) Type C Wheelchair attach response for base price and option cost.
- d) Type A Non Wheelchair attach response for base price and option cost.
- e) Type A Wheelchair attach response for base price and option cost.
- f) Additional Training - Detail your price structure for additional training.
- g) Extended Warranty - Detail your price structure for extended warranty.
- h) List discounts that are available for bulk orders, rebates or late deliveries, etc.

Indicate, by checking the box that you have attached your response.

Attached

28

References - 5 Points

Provide a minimum of three (3) references from customers who are currently purchasing school buses from your firm. Include the organization name, the contact person's name, a telephone number and an email. Providing incorrect contact information could result in a loss of points, please be sure all information provided is accurate.

Indicate, by checking the box the information is included.

Information Included

29

Delivery - 25 Points

Proposer shall indicate a guaranteed delivery timeline, in days, from the date that a purchase order is delivered. Proposer shall provide this delivery date for all types of buses that have been proposed.

Delivery will be 180 days from purchase order receipt. Exceptions to this delivery timeline may happen due to supply issues because of the ongoing global pandemic, as well as Type A chassis production delays out of Micro Bird's control. Also, electric powertrain buses have a longer delivery time, should that option be selected by the district.

30

Conformance with Requested Specifications - 50 Points Maximum


Proposals will be evaluated based on proposed products to be provided compared to the specifications requested.

I/We understand.

31

Price Agreement Term

It is the District's intent to enter into a Price Agreement with a vendor to provide School Buses. Cost must remain firm for one (1) year. The initial term of the price agreement period will be three (3) years with options to extend for up to two additional years. The price agreement is subject to no less than thirty (30) day written cancellation notice by the service provider or the District. Costs may escalate only upon written notification to the District's Purchasing Department no less than thirty (30) days prior to being effective. If the price changes are not acceptable to the District, you will be notified, and the price agreement will be rebid/re-quoted. Fee decreases are expected to be passed on to the District as they occur and will begin with the next month's billings. The District makes no guarantees on quantities to be purchased throughout the price agreement period.



PRICE AGREEMENT – School Buses PA 2021-276

PURCHASING DEPARTMENT • 3630 STATE STREET • SALEM, OREGON 97301-5399 • (503) 399-3086

This agreement, entered into on this 10th day of February, 2021, is by and between Salem-Keizer School District 24J, ("District") Transportation Department and Western Bus Sales, Inc., ("Contractor").

WHEREAS District desires to purchase School Buses;

WHEREAS Contractor desires to sell School Buses;

Both parties agree as follow:

Contractor agrees to provide School Buses under the terms and conditions in contractor's associated proposal in RFP 422 Addendum 5 School Buses, hereby incorporated by reference. In accordance with RFP 422 Addendum 5 School Buses will be provided at costs per Exhibit A - 1.1, 1.2, 1.3, 1.4; Exhibit B - 2.1, 2.2, 2.3, 2.4; and Exhibit C - 3.1 and 3.2.

This Contract is effective on the date it has been signed by all parties and all required District approvals have been obtained. This Contract expires on February 9, 2024. The parties may extend the term of this Contract provided that the total Contract term does not extend beyond February 9, 2026.

Contract Amendments are required for any changes to terms and conditions, including changes to pricing. Contractor shall hold pricing firm for no less than one year from the effective date of this contract. Contractor must provide notice of price increase thirty (30) days in advance of effective date. The District reserves the right to accept the increase or reject the increase and terminate the agreement without penalty. The District will issue written amendments; amendments are not binding until signed by representatives from both parties.

IN WITNESS WHEREOF, persons having been duly authorized and empowered, enter into this Contract.

Salem-Keizer School District 24J
PO Box 12024
Salem OR 97309

By: Michael Wolfe
Signature

Michael D. Wolfe
Print Name

Title: Chief Operations Officer

Date: 2/27/2021

Western Bus Sales, Inc.
30355 SE Highway 212
Boring, OR 97009

By: Sarah Jones
Signature

Sarah Jones
Print Name

Title: Director of Sales

Date: 2/26/2021

School District 24J complies with provisions of the various civil rights laws, such as the Fair Employment Practices Act, Title IX Regulations, and section 504 of PL 93.112 in employment and educational programs and activities.

Type A Non Wheelchair

Exhibit A 1.1

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Body Model				
Body Model	Type A or A2 school bus with dual rear wheels, two wheel drive. GVWR of 12,300 lb. minimum. Passenger capacity to not exceed the maximum, based on Oregon Minimum Standards for school buses. District to specify the seating capacity desired.	Yes		2021 Chevy Micro Bird G5 200 body
Chassis Specifications (all specifications must meet Oregon Minimum Standard)				
Base Chassis	158" wheel base, dual rear wheel, equipped for 20 passengers. GM chassis preferred. List proposed chassis in Notes column.	Yes		159" GM dual rear wheel, 12,300 GVWR chassis. Seating for 20 passengers.
Alternator	220 amp. Minimum	Yes		
Axle, front	Minimum 4,300 lb. rating	Yes		
Axle, rear	Minimum 8,600 lb. rating	Yes		
Axle, lube	Synthetic gear lube, must meet OEM specifications. List the oil you will be providing in the Notes column.	Yes		Currently SAE 75W-90 synthetic
Backup camera	Equipped with a back up camera that comes on when the vehicle is in reverse.	Yes		See description in mirror section
Battery	Dual batteries, with a minimum of 650 CCA each.	Yes		Qty (2) 770 am batteries
Battery	Sealed battery compartment from the elements, equipped with a roller bearing slide out tray and vented to allow ventilation for the battery.	Yes		One battery installed under hood, 2nd auxiliary battery installed in battery box
Battery	Battery decal on battery door.	Yes		

92

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Brakes	Hydraulic disc brakes front and rear. Must meet OEM specifications.	Yes		
Brakes	Antilock brakes with stability control, must meet state and federal regulations.	Yes		
Cooling system	High quality rubber non-silicone hoses, or approved equivalent, with constant torque clamps, must meet or exceed OEM specifications. All hoses must be routed to prevent rubbing and premature failure.	Yes		Std GM OEM hoses w/std clamps
Cooling system	Coolant must meet or exceed OEM specifications for all components of the cooling system 50/50 blend. List the make and model of coolant you will be providing in the Notes column.	Yes		Current GM std coolant is Dex-Cool
Electrical	All electrical circuits must be clearly labeled in the electrical panels.	Yes		
Engine	Equipped with an air filter to meet or exceed the OEM specifications. Air filter must be in an easy to access location for servicing. Describe location where mounted in the Notes column.	Yes		Air filter is on the front of the engine compartment on driver's side of vehicle
Engine	Gasoline engine with a minimum of 300 horsepower.	Yes		GM 6.6L V-8 gas engine 401hp@5200 rpm
Engine	Equipped with cruise control. Driver controls must be easily accessible to the driver.	Yes		
Exhaust	Tail pipe exits left side.	Yes		

93

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Fuel System	Fuel tank - Minimum of a 25 gallons. Include specifications on how many usable gallons your tank will provide in the Notes column.	Yes		32 gallon OEM fuel tank provided
Fuel System	Decals on body at fuel access point indicating fluid type.	Yes		
Fuel System	Equipped with a fuel pump/sending unit access panel in the floor for easy access (flush mount).	Yes		
Gauges	Speedometer, tachometer, odometer, and hour meter, oil pressure, coolant temp, fuel level, volt meter, digital clock, and Transmission temperature gauge.	Yes		Std GM OEM gauges provided
Horns	Horn to meet OEM chassis specifications.	Yes		
Lights	Headlights - Halogen head lights/sealed beam.	Yes		
Mud flaps	Equipped with front and rear mud flaps.	Yes		
Steering	Equipped with power steering.	Yes		
Steering	Equipped with a tilt steering column.	Yes		
Tires	Size - LT225/75R16 Load Range E. Michelin LTX M/S preferred. List what brand and model tires you will be providing in the Notes column.	Yes		Brand to be provided by GM at time of build. Subject to change based on OEM.
Tow Hooks	Two rear (frame mounted).	Yes		
Transmission	Automatic transmission with overdrive must meet OEM chassis specifications.	Yes		GM 6-speed automatic transmission with overdrive

94

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Transmission	Equipped with OEM approved synthetic fluid. List fluids in the Notes section.	Yes		Dextron-VI ATF
Undercoating	Standard dealer option for undercoating. Explain option in the Notes column.	Yes		Consists of spraying the underbody of the vehicle in its entire length from the front part of the chassis to the back of the bus with a *TECTYL* base rustproofing solution.
Wheels	Powder coated black in color.	No	Wheels are painted black in lieu of powder coating	
Body Specifications (all specifications must meet Oregon Minimum Standard)				
Base Body	List the body manufacturer you are proposing in the Notes column.	Yes		Micro Bird by Girardin
Air Conditioning	OEM Front air conditioning.	Yes		
Air Conditioning	Equipped with a minimum of 35,000 BTU air conditioner, skirt mounted condenser with a rear in wall evaporator.	Yes		ACC Valeo 35k rear in-wall evaporator with skirt condenser
Child Check	Equipped with a child check system, to ensure students are not left on the bus. System shall be wired directly to the battery. (All systems need to be programmed the same). Explain in the Notes column which system you are proposing and how it operates.	Yes		Child Checkmate EP1Plus child reminder system, including extra dome light harness. Arms with service brakes, to disarm turn key OFF, then dome lights turn on, system to be wired ignition hot. Push button at upper rear bulkhead. If not completed, horn will honk. Key to ON resets to restart procedure. Other wiring configurations are available.

95

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Compartments	All cargo compartment doors equipped with a locking latch and keyed the same. All compartments must be sealed to prevent intrusion from the outside elements (weather, dirt, water etc.).	Yes		
Compartments	Exterior mounted tool storage compartment. Located on the right side forward of the rear axle.	Yes		
Doors	Outward opening entrance door, electricly operated. 32" opening preferred. List opening of entrance door quoted in the notes column.	Yes		32" wide entrance door with full glass panel doors for greater visibility
Electrical	Manual resetting circuit breakers in place of all fuses.	Yes		
Electrical	All electrical circuits must be clearly labeled in the electrical panels.	Yes		
Emergency Doors	Rear emergency door with tinted laminated glass.	Yes		Dark tinted laminated glass
Emergency Exits	Equipped with two push out windows. Must meet Oregon Minimum Standard.	Yes		
Emergency Exits	Emergency windows - dark tinted tempered. Frame to match other windows.	Yes		
Emergency Exits	Equipped with one Transpec triple value roof hatch with power vent or approved equivalent. List equivalency in the Notes column.	Yes		Transpec Brand 1675 roof hatch with integrated power roof vent
Floor	5/8" B-B marine grade plywood or approved equivalent. List equivalency in the Notes column.	Yes		

96

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Floor	Light Gray floor covering with aluminum aisle trim.	No	No aisle trim provided. Not necessary as floor seams are neat fitting and sealed	
Handrail	Equipped with a hand rail fore and aft of the service door.	Yes		
Headroom	Minimum of 73 inches of head room.	Yes		76" interior headroom
Heaters	Each heater must be wired to its own switch.	Yes		
Heaters	Front defroster/driver's heater -must meet OEM chassis specifications and keep the windshield clear.	Yes		
Heaters	Under seat heater - 42,000 BTU minimum.	Yes		
Heaters	High quality rubber non-silicone, or approved equivalent, heater hoses with constant torque clamps. All hoses must be routed to prevent rubbing and premature failure.	No	Premium heater hoses provided with standard clamps	
Heaters	Equipped with Heater shut off valves. 1/4 turn valves that can be shut off to prevent coolant from flowing through the body heaters. These valves must be in a easy to reach location for drivers. Explain location in the Notes column.	No		Valves are in standard location under body RH side
Back up alarm	Back up alarm must meet or exceed Oregon Minimum Standards.	Yes		
Insulation	Full length acoustical headliner with insulation.	Yes		
Insulation	Insulation that meets or exceeds Oregon Minimum Standard. For roof, front, rear and sides of bus.	Yes		

97

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Lettering	4" Lettering along beltline, "District Name", font specified by district.	Yes		
Lettering	Bus numbers 4" in specified locations by district.	Yes		
Lettering	All emergency exits labeled to meet Oregon Minimum Standards.	Yes		
Lettering	Unlawful to pass sign must meet Oregon Minimum Standard.	Yes		
Lighting	All dash lights and switch's equipped with a dimmable back light.	Yes		
Lighting	Clearance lights - LED- Wired to be on when the headlights are turned on.	No	Tied to side marker lights w/daytime running lights	
Lighting	Turn Signals - LED	Yes		
Lighting	Turn signals - One side LED light on belt line.	Yes		
Lighting	Back up lights - LED	Yes		
Lighting	Additional back up lights - LED mounted below body behind mud flaps.	Yes		
Lighting	Dome lights - Dual row LED, on separate switch (evenly spaced to provide plenty of light in the passenger area). Indicate in the Notes column, how many dome lights will be installed.	No	Single row LED dome lights in lieu of dual row dome lights.	4 total passenger compartment dome lights provided.
Lighting	Rear dome lights - LED dome lights wired to their own switch separate from the other dome lights in the bus.	Yes		
Lighting	Drivers dome light - LED dome light above drivers area on its own switch.	Yes		Additional driver's map light with switch on light + driver's area dome on chassis dome light switch

98

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Lighting	Stepwell light - interior LED.	Yes		
Lighting	Equipped with daytime running lights, front and rear to include the clearance lights.	Yes		GM standard
Lighting	Exterior entrance door boarding light - LED	Yes		
Lighting	Eight way lights -Strobing, LED, wired to battery positive, so when key is off the lights will still operate.	Yes		
Lighting	16 light monitor for exterior lights-LED. Explain in the Notes column what monitor you will be providing.	Yes		Sound Off brand Signal Lighting System Status Board 16-light monitor.
Lighting	Stop arm - Electrically operated stop arm with strobing LED lights, hi-reflective, with wind guard.	Yes		
Interior rear view mirror	6"x 30" review mirror with integrated screen for back up camera.	No	Rosco 6X16" passenger mirror vs 6X30" due to mounting area available on front bulkhead.	
Mirrors	Heated mirrors equipped with a timer to prevent premature heating element failure.	Yes		
Mirrors	Cross view mirror - Rosco heated cross view mirror (color - black) or approved equivalent. List equivalency in the Notes column.	Yes		
Mirrors	Rosco accustyle power remote adjusting, heated rearview mirrors power heated. 7"x9.5" flat and 7"x4" convex (color - black) or approved equivalent. List equivalency in the Notes column.	Yes		
Paint	Roof painted white.	Yes		

99

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Paint	Area around student warning lights to be painted black to meet Oregon Minimum Standard.	Yes		
Paint	Bus body - painted school bus yellow.	Yes		
Paint	Rub rails - painted black	Yes		
Paint	Bumpers - painted black	Yes		Rear bumper painted black, textured, for improved durability
Paint	Interior - light gray or white	Yes		
Radio	AM/FM stereo with USB input, including a public address system and antenna.	Yes		
Radio	Public address speaker - weatherproof mounted outside under hood.	Yes		
Radio	Interior speakers - (4) flush mounted high quality speakers. List which speakers you will provide in the Notes column.	Yes		5.25" 50 watt interior speakers
Reflective	SCHOOL BUS sign - 3M Diamond grade high reflective (front and rear) or approved equivalent. List equivalency in the Notes column.	Yes		
Reflective	Beltline - 6.5" reflective extending the length of the bus body and behind the district lettering, 3M Diamond grade or approved equivalent. List equivalency in the Notes column.	Yes		
Reflective	Rear perimeter - 2" Reflective 3M Diamond grade around the rear perimeter of the bus or approved equivalent. List equivalency in the Notes column.	No	1" 3M Diamond Grade rear perimeter outline as it fits the curved rear G5 body better	

100

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Reflective	Emergency exits - 3M Diamond grade reflective. Must meet Oregon Minimum Standard or approved equivalent. List equivalency in Notes column.	Yes		
Reflective	6.5" reflective behind all exterior vehicle numbers.	Yes		
Rub rails	Installed at window, seat, floor, and skirt level.	Yes		Window rubrail is not required to meet OR specs. To deduct it (\$222)
Safety Equipment	Bus to be delivered with all Oregon required Safety equipment. All equipment delivered loose for district to install.	Yes		
Seat, Barriers	High back barriers -with passenger side storage cover.	Yes		
Seat, Driver's	OEM drivers seat, (Vinyl)	Yes		
Seat, Passenger's	36" High Back seats with two Type 2 seat belts belts and 2 integrated child seats per. seat with automatic retractors.	No	Last LH seat is 30" wide with 2 3-point belts & 1 CRS for access to rear emergency door.	All seats are C.E. White/HSM brand 3-point lap/shoulder belt seats, 36" wide with 2 belts & 2 integrated CRS per seat.
Seat, Passenger's	All seat bottoms to be equipped with a spring loaded or like type latch to tip up for easy cleaning. Explain how you will accommodate this in the Notes column.	Yes		Under the center of the seat cushion of C.E. White/HSM seats is a latch you pull to release the seat cushion. Cushion flips forward to allow cleaning underneath the seats.
Seat, Upholstery color (Student seats and Barrier)	Gray fire block seat upholstery.	Yes		
Stepwell	Non slip Pebble tread steps with white nosing, as well as an exterior step well skid plate or approved equivalent. List equivalency in the Notes column.	No	Skid plate N/A on Micro Bird	

101

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Switches	Equipped with a noise suppression switch.	Yes		
Windows	Split sash windows with dark tinted tempered glass, black frames. Frames must be easily removable for glass replacement.	Yes		
Windows	Entry door - tinted laminated glass.	No	Clear laminated entrance door glass	
Windshield	Windshield to meet Oregon Minimum Standard and equipped with tint shade at the top.	Yes		GM OEM standard windshield
Total cost for one bus as spec'd above:			\$77,414	

102

Type A Non Wheelchair Options List

Exhibit A 1.2

	District Proposed Options Items	Dealer Proposed Options List	Cost Per Option
<i>Options List (all specifications must meet Oregon Minimum Standard)</i>			
Backup camera	List options and pricing for equipping the bus with a 360 camera. Camera display to come on when the bus is in neutral.	Seon 360 camera system	\$2,774
Base Body	List options and pricing for other body manufacturer options.	WBS only offers Micro Bird product line	N/A
Base Chassis	List options and pricing for other wheel base's, chassis, and passenger capacities.	GM 159" 5-row 14,200 - ADD \$1,771 GM 177" 6-Row DRW - ADD \$4,773 GM 139" 4-Row DRW - Ded (\$814)	See previous column, others avail.
Engine	List options and pricing for all engine options (Diesel, Gas, Propane, Electric).	No diesel options available, for Ford E-450 propane ADD \$22,049, for Ford E-450 EV ADD \$179,500	See previous column, others avail.
Foot Controls	List options and pricing for adjustable foot controls (throttle and brake).	Adjustable pedals N/A on Type A products	N/A
Lights	List options and pricing for LED or HID head lights.	LED or HID N/A on Type A products	N/A
Mud guards	List options and pricing for rear rubber mud guards/fender flairs.	Std black ABS fender flares included	N/C
Undercoating	List options and pricing for undercoating.	Undercoating of full body included	N/C

103

Air Conditioning	List options and pricing to Omit the rear Air Conditioning.	ACC/Valeo 35k BTU rear in-wall evaporator NO condenser & option to delete A/C completely.	Deduct (\$683) & (\$2,596) respectively
Doors	List options and pricing for a device that would allow the driver to secure the entrance door closed when leaving the bus .	With Type A door is secured by electric door switch in dash. However a keyed switch is available outside the entrance door.	\$82
Doors	List options and pricing to equip the rear emergency door with a vandal lock.	Rear plug lock style vandal lock	\$140
Electrical	List options and pricing for a 12V. accessory power plug in drivers area.	Std in dash area	GM std
Electrical	List options and pricing to equip bus with Wi-Fi. This Wi-Fi Will allow live video feed and student access.	SinglePoint Wifi, req's \$85/month subscription	\$1,819
Floor	List options and pricing a one piece floor.	N/A	N/A
Handrail	List options and pricing for handrail configurations.	Both RH & LH grabrails are included in base bid, full length of stepwell	N/A
Lighting	List options and pricing to add hoods over the safety lights.	Single warning light hoods	\$103
Paint, Interior	List other colors that may be standard.	N/A	N/A
Reflective	Illuminated school bus sign.	Fully illuminated First Light brand sign	\$1,173
Safety Features	List options and pricing for collision mitigation systems.	N/A	N/A
Safety Features	List options and pricing for stability control systems.	ESC provided as std from GM	N/C

104

Seat, Passenger's	List options and pricing to add or remove seats to alter capacity based on district needs.	Remove (1) 36" 3-pt/CRS seat	Deduct (\$754)
Seat, Passenger's	List all seat options along with pricing.	36" 3-pt only (\$318), 39" 3-pt only (\$241), 34" 3-pt only (\$335), 36" w/1 CRS & 2 3-pt belts (\$152), 39" w/1 CRS & 3 3-pt ADD \$100, 39" w/2 CRS & 2 3-pt ADD \$170	See previous column
Seat, Passenger's	List the options for options and pricing for Lower Anchors and Tethers for Children (LATCH) seats. (FMVSS 225)	1 per 34/36" seat, 2 per 39" seat	\$74 & \$125 respectively
Seat, Upholstery color (Student seats and Barrier)	List all color options along with pricing.	Green, gray, burgundy, green, brown	N/C

105

Type A Wheelchair

Exhibit A 1.3

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Body Model				
Body Model	Type A or A2 school bus with dual rear wheels, two wheel drive. GVWR of 12,300 lb. minimum. Passenger capacity to not exceed the maximum, based on Oregon Minimum Standards for school buses. District to specify the seating capacity desired.	Yes		2021 Chevy Micro Bird G5 200 body
Chassis Specifications (all specifications must meet Oregon Minimum Standard)				
Base Chassis	158" wheel base, dual rear wheel, equipped for 14 passengers with track mounted seating in the left rear to accommodate one wheel chair position. GM chassis preferred. List proposed chassis in Notes column.	Yes		159" GM dual rear wheel, 12,300 GVWR chassis. Seating for 14 passengers, flat floor Micro Bird body with track LH rear for 1 wheelchair position or 2 seats. Seats are included.
Alternator	220 amp. Minimum	Yes		
Axle, front	Minimum 4,300 lb. rating	Yes		
Axle, rear	Minimum 8,600 lb. rating	Yes		
Axle, lube	Synthetic gear lube, must meet OEM specifications. List the oil you will be providing in the Notes column.	Yes		Currently SAE 75W-90 synthetic
Backup camera	Equipped with a back up camera that comes on when the vehicle is in reverse.	Yes		See description in mirror section
Battery	Dual batteries, with a minimum of 650 CCA each.	Yes		Qty (2) 770 am batteries
Battery	Sealed battery compartment from the elements, equipped with a roller bearing slide out tray and vented to allow ventilation for the battery.	Yes		One battery installed under hood, 2nd auxiliary battery installed in battery box

106

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Battery	Battery decal on battery door.	Yes		
Brakes	Hydraulic disc brakes front and rear, Must meet OEM specifications.	Yes		
Brakes	Antilock brakes with stability control, must meet state and federal regulations.	Yes		
Cooling system	High quality rubber non-silicone hoses, or approved equivalent, with constant torque clamps, must meet or exceed OEM specifications. All hoses must be routed to prevent rubbing and premature failure.	Yes		Std GM OEM hoses w/std clamps
Cooling system	Coolant must meet or exceed OEM specifications for all components of the cooling system 50/50 blend. List the make and model of coolant you will be providing in the Notes column.	Yes		Current GM std coolant is Dex-Cool
Electrical	All electrical circuits must be clearly labeled in the electrical panels.	Yes		
Engine	Equipped with an air filter to meet or exceed the OEM specifications. Air filter must be in an easy to access location for servicing. Describe location where mounted in the Notes column.	Yes		Air filter is on the front of the engine compartment on driver's side of vehicle
Engine	Gasoline engine with a minimum of 300 horsepower.	Yes		GM 6.6L V-8 gas engine 401hp@5200 rpm
Engine	Equipped with cruise control. Driver controls must be easily accessible to the driver.	Yes		
Exhaust	Tail pipe exits left side.	Yes		

107

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Fuel System	Fuel tank - Minimum of a 25 gallons. Include specifications on how many usable gallons your tank will provide in the Notes column.	Yes		32 gallon OEM fuel tank provided
Fuel System	Decals on body at fuel access point indicating fluid type.	Yes		
Fuel System	Equipped with a fuel pump/sending unit access panel in the floor for easy access (flush mount).	Yes		
Gauges	Speedometer, tachometer, odometer, and hour meter, oil pressure, coolant temp, fuel level, volt meter, digital clock, and Transmission temperature gauge.	Yes		Std GM OEM gauges provided
Horns	Horn to meet OEM chassis specifications.	Yes		
Lights	Headlights - Halogen head lights/sealed beam.	Yes		
Mud flaps	Equipped with front and rear mud flaps.	Yes		
Steering	Equipped with power steering.	Yes		
Steering	Equipped with a tilt steering column.	Yes		
Tires	Size - LT225/75R16 Load Range E. Michelin LTX M/S preferred. List what brand and model tires you will be providing in the Notes column.	Yes		Brand to be provided by GM at time of build. Subject to change based on OEM.
Tow Hooks	Two rear (frame mounted).	Yes		
Transmission	Automatic transmission with overdrive must meet OEM chassis specifications.	Yes		GM 6-speed automatic transmission with overdrive

108

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Transmission	Equipped with OEM approved synthetic fluid. List fluids in the Notes section.	Yes		Dextron-VI ATF
Undercoating	Standard dealer option for undercoating. Explain option in the Notes column.	Yes		Consists of spraying the underbody of the vehicle in its entire length from the front part of the chassis to the back of the bus with a *TECTYL* base rustproofing solution.
Wheels	Powder coated black in color.	No	Wheels painted black in lieu of PC	
Body Specifications (all specifications must meet Oregon Minimum Standard)				
Base Body	List the body manufacturer you are proposing in the Notes column.	Yes		Micro Bird by Girardin
Air Conditioning	OEM front air conditioning.	Yes		
Air Conditioning	Equipped with a minimum of 35,000 BTU air conditioner, skirt mounted condenser with a rear in wall evaporator.	Yes		ACC Valeo 35k rear in-wall evaporator with skirt condenser
Child Check	Equipped with a child check system, to ensure students are not left on the bus. System shall be wired directly to the battery. (All systems need to be programmed the same). Explain in the Notes column which system you are proposing and how it operates.	Yes		Child Checkmate EP1Plus child reminder system, including extra dome light harness. Arms with service brakes, to disarm turn key OFF, then dome lights turn on, system to be wired ignition hot. Push button at upper rear bulkhead. If not completed, horn will honk. Key to ON resets to restart procedure. Other wiring configurations are available.
Compartments	All cargo compartment doors equipped with a locking latch and keyed the same. All compartments must be sealed to prevent intrusion from the outside elements (weather, dirt, water etc.).	Yes		

109

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Compartments	Exterior mounted tool storage compartment located right side forward of rear axle.	Yes		
Doors	Outward opening entrance door, electrically operated. 32" opening preferred. List opening of entrance door quoted in the notes column.	Yes		32" wide entrance door with full glass panel doors for greater visibility
Electrical	Manual resetting circuit breakers in place of all fuses.	Yes		
Electrical	All electrical circuits must be clearly labeled in the electrical panels.	Yes		
Emergency Doors	Rear emergency door with tinted laminated glass.	Yes		Dark tinted laminated glass
Emergency Exits	Equipped with two push out windows. Must meet Oregon Minimum Standard.	Yes		
Emergency Exits	Emergency windows - dark tinted tempered. Frame to match other windows.	Yes		
Emergency Exits	Equipped with one Transpec triple value roof hatch with power vent or approved equivalent. List equivalency in the Notes column.	Yes		Transpec Brand 1675 roof hatch with integrated power roof vent
Floor	5/8" B-B marine grade plywood or approved equivalent. List equivalency in the Notes column.	Yes		
Floor	Light Gray floor covering with aluminum aisle trim.	No	No aisle trim provided. Not necessary as floor seams are neat fitting and sealed	
Hand rail	Equipped with a hand rail fore and aft of the service door.	Yes		
Headroom	Minimum of 73 inches of head room.	Yes		76" interior headroom

110

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Heaters	Each heater must be wired to its own switch.	Yes		
Heaters	Front defroster/driver's heater -must meet OEM chassis specifications and keep the windshield clear.	Yes		
Heaters	Under seat heater - 42,000 BTU minimum.	Yes		
Heaters	High quality rubber non-silicone, or approved equivalent, heater hoses with constant torque clamps. All hoses must be routed to prevent rubbing and premature failure.	No	Premium heater hoses provided with standard clamps	
Heaters	Equipped with Heater shut off valves. 1/4 turn valves that can be shut off to prevent coolant from flowing through the body heaters. These valves must be in a easy to reach location for drivers. Explain location in the Notes column.	No		Shutoff valves are located at engine heater outlet pipe and at transmission cooler's heater circuit inlet. In addition, there is a regulator valve in the driver's area.
Back up alarm	Back up alarm must meet or exceed Oregon Minimum Standards.	Yes		
Insulation	Full length acoustical headliner with insulation.	Yes		
Insulation	Insulation that meets or exceeds Oregon Minimum Standard for roof, front, rear and sides of bus.	Yes		
Lettering	4" Lettering along beltline, "District Name", font specified by district.	Yes		
Lettering	Bus numbers 4" in specified locations by district.	Yes		

111

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Lettering	All emergency exits labeled to meet Oregon Minimum Standards.	Yes		
Lettering	Unlawful to pass sign must meet Oregon Minimum Standard.	Yes		
Lighting	All dash lights and switch's equipped with a dimmable back light.	Yes		
Lighting	Clearance lights - LED- Wired to be on when the headlights are turned on.	No	Tied to side marker lights w/daytime running lights	
Lighting	Turn Signals - LED	Yes		
Lighting	Turn signals - One side LED light on belt line.	Yes		
Lighting	Back up lights - LED	Yes		
Lighting	Additional back up lights - LED mounted below body behind mud flaps.	Yes		
Lighting	Dome lights - Dual row LED, on separate switch (evenly spaced to provide plenty of light in the passenger area). Indicate in the Notes column, how many dome lights will be installed.	No	Single row LED dome lights in lieu of dual row dome lights.	4 total passenger compartment dome lights provided.
Lighting	Rear dome lights - LED dome lights wired to their own switch separate from the other dome lights in the bus.	Yes		
Lighting	Drivers dome light - LED dome light above drivers area on its own switch.	Yes		Additional driver's map light with switch on light + driver's area dome on chassis dome light switch
Lighting	Stepwell light - interior LED.	Yes		
Lighting	Equipped with daytime running lights, front and rear to include the clearance lights.	Yes		GM standard

112

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Lighting	Exterior entrance door boarding light - LED.	Yes		
Lighting	Eight way lights -Strobing, LED, wired to battery positive, so when key is off the lights will still operate.	Yes		
Lighting	16 light monitor for exterior lights-LED. Explain in the Notes column what monitor you will be providing.	Yes		Sound Off brand Signal Lighting System Status Board 16-light monitor.
Lighting	Stop Arm - Electrically operated stop arm with strobing LED lights, hi-reflective, and with wind guard.	Yes		
Interior rear view mirror	6"x30" Review Mirror with integrated screen for back up camera.	No	Rosco 6X16" passenger mirror vs 6X30" due to mounting area available on front bulkhead.	
Mirrors	Heated mirrors equipped with a timer to prevent premature heating element failure.	Yes		
Mirrors	Cross view mirror - Rosco heated cross view mirror (color - black) or approved equivalent. List equivalency in the Notes column.	Yes		
Mirrors	Rosco accustyle power remote adjusting, heated rearview mirrors power heated. 7"x9.5" flat and 7"x4" convex (color - black) or approved equivalent. List equivalency in the Notes column.	Yes		
Paint	Roof painted white.	Yes		
Paint	Area around student warning lights to be painted black to meet Oregon Minimum Standard.	Yes		
Paint	Bus Body - painted school bus yellow	Yes		

113

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Paint	Rub Rails - painted black	Yes		
Paint	Bumpers - painted black	Yes		Rear bumper painted black, textured, for improved durability
Paint	Interior - light gray or white	Yes		
Radio	AM/FM stereo with USB input, including a public address system and antenna.	Yes		
Radio	Public address speaker - weatherproof mounted outside under hood.	Yes		
Radio	Interior speakers - (4) flush mounted high quality speakers. List which speakers you will provide in the Notes column.	Yes		5.25" 50 watt interior speakers
Reflective	SCHOOL BUS sign - 3M Diamond grade high reflective (front and rear) or approved equivalent. List equivalency in the Notes column.	Yes		
Reflective	Beltline - 6.5" reflective extending the length of the bus body and behind the district lettering, 3M Diamond grade or approved equivalent. List equivalency in the Notes column.	Yes		
Reflective	Rear perimeter - 2" Reflective 3M Diamond grade around the rear perimeter of the bus or approved equivalent. List equivalency in the Notes column.	No	1" 3M Diamond Grade rear perimeter outline as it fits the curved rear G5 body better	
Reflective	Emergency exits - 3M Diamond grade reflective. Must meet Oregon Minimum Standard or approved equivalent. List equivalency in Notes column.	Yes		
Reflective	6.5" reflective behind all exterior vehicle numbers.	Yes		

114

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Rub rails	Installed at window, seat, floor, and skirt level.	Yes		Window rubrail is not required to meet OR specs. To deduct it (\$222)
Safety Equipment	Bus to be delivered with all Oregon required Safety Equipment. All equipment delivered loose for district to install.	Yes		
Seat, Barriers	High Back Barriers -With passenger side storage cover.	Yes		
Seat, Driver's	OEM drivers seat, (Vinyl)	Yes		
Seat, Passenger's	Removable rear seats to allow up to one wheel chair position or approved equivalent. List equivalency in Notes column.	Yes		Seating for 14 passengers, flat floor Micro Bird body with track LH rear for 1 wheelchair position or 2 seats. Seats are included.
Seat, Passenger's	All seat bottoms to be equipped with a spring loaded or like type latch to tip up for easy cleaning. Explain how you will accommodate this in the Notes column.	Yes		Under the center of the seat cushion of C.E. White/HSM seats is a latch you pull to release the seat cushion. Cushion flips forward to allow cleaning underneath the seats.
Seat, Passenger's	36" High Back seats with two Type 2 seat belts and 2 integrated child seats per. seat with automatic retractors.	Yes		All seats are C.E. White/HSM brand 3-point lap/shoulder belt seats, 36" wide with 2 belts & 2 integrated CRS per seat.
Seat, Upholstery color (student seats and barrier)	Gray fire block seat upholstery.	Yes		
Stepwell	Non slip Pebble tread steps with white nosing, as well as an exterior step well skid plate or approved equivalent. List equivalency in the Notes column.	No	Skid plate N/A on Micro Bird	
Switches	Equipped with a noise suppression switch.	Yes		

115

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Windows	Split sash windows with dark tinted tempered glass, black frames. Frames must be easily removable for glass replacement.	Yes		
Windows	Entry door - tinted laminated glass.	No	Clear laminated entrance door glass	
Windshield	Windshield to meet Oregon Minimum Standard and equipped with tint shade at the top.	Yes		GM OEM standard windshield
<i>Special Needs Equipment (all specifications must meet Oregon Minimum Standard)</i>				
Floor	"L" Track in floor to accommodate one wheelchair position on the left (driver) side of the bus or approved equivalent. List equivalency in Notes column. Wheel chair securement locations must provide enough adjustment to accommodate all sizes of chairs. Explain how your system will accommodate in the Notes column.	Yes		Flat floor (no rear wheelhousings)Micro Bird body with track LH rear for 1 wheelchair position or 2 seats. Seats are included. LH rear track is 4 sticks of vertical L-track approximately 60" in length front to rear. The 4 sticks of vertical track allows for various attachment points for wheelchair securements.
Lift	Wheelchair lift with a minimum capacity of 800 lb. List make and model of the wheelchair lift in the notes column".	Yes		Braun Century NCL919 34"X51" wheelchair lift. Includes occupant restraint belt.
Lift	Lift must be wired to battery positive and must be able to operate with the key in the "OFF" position. Must meet Oregon Minimum Standard.	Yes		
Wheelchair Lift Door	Door glass to match all other passenger windows tint.	Yes		
Wheelchair Lift Door	Interior and exterior boarding light to come on when door is open - LED.	Yes		
Wheelchair Lift Door	Light in drivers area indicating lift door is open.	Yes		

116

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Wheelchair Securement	Describe the dimension of the wheelchair station. What range of specification can you meet under FMVSS for wheelchair station size?	Yes		30" wide X 60" long. Meets FMVSS
Wheelchair Securement	Wheel chair securement device storage bag. To be loose for district to determine mounting location.	Yes		
Wheelchair Securement	Q-Straint Deluxe Tie Down System for each wheel chair position, total of one system.	Yes		Q-STRAINT Q-8100-A1-L Deluxe
Total cost for one bus as spec'd above:			\$81,924	

117

Type A Wheelchair Option List

Exhibit A 1.4

	District Proposed Options Items	Dealer Proposed Options List	Cost Per Option
<i>Options List (all specifications must meet Oregon minimum standard)</i>			
Backup camera	List options and pricing for equipping the bus with a 360 camera. Camera display to come on when the bus is in neutral.	Seon 360 camera system	\$2,774
Base Body	List options and pricing for other body manufacturer options.	WBS only offers Micro Bird product line	N/A
Base Chassis	List options and pricing for other wheel base's, chassis, and passenger capacities.	GM 159" 5-row 14,200 - ADD \$1,771 GM 177" 6-Row DRW FF- ADD \$6,890 GM 139" 4-Row DRW - Ded (\$463)	See previous column, others avail.
Engine	List options and pricing for all engine options (Diesel, Gas, Propane, and Electric).	No diesel options available, for Ford E-450 propane ADD \$22,049, for Ford E-450 EV ADD \$179,500	See previous column, others avail.
Foot Controls	List options and pricing for adjustable foot controls (throttle and brake).	Adjustable pedals N/A on Type A products	N/A
Lights	List options and pricing for LED or HID head lights.	LED or HID N/A on Type A products	N/A
Mud guards	List options and pricing for rear rubber mud guards/fender flairs.	Std black ABS fender flares included	N/C
Undercoating	List options and pricing for undercoating.	Undercoating of full body included	N/C
Air Conditioning	List options and pricing to Omit the rear Air Conditioning.	ACC/Valeo 35k BTU rear in-wall evaporator NO condenser & option to delete A/C completely.	Deduct (\$683) & (\$2,596) respectively

118

	District Proposed Options Items	Dealer Proposed Options List	Cost Per Option
Doors	List options and pricing for a device that would allow the driver to secure the entrance door closed when leaving the bus.	With Type A door is secured by electric door switch in dash. However a keyed switch is available outside the entrance door.	\$82
Doors	List options and pricing to equip the rear emergency door with a vandal lock.	Rear plug lock style vandal lock	\$140
Electrical	List options and pricing for a 12V. accessory power plug in drivers area.	Std in dash area	GM std
Electrical	List options and pricing to equip bus with Wi-Fi. This Wi-Fi will allow live video feed and student access.	SinglePoint Wifi, req's \$85/month subscription	\$1,819
Floor	List options and pricing a one piece floor.	N/A	N/A
Hand rail	List options and pricing for hand rail configurations.	Both RH & LH grabrails are included in base bid, full length of stepwell	N/A
Lighting	List options and pricing to add hoods over the safety lights.	Single warning light hoods	\$103
Paint, Interior	List other colors that may be standard.	N/A	N/A
Reflective	Illuminated school bus sign.	Fully illuminated First Light brand sign	\$1,173
Safety Features	List options and pricing for collision mitigation systems.	N/A	N/A
Safety Features	List options and pricing for stability control systems.	ESC provided as std from GM	N/C

119

	District Proposed Options Items	Dealer Proposed Options List	Cost Per Option
Seat, Passenger's	List options and pricing to add or remove seats to alter capacity based on district needs.	Remove (1) 36" 3-pt/CRS seat	Deduct (\$754)
Seat, Passenger's	List all seat options along with pricing.	36" 3-pt only (\$318), 39" 3-pt only (\$241), 34" 3-pt only (\$335), 36" w/1 CRS & 2 3-pt belts (\$152), 39" w/1 CRS & 3 3-pt ADD \$100, 39" w/2 CRS & 2 3-pt ADD \$170	See previous column
Seat, Passenger's	List the options for options and pricing for Lower Anchors and Tethers for Children (LATCH) seats. (FMVSS 225)	1 per 34/36" seat, 2 per 39" seat	\$74 & \$125 respectively
Seat, Upholstery color (student seats and barrier)	List all color options along with pricing.	Green, gray, burgundy, green, brown	N/C

120

Type C Non Wheelchair

Exhibit B 2.1

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Body Model				
Body Model	Type C school bus 48 passenger equipped for 24	Yes		
Chassis Specifications (all specifications must meet Oregon minimum standard)				
Base Chassis	List the wheel base you are proposing in the Notes column.	Yes		189"
Alternator	325 amp. minimum	Yes		
Axle, front	10,000 lb. Front axle minimum or approved equivalent. List equivalency in the Notes column.	Yes		12,000 lb. front axle
Axle, front	Front suspension rated for 10,000 lbs. minimum or approved equivalent. List equivalency in the Notes column.	Yes		10,000 lb. front suspension
Axle, rear	21,000 lb. Rear axle with 5:29 gear ratio	Yes		
Axle, rear	Rear air suspension rated for a minimum of 21,000 lbs. or approved equivalent. List equivalency in the Notes column.	Yes		21,000 lb. rear air suspension
Axle, lube	Synthetic gear lube, 75W-90 (must meet or exceed OEM specifications). List difference in the Notes column.	Yes		
Backup camera	Equipped with a back up camera that comes on when the vehicle is in reverse.	Yes		
Battery	3 group 31 batteries, minimum 2100 CCA combined.	Yes		
Battery	Sealed battery compartment from the elements, equipped with a roller bearing slide out tray and vented to allow ventilation for the battery.	Yes		

121

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Battery	Equipped with a master battery disconnect in the battery compartment, or in it's own compartment easily identified. If not in the battery compartment, explain location in the Notes column.	Yes		Located in battery compartment
Battery	Battery decal on battery door.	Yes		
Brakes	Air service brakes, 16.5"x5" front min. and 16.5"x7" rear min. (outboard drums).	Yes		
Brakes	Antilock brakes with stability control. Must meet all State and Federal regulations.	Yes		
Brakes	AD-IP air dryer with heater, with internal purge design. Must be in an accessible location for servicing or approved equivalent. List equivalency and mounting location in the Notes column.	Yes		Mtd inside LH framerail near air tanks
Brakes	Equipped with automatic slack adjusters. Must meet all state and federal standards.	Yes		Meritor brand slack adjusters
Brakes	Meritor Wabco brake chambers. or approved equivalent. List equivalency in the Notes column.	Yes		Wabco brake chambers
Brakes	Brake interlock - parking brake cannot be released with out applying the service brakes.	Yes		
Brakes	Bendix DV2 automatic drain valve with heater or approved equivalent. List equivalency in the Notes column.	Yes		Bendix DV-2 automatic drain valve provided on wet tank

122

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Cooling system	Coolant reservoir to allow driver to see level of coolant without opening the system. Describe method in the Notes column.	Yes		See-through tank provided
Cooling system	High quality rubber non-silicone hoses, or approved equivalent, with constant torque clamps to meet or exceed OEM specifications. All hoses must be routed to prevent rubbing and premature failure.	Yes		
Cooling system	Equipped with a remote mounted coolant filter. Filter needs to be easily accessible for maintenance and have shut off valves on the inlet and outlet. Specify mounting location in the Notes column.	Yes		Plumb external to engine, bolted to C/S frame
Cooling system	Coolant must meet or exceed OEM specifications for all components of the cooling system 50/50 blend. List the make and model of coolant you will be providing in the Notes column.	Yes		Cummins ES Compleat Blue
Electrical	Manual resetting circuit breakers in place of all fuses.	Yes		
Electrical	All electrical circuits must be clearly labeled in the electrical panels.	Yes		
Engine	Equipped with an air filter to meet or exceed the OEM specifications. Describe location where mounted in the Notes column.	Yes		Curbside under hood
Engine	Diesel engine with a minimum horsepower of 240, and minimum torque of 560 lb.-ft.	Yes		Cummins B6.7 240hp with 560 lbs. torque

123

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Engine	Engine must meet or exceed current EPA emissions.	Yes		Meets 2021 EPA standards
Engine	Equipped with cruise control. Driver controls must be easily accessible to the driver.	Yes		
Engine	Hand controlled electronic high idle function, if controlled separately from cruise control switches.	Yes		For diesel engines only
Engine	Engine governor to limit top speed to 65.	Yes		
Exhaust	Equipped with the Variable Geometry Turbo (VGT) brake feature enabled. or approved equivalent. List equivalency in the Notes column.	Yes		Cummins VGT brake feature with switch on dash
Exhaust	Tail pipe exits left side in front of rear wheels or approved equivalent. List equivalency in the Notes column.	Yes		
Exhaust	DEF tank minimum of 12 gal. with dosing system mounted right side behind student loading door.	Yes		15 gallon DEF tank provided
Exhaust	Single horizontal aftertreatment device to meet OEM specifications.	Yes		
Fuel System	Fuel tank - Minimum of a 60 gal. tank mounted between the frame rails with a protective cage. Specify how many usable gallons your tank will provide in Notes column.	Yes		60 gallon fuel tank provided

124

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Fuel System	Racor heated fuel water separator. Fuel filter must be in a easy to access location for servicing or approved equivalent. List equivalency and specify mounting location in the Notes column.	Yes		Raco 490R30 between tank and engine along inside left framerail
Fuel System	Equipped with a fuel door with a non locking latch.	Yes		
Fuel System	Decals on fuel and DEF door indicating fluid type.	Yes		
Fuel System	Equipped with a fuel sending unit access panel in the floor for easy access (flush mount).	Yes		
Gauges	Equipped with; speedometer, tachometer, odometer, and hour meter, oil pressure, coolant temp, fuel level, volt, transmission temperature gauge, front and rear air tank gauges.	Yes		
Horns	Dual electric horns	Yes		
Lights	Headlights - Halogen head lights/sealed beam.	Yes		
Mud flaps	Equipped with front and rear mud flaps.	Yes		
Steering	Equipped with power steering.	Yes		
Steering	Equipped with a tilt and telescoping steering column.	Yes		
Tires	Size - 255/70R22.5 Load range H Front - Michelin XZE2 preferred Rear - Michelin XMD Traction preferred List what brand and model tires you will be providing in the Notes column.	No	Michelin 11R22.5 XZE2 front & XDN2 traction rear, all load range H provided on non-lift bus as low-profile tires aren't available with a non-flat floor	

125

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Tow Hooks	Two front and two rear (frame mounted).	Yes		
Transmission	Allison PTS 2500 automatic transmission, Gen 5, 5 speed, with a T-handle control or approved equivalent. List equivalency in the Notes column.	Yes		Allison PTS2500 Gen 5 5-speed transmission
Transmission	Equipped with OEM approved synthetic fluid. List fluids in the Notes section.	Yes		Allison Trans-Synd synthetic transmission fluid
Undercoating	Standard dealer option for undercoating. Explain option in the Notes column.	Yes		Premium undercoating is std, Sulfonate enhanced direct to metal modified wax coating underneath bus. Underside of body floor, skirt and wheelhousings thoroughly undercoated prior to body mount to insure best coverage and maximum corrosion resistance. Options for additional undercoating include for fuel tank and seat bolts.
Wheels	Hub piloted steel wheels 22.5"x8.25" powder coated black in color.	No	Wheels are painted black versus powder-coated	
Body Specifications (all specifications must meet Oregon Minimum Standard)				
Air Conditioning	Equipped with a minimum of 83,000 BTU air conditioner, skirt mounted condensers.	Yes		MCC 83,000 btu air conditioning with skirt mounted condensers, rear in-wall evaporator & front RH side mount evaporator

126

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Child Check	Equipped with a child check system, to ensure students are not left on the bus. System shall be wired directly to the battery. (All systems need to be programmed the same). Explain in the Notes column which system you are proposing and how it operates.	Yes		Child Checkmate EP1Plus child reminder system, including extra dome light harness. Arms with service brakes, to disarm turn key OFF, then dome lights turn on, system to be wired ignition hot. Push button at upper rear bulkhead. If not completed, horn will honk. Key to ON resets to restart procedure. Other wiring configurations are available.
Compartments	All cargo compartment doors equipped with a locking latch and keyed the same. All compartments must be sealed to prevent intrusion from the outside elements (weather, dirt, water etc.).	Yes		
Compartments	Left hand luggage compartment, mounted rearward of rear axle. 16 cubic feet minimum.	No	14.5 cubic feet left hand rear overhang.	
Compartments	Exterior mounted tool storage compartment. Located forward of rear axle.	Yes		RH mid mount
Compartments	Finished front bulkhead storage compartment with a non locking latch.	Yes		
Doors	Outward opening entrance door, air operated.	Yes		
Doors	Handle on exterior of entrance door(student loading door) to aid in opening during manual operation.	Yes		
Electrical	Manual resetting circuit breakers in place of all fuses.	Yes		

127

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Electrical	All electrical circuits must be clearly labeled in the electrical panels.	Yes		
Windows Doors	Rear emergency door with tinted laminated glass.	Yes		
Emergency Exits	Emergency windows - dark tinted tempered. Frame to match other windows.	Yes		
Emergency Exits	Equipped with four push out windows. (Must meet Oregon Minimum Standard).	Yes		
Emergency Exits	Equipped with two Transpec triple value roof hatches with power vents. or approved equivalent. List equivalency in the Notes column.	Yes		Transpec Brand 1675 roof hatches with integrated power roof vents
Fans	Two dash fans mounted to the bulkhead that do not impede vision and meet the requirements of Oregon Department of Education.	Yes		Upper left and upper center above windshield
Floor	5/8" B-B marine grade plywood or approved equivalent. List equivalency in the Notes column.	Yes		
Floor	Light Gray floor covering with aluminum aisle trim.	Yes		
Hand rail	Equipped with a hand rail fore and aft of the service door.	Yes		
Headroom	Minimum of 77 inches of head room, in the aisle of the passenger compartment.	Yes		
Heaters	Each heater must be wired to its own switch.	Yes		
Heaters	Front defroster/driver's heater - Minimum 90,000 BTU.	Yes		

128

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Heaters	Step well heater - Minimum 50,000 BTU.	Yes		
Heaters	Rear wall mount heater - Minimum 80,000 BTU.	Yes		
Heaters	High quality rubber non-silicone heater hoses, or approved equivalent, with constant torque clamps. All hoses must be routed to prevent rubbing and premature failure.	Yes		EPDM heater hoses with constant torque clamps.
Heaters	Equipped with Heater shut off valves. 1/4 turn valves that can be shut off to prevent coolant from flowing through the body heaters. These valves must be in a easy to reach location for drivers. Explain location in the Notes column.	Yes		Shutoff valves are located Top right side of the engine and lower right side of the engine. In addition, there is a regulator valve in the driver's area.
Back up alarm	Back up alarm must meet or exceed Oregon Minimum Standards.	Yes		
Insulation	Full length acoustical headliner with insulation.	Yes		
Insulation	Insulation that meets or exceeds Oregon Minimum Standard for roof, front, rear and sides of bus.	Yes		
Lettering	6" Lettering along beltline, "District name", font specified by district.	Yes		
Lettering	Bus numbers 6" in specified locations by district.	Yes		
Lettering	All emergency exits labeled to meet Oregon Minimum Standards.	Yes		
Lettering	Unlawful to Pass sign must meet Oregon Minimum Standard.	Yes		

129

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Lighting	All dash lights and switches equipped with a dimmable back light.	Yes		
Lighting	Clearance lights - LED- Wired to be on when the headlights are turned on.	No	Clearance lights are tied into daytime running lights	
Lighting	Turn Signals - LED	Yes		
Lighting	Turn signals - One side LED light on belt line.	Yes		
Lighting	Back up lights - LED	Yes		
Lighting	Additional back up lights - LED mounted below body behind mud flaps.	Yes		
Lighting	Dome lights - Dual row LED, on separate switch (evenly spaced to provide plenty of light in the passenger area). Indicate in the Notes column, how many dome lights will be installed.	Yes		8 passenger area LED dome lights are installed in a dual row configuration.
Lighting	Drivers dome light - LED dome light above drivers area on its own switch.	Yes		
Lighting	Rear dome lights - LED dome lights wired to there own switch separate from the other dome lights in the bus.	Yes		
Lighting	Stepwell light - interior LED	Yes		
Lighting	Equipped with daytime running lights, front and rear to include the clearance lights.	Yes		
Lighting	Exterior entrance door boarding light - LED.	Yes		
Lighting	Eight way lights -Strobing, LED, wired to battery positive, so when key is off the lights will still operate.	Yes		

130

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Lighting	16 light monitor for exterior lights-LED. Explain in the Notes column what monitor you will be providing.	Yes		Doran Universal 16-light monitor
Lighting	Stop arm - Air operated stop arm with strobing LED lights, hi-reflective, with wind guard.	Yes		
Interior rear view mirror	6" x 30" review mirror with integrated screen for back up camera.	Yes		
Mirrors	Heated mirrors equipped with a timer to prevent premature heating element failure.	Yes		
Mirrors	Cross view mirror - Rosco heated cross view mirror (color - black). Or approved equivalent. List equivalency in the Notes column.	Yes		Rosco Eyemax LP
Mirrors	Rosco accustyle 8"x17" power adjusting, heated breakaway rear view mirrors (color - black) or approved equivalent. List equivalency in the Notes column.	Yes		
Paint	Roof painted white.	Yes		
Paint	Area around student warning lights to be painted black to meet Oregon Minimum Standard.	Yes		Black plastic caps for background behind warning lights
Paint	Bus body - painted school bus yellow.	Yes		
Paint	Rub rails - painted black	Yes		
Paint	Bumpers - painted black	Yes		
Paint	Interior - light gray or white	Yes		
Radio	AM/FM stereo with USB input, including a public address system and antenna.	Yes		

131

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Radio	Public address speaker - weatherproof mounted outside under hood.	Yes		
Radio	Interior speakers - (8) flush mounted high quality speakers. List which speakers you will provide in the Notes column.	Yes		Speakers are 4" , 4 ohm type.
Reflective	SCHOOL BUS sign - 3M Diamond Grade High Reflective (front and rear) or approved equivalent. List equivalency in the Notes column.	Yes		
Reflective	Beltline - 6.5" reflective extending the length of the bus and behind the district lettering, 3M Diamond grade or approved equivalent. List equivalency in the Notes column.	Yes		
Reflective	Rear perimeter - 2" Reflective 3M Diamond grade around the rear perimeter of the bus or approved equivalent. List equivalency in the Notes column.	No	1.75" rear 3M Diamond Grade rear perimeter outline	
Reflective	Emergency exits - 3M Diamond grade reflective. Must meet Oregon Minimum Standard or approved equivalent. List equivalency in the Notes column.	Yes		
Rub rails	Installed at window, seat, floor, and skirt level.	Yes		
Safety Equipment	Bus to be delivered with all Oregon required Safety equipment. All equipment delivered loose for district to install.	Yes		
Seat, Barriers	High back barriers -With passenger side storage cover.	Yes		

132

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Seat, Driver's	National 2000 air suspension seat with dual shock, high back/ integrated headrest. Equipped with lumbar adjustment. Color - black fabric. Driver seat must be centered behind the steering wheel or approved equivalent. List equivalency in the Notes column.	Yes		
Seat, Passenger's	All seat bottoms to be equipped with a spring loaded or like type latch to tip up for easy cleaning. Explain how you will accommodate this in the Notes column.			Under the center of the seat cushion of C.E. White/HSM seats is a latch you pull to release the seat cushion. Cushion flips forward to allow cleaning underneath the seats.
Seat, Passenger's	36" High Back seats with two Type 2 seat belts and 2 integrated child seats per seat with automatic retractors.	Yes		All seats are C.E. White/HSM brand 3-point lap/shoulder belt seats, 36" wide with 2 belts & 2 integrated CRS per seat.
Seat, Upholstery color (student seats and barrier)	Gray fire block seat upholstery.	Yes		
Steps	Two steps, one on each side of the bus, to allow operator access to clean front of bus. Describe in the Notes column how this will be achieved.	Yes		Folding steps and related hardware; one on each cowl near the front of the bus for cleaning windshield
Stepwell	Non slip Pebble tread steps with white nosing, as well as an exterior step well skid plate or approved equivalent. List equivalency in the Notes column.	No	Stepwell skid plate N/A on Type C bus	Pebble step treads are a solid gray with white nosing to correspond with gray marbled interior flooring.
Sun visor	6" x 30" , tinted dark, with padded edges.	Yes		
Switches	Equipped with a noise suppression switch.	Yes		

133

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Windows	Driver window - tinted, laminated glass. Frame to match other windows. Window must be able to open and close.	Yes		
Windows	Split sash windows with dark tinted tempered glass, black frames. Frames must be easily removable for glass replacement.	Yes		
Windows	Entry door - tinted, laminated glass.	Yes		
Windshield	Windshield to meet Oregon Minimum Standard and equipped with tint shade at the top.	Yes		
Windshield	Grip handles below windshield for cleaning.	Yes		
Total cost for one bus as spec'd above:			\$122,571	

134

Type C Non Wheelchair Options List

Exhibit B 2.2

	District Proposed Options Items	Dealer Proposed Options List	Cost Per Option
<i>Options List (all specifications must meet Oregon Minimum Standard)</i>			
Backup camera	List options and pricing for equipping the bus with a 360 camera. Camera display to come on when the bus is in neutral.	Seon 360 camera system	\$2,774
Battery	List options and pricing for a standard slide out tray.	Slide out battery tray	Deduct (\$405)
Brakes	List options and pricing for air disc brakes front and rear.	Bendix front & rear air disc brakes	\$1,845
Brakes	List options and pricing for dust/rock shields for the wheel end braking systems.	Brake dust shields	\$53
Brakes	List options and pricing for oil slingers to be added. Feature would direct oil away from brake lining in the event of a seal failure.	Oil slinger	\$56
Engine	List options and pricing for all engine options (Diesel, Gas, Propane, Electric).	200hp (\$792), 220hp (\$368)/\$255	Gas (\$2,748), Prop \$6,918, EV \$250,500
Engine	List options and pricing for an engine block heater. Minimum 750 watt. Plug should be exterior mounted near engine compartment.	750 watt for B6.7 engine	\$140

135

	District Proposed Options Items	Dealer Proposed Options List	Cost Per Option
Foot Controls	List options and pricing for adjustable foot controls (throttle and brake).	Adjustable pedals, 3" fore & aft	\$1,000
Fuel System	List options and pricing for other tank capacities.	100 gal tank for larger body models	\$370
Horns	List options and pricing for an air horn mounted under drivers floor, controlled by a dash mounted rocker switch in the drivers area.	Air horn roof mounted with pressure protection valve & pull cord versus a rocker dash switch.	\$145
Lights	List options and pricing for LED or HID head lights.	Xenon-Vision LED9007KIT	\$135
Mud guards	List options and pricing for rear rubber mud guards/fender flairs.	Rear rubber fenders	\$140
Transmission	List options and pricing for other Transmission configurations.	PTS2500 6-speed, PTS3000 5-speed, PTS3000 6-speed, PTS2550 5-speed w/park pawl	N/C, \$4,885, \$4,885, \$580 respectively
Undercoating	List options and pricing for undercoating.	None	Upgraded undercoating is std
Air Conditioning	List option and pricing to Omit the air conditioning.	Delete air conditioning in base bid	Deduct \$6,940
Compartments	List options and pricing to equip cargo doors with gas struts.	Gas struts for single luggage compartment in base bid	\$80
Compartments	List options pricing for compartment over driver left side window.	Locking & non-locking available	\$125
Doors	List options and pricing for an electric operated door.	Electric entrance door ILO air	\$325

136

	District Proposed Options Items	Dealer Proposed Options List	Cost Per Option
Doors	List options and pricing for a device that would allow the driver to secure the entrance door closed when leaving the bus.	Entrance door vandal lock	\$64
Electrical	List options and pricing for a 12V accessory power plug in drivers area.	Standard	N/C
Electrical	List options and pricing to equip bus with Wi-Fi. This Wi-Fi Will allow live video feed and student access.	SinglePoint Wifi, req's \$85/month subscription	\$1,819
Emergency Doors	List options and pricing to equip the rear emergency door with a vandal lock.	Slide bolt for rear door	\$195
Floor	List options and pricing for a one piece floor.	Gray flooring one-piece flooring	\$815
Lighting	List options and pricing to add hoods over the safety lights.	Individual warning light hoods F & R	N/C
Lighting	List options and pricing for electric operated stop arm with strobing LED lights, hi-reflective, with wind guard.	Electric strobing stop arm	Deduct (\$95)
Paint, Interior	List other colors that may be standard.	None	N/A
Reflective	Illuminated school bus sign.	Fully illuminated First Light brand sign	\$1,173
Safety Features	List options and pricing for collision mitigation systems.	Mobileye Passive collision mitigation	\$951

137

	District Proposed Options Items	Dealer Proposed Options List	Cost Per Option
Safety Features	List options and pricing for stability control systems.	Electronic stability control is std	N/C
Seat, Driver's	List all seat options and colors along with pricing.	National non-air, Premium, & w/heat	(\$153), \$193, \$165 respectively
Seat, Passenger's	List options and pricing to add or remove seats to alter capacity based on district needs.	Remove (1) 36" CRS + 3-pt seat	Deduct (\$756)
Seat, Passenger's	List the options for options and pricing for Lower Anchors and Tethers for Children (LATCH) seats. (FMVSS 225)	1 per 30/36" seat, 2 per 39" seat	\$39 & \$77 respectively
Seat, Passenger's	List all seat options along with pricing.	36" 3-pt only Deduct (\$392), 39" 3-pt only Deduct (\$352), NextGen Convertible 39" w/2 CRS & 3 3-pt ADD \$35, C.E. White/HSM 39" w/2 CRS & 2 3-pt ADD \$43	See previous column
Seat, Upholstery color (student seats and barrier)	List all color options along with pricing.	Green, gray, burgundy, green, brown	N/C

138

Type C Wheelchair

Exhibit B 2.3

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Body Model				
Body Model	Type C school bus 48 passenger equipped for 24 with one wheelchair station. With track mounted seating in the rear on the left and right side, to accommodate three wheelchair positions. One on the right side in front of the lift and two on the left side rear.	Yes		
Chassis Specifications (all specifications must meet Oregon Minimum Standard)				
Base Chassis	List the wheel base you are proposing in the Notes column.	Yes		189"
Alternator	325 amp. Minimum	Yes		
Axle, front	10,000 lb. Front axle minimum or approved equivalent. List equivalency in the Notes column.	Yes		12,000 lb. front axle
Axle, front	Front suspension rated for 10,000 lbs. minimum or approved equivalent. List equivalency in the Notes column.	Yes		10,000 lb. front suspension
Axle, rear	21,000 lb. Rear axle with 5:29 gear ratio	Yes		
Axle, rear	Rear air suspension rated for a minimum of 21,000 lbs. or approved equivalent. List equivalency in the Notes column.	Yes		21,000 lb. rear air suspension
Axle, lube	Synthetic gear lube, 75W-90 (must meet or exceed OEM specifications). List difference in the Notes column.	Yes		
Backup camera	Equipped with a back up camera that comes on when the vehicle is in reverse.	Yes		

139

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Battery	3 group 31 batteries, minimum 2100 CCA combined.	Yes		
Battery	Sealed battery compartment from the elements, equipped with a roller bearing slide out tray and vented to allow ventilation for the battery.	Yes		
Battery	Equipped with a master battery disconnect in the battery compartment, or in it's own compartment easily identified. If not in the battery compartment, explain location in the Notes column.	Yes		Located in battery compartment
Battery	Battery decal on battery door.	Yes		
Brakes	Air service brakes, 16.5"x5" front min. and 16.5"x7" rear min. (outboard drums).	Yes		
Brakes	Antilock brakes with stability control, must meet all State and Federal regulations.	Yes		
Brakes	AD-IP air dryer with heater, with internal purge design, (must be in an accessible location for servicing) or approved equivalent. List equivalency and mounting location in the Notes column.	Yes		Mtd inside LH framerail near air tanks
Brakes	Equipped with automatic slack adjusters (must meet all state and federal standards).	Yes		Meritor brand slack adjusters
Brakes	Meritor Wabco brake chambers or approved equivalent. List equivalency in the Notes column.	Yes		Wabco brake chambers

140

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Brakes	Brake interlock - parking brake cannot be released with out applying the service brakes.	Yes		
Brakes	Bendix DV2 automatic drain valve with heater or approved equivalent. List equivalency in the Notes column.	Yes		Bendix DV-2 automatic drain valve provided on wet tank
Cooling system	Coolant reservoir to allow driver to see level of coolant without opening the system. Describe method in the Notes column.	Yes		See-through tank provided
Cooling system	High quality rubber non-silicone hoses, or approved equal, with constant torque clamps to meet or exceed OEM specifications. All hoses must be routed to prevent rubbing and premature failure.	Yes		
Cooling system	Equipped with a remote mounted coolant filter. Filter needs to be easily accessible for maintenance and have shut off valves on the inlet and outlet. Specify mounting location in the Notes column.	Yes		Plumb external to engine, bolted to C/S frame
Cooling system	Coolant must meet or exceed OEM specifications for all components of the cooling system 50/50 blend. List the make and model of coolant you will be providing in the Notes column.	Yes		Cummins ES Compleat Blue
Electrical	Manual resetting circuit breakers in place of all fuses.	Yes		

141

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Electrical	All electrical circuits must be clearly labeled in the electrical panels.	Yes		
Engine	Equipped with an air filter to meet or exceed the OEM specifications. Describe location where mounted in the Notes column.	Yes		Curbside under hood
Engine	Diesel engine with a minimum horsepower of 240, and minimum torque of 560 lb.-ft.	Yes		Cummins B6.7 240hp with 560 lbs. torque
Engine	Engine must meet or exceed current EPA emissions.	Yes		Meets 2021 EPA standards
Engine	Equipped with cruise control. Driver controls must be easily accessible to the driver.	Yes		
Engine	Hand controlled electronic high idle function, if controlled separately from cruise control switches.	Yes		For diesel engines only
Engine	Engine governor to limit top speed to 65.	Yes		
Exhaust	Equipped with the Variable Geometry Turbo (VGT) brake feature enabled or approved equivalent. List equivalency in the Notes column.	Yes		Cummins VGT brake feature with switch on dash
Exhaust	Tail pipe exits left side in front of rear wheel or approved equivalent. List equivalency in the Notes column.	Yes		
Exhaust	DEF tank minimum of 12 gal. with dosing system mounted right side behind student loading door.	Yes		15 gallon DEF tank provided

142

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Exhaust	Single horizontal aftertreatment device to meet OEM specifications.	Yes		
Fuel System	Fuel tank - Minimum of a 60 gal. tank mounted between the frame rails with a protective cage. Specify how many usable gallons your tank will provide in Notes column.	Yes		60 gallon fuel tank provided
Fuel System	Racor heated fuel water separator. Fuel filter must be in a easy to access location for servicing or approved equivalent. List equivalency and specify mounting location in the Notes column.	Yes		Raco 490R30 between tank and engine along inside left framerail
Fuel System	Equipped with a fuel door with a non locking latch.	Yes		
Fuel System	Decals on fuel and DEF door indicating fluid type.	Yes		
Fuel System	Equipped with a fuel sending unit access panel in the floor for easy access (flush mount).	Yes		
Gauges	Equipped with; speedometer, tachometer, odometer, and hour meter, oil pressure, coolant temp, fuel level, volt, transmission temperature gauge, front and rear air tank gauges.	Yes		
Horns	Dual electric horns	Yes		
Lights	Headlights - Halogen head lights/sealed beam.	Yes		
Mud flaps	Equipped with front and rear mud flaps.	Yes		
Steering	Equipped with power steering.	Yes		

143

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Steering	Equipped with a tilt and telescoping steering column.	Yes		
Tires	Size - 255/70R22.5 Load range H Front - Michelin XZE2 preferred Rear - Michelin XMD Traction preferred List what brand and model tires you will be providing in the Notes column.	Yes		Front - Michelin XZE2, Rear Michelin XMD traction tread, all 255/70R22.5 load range H
Tow Hooks	Two front and two rear (frame mounted).	Yes		
Transmission	Allison PTS 2500 automatic transmission, Gen 5, 5 speed, with a T-handle control. or approved equivalent. List equivalency in the Notes column.	Yes		Allison PTS2500 Gen 5 5-speed transmission
Transmission	Equipped with OEM approved synthetic fluid. List fluids in the Notes section.	Yes		Allison Trans-Synd synthetic transmission fluid
Undercoating	Standard dealer option for undercoating. Explain option in the Notes column.	Yes		Premium undercoating is std, Sulfonate enhanced direct to metal modified wax coating underneath bus. Underside of body floor, skirt and wheelhousings thoroughly undercoated prior to body mount to insure best coverage and maximum corrosion resistance. Options for additional undercoating include for fuel tank and seat bolts.
Wheels	Hub piloted steel wheels 22.5"x8.25" powder coated black in color.	No	Wheels are painted black versus powder-coated	
Body Specifications (all specifications must meet Oregon Minimum Standard)				

144

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Air Conditioning	Equipped with a minimum of 83,000 BTU air conditioner and skirt mounted condensers.	Yes		MCC 83,000 btu air conditioning with skirt mounted condensers, rear in-wall evaporator & front RH side mount evaporator
Child Check	Equipped with a child check system, to ensure students are not left on the bus. System shall be wired directly to the battery. (All systems need to be programmed the same). Explain in the Notes column which system you are proposing and how it operates.	Yes		Child Checkmate EP1Plus child reminder system, including extra dome light harness. Arms with service brakes, to disarm turn key OFF, then dome lights turn on, system to be wired ignition hot. Push button at upper rear bulkhead. If not completed, horn will honk. Key to ON resets to restart procedure. Other wiring configurations are available.
Compartments	All cargo compartment doors equipped with a locking latch and keyed the same. All compartments must be sealed to prevent intrusion from the outside elements (weather, dirt, water etc.).	Yes		
Compartments	Left hand luggage compartment, mounted rearward of rear axle. 16 cubic feet minimum.	No	14.5 cubic feet left hand rear overhang.	
Compartments	Exterior mounted tool storage compartment. located forward of rear axle.	Yes		RH mid mount
Compartments	Finished front bulkhead storage compartment with a non-locking latch.	Yes		
Doors	Outward opening entrance door, air operated.	Yes		

145

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Doors	Handle on exterior of entrance door(student loading door) to aid in opening during manual operation.	Yes		
Electrical	Manual resetting circuit breakers in place of all fuses.	Yes		
Electrical	All electrical circuits must be clearly labeled in the electrical panels.	Yes		
Windows Doors	Rear emergency door with tinted laminated glass.	Yes		
Emergency Exits	Emergency windows - dark tinted tempered. Frame to match other windows.	Yes		
Emergency Exits	Equipped with four push out windows. (Must meet Oregon Minimum Standard).	Yes		
Emergency Exits	Equipped with two Transpec triple value roof hatches with power vents or approved equivalent. List equivalency in the Notes column.	Yes		Transpec Brand 1675 roof hatches with integrated power roof vents
Fans	Two dash fans mounted to the bulkhead that do not impede vision and meet the requirements of Oregon Minimum Standard.	Yes		Upper left and upper center above windshield
Floor	5/8" B-B marine grade plywood or approved equivalent. List equivalency in the Notes column.	Yes		
Floor	Light Gray floor covering with aluminum aisle trim.	Yes		
Hand rail	Equipped with a hand rail fore and aft of the service door.	Yes		

146

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Headroom	Minimum of 77 inches of head room, in the aisle of the passenger compartment.	Yes		
Heaters	Each heater must be wired to its own switch.	Yes		
Heaters	Front defroster/driver's heater - Minimum 90,000 BTU.	Yes		
Heaters	Step well heater - Minimum 50,000 BTU.	Yes		
Heaters	Rear wall mount heater - Minimum 80,000 BTU.	Yes		
Heaters	High quality rubber non-silicone, or approved equal, heater hoses with constant torque clamps. All hoses must be routed to prevent rubbing and premature failure.	Yes		EPDM heater hoses with constant torque clamps.
Heaters	Equipped with Heater shut off valves. 1/4 turn valves that can be shut off to prevent coolant from flowing through the body heaters. These valves must be in a easy to reach location for drivers. Explain location in the Notes column.	Yes		Shutoff valves are located Top right side of the engine and lower right side of the engine. In addition, there is a regulator valve in the driver's area.
Back up alarm	Back up alarm must meet or exceed Oregon Minimum Standards.	Yes		
Insulation	Full length acoustical headliner with insulation.	Yes		
Insulation	Insulation that meets or exceeds Oregon Minimum Standard. For roof, front, rear and sides of bus.	Yes		
Lettering	6" Lettering along beltline, "District name", font specified by district.	Yes		
Lettering	Bus numbers 6" in specified locations by district.	Yes		

147

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Lettering	All emergency exits labeled to meet Oregon Minimum Standards.	Yes		
Lettering	Unlawful to Pass sign must meet Oregon Minimum Standard.	Yes		
Lighting	All dash lights and switch's equipped with a dimmable back light.	Yes		
Lighting	Clearance lights - LED- Wired to be on when the headlights are turned on.	No	Clearance lights are tied into daytime running lights	
Lighting	Turn Signals - LED	Yes		
Lighting	Turn signals - One side LED light on belt line.	Yes		
Lighting	Back up lights - LED	Yes		
Lighting	Additional back up lights - LED mounted below body behind mud flaps.	Yes		
Lighting	Dome lights - Dual row LED, on separate switch (evenly spaced to provide plenty of light in the passenger area). Indicate in the Notes column, how many dome lights will be installed.	Yes		8 passenger area LED dome lights are installed in a dual row configuration.
Lighting	Drivers dome light - LED dome light above drivers area on its own switch.	Yes		
Lighting	Rear dome lights - LED dome lights wired to there own switch separate from the other dome lights in the bus.	Yes		
Lighting	Stepwell light - interior LED	Yes		
Lighting	Equipped with daytime running lights, front and rear to include the clearance lights.	Yes		

148

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Lighting	Exterior entrance door boarding light - LED.	Yes		
Lighting	Eight way lights -Strobing, LED, wired to battery positive, so when key is off the lights will still operate.	Yes		
Lighting	16 light monitor for exterior lights-LED. Explain in the Notes column what monitor you will be providing.	Yes		Doran Universal 16-light monitor
Lighting	Stop arm - Air operated stop arm with strobing LED lights, hi-reflective, with wind guard.	Yes		
Interior rear view mirror	6"x30" review mirror with integrated screen for back up camera.	Yes		
Mirrors	Heated mirrors equipped with a timer to prevent premature heating element failure.	Yes		
Mirrors	Cross view mirror - Rosco heated cross view mirror (color - black) or approved equivalent. List equivalency in the Notes column.	Yes		Rosco Eyemax LP
Mirrors	Rosco accustyle 8"x17" power adjusting, heated breakaway rear view mirrors (color - black) or approved equivalent. List equivalency in the Notes column.	Yes		
Paint	Roof painted white.	Yes		
Paint	Area around student warning lights to be painted black to meet Oregon Minimum Standard.	Yes		Black plastic caps for background behind warning lights
Paint	Bus body - painted school bus yellow.	Yes		
Paint	Rub rails - painted black	Yes		
Paint	Bumpers - painted black	Yes		

149

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Paint	Interior - light gray or white	Yes		
Radio	AM/FM stereo with USB input, including a public address system and antenna.	Yes		
Radio	Public address speaker - weatherproof mounted outside under hood.	Yes		
Radio	Interior speakers - (8) flush mounted high quality speakers. List which speakers you will provide in the Notes column.	Yes		Speakers are 4", 4 ohm type.
Reflective	SCHOOL BUS sign - 3M Diamond Grade High Reflective (front and rear) or approved equivalent. List equivalency in the Notes column.	Yes		
Reflective	Beltline - 6.5" reflective extending the length of the bus and behind the district lettering, 3M Diamond grade or approved equivalent. List equivalency in the Notes column.	Yes		
Reflective	Rear perimeter - 2" Reflective 3M Diamond grade around the rear perimeter of the bus or approved equivalent. List equivalency in the Notes column.	No	1.75" rear 3M Diamond Grade rear perimeter outline	
Reflective	Emergency exits - 3M Diamond grade reflective. Must meet Oregon Minimum Standard or approved equivalent. List equivalency in the Notes column.	Yes		
Rub rails	Installed at window, seat, floor, and skirt level.	Yes		

150

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Safety Equipment	Bus to be delivered with all Oregon required Safety equipment. All equipment delivered loose for district to install.	Yes		
Seat, Barriers	High back barriers -With passenger side storage cover.	Yes		
Seat, Driver's	National 2000 air suspension seat with dual shock, high back/ integrated headrest. Equipped with lumbar adjustment. Color - black fabric. Driver seat must be centered behind the steering wheel or approved equivalent. List equivalency in the Notes column.	Yes		
Seat, Passenger's	36" High Back seats with two Type 2 seat belts and 2 integrated child seats per seat with automatic retractors.	Yes		All seats are C.E. White/HSM brand 3-point lap/shoulder belt seats, 36" wide with 2 belts & 2 integrated CRS per seat.
Seat, Passenger's	Removable rear seats to allow up to three wheel chair positions. Two left and one right or approved equivalent. List equivalency in Notes column.	Yes		Tracking provided for a total of 3 wheelchair positions. This includes 4 sticks of vertical track running front to rear of the wheelchair position area for up to 2 positions LH & 1 RH. The rearmost wheelchair position LH does not have seats installed in the L-track.
Seat, Passenger's	All seat bottoms to be equipped with a spring loaded or like type latch to tip up for easy cleaning. Explain how you will accommodate this in the Notes column.			Under the center of the seat cushion of C.E. White/HSM seats is a latch you pull to release the seat cushion. Cushion flips forward to allow cleaning underneath the seats.

151

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Seat, Upholstery color (student seats and barrier)	Gray fire block seat upholstery.	Yes		
Steps	Two steps, one on each side of the bus, to allow operator access to clean front of bus. Describe in the Notes column how this will be achieved.	Yes		Folding steps and related hardware; one on each cowl near the front of the bus for cleaning windshield
Stepwell	Non slip Pebble tread steps with white nosing, as well as an exterior step well skid plate or approved equivalent. List equivalency in the Notes column.	No	Stepwell skid plate N/A on Type C bus	Pebble step treads are a solid gray with white nosing to correspond with gray marbled interior flooring.
Sun visor	6"x30" , tinted dark, with padded edges	Yes		
Switches	Equipped with a noise suppression switch.	Yes		
Switches	Wheel chair door interlock - A visual and audible alert to notify driver when wheelchair door is open and park brake is released. (Must meet Oregon Minimum Standard.)	Yes		
Windows	Driver window - tinted, laminated glass, frame to match other windows. Window must be able to open and close.	Yes		
Windows	Split sash windows with dark tinted tempered glass, black frames. Frames must be easily removable for glass replacement.	Yes		
Windows	Entry door - tinted, laminated glass.	Yes		
Windshield	Windshield to meet Oregon Minimum Standard and equipped with tint shade at the top.	Yes		

152

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Windshield	Grip handles below windshield for cleaning.	Yes		
<i>Special Needs Equipment (all specifications must meet Oregon Minimum Standard)</i>				
Floor	"L" Track in floor to accommodate three wheelchair positions. Two on the left rear and one on the right side in front of the lift or approved equivalent. List equivalency in Notes column. Wheel chair securement locations must provide enough adjustment to accommodate all sizes of chairs. Explain how your system will accommodate in the Notes column.	Yes		Track seating for 3 wheelchair positions. This includes 4 sticks of vertical track running front to rear of the wheelchair position area. LH track is 112" long & RH track is 57" long
Lift	Wheelchair lift with a minimum capacity of 800 lb. List make and model of the wheelchair lift in the notes column	Yes		Braun Century NCL919 34"X51" wheelchair lift. Includes occupant restraint belt.
Lift	Lift must be wired to battery positive (must be able to operate with the key in the "OFF" position) and must meet Oregon Minimum Standard.	Yes		
Wheelchair Lift Door	Door glass to match all other passenger windows tint.	Yes		
Wheelchair Lift Door	Interior and exterior boarding light to come on when door is open - LED.	Yes		
Wheelchair Lift Door	Light in drivers area indicating lift door is open.	Yes		
Wheelchair Securement	Describe the dimension of the wheelchair station. What range of specification can you meet under FMVSS for wheelchair station size?	Yes		112"L LH & 57"L RH, meets FMVSS

153

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Wheelchair Securement	Wheelchair securement device storage bags, must be loose for district to determine mounting location.	Yes		
Wheelchair Securement	Q-Straint Deluxe tie down system for each wheel chair position, total of three systems.	Yes		Q-STRAINT Q-8100-A1-L Deluxe
Total cost for one bus as spec'd above:			\$130,311	

154

Type C Wheelchair Option List

Exhibit B 2.4

	District Proposed Options Items	Dealer Proposed Options List	Cost Per Option
<i>Options List (all specifications must meet Oregon minimum standard)</i>			
Backup camera	List options and pricing for equipping the bus with a 360 camera. Camera display to come on when the bus is in neutral.	Seon 360 camera system	\$2,774
Battery	List options and pricing for a standard slide out tray.	Slide out battery tray	Deduct (\$405)
Brakes	List options and pricing for air disc brakes front and rear.	Bendix front & rear air disc brakes	\$1,845
Brakes	List options and pricing for dust/rock shields for the wheel end braking systems.	Brake dust shields	\$53
Brakes	List options and pricing for oil slingers to be added. Feature would direct oil away from brake lining in the event of a seal failure.	Oil slinger	\$56
Engine	List options and pricing for all engine options (Diesel, Gas, Propane, Electric).	200hp (\$792), 220hp (\$368)/\$255	Gas (\$2,748), Prop \$6,918, EV \$250,500
Engine	List options and pricing for an engine block heater. Minimum 750 watt. Plug should be exterior mounted near engine compartment.	750 watt for B6.7 engine	\$140

155

	District Proposed Options Items	Dealer Proposed Options List	Cost Per Option
Foot Controls	List options and pricing for adjustable foot controls (throttle and brake).	Adjustable pedals, 3" fore & aft	\$1,000
Fuel System	List options and pricing for other tank capacities.	100 gal tank for larger body models	\$370
Horns	List options and pricing for an air horn mounted under drivers floor, controlled by a dash mounted rocker switch in the drivers area.	Air horn roof mounted with pressure protection valve & pull cord versus a rocker dash switch.	\$145
Lights	List options and pricing for LED or HID head lights.	Xenon-Vision LED9007KIT	\$135
Mud guards	List options and pricing for rear rubber mud guards/fender flairs.	Rear rubber fenders	\$140
Transmission	List options and pricing for other Transmission configurations.	PTS2500 6-speed, PTS3000 5-speed, PTS3000 6-speed, PTS2550 5-speed w/park pawl	N/C, \$4,885, \$4,885, \$580 respectively
Undercoating	List options and pricing for undercoating.	None	Upgraded undercoating is std
Air Conditioning	List option and pricing to Omit the air conditioning.	Delete air conditioning in base bid	Deduct \$6,940
Compartments	List options and pricing to equip cargo doors with gas struts.	Gas struts for single luggage compartment in base bid	\$80
Compartments	List options pricing for compartment over driver left side window.	Locking & non-locking available	\$125
Doors	List options and pricing for an electric operated door.	Electric entrance door ILO air	\$325

156

	District Proposed Options Items	Dealer Proposed Options List	Cost Per Option
Doors	List options and pricing for a device that would allow the driver to secure the entrance door closed when leaving the bus.	Entrance door vandal lock	\$64
Electrical	List options and pricing for a 12V accessory power plug in drivers area.	Standard	N/C
Electrical	List options and pricing to equip bus with Wi-Fi. This Wi-Fi Will allow live video feed and student access.	SinglePoint Wifi, req's \$85/month subscription	\$1,819
Emergency Doors	List optios and pricing to equip the rear emergency door with a vandal lock.	Slide bolt for rear door	\$195
Floor	List options and pricing for a one piece floor.	Gray flooring one-piece flooring	\$815
Lighting	List options and pricing to add hoods over the safety lights.	Individual warning light hoods F & R	N/C
Lighting	List options and pricing for electric operated stop arm with strobing LED lights, hi-reflective, with wind guard.	Electric strobing stop arm	Deduct (\$95)
Paint, Interior	List other colors that may be standard.	None	N/A
Reflective	Illuminated school bus sign.	Fully illuminated First Light brand sign	\$1,173
Safety Features	List options and pricing for collision mitigation systems.	Mobileye Passive collision mitigation	\$951

157

	District Proposed Options Items	Dealer Proposed Options List	Cost Per Option
Safety Features	List options and pricing for stability control systems.	Electronic stability control is std	N/C
Seat, Driver's	List all seat options and colors along with pricing.	National non-air, Premium, & w/heat	(\$153), \$193, \$165 respectively
Seat, Passenger's	List all seat options along with pricing.	36" 3-pt only Deduct (\$392), 39" 3-pt only Deduct (\$352), NextGen Convertible 39" w/2 CRS & 3 3-pt ADD \$35, C.E. White/HSM 39" w/2 CRS & 2 3-pt ADD \$43	See previous column
Seat, Passenger's	List options and pricing to add or remove seats to alter capacity based on district needs.	1 per 30/36" seat, 2 per 39" seat	\$39 & \$77 respectively
Seat, Passenger's	List price reduction for ordering with fewer seats to accommodate for wheelchair positions. (List price per seat.)	Remove (1) 36" CRS + 3-pt seat	Deduct (\$756) X # of seats
Seat, Passenger's	List the options for options and pricing for Lower Anchors and Tethers for Children (LATCH) seats. (FMVSS 225)	1 per 30/36" seat, 2 per 39" seat	\$39 & \$77 respectively
Seat, Upholstery color (student seats and barrier)	List all color options along with pricing.	Green, gray, burgundy, green, brown	N/C

158

Type 2 District Specifications

Type D Bus District Specifications

Exhibit C 3.1

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
<i>Body Model</i>				
Body Model	Type D school bus (rear engine) 84 passenger seated for 78	Yes		
<i>Chassis Specifications (all specifications must meet Oregon Minimum Standard)</i>				
Base Chassis	List the wheel base you are proposing in the Notes column.	Yes		273" wheelbase
Alternator	240 amp. Minimum	Yes		350amp Leece Neville brushless alternator provided
Axle, front	14,000 lb. Front axle minimum or approved equivalent. List equivalency in the Notes column.	Yes		14,600 lb. front axle
Axle, front	Front parabolic taper leaf spring suspension rated for 14,000 lb. Minimum or approved equivalent. List equivalency in the Notes column.	Yes		14,600 lb. front suspension
Axle, rear	23,000 lb. Rear axle with 5:29 gear ratio	Yes		
Axle, rear	Rear Spring suspension rated for a minimum of 23,000 lb. or approved equivalent. List equivalency in the Notes column.	Yes		23,000 lb. rear spring suspension
Axle, lube	Synthetic gear lube, 75W-90 (must meet or exceed OEM specifications). List difference in the Notes column.	Yes		
Backup camera	Equipped with a back up camera that comes on when the vehicle is in reverse.	Yes		6X30" Rosco passenger view backup camera mirror installed

159

Type 2 District Specifications

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Battery	Sealed battery compartment from the elements, equipped with a roller bearing slide out tray and vented to allow ventilation for the battery.	Yes		
Battery	3 group 31 batteries minimum of 1980 CCA combined.	Yes		2100 cca combined battery capacity
Battery	Equipped with a master battery disconnect in the battery compartment, or in it's own compartment easily identified. If not in the battery compartment, explain location in the Notes column.	Yes		In battery compartment
Battery	Battery decal on battery door.	Yes		
Brakes	Air service brakes, front min. 16.5"x6", rear min. 16.5"x8.62" (outboard drums).	Yes		
Brakes	Antilock brakes with stability control, must meet state and federal regulations.	Yes		
Brakes	AD-IP air dryer with heater, with internal purge design or approved equivalent. Must be in an accessible location for servicing. List equivalency and mounting location in the Notes column.	Yes		Bendix AD-IP air dryer with heater. Integral-purge design where the dryer canister contains the purged air. This dryer has a premium desiccant alloy filter that removes contaminants from the air prior to drying. Removal of one bolt from the bottom of the canister allows a desiccant cartridge change. Mounted on valve assembly bracket on rear side of frame crossmember.
Brakes	Equipped with automatic slack adjusters (must meet all state and federal standards).	Yes		Meritor brand slack adjusters

160

Type 2 District Specifications

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Brakes	Meritor Wabco brake chambers or approved equivalent. List equivalency in the Notes column.	Yes		Wabco brake chambers
Brakes	Bendix DV2 automatic drain valve with heater or approved equivalent. List equivalency in the Notes column.	Yes		Bendix DV-2 automatic drain valve provided on wet tank
Brakes	Brake interlock - parking brake cannot be released with out applying the service brakes.	Yes		
Cooling system	Coolant reservoir to allow driver to see level of coolant without opening the system. Describe method in the Notes column.			Tank is translucent for level viewing
Cooling system	High quality rubber non-silicone hoses, or approved equal, with constant torque clamps to meet or exceed OEM specifications. All hoses must be routed to prevent rubbing and premature failure.	Yes		EPDM rubber cooling hoses with constant torque clamps
Cooling system	Equipped with a remote mounted coolant filter. Filter needs to be easily accessible for maintenance and have shut off valves on the inlet and outlet. Specify mounting location in the Notes column.	No	Remote mounted coolant filter not available.	Remote mounted coolant filter not available.
Cooling system	Coolant must meet or exceed OEM specifications for all components of the cooling system 50/50 blend. List the make and model of coolant you will be providing in the Notes column.	Yes		Cummins ES Compleat blue Ethylene Glycol; Blue premix 50/50 provides anti-freeze protection to -34°F. 2 year 150,000 miles or 4000 hr. service
Cooling system	Side mounted radiator.	Yes		
Electrical	Manual resetting circuit breakers in place of all fuses.	No		

161

Type 2 District Specifications

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Electrical	All electrical circuits must be clearly labeled in the electrical panels.	Yes		
Engine	Equipped with an air cleaner, multi-stage or dual element, must meet or exceed engine OEM specification. Describe location where mounted in the Notes column.	Yes		Multi-stage air cleaner provided. Air cleaner is located on the left side of the engine compartment and is accessed from the rear of the unit. Air inlet louvers are located at rear LH side above mid-point of side windows.
Engine	Diesel engine with a minimum horsepower of 280, and minimum torque of 660 lb.-ft.	Yes		Cummins B6.7L 280hp with 660 lbs. of torque at 1600 rpms.
Engine	Equipped with two diagnostic ports, one in drivers area and one in the engine compartment.	Yes		
Engine	Engine must meet or exceed current EPA emissions.	Yes		Meets 2021 EPA diesel emissions
Engine	Equipped with cruise control. Driver controls must be easily accessible to the driver.	Yes		
Engine	Hand controlled electronic high idle function, if controlled separately from cruise control switches.	Yes		
Engine	Top hinged engine access door with gas struts.	Yes		
Engine	Engine governor to limit top speed to 65 MPH.	Yes		
Engine	Switches, – Ability to start engine from the engine compartment. Describe how the system works in the notes column.	Yes		Provides an engine compartment located multi-functional gauge. This gauge will mount in the same bracket as rear control switches. Includes rear switch to start engine plus interrupt switch.

162

Type 2 District Specifications

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Exhaust	Equipped with the Variable Geometry Turbo (VGT) brake feature enabled or approved equivalent. List equivalency in the Notes column.	Yes		Cummins VGT brake feature with switch on dash
Exhaust	Horizontal after treatment device to meet engine OEM specifications.	Yes		
Exhaust	DEF tank minimum of 12 gal. with dosing system.	Yes		15 gallon DEF tank
Fuel System	Fuel tank - Minimum of a 100 gallon tank mounted between the frame rails with a protective cage. Specify how many usable gallons your tank will provide in Notes column.	Yes		100 gallon usable gallon fuel tank
Fuel System	Racor heated fuel water separator. Fuel filter must be in a easy to access location for servicing or approved equivalent. List equivalency and specify mounting location in the Notes column.	Yes		Primary Fuel Filter/Water Separator is Racor 490 primer pump, with heating element and water in fuel sensor, rated at 90 GPH, 10 Micron, with see thru bowl and self-venting drain, 200 watt heater. Filter head includes integral check valve on inlet side. Mounted between tank and the engine along the inside of the RH frame rail.
Fuel System	Equipped with a fuel door with a non locking latch.	Yes		
Fuel System	Decals on fuel and DEF door indicating fluid type.	Yes		
Fuel System	Equipped with a fuel sending unit access panel in the floor for easy access (flush mount).	Yes		

163

Type 2 District Specifications

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Gauges	Equipped with speedometer, tachometer, odometer, hour meter, oil pressure, coolant temp, fuel level, volt meter, ammeter, digital clock, transmission temperature gauge, front and rear air tank gauges.	Yes		
Gauges	Engine Compartment – oil pressure, ammeter, volt meter, coolant temperature	No	No ammeter in rear engine compartment. Battery voltage is included.	
Horns	Air horn mounted under driver's floor, controlled by a dash mounted rocker switch in the driver's area.	No	Air horn mounted under driver's floor comes with a foot mounted valve switch versus a rocker dash switch.	
Horns	Dual electric horns.	Yes		
Lights	Headlights - Halogen headlights/sealed beam.	Yes		
Mud flaps	Equipped with front and rear mud flaps.	Yes		
Steering	Equipped with power steering.	Yes		
Steering	Equipped with a tilt and telescoping steering column.	Yes		
Tires	Size - 11R22.5 Load range H Front - Michelin XZE2 preferred Rear - Michelin XDN2 preferred List what brand and model tires you will be providing in the Notes column.	Yes		Michelin XZE2 front hwy tires & Michelin XDN2 rear traction tires.
Tow Hooks	Two front and two rear (frame mounted).	Yes		
Transmission	5 speed Allison 3000 series with 5th generation controls or approved equivalent. List equivalency in the Notes column.	Yes		Allison PTS3000 5-speed transmission provided.

164

Type 2 District Specifications

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Transmission	Equipped with Allison TranSynd fluid or approved equivalent, must meet or exceed OEM specification. List equivalency in the Notes column.	Yes		Transynd Synthetic transmission fluid is standard
Undercoating	Standard dealer option for undercoating. Explain option in the Notes column.	Yes		Premium undercoating is std, Sulfonate enhanced direct to metal modified wax coating underneath bus. Underside of body floor, skirt and wheelhousings thoroughly undercoated prior to body mount to insure best coverage and maximum corrosion resistance. Options for additional undercoating include for fuel tank and seat bolts.
Wheels	Hub piloted steel wheels 22.5"x8.25" powder coated black in color.	No	Wheels are painted black versus powder-coated	
<i>Body Specifications (all specifications must meet Oregon Minimum Standard)</i>				
Bumper	Bumper - two steps, one on each side of the bus, to allow operator access to clean front of bus. Describe in the Notes column how this will be achieved.	Yes		Step holes are provided in front bumper to allow ability to clean the front of the bus.

165

Type 2 District Specifications

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Child Check	Equipped with a child check system, to ensure students are not left on the bus. System shall be wired directly to the battery. (All systems need to be programmed the same). Explain in the Notes column which system you are proposing and how it operates.	Yes		Child Checkmate EP1Plus child reminder system, including extra dome light harness. Arms with service brakes, to disarm turn key OFF, then dome lights turn on, system to be wired ignition hot. Push button at upper rear bulkhead. If not completed, horn will honk. Key to ON resets to restart procedure. Other wiring configurations are available.
Compartments	All cargo compartment doors equipped with a locking latch and keyed the same. All compartments must be sealed to prevent intrusion from the outside elements (weather, dirt, water etc.).	Yes		
Compartments	Finished front bulkhead storage compartment with a non locking latch.	Yes		
Compartments	Skirt mounted tool compartment (exterior mounted).	Yes		
Compartments	Pass through storage compartment with a minimum 122 cu.ft..	Yes		
Doors	Outward opening entrance door, air operated.	Yes		
Doors	Handle on exterior of entrance door(student loading door) to aid in opening during manual operation.	Yes		
Electrical	Manual resetting circuit breakers in place of all fuses.	Yes		
Electrical	All electrical circuits must be clearly labeled in the electrical panels.	Yes		

166

Type 2 District Specifications

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Emergency Doors	Equipped with left and right side emergency door in place of 4 swing out windows. (Must meet Oregon Minimum Standard).	Yes		
Emergency Exits	Rear push out window - dark tinted tempered. Frame to match other windows.	Yes		
Emergency Exits	Equipped with two Transpec triple value roof hatches with power vents or approved equivalent. List equivalency in the Notes column.	Yes		Transpec Brand 1675 roof hatches with integrated power roof vents
Fans	Two dash fans mounted to the bulkhead that do not impede vision and meet the requirements of Oregon Minimum Standard.	Yes		Upper left and upper center above windshield
Floor	5/8" B-B marine grade plywood or approved equivalent. List equivalency in the Notes column.	Yes		
Floor	Light Gray floor covering with aluminum aisle trim.	Yes		
Hand rail	Equipped with a hand rail fore and aft of the service door.	Yes		
Headroom	Minimum of 77 inches of head room, in the aisle of the passenger compartment.	Yes		
Heaters	Each heater must be wired to its own switch.	Yes		
Heaters	Front defroster - Minimum 90,000 BTU.	Yes		
Heaters	Drivers heater - Minimum 12,000 BTU.	Yes		
Heaters	Rear under seat heater - Minimum 80,000 BTU.	Yes		

167

Type 2 District Specifications

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Heaters	High quality rubber non-silicone heater hoses, or approved equal, with constant torque clamps. All hoses must be routed to prevent rubbing and premature failure.	Yes		EPDM heater hoses with constant torque clamps.
Heaters	Equipped with Heater shut off valves. 1/4 turn valves that can be shut off to prevent coolant from flowing through the body heaters. These valves must be in a easy to reach location for drivers. Explain location in the Notes column.	Yes		Shutoff valves are located at engine heater outlet pipe and at transmission cooler's heater circuit inlet. In addition, there is a regulator valve in the driver's area.
Back up alarm	Back up alarm must meet or exceed Oregon Minimum Standards.	Yes		
Insulation	Full length acoustical headliner with insulation.	Yes		
Insulation	Insulation that meets or exceeds Oregon Minimum Standard. For roof, front, rear and sides of bus.	Yes		Plus driver's area toe box and sound deadening spray
Lettering	6" Lettering along beltline, "District Name", font specified by district	Yes		
Lettering	Bus numbers 6" in specified locations by district.	Yes		
Lettering	All emergency exits labeled to meet Oregon Minimum Standards.	Yes		
Lettering	Unlawful to pass sign must meet Oregon Minimum Standard.	Yes		
Lighting	All dash lights and switch's equipped with a dimmable back light.	Yes		
Lighting	Clearance lights - LED- Wired to be on when the headlights are turned on.	No	Clearance lights are tied into daytime running lights	

168

Type 2 District Specifications

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Lighting	Turn Signals - LED	Yes		
Lighting	Turn signals - Two side mounted LED lights, one aft entrance door on belt line, one at rear axle on beltline and on the same horizontal plane.	Yes		
Lighting	Back up lights - LED	Yes		
Lighting	Additional back up lights - LED mounted below body behind mud flaps.	Yes		
Lighting	Dome lights - Dual row LED, on separate switch (evenly spaced to provide plenty of light in the passenger area). Indicate in the Notes column, how many dome lights will be installed.	Yes		14 passenger area LED dome lights are installed in a dual row configuration.
Lighting	Rear dome lights - LED dome lights wired to there own switch separate from the other dome lights in the bus.	Yes		
Lighting	Drivers dome light - LED dome light above drivers area on its own switch.	Yes		
Lighting	Stepwell light - interior LED.	Yes		
Lighting	Equipped with daytime running lights, front and rear to include the clearance lights.	Yes		
Lighting	Exterior entrance door boarding light - LED.	Yes		
Lighting	Eight way lights -Strobing, LED, wired to battery positive, so when key is off the lights will still operate.	Yes		
Lighting	16 light monitor for exterior lights- LED. Explain in the Notes column what monitor you will be providing.	Yes		Doran Universal 16-light monitor

169

Type 2 District Specifications

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Lighting	Stop arm - Air operated stop arm with strobing LED lights, hi-reflective, with wind guard.	Yes		
Interior rear view mirror	6"x30" review mirror with integrated screen for back up camera.	Yes		
Mirrors	Heated mirrors equipped with a timer to prevent premature heating element failure.	Yes		
Mirrors	Cross view mirror - Rosco heated cross view mirror (color - black) or approved equivalent. List equivalency in the Notes column.	Yes		Rosco Eyemax LP
Mirrors	Rosco accustyle 8"x17" power adjusting, heated breakaway rear view mirrors (color - black) or approved equivalent. List equivalency in the Notes column.	Yes		
Paint	Roof painted white.	Yes		
Paint	Area around student warning lights to be painted black to meet Oregon Minimum Standard.	Yes		Black plastic caps for background behind warning lights
Paint	Bus body - painted school bus yellow.	Yes		
Paint	Rub rails - painted black.	Yes		
Paint	Bumpers - painted black.	Yes		
Paint	Interior - light gray or white.	Yes		
Radio	AM/FM stereo with USB input, including a public address system and antenna.	Yes		
Radio	Public address speaker - weatherproof mounted outside under drivers area floor.	Yes		
Radio	Interior speakers - (8) flush mounted high quality speakers. List which speakers you will provide in the Notes column.	Yes		Speakers are 4", 4 ohm type.

170

Type 2 District Specifications

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Reflective	SCHOOL BUS sign - 3M Diamond grade high reflective (front and rear) or approved equivalent. List equivalency in the Notes column.	Yes		
Reflective	Beltline - 6.5" reflective extending the length of the bus and behind the district lettering, 3M Diamond grade or approved equivalent. List equivalency in the Notes column.	Yes		
Reflective	6.5" reflective behind all exterior vehicle numbers.	Yes		
Reflective	Rear perimeter - 2" Reflective 3M Diamond grade around the rear perimeter of the bus or approved equivalent. List equivalency in the Notes column.	No	1.75" rear 3M Diamond Grade rear perimeter outline	
Reflective	Emergency exits - 3M Diamond grade reflective. Must meet Oregon Minimum Standard or approved equivalent. List equivalency in the Notes column.	Yes		
Rub rails	Installed at window, seat, floor, and skirt level.	Yes		
Safety Equipment	Bus to be delivered with all Oregon required Safety Equipment. All equipment delivered loose for district to install.	Yes		
Seat, Barriers	High back barriers -With passenger side storage cover.	Yes		

171

Type 2 District Specifications

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Seat, Driver's	National 2000 air suspension seat with dual shock, high back/ integrated headrest. Equipped with lumbar adjustment. Color - black fabric. Driver seat must be centered behind the steering wheel or approved equivalent. List equivalency in the Notes column.	Yes		
Seat, Passenger's	39" High back student seats.	Yes		
Seat, Passenger's	All passenger seats equipped with Type 2 seat belts.	Yes		NextGen 3-point lap/shoulder belts seats, 39" wide with 3 belts per seat provided.
Seat, Passenger's	All seat bottoms to be equipped with a spring loaded or like type latch to tip up for easy cleaning. Explain how you will accommodate this in the Notes column.	Yes		NextGen 3-point lap/shoulder belt seats have flip up cushion. These seats use a key to unlock the flip up feature.
Seat, Upholstery color (student seats and barrier)	Blue fire block seat upholstery.	Yes		
Stepwell	Non slip Pebble tread steps with white nosing, as well as an exterior step well skid plate or approved equivalent. List equivalency in the Notes column.	Yes		Pebble step treads are a solid gray with white nosing to correspond with gray marbled interior flooring.
Sun visor	6"x30" , tinted dark, with padded edges.	Yes		
Switches	Equipped with a noise suppression switch.	Yes		
Windows	Split sash windows with dark tinted tempered glass, black frames. Frames must be easily removable for glass replacement.	Yes		

172

Type 2 District Specifications

	District Desired Specifications	Can the desired specifications be met? (Yes or No)	If unable to meet desired specifications, what's your proposed alternative?	Notes
Windows	Driver window - tinted, laminated glass, frame to match other windows. Window needs to be able to open and close.	Yes		
Windows	Entry door - tinted, laminated glass.	Yes		
Windshield	Windshield to meet Oregon Minimum Standard and equipped with tint shade at the top.	Yes		
Windshield	Grip handles above the windshield for cleaning.	Yes		
Total cost for one bus as specified above:			\$151,640	

173

Type D Bus Options List

Exhibit C 3.2

	District Proposed Options Items	Dealer Proposed Options List	Cost Per Option
<i>Options List (all specifications must meet Oregon Minimum Standard)</i>			
Axle, front	List options and pricing for front air suspension rated for a minimum of 14,000 lb.	AirTek 14,600 lb. air suspension	\$945
Axle, rear	List options and pricing for rear air suspension rated for a minimum of 23,000 lb.	Comfortair 23,000 lb. air suspension	\$1,075
Backup camera	List options and pricing for equipping the bus with a 360 camera. Camera display to come on when the bus is in neutral.	Seon 360 camera system	\$2,774
Battery	List options and pricing for a standard slide out tray.	Slide out battery tray	Deduct (\$405)
Brakes	List options and pricing for air disc brakes front and rear.	Bendix front & rear air disc brakes	\$1,965
Brakes	List options and pricing for dust/rock shields for the wheel end braking systems.	Brake dust shields	\$53
Brakes	List options and pricing for oil slingers to be added. Feature would direct oil away from brake lining in the event of a seal failure.	Oil slinger is std equipment on T3RE	N/C
Engine	List options and pricing for all engine options (Diesel, Propane, Electric).	6.7 250hp \$1,848, 6.7 260hp \$1,456	L9 260 \$3710-270 \$5580-EV \$231,684

174

	District Proposed Options Items	Dealer Proposed Options List	Cost Per Option
Engine	List options and pricing for an engine block heater. Minimum 750 watt. Plug should be exterior mounted near engine compartment.	750 watt for B6.7 & 1000 watt for L9	\$140 for either
Foot Controls	List options and pricing for adjustable foot controls (throttle and brake).	Adjustable pedals, 3" fore & aft	\$1,000
Lights	List options and pricing for LED or HID lights.	Xenon-Vision LED9007KIT	\$135
Mud guards	List options and pricing for rubber mud guards/fender flairs.	Front & rear rubber fenders	\$270
Traction	List options and pricing for automatic chains.	Onspot brand automatic tire chains	\$2,275
Transmission	List options and pricing for other transmission configurations.	Allison PTS3000 6-speed	N/C
Undercoating	List options and pricing for undercoating.	None	Upgraded undercoating is std
Compartments	List options pricing for compartment over driver left side window.	Locking & non-locking available	\$125
Compartments	List options and pricing for lights in storage compartment, include a pilot light on dash to inform driver that lights are on.	Luggage lights for push-thru luggage	\$115
Compartments	List options and pricing to equip cargo doors with gas struts.	Gas shocks for push-thru luggage	\$210
Doors	List options and pricing for an electric operated door.	Electric entrance door ILO air	Deduct (\$300)

175

	District Proposed Options Items	Dealer Proposed Options List	Cost Per Option
Doors	List options and pricing for a device that would allow the driver to secure the entrance door closed when leaving the bus.	Entrance door vandal lock	\$64
Emergency Exits	List options and pricing to equip the rear push out window, and side emergency doors with a vandal lock.	Slide bolt for doors, plug lock for REW	\$364 for vandal lock system
Emergency Exits	List options and pricing to Omit the one right side emergency door and replace with 4 swing out windows. (Must meet Oregon Minimum Standard.)	4 pushout windows ILO 2 SEDs	Deduct (\$390)
Electrical	List options and pricing for a 12V. accessory power plug in drivers area.	Standard	N/C
Electrical	List options and pricing to equip bus with Wi-Fi. This Wi-Fi Will allow live video feed and student access.	SinglePoint Wifi, req's \$85/month subscription	\$1,819
Floor	List options and pricing for a one piece floor.	None	N/A
Heaters	Midship heater -List options for the mid heater and pricing. Specify BTU rating.	50k & 80k heaters available LH	\$305 & \$475 respectively
Lighting	List options and pricing to add hoods over the safety lights.	Individual warning light hoods F & R	N/C
Lighting	List options and pricing for electric operated stop arm with strobing LED lights, hi-reflective, with wind guard.	Electric strobing stop arm	Deduct (\$95)

176

	District Proposed Options Items	Dealer Proposed Options List	Cost Per Option
Paint, Interior	List other colors that may be standard.	None	N/A
Reflective	Illuminated school bus sign.	Fully illuminated First Light brand sign	\$1,173
Safety Features	List options and pricing for collision mitigation systems.	Mobileye Passive collision mitigation	\$951
Safety Features	List options and pricing for stability control systems.	Electronic stability control is std	N/C
Safety Features	List options and pricing for an engine compartment fire suppression system. Provide a full description of the system.	FogMaker brand model FMA-1127-75-001 Fire suppression system. Consisting of 6 nozzles, 5 placed in the engine compartment and 1 in the battery compartment.	\$4,547
Seat, Driver's	List all driver seat options and colors along with pricing.	National non-air, Premium, & w/heat	(\$153), \$193, \$165 respectively
Seat, Passenger's	List options and pricing to add or remove seats to alter capacity based on district needs.	Remove (1) 3-pt lap/shoulder belt seat	Deduct (\$492)
Seat, Passenger's	List all passenger seat options along with pricing.	36" 3-pt only Deduct (\$50), 39" Std bench (\$389), NextGen Convertible 39" w/2 CRS & 3 3-pt ADD \$448, C.E. White/HSM 39" w/2 CRS & 2 3-pt ADD \$456	See previous column
Seat, Passenger's	List option and pricing to Omit passenger seat belts.	Std seats ILO 3-pt seats	Deduct (\$10,127)
Seat, Passenger's	List the options for options and pricing for Lower Anchors and Tethers for Children (LATCH) seats. (FMVSS 225)	1 per 30/36" seat, 2 per 39" seat	\$39 & \$77 respectively
Seat, Upholstery color (student seats and barrier)	List all color options along with pricing.	Green, gray, burgundy, green, brown	N/C

177

	District Proposed Options Items	Dealer Proposed Options List	Cost Per Option
Wheel Chair Lift	List options and pricing to equip bus with a wheel chair lift and capacity for two wheel chair stations. Describe your companies seating and wheel chair mounting options in the Dealer Proposed Options List column.	Seating for 63 pass or 60+1 or 57+2 wheelchairs. Braun NCL919FIB-2 lift. Removeable track seats for 2 wheelchair positions or the 4 included 39" seats. Track is 4 vertical sticks of L-track with 2 sets of Q-Straint Deluxe retractable tiedowns.	\$5,899
Wheel Chair Lift	List options and pricing to have the wheel chair lift wired to battery positive. Lift must be able to operate with the key in the "OFF" position and meet all Oregon Minimum Standards.	Included above	N/C
Wheelchair Lift Door	Door glass to match all other passenger windows tint.	Included included above	N/C

178

**AMENDMENT NO 2
TO PRICE AGREEMENT PA2021-276
DATED JANUARY 4, 2022**

This Amendment No. 2 to the Price Agreement (as amended from time to time, (“the Contract”), dated February 27, 2021, 2021, between Salem-Keizer School District 24J, 2450 Lancaster Dr. NE, Salem, OR, 97305 (the “District”) and Western Bus Sales, Inc., (the “Contractor”), (collectively District and Contractor are referred to as the “Parties”).

The Contract is hereby amended as follows (new language is indicated by underlining and deleted language is indicated by brackets []):

179

Both parties agree as follow:

The contract shall become effective on the date it has been signed by all parties and all required District approvals have been obtained. The Contract expires on February 9, 2024. The parties may extend the term of this Contract in provided that the total Contract term does not extend beyond February 9, 2026.

Contractor agrees to provide School Buses under the terms and conditions in contractor’s associated proposal in RFP 422 Addendum 5 School Buses, hereby incorporated by reference. In accordance with RFP 422 Addendum 5 School Buses will be provided at costs per Exhibit A - 1.1, 1.2, 1.3, 1.4: Exhibit B - 2.1, 2.2, 2.3, 2.4, 2.5 and Exhibit C – 3.1, 3.2, and 3.3.

Except as expressly amended above, all other terms and conditions of the original contract are still in full force and effect. Contractor certifies that the representations, warranties, and certifications contained in the original Contract are true and correct as of the effective date of this Amendment and with the same effect as though made at the time of this Amendment.

		Type D Bus Options List	<u>Exhibit C 3.3</u>
	District Proposed Options Items	Dealer Proposed Options List	Cost Per Option
<i>Options List (all specifications must meet Oregon Minimum Standard)</i>			
<u>Axle, front</u>	<u>List all front axle options</u>	Front Axle 14,600 lbs.	14,600 lb front axle - Included in base bid
		Front Axle 13,200 lbs.	13,200 lb. front axle - Deduct (\$126)
<u>Suspension, Front</u>	<u>List all front suspension options</u>	Front taper leaf suspension 14,600 lbs.	14,600 lb front taper leaf suspension - Included in base bid
		Front taper leaf suspension 13,200 lbs.	13,200 lb. front taperleaf suspension - Deduct (\$255)
		Front air suspension 14,600 lbs.	

Signature Page Follows

SALEM-KEIZER SCHOOL DISTRICT 24J

WESTERN BUS SALES

By _____

By Sarah Jones 1/4/2022 _____

T.J. Crockett
Director of Transportation

Sarah Jones
Director of Sales

998 Hawthorne Ave NE
Salem, OR 97301

30355 SE Highway 212
Boring, OR 97009

Date: _____

Date: _____

180

Additional District Approval:

By _____

Sarah Head
Director of Budget & Financial Services

Date: _____

**AMENDMENT NO 3
TO PRICE AGREEMENT PA2021-276
DATED OCTOBER 11, 2022**

This Amendment No.3 to the Price Agreement (as amended from time to time, (“the Contract”), dated February 27, 2021, 2021, between Salem-Keizer School District 24J, 2450 Lancaster Dr. NE, Salem, OR, 97305 (the “District”) and Western Bus Sales, Inc., (the “Contractor”), (collectively District and Contractor are referred to as the “Parties”).

The Contract is hereby amended as follows (new language is indicated by underlining and deleted language is indicated by brackets []):

Both parties agree as follow:


The contract shall become effective on the date it has been signed by all parties and all required District approvals have been obtained. The Contract expires on February 9, 2024. The parties may extend the term of this Contract in provided that the total Contract term does not extend beyond February 9, 2026.

Contractor agrees to provide School Buses under the terms and conditions in contractor’s associated proposal in RFP 422 Addendum 5 School Buses, hereby incorporated by reference. In accordance with RFP 422 Addendum 5 School Buses will be provided at costs per Exhibit A - 1.1, 1.2, 1.3, 1.4: Exhibit B - 2.1, 2.2, 2.3, 2.4, 2.5 and Exhibit C – 3.1, 3.2, [and] 3.3 and Exhibit D.

Except as expressly amended above, all other terms and conditions of the original contract are still in full force and effect. Contractor certifies that the representations, warranties, and certifications contained in the original Contract are true and correct as of the effective date of this Amendment and with the same effect as though made at the time of this Amendment.

Signature Page Follows

SALEM-KEIZER SCHOOL DISTRICT 24J

DocuSigned by:
By  Crockett
9F13F737106C4A4...

T.J. Crockett
Director of Transportation

998 Hawthorne Ave NE
Salem, OR 97301

Date: 11/7/2022

WESTERN BUS SALES

By  Director of Sales

Sarah Jones
Director of Sales

30355 SE Highway 212
Boring, OR 97009

Date: 10/28/2022


Approved as to Form:

DocuSigned by:
By  Clotfelter
3F2C32F8CAF1449...

Jacob Clotfelter
Procurement & Contract Manager

Date: 11/7/2022

Additional District Approval:

DocuSigned by:
By  Silva
4567F78CF8774B5...

Robert Silva
Chief Operating Officer

Date: 11/7/2022

**AMENDMENT NO 4
TO PRICE AGREEMENT PA2021-276
DATED March 31,2023**

This Amendment No.4 to the Price Agreement (as amended from time to time, (“the Contract”), dated February 27, 2021, 2021, between Salem-Keizer School District 24J, 2450 Lancaster Dr. NE, Salem, OR, 97305 (the “District”) and Western Bus Sales, Inc., (the “Contractor”), (collectively District and Contractor are referred to as the “Parties”).

The Contract is hereby amended as follows (new language is indicated by underlining and deleted language is indicated by brackets []):

183

Both parties agree as follow:

The contract shall become effective on the date it has been signed by all parties and all required District approvals have been obtained. The Contract expires on February 9, 2024. The parties may extend the term of this Contract in provided that the total Contract term does not extend beyond February 9, 2026.


Contractor agrees to provide School Buses under the terms and conditions in contractor’s associated proposal in RFP 422 Addendum 5 School Buses, hereby incorporated by reference. In accordance with RFP 422 Addendum 5 School Buses will be provided at costs per Exhibit A - 1.1, 1.2, 1.3, 1.4: Exhibit B - 2.1, 2.2, 2.3, 2.4, 2.5 and Exhibit C – 3.1, 3.2, [and] 3.3, and [Exhibit D] Exhibit E.

Except as expressly amended above, all other terms and conditions of the original contract are still in full force and effect. Contractor certifies that the representations, warranties, and certifications contained in the original Contract are true and correct as of the effective date of this Amendment and with the same effect as though made at the time of this Amendment.

Signature Page Follows

SALEM-KEIZER SCHOOL DISTRICT 24J

WESTERN BUS SALES

By  _____
9F13F737106C4A4...

By Sarah Jones _____

T.J. Crockett
Director of Transportation

Sarah Jones
Director of Sales

998 Hawthorne Ave NE
Salem, OR 97301


30355 SE Highway 212
Boring, OR 97009

184

Date: 4/18/2023

Date: 4/17/23


Approved as to Form:

By  _____
3F2C32F8CAF1449...

Jacob Clotfelter
Procurement & Contract Manager

Date: 4/18/2023

Additional District Approval:

By  _____
4567F78CF8774B5...

Robert Silva
Chief Operating Officer

Date: 4/18/2023

**AMENDMENT NO 5
PRICE AGREEMENT PA2021-276
DATED JANUARY 26, 2024**

This Amendment No. 5 to the Purchase Agreement (as amended from time to time, the "Contract"), dated February 27, 2021, between Salem-Keizer School District 24J, hereafter called District, and Western Bus Sales, Inc., hereafter called Contractor.

The Agreement is hereby amended as follows (new language is indicated by underlining and deleted language is indicated by brackets []):

This Contract is effective on the date it has been signed by all parties and all required District approvals have been obtained. This Contract expires on [February 9, 2024] February 9, 2026.

Contractor agrees to provide School Buses under the terms and conditions in Contractor's associated proposal in RFP 422 Addendum 5 School Buses, hereby incorporated by reference. In accordance with RFP 422 School Buses will be provided at costs per Exhibit E Salem-Keizer Bid Extension Request 1-31-24.

Except as expressly amended above, all other terms and conditions of the original contract are still in full force and effect. Contractor certifies that the representations, warranties, and certifications contained in the original Contract are true and correct as of the effective date of this Amendment and with the same effect as though made at the time of this Amendment.

Signature Page Follows

SALEM-KEIZER SCHOOL DISTRICT

WESTERN BUS SALES, INC

DocuSigned by:
T.J. Crockett
By _____
3F13F737106C4A4...

DocuSigned by:
Sarah Jones
By _____
B04B0A620E11440...

T.J. Crockett
Director of Transportation

Sarah Jones
Director of Sales

998 Hawthorne Ave NE
Salem, Oregon 97301

30355 SE Highway 212
Boring, OR 97009

Date: 2/15/2024 | 7:40 AM PST

Date: 2/15/2024 | 7:48 AM PST

Approved as to Form:

DocuSigned by:
Jacob Clotfelter
By _____
3F2C32F8CAF1449...

Date: 2/15/2024 | 7:49 AM PST

Jacob Clotfelter
Procurement Manager

Additional District Approval:

DocuSigned by:
Robert Silva
By _____
4567F78CF8774B5...

Date: 2/15/2024 | 9:10 AM PST

Robert Silva
Chief Operations Officer

**AMENDMENT NO 6
SERVICE AGREEMENT PA2021-276
DATED MAY 30, 2025**

This Amendment No. 6 to the Purchase Agreement (as amended from time to time, the "Contract"), dated February 27, 2021, between Salem-Keizer School District 24J, hereafter called District, and Western Bus Sales, Inc., hereafter called Contractor.

The Agreement is hereby amended as follows (new language is indicated by underlining and deleted language is indicated by brackets []):

This Contract is effective on the date it has been signed by all parties and all required District approvals have been obtained. This Contract expires on February 9, 2026.

Contractor agrees to provide School Buses under the terms and conditions in Contractor's associated proposal in RFP 422 Addendum 6 School Buses, hereby incorporated by reference. In accordance with RFP 422 School Buses will be provided at costs per [Exhibit E Salem-Keizer Bid Extension Request 1-31-24] Salem-Keizer Bid Extension Request 1-31-2025.

Except as expressly amended above, all other terms and conditions of the original contract are still in full force and effect. Contractor certifies that the representations, warranties, and certifications contained in the original Contract are true and correct as of the effective date of this Amendment and with the same effect as though made at the time of this Amendment.

Signature Page Follows

SALEM-KEIZER SCHOOL DISTRICT

WESTERN BUS SALES, INC

DocuSigned by:
By Mitchell Hamilton
FDB67F8AFB1F4AC...

DocuSigned by:
By [Signature]
B64B6A620E11440...

Mitchell Hamilton
Director of Transportation

Sarah Jones
Director of Sales

998 Hawthorne Ave NE
Salem, Oregon 97301

30355 SE Highway 212
Boring, OR 97009

Date: 5/30/2025 | 11:05 AM PDT

Date: 6/2/2025 | 8:26 AM PDT

Approved as to Form:

DocuSigned by:
By Jacob Clotfelter
3F2C32F8CAF1449...

Date: 6/2/2025 | 8:31 AM PDT

Jacob Clotfelter
Procurement Manager

Additional District Approval:

DocuSigned by:
By T.J. Crockett
9F13F737106C4A4...

Date: 6/2/2025 | 1:29 PM PDT

T.J Crockett
Chief Operations Officer

Activities Director	Anthony Young	10.5% of base	\$4,980.00
Yearbook Advisor	Jen Ducey	Level C Step II	\$4,032.00
Athletic Director	Davis, Angela	19% of base, and 30 days extra on teaching salary	\$9,012.00 +
Student Council	Jen Ducey	Level D Step III	\$3,320.00
Elementary/Middle Music	Church D., Budge N.	\$200 split two ways	
High Music	Budge, N.	\$200	
Pep Band	Budge, Nicholas	Level C Step III	\$4,269.00
Robotics	Goude, Zachary	Level C Step III	\$4,269.00
Middle Activities	L. Houck, R. Young, A. Ray, K. Salzer White, J. Neighbors, P. Leone, JP Balbo, C. O'Neal	10.5% of base, split 8 ways	\$622.50 each

Board Approved

MS Volleyball 3 Teams

Claire Davis Kennedy - HEAD

Anna McNeely- Interim HEAD

Celia Younker- Asst

Celia Younker- Head

Dawn ? - Asst.

Lindsay Kinney= Asst.

MS Football

Karl Haley - Head

Justin Isaccson- HEAD

Jesse Wilson- Asst.

Karl Haley - Head

Bill Schimel

MS Boys Soccer

Lucas Houck- HEAD

John Neighbors

Rhiannon Young- Asst.

MS Girls Soccer

Brie Windust- HEAD

MS Cross Country

Katelyn (Selzer) White

Katelyn (Selzer) White

Level C Step III	Maternity Leave	\$4,269	not paid 24/25, 8/2 no 25-26
Level C Step I ?	?		pd 25/26 8/21/24 no 25-26
Level D Step III		\$3,320	8/21/24 change
Level C Step I		\$3,795	8/20/25
Level D Step I		\$2,846	9/17/25
Level D Step III		\$3,320	8/21/24 no 25-26
Level C Step I		\$3,795	8/20/2025
volunteer		\$0	8/21/24 no 25-26
Level D Step III		\$3,320	8/21/24 no 25-26
Volunteer		\$0	8/21/24 change
Level C Step I		\$3,795	8/20/25
Volunteer		\$0	8/21/24 no 25-26
Level C Step III		\$4,269	8/21/24 no 25-26
Level C Step I		\$3,795	9/17/25
Level D Step II		\$3,083	9/18/24 ?
Level C Step III		\$4,269	8/21/24 8/20/25
Level C Step II		\$4,032	8/21/24 8/20/25
Level C Step III		\$4,269	9/17/25

OSBA Model Sample Policy

Code: JFCEB
Adopted:

Personal Electronic Devices */**

{This policy is required by ORS 336.840 and EO 25-09. EO-25-09 requires policy to be adopted and in place by October 31, 2025, with full implementation by January 1, 2026.}

Student ~~[possession or]~~ use of a personal electronic device is prohibited from the start of regular instructional hours until the end of regular instructional hours, except as provided below. [Personal electronic devices can be used when students are not on school grounds and are not under the supervision of school personnel (other than a school bus driver)¹.]

Except as otherwise provided in this policy, “personal electronic device” means any portable, electrically powered device that is capable of making and receiving calls and text messages and accessing the internet independently from the school’s network infrastructure.^[2] This includes headphones and earbuds attached to personal electronic devices. This does not include a laptop computer or other device required to support academic activities.

Personal electronic devices may be used when use complies with the terms of:

1. The student’s medical provider’s order for the care and treatment of a medical condition;³
2. The student’s individualized education program, as defined in ORS 343.035 or an education plan developed for the student in accordance with section 504 of the Rehabilitation Act of 1973 (29 U.S.C. 794);⁴
3. A written exemption provided for the student based on a request received in JFCEB-AR. School administration will respond to such a request within [ten] school days.⁵

Personal electronic devices ~~[must be placed in district provided pouches or storage]~~ [may be kept by students in lockers or backpacks, but personal electronic devices are not to be stored on the student’s person or in the student’s clothing]~~[may be stored on the student’s person, but may not be used]~~ during regular instructional hours.

¹ If students are under the supervision of school personnel other than a school bus driver, the use of personal electronic devices is prohibited during regular instructional hours. {ODE’s guidance, *Fostering Student Learning, Well-Being, and Belonging* provides that districts have discretion related to field trips. The district could include language regarding field trips here.}

² [ODE’s guidance, *Fostering Student Learning, Well-Being, and Belonging* provides “This includes personal electronic devices that can make calls, send texts, or access the internet via cellular data are restricted. This includes smartphones, web-enabled flip phones, cellular-capable tablets and e-readers, smartwatches, smart glasses, and connected headphones or earbuds. This does not include laptop computers or other devices required to support academic activities.”]

³ JFCEB-AR must be submitted to the building administrator, along with a copy of the order.

⁴ If use of the personal electronic device is included in the individualized education program or education plan, JFCEB-AR submission is not required.

⁵ JFCEB-AR must be submitted to the building administrator.

Students in violation of this policy will be subject to disciplinary action. Discipline for mere possession or use of a personal electronic device may not include loss of instructional time for the student (including suspension or expulsion), but could include [detention, Saturday school, a change to storage requirements, etc. {⁶}]. However, if the actions taken by a student violate another conduct policy, the student may be subject to discipline up to and including expulsion.⁷ [Steps may include:

1. First instance of Noncompliance: staff will give the student a verbal reminder of the policy and expectations to reinforce appropriate use of personal electronic devices;
2. Second Instance of Noncompliance: the device will be temporarily confiscated and held in the front office until the end of the school day. Parents or guardians will be notified, and a meeting with school administration may be scheduled to discuss ways to support the student;
3. Third Instance of Noncompliance: the device will again be temporarily held, and parents or guardians will be informed. A meeting with school administration and family will be arranged to review the policy and plan for improved compliance;
4. Beyond Third Instance of Noncompliance: If non-compliance continues, schools will determine additional appropriate consequences, always prioritizing keeping students in class and engaged in learning. {⁸}

Necessary communications during the school day while on school grounds between students and parents or guardians can be made through the school office.

The superintendent or designee shall ensure this policy is posted on the district website and made available to district personnel, students, parents, guardians, partners who are in school buildings during the school day, and the Oregon Department of Education.

In accordance with ORS 336.840, students may be allowed to use personal electronic devices⁹ that support academic activities and independent communications¹⁰, except as prohibited by this policy. In academic activities in which a personal electronic device is required as part of the curriculum, students may be allowed, but not required to use their own personal electronic devices for that portion of the curriculum. Students using their own device must be granted access to any applications or electronic materials that are available to students who do not use their own personal electronic devices. These applications must be free of charge if students who do not use their own devices have access free of charge. *{MOVED FROM EARLIER IN POLICY.}*

⁶ {Correction may include requiring a student to store their device in a classroom storage space instead of in the backpack.}

⁷ For example: a student could be disciplined with lost instructional time for using a personal electronic device to bully another student or for accessing inappropriate content. Discipline will be in accordance with Board policies.

⁸ {From guidance from the Oregon Department of Education. Consider whether these procedures apply at all grade levels and whether this much detail is desired in policy.}

⁹ The use of “personal electronic device” in this paragraph comes from ORS 336.840, which does not define the term. However, the definition in EO 25-09 wouldn’t necessarily apply. Consequently, items like laptop computers or other devices required to support academic activities would likely be considered personal electronic devices within this paragraph.

¹⁰ “Independent communication means communication that does not require assistance or interpretation by an individual who is not part of the conversation, but that may require the use or assistance of an electronic device. ORS 336.840(1).

Requests for exemptions to this policy can be processed in accordance with JFCEB-AR, Request for Personal Electronic Devices Exemption. Appeals can be filed [with the superintendent][in accordance with KL-AR(1) – Public Complaint Procedure].

The taking, disseminating, transferring or sharing of obscene, pornographic or otherwise illegal images or photographs, whether by electronic data transfer or otherwise (commonly called texting, sexting, emailing, etc.) may constitute a crime under state and/or federal law. Any person taking, disseminating, transferring or sharing obscene, pornographic or otherwise illegal images or photographs will be reported to law enforcement and/or other appropriate state or federal agencies.

[This policy takes effect on January 1, 2026.]

END OF POLICY

Legal Reference(s):

[ORS 332.107](#)

[ORS 336.840](#)

Oregon Executive Order 25-09

orig 0112 07.13

April 19, 2024 (1st Read)

May 15, 2024

Reg

2nd Read & Adoption

Approved minutes 7/17/24

OSBA Model Sample Policy

Code: GCDA/GDDA
Adopted:

Criminal Records Checks and Fingerprinting *

{Required policy. Requirement/Authority for policy comes from OAR 581-021-0510 - 021-0512 and ORS 326.603 - 326.607.}

In a continuing effort to ensure the safety and welfare of students and staff, the district shall require certain individuals to submit to a criminal records check and fingerprinting as required by law. This includes employees, contractors, volunteers and others.

Requirements for Employees ~~{(1) not Licensed, Certified or Registered by the Teachers Standards Practices Commission (TSPC)}~~

All newly hired employees² not identified under Oregon Revised Statutes (ORS) 342.223³ are required to submit to a criminal records check and fingerprinting as required by law. A newly hired employee is not subject to fingerprinting if the district has evidence on file that the person successfully completed a state and national criminal records check for a previous employer that was a school district⁴ or private school, and has not resided outside the state between the two periods of employment^{5}.

An individual shall be subject to the collection of fingerprint information, only after the offer of employment from the district. Fees associated with criminal records checks and fingerprinting for individuals applying for employment with the district and not requiring licensure shall be paid by the ~~district.~~ individual. An individual may request the fee be withheld from the amount otherwise due the individual. The district will withhold this amount only upon request of the subject individual.]

The district ~~[shall not]~~ ^[may⁶] begin the employment of an individual ~~[before]~~ ^[on a probationary basis pending] the return and disposition of the required criminal records checks.

When the criminal records check indicates an individual has been convicted of any crimes⁷ prohibiting employment, the individual will not be employed, or if employed will be terminated. When the criminal records check indicates an individual has knowingly made a false statement as to the conviction of any

¹ {If the district wants to include the larger section on TSPC-licensed employees (see p. 2), keep this bracketed language. If the district does not want to include the larger section on TSPC-licensed individuals, omit this bracketed language.}

² Any individual hired within the last three months. This does not include an employee hired within the last three months if the district has evidence on file that meets the definition in Oregon Administrative Rule (OAR) 581-021-0510(11)(b).

³ ORS 342.223 includes teachers, administrators, personnel specialist, school nurses, persons participating in supervised clinical practice experience, practicum or internship as a teacher, administrator or personnel specialist. See statute for details.

⁴ As is defined in OAR 581-021-0510(9); includes school districts, the Oregon School for the Deaf, and educational program under the Youth Corrections Education Program, public charter schools and ESDs.

⁵ {Additional exception applies through July 1, 2024. See ORS 326.603(4)(b).}

⁶ Decisions regarding which employees may begin before the return of the required criminal records checks must be made in a nondiscriminatory manner.

⁷ See OAR 581-021-0511(8).

?
crime, the individual may will not be employed by the district, or if employed by the district may will be terminated. An individual who fails to disclose the presence of convictions that would not otherwise prohibit employment or contract with the district as provided by law may will not be employed by the district. Employment termination shall remove the individual from any district policies, collective bargaining provisions regarding dismissal procedures and appeals and the provisions of Accountability for Schools for the 21st Century Law.

[Requirements for individuals in positions requiring licensure, certification or registration with Teacher Standards and Practices Commission (TSPC) are outlined in ORS 342.223.]

~~OR~~

~~[Requirements for TSPC Licensed, Certified or Registered Individuals~~

- ~~1. Any individual who is applying for a license as a teacher, administrator or personnel specialist is subject to a criminal records check and fingerprinting, unless the individual has submitted to such a check through the Teacher Standards and Practices Commission (TSPC) within the previous three years, or has remained continuously licensed by or registered with TSPC for a different license or registration for which the individual has already submitted to a criminal records check and fingerprinting.~~
- ~~2. Any individual who is applying for an initial certificate under ORS 342.475 as a school nurse shall submit to a criminal records check and fingerprinting with TSPC.~~
- ~~3. Any individual who is applying for a registration as a public charter school teacher or administrator with TSPC shall submit to a criminal records check and fingerprinting with TSPC.~~
- ~~4. Any individual applying for reinstatement of an Oregon license or registration as a teacher, administrator or personnel specialist, or a certificate as a school nurse with the TSPC, whose license, registration or certificate has lapsed for at least three years, shall submit to a criminal records check and fingerprinting with TSPC.~~
- ~~5. Any individual registering with the TSPC for student teaching, practicum or internship as a teacher, administrator or personnel specialist, if the individual does not hold a current license issued by TSPC and has not submitted to a criminal records check by TSPC within the previous three years for student teaching, practicum or internship as a teacher, administrator or personnel specialist, shall be required to submit to a criminal records check and fingerprinting with TSPC.]~~

Requirements for Contractors^{8}

All individuals employed as or by a contractor and considered by the district to have direct, unsupervised contact with students⁹ or unsupervised access to children are required to submit to a criminal records check and a fingerprint-based criminal records check.

⁸ {The district should include language regarding background checks in any contract that includes direct, unsupervised contact with students whenever applicable.}

⁹ "Direct, unsupervised contact with students" means contact with students that provides the person opportunity and probability for personal communication or touch when not under direct supervision. (OAR 581-021-0510)

The superintendent [or designee] will identify contractors who are subject to such requirements.

A contractor or an employee of a contractor required to submit to a criminal records check and fingerprinting in accordance with law and Board policy will be terminated from contract status, or withdrawal of offer of contract will be made by the district upon:

1. Refusal to consent to a criminal records check and fingerprinting; or
2. Notification¹⁰ from the Superintendent of Public Instruction that the individual has a conviction of any crimes listed in ORS 342.143, or the substantial equivalent of any of those crimes if the conviction occurred in another jurisdiction or in Oregon under a different statutory name or number.

? A subject individual ~~[may]~~ [will] be terminated from contract status upon notification from the Superintendent of Public Instruction that the individual has knowingly made a false statement as to the conviction of any crime.

Requirements for Volunteers

{¹¹} The district shall require a fingerprint-based criminal records check for volunteers allowed direct, unsupervised contact with students, in the following positions:

1. Head coach;
2. Assistant coach;
3. Overnight chaperone;
4. Volunteers transporting students, other than their own, in a private vehicle off district property for a district-sponsored activity;
5. List of other positions subject to this fingerprinting, if any.

The service of a volunteer into a position identified by the district as requiring a fingerprint-based criminal records check ~~[may]~~ [will not] begin ~~[on a probationary basis pending]~~ [before] the return and disposition of a state and national criminal records check based on fingerprints.]

{¹²} Volunteers allowed by the district into a position designated by the district to have direct, unsupervised contact with students shall submit to an in-state criminal records check.

¹⁰ Prior to making a determination that results in this notification and opportunity for a hearing, the Superintendent of Public Instruction may cause an investigation pursuant to OAR 581-021-0511; involved parties shall cooperate with the investigation pursuant to law.

¹¹ {If the district requires fingerprinting for certain volunteer positions, the district is required to list those volunteer positions in board policy. The bracketed language is only possible examples; modify to identify the positions in the district which require such fingerprinting.}

¹² {If the district allows volunteer service and the volunteers have direct, unsupervised contact with students, this policy language is required, and districts are required to conduct criminal records checks on these volunteers.}

[The service of a volunteer allowed to have direct, ^{yes} unsupervised contact with students ~~(may)~~ ^(will not) begin ~~(on a probationary basis pending)~~ ~~(before)~~ the return and disposition of a criminal records check.]

~~[A volunteer that is not likely to have direct, unsupervised contact with students, as determined by the district, ~~(will)~~ ~~(will not)~~ be required to submit to an in-state criminal records check.]~~

[A volunteer who knowingly made a false statement on a district volunteer application form or has a conviction of a crime listed in ORS 342.143, or the substantial equivalent of any of those crimes if the conviction occurred in another jurisdiction or in Oregon under a different statutory name or number ~~(will)~~ ^(may) result in immediate termination from the ability to volunteer in the district.] ^{yes}

~~[Fees associated with a required fingerprinting for volunteers shall be paid by the ~~(individual)~~ ~~(district)~~. Fees associated with required non-fingerprinting criminal records checks for volunteers shall be paid by the ~~(individual)~~ ~~(district)~~.]~~

[A volunteer who refuses to submit, when required, to a criminal records check or a fingerprint-based criminal records check in accordance with law and Board policy will be denied such ability to volunteer in the district.] ^{yes}

Requirements for Others

Any community college faculty member providing instruction at the site of an early childhood education program, at a school site as part of an early childhood program or at a grade K through 12 school site during the regular school day is required to submit to a criminal records check and a fingerprint-based criminal records check.

Any individual who is an employee of a public charter school and not identified under ORS 342.223 is required to submit to a criminal records check and a fingerprint-based criminal records check.

Notification

The district will provide written notice about the requirements of fingerprinting and criminal records checks through means such as staff handbooks, employment applications, contracts or ~~(volunteer)~~ ^{yes} forms.

The district will provide the following notification to individuals subject to criminal records checks and fingerprinting:

1. Such criminal records checks and fingerprinting are required by law or Board policy;
2. All employment or contract offers ~~(or the ability to volunteer)~~ ^{yes} are contingent upon the results of such checks;
3. A refusal to consent to a required criminal records check and fingerprinting shall result in immediate termination from employment ~~(.)~~ ~~(or)~~ contract status ~~(or the ability to volunteer in the district)~~;
4. A determination by the Oregon Department of Education (ODE) which affects an individual's eligibility to be employed, or contracted with, by the district may be appealed to the Superintendent of Public Instruction under ORS 183.413 – 183.470;

5. An individual determined to have knowingly made a false statement as to the conviction of any crime on district employment applications, contracts, ~~or~~ ODE forms [(written or electronic)] [may] ~~will~~ result in immediate termination from employment or contract status;
6. An individual determined to have been convicted of any crime that would prohibit employment or contract will be immediately terminated from employment or contract status[;] [.]
7. [A volunteer candidate who knowingly made a false statement or has a conviction of the crimes listed in ORS 342.143, or the substantial equivalent of any of those crimes if the conviction occurred in another jurisdiction or in Oregon under a different statutory name or number [may] ~~will~~ result in immediate termination from the ability to volunteer in the district.] [The district [may] ~~will~~ remove the volunteer from the position allowing direct, unsupervised contact with students.]

Processing and Reporting Procedures

Immediately following an offer and acceptance of employment or contract, an individual subject to criminal records checks and fingerprinting shall complete the appropriate forms authorizing such checks and report to an authorized fingerprinter as directed by the district. The district shall send such authorization, any collection of fingerprint information, and the request to ODE pursuant to law.

Fingerprints may be collected by one of the following:

1. Employing district staff;
2. Contracted agent of employing district;
3. Local or state law enforcement agency; or
4. Statewide vendor identified by the Oregon Department of Administrative Services.

To ensure the integrity of the fingerprinting collection and prevent any compromise of the process, the district will provide the name of the individual to be fingerprinted to the authorized fingerprinter.

The authorized fingerprinter will obtain the necessary identification and fingerprinting and notify ODE of the results. ODE will then review and notify the district of said results as well as the identity of any individual it believes has knowingly made a false statement as to conviction of a crime or has a conviction of a crime prohibiting employment ~~or~~ contract [or volunteering].

A copy of the fingerprinting results will be kept by the district. The district's use of criminal history must be relevant to the specific requirements of the position, services or employment.

END OF POLICY

Legal Reference(s):

ORS 181A.180
ORS 181A.230
ORS 326.603
ORS 326.607
ORS 332.107

ORS 336.631
ORS 342.143
ORS 342.223
OAR 414-061-0010 – 061-0030
OAR 581-021-0510 – 021-0512

OAR 581-022-2430
OAR 584-050-0012
OAR 584-050-0100

Title VII of the Civil Rights Act of 1964, as amended, 42 U.S.C. § 2000e, et. seq. (2018).